

Persoane juridice autorizate conform PT CR4/2009 pentru efectuarea de lucrari la Cazane de abur, Cazane apa fierbinte, Supraincalzitoare si Economizoare independente- reglementate de PT C1/2010

Nr. Crt.	IT ISCIR	Societatea Comerciala	Adresa	J	CUI	Tel/fax	Domeniu autorizat						Parametrii	Autorizatii
							Instalare	Montare	Reparare	Verificari tehnice in utilizare pt. investigatii/examinari cu caracter tehnic	Intretineri prin spalare chimica	Intretineri regim chimic		
1	Central	AB INSTAL SRL	CRAIOVA, Str. Caracal, nr.30, Jud. Dolj	J16/4 58/20 00	CUI 13319 762	0744/5 72075; 0251/5 43105	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} ≤1035t/h, p _{max} ≤192bar, T _{max} ≤192°C; D _{max} ≤100Gcal/h, p _{max} ≤25bar, T _{max} ≤175°C	DISPR/CR4/ A,B,C/4,5/2 133/07.10.2 011
2	Craiova	ABC SYSTEMS SRL	DR. Tn. SEVERIN, Calea Timisoarei, nr.175B, Jud. Mehedinti	J25/1 584/1 994	RO 66675 78	0252/3 29362/ 329363	Cazane abur, apa fierbinte	-	Cazane abur, apa fierbinte	-	-	-	Q _{max} =10t/h, p _{max} =16bar, t _{max} =200°C; D _{max} =5Gcal/h, p _{max} =16bar	CR/CR4/A,C /4,5/0002/0 /31.03.2010

3	Sibiu	ACI BISTRITA SA	BISTRITA, Str. Zefirului, nr.1, Jud. Bistrita Nasaud	J06/1 5/199 1	RO 56651 5	0263/2 34229/ 234230	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Q<=10t/h, Pmax=20bar, Tmax<=350° C; D<=5Gcal/h, Pmax<=20bar	SB/CR4/A,B, C/4,5/0174/ 0/18.02.201 1
4	Bucuresti	ACIRAM MEDICAL SRL	BUCURESTI, Str. Margeanului , nr. 26, bl.M23A, et.1, ap.32, sector 5	J40/1 0600/ 2007	RO 21849 379	072253 1761; 021420 1026	Cazane abur	-	-	-	-	-	Qmax=1t/h, pmax=8bar, tmax=175° C	B/CR4/A/4/ 1763/0/20.0 8.2013
5	Bucuresti	ACVATOT SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.9-9A, cladire nr.14, Iride Busines Park, parter + etaj 1; BUCURESTI, Str. Lunca Cetatii, nr. 475, lot 3, sector 3	J40/6 629/1 991	CUI 13906	021/25 20860/ 252093 4	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=650t/h, pmax=170bar, Tmax=480° C; Dmax=50Gcal/h, pmax=20bar, Tmax=170° C	B/CR4/A,B, C/4,5/1385/ 2/25.02.201 5

6	Bucuresti	ACVATOT SRL	BUCURESTI, Str. Popa Lazar, nr.5- 25, et. 1+2, corp C14, sector 2	J40/6 629/1 991	CUI 13906	021/25 20934	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=650t/h, pmax=170bar, Tmax=480°C; Dmax=50Gcal/h, pmax=20bar, Tmax=170°C	B/CR4/A,B, C/4,5/0277/ 0/04.09.201 0
7	Bucuresti	ACVATOT SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.9-9A, cladire nr.14, Iride Busines Park, parter + etaj	J40/6 629/1 991	CUI 13906	021/31 60828/ 316082 5	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=650t/h, pmax=170bar, Tmax=480°C; Dmax=50Gcal/h, pmax=20bar, Tmax=170°C	B/CR4/A,B, C/4,5/1385/ 1/27.05.201 3
8	Central	AFA PROD IMPEX SRL	CLUJ NAPOCA, Str. Timisului, nr.1, Jud. Cluj	J12/9 54/19 95	CUI 73592 66	0264/4 16365/ 416758	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=350°C; Dmax<=5Gcal/h, pmax<=16bar, Tmax<=150°C	DISPR/CR4/ A,B,C/4,5/1 344/0/15.06 .2011
9	Central	AG PROIECT INTERNATIONAL SRL	BUCURESTI, Al. Cettuia, nr.10, bl.25/I, sc.A, et.3, ap. 15, sector 6	J40/1 8048/ 204	CUI 16920 944	021/77 15802	Cazane abur	-	-	-	-	-	Qmax=25t/h, pmax=20bar, Tmax=250°C	DISPR/CR4/ A/4/2489/0 /05.12.2011

10	Brasov	AG SERV CONSTRUCT SRL- Punct de lucru BRASOV	NEGRESTI OAS, Str. Victoriei, Bl.C9/20, et.2, ap.12, Jud. Satu Mare; BRASOV, Str. Timis- Triaj, nr.6, Jud. Brasov	J30/4 12/19 95	CUI 75200 51	0261/8 53322; 0268/3 31142/ 331752	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Q<=100t/h, p<=40bar, T<=440° C; D<=50Gcal/h, p<=40bar, T<=440° C	BV/CR4/A,C /4,5/0011/0 /14.06.2010
11	Sibiu	AGRISUT PROD COM IMPEX SRL	CLUJ NAPOCA, Str. Campului, nr. 215- 219, ap. 3, Jud. Cluj	J12/4 849/1 992	RO 28944 70	0264/5 61973	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	pmax<=16bar, Qmax<=10t/h, Tmax<=250° C; pmax<=16bar, Dmax<=5Gcal/h	SB/CR4/A,B, C/4,5/1353/ 1/24.07.201 4
12	Central	AGRISUT PROD COM IMPEX SRL	CLUJ NAPOCA, Str. Grigore Alexandresc u, nr.49, ap.2, Jud. Cluj	J12/4 849/1 992	CUI 28944 70	0264/5 61973	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=250° C; Dmax<=5Gcal/h, pmax<=16bar	DISPR/CR4/ A,B,C/4,5/2 582/0/14.11 .2011

13	Bacau	AIPIFS SRL	BACAU, Str. Prieteniei, nr.7, bl.7, sc.A, ap.2, Jud. Bacau	J04/1 849/1 992	CUI 97672 8	0234/5 77165; 074454 3625	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	BC/CR4/G/4 5/0051/0/3 0.06.2010
14	Bucuresti	ALA INSTAL COMCONSTRUCT SRL	BUCURESTI, Str. Grigore Alexandrescu, nr.7, Bl.H1, sc.2, et.4, sector 1	J40/1 9208/ 1992	CUI 33169 47	021/31 74424/ 317439 9	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=400°C; Dmax=5Gcal/h, pmax=16bar, Tmax=160°C	B/CR4/A/4, 5/0206/0/10 .08.2010
15	Bucuresti	ALA INSTAL COMCONSTRUCT SRL	BUCURESTI, Str. Grigore Alexandrescu, nr.7, Bl.H1, sc.2, et.4, sector 1	J40/1 9208/ 1992	CUI 33169 47	021/31 74424/ 317439 9; e- mail: ala_instal@yah oo.com	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=400°C; Dmax=5Gcal/h, pmax=16bar, Tmax=160°C	B/CR4/A/4, 5/0206/1/23 .12.2013
16	Iasi	ALCOR PRO CONSULT SRL	IASI, Str. Sf. Lazar, nr.51, Jud. Iasi	J22/1 91/19 95	RO 70480 90	0232/2 33390	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=420t/h, pmax=120bar, Tmax=550°C; Dmax=20Gcal/h, pmax=25bar,	IS/CR4/E/4, 5/0073/0/03 .08.2010

17	Bacau	ALPADO SRL	Com. STEFAN cel Mare, Sat. NEGOIESTI, nr.292, Jud. Bacau	J04/1535/1992	RO 977278	0234/339008	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, Pmax<=40bar, Tmax=440°C; Dmax<=50Gcal/h, Pmax=16bar, Tmax=200°C	BC/CR4/A,C/4,5/0074/0/26.08.2010
18	Central	AMICI SA	BACAU, Str. Ionita Sandu Sturza, nr.25, Jud. Bacau	J04/37/1991	CUI 945144	0334/405384; 0234/514336	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, Pmax<=16bar, Tmax<=200°C; Dmax<=5Gcal/h, pmax<=8bar, Tmax<=170°C	DISPR/CR4/A,B,C/4,5/1205/0/30.06.2011
19	Bucuresti	AMS 2000 TRADING IMPEX SRL	BUCURESTI, Str.Turturelor, nr. 62, camere 1-16 din imobil Decebal Tower, et. 2, sector 3	J40/5527/1997	RO 9603757	021/3247050/3247679; e-mail office.ams@ams.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	Pmax=72kW, pmax=5bar, Tmax=138°C	B/CR4/A,B,C/4/2868/0/26.08.2016
20	Central	AMURCO SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/770/2005	CUI 17488233	0234/575440/575413	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax<=196bar, Tmax<=565°C	DISPR/CR4/A,B,C/4,5/1225/0/24.06.2011-retragere incepand cu 30.08.2016

21	Bacau	AMURCO SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/770/2005	RO 17488233	0234/575440/575413; e-mail: secretariat@amurco.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=105bar, Tmax=540° C; Dmax=25Gcal/h, pmax=20bar	BC/CR4/A,B,C/4,5/1298/1/03.09.2013-retragere incepand cu 30.08.2016
22	Pitesti	ANA CARPATI 2007 SRL	PITESTI, Str. Fagaras, bl.E2, sc.c, ap.10, Jud. Arges	J03/1993/2007	RO 22523698	0729022428; 0248/290025	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q<=50t/h, pmax<=50bar, T<=450° C; D<=50Gcal/h, pmax<=25bar	PT/CR4/A,C/4,5/0102/0/30.09.2010
23	Central	ANUBIS SRL	CLUJ NAPOCA, Str. Fericii, nr.17, ap.2, Jud. Cluj	J12/269/2000	CUI 12760654	0264/484116	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	DISPR/CR4/G/4,5/1472/0/07.07.2011; DISPR/CR4/H/4,5/1471/0/07.07.2011
24	Iasi	APOPI & BLUMEN SRL	IASI, Str. Cuza Voda, nr.56, Jud. Iasi	J22/961/1993	RO 5386728	0232/212269/252413	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=350° C; Dmax=10Gcal/h, pmax=16bar	IS/CR4/A,B,C/4,5/0061/0/19.07.2010

25	Bacau	APOPI & BLUMEN SRL	IASI, Str. Cuza Voda, nr.56, Jud. Iasi	J22/9 61/19 93	RO 53867 28	0232/2 12269/ 252413	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=350°C; Dmax=10Gcal/h, pmax=16bar	BC/CR4/A,B ,C/4,5/1366 /1/12.02.2014
26	Bacau	AQUATERM SRL	BOTOSANI, Str. I.C. Bratianu, nr.35, Jud. Botosani	J07/2 26/19 99	CUI 12135 214	0231/5 11585/ 511518	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=200°C	BC/CR4/A,B ,C/4/1495/0 /03.10.2014
27	Central	ARCELORMITTAL GALATI SA	GALATI, Str. Smardan , nr.1, Jud. Galati	J17/2 1/199 1	CUI 16397 39	0236/8 01331/ 803883	-	-	Cazane abur	-	-	-	pmax=54bar, Qmax=255t/h, Tmax=450°C	DISPR/CR4/ C/4/1250/0 /10.06.2011
28	Central	ARDENT SRL	BRASOV, Str. Arinului, nr. 3, bl. 36, ap. 12, ap.9, Jud. Brasov	J08/1 035/1 991	CUI 11102 81	0368/4 59201	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=120bar, Tmax<=540°C; Dmax<=100Gcal/h, pmax=40bar	DISPR/CR4/ E/4,5/0786/ 1/27.01.2017
29	Central	ARDENT SRL	BRASOV, Str. Paraului, nr.15, bl. S25, sc.A, ap.9, Jud. Brasov	J08/1 035/1 991	CUI 11102 81	072227 5726; 0268/5 41682	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=120bar, Tmax<=540°C; Dmax<=100Gcal/h	DISPR/CR4/ E/4,5/0786/ 0/12.05.2011

30	Brasov	ARDENT SRL	BRASOV, Str. Paraului, nr.15, bl. S25, sc.A, ap.9, Jud. Brasov	J08/1 035/1 991	CUI 11102 81	072227 5726; 0268/5 41682	Cazane de abur	-	Cazane de abur	-	-	-	pmax=40bar, Qmax=120t/h, Tmax=350°C	BV/CR4/A,C /4/1125/0/0 1.04.2013
31	Central	ARGENTA SRL	NAVODARI, Bd. Navodari, nr.295, Jud. Constanta	J13/2 396/1 993	CUI 39597 05	0241/5 17171/ 766876	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax<=1100t/h, pmax<=250bar, Tmax<=650°C	DISPR/CR4/ A,B,C/4/203 5/0/26.09.2 011
32	Bucuresti	ARGENTA SRL	NAVODARI, Bd. Navodari, nr.295, Jud. Constanta	J13/2 396/1 993	CUI 39597 05	0241/5 17171/ 638438	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax<=250bar, Qmax<=1100t/h, Tmax<=650°C	B/CR4/A,B, C/4/1020/1 /29.06.2012
33	Bucuresti	ARGENTA SRL	NAVODARI, Bd. Navodari, nr.295, Jud. Constanta	J13/2 396/1 993	CUI 39597 05	0241/5 17171/ 638438	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax=250bar, Qmax=1100t/h, Tmax=650°C	B/CR4/A,B, C/4/1020/2 /19.05.2014
34	Central	ARGOS SA	CERNAVODA , Str. Canalului, nr.11, Jud. Constanta	J13/1 562/1 991	CUI 24218 12	0241/2 38440/ 238197	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=30t/h, pmax<=25bar, Tmax<=225°C; Dmax<=20Gcal/h, pmax<=25bar	DISPR/CR4/ A,B,C/4,5/1 745/0/16.08 .2011

35	Bucuresti	ARTEGO SA	TG. JIU, Str. Ciocarlau, nr.38, Jud. Gorj	J18/1 120/1 991	CUI 21574 28	0253/2 26444	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=350°C; Dmax=1.4Gcal/h, pmax=40bar	B/CR4/A,C/ 4,5/2510/1/ 12.03.2015
36	Central	ARTEGO SA	TG. JIU, Str. Ciocarlau, nr.38, Jud. Gorj	J18/1 120/1 991	CUI 21574 28	0253/2 26444/ 226045	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Pmax<=1164kW	DISPR/CR4/ A,B,C/4,5/0 472/0/23.03 .2011
37	Tg. Mures	AZOMURES SA	TG. MURES, Str. Gh. Doja, nr.30, Jud. Mures	J26/1 /1991	RO 12004 90	0265/2 53700/ 252627	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=50t/h, pmax=50bar, Tmax=500°C; Dmax=50Gcal/h, pmax=22bar	MS/CR4/E/4 ,5/0044/0/1 2.10.2010
38	Tg. Mures	AZOMURES SA	TG. MURES SA, Str. Gh. Doja, nr.300, Jud. Mures	J26/0 1/199 1	CUI 12004 90	0265/2 53700/ 252627	-	-	Cazane de abur	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440°C	MS/CR4/C/4 /0071/0/29. 11.2010
39	Central	BALTUR SIB SRL	SIBIU, Str. Regele Ferdinand , nr.2, Jud. Sibiu	J32/2 97/19 98	CUI 10565 398	0269/2 15398/ 215376	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=150bar, Tmax<=540°C; Dmax<=100Gcal/h, pmax<=26bar	DISPR/CR4/ A,B,C/4,5/1 475/0/20.07 .2011

40	Oradea	BIJU SRL	TIMISOARA, Str. Brandusei, nr.1, sc.B, parter, ap.4, Jud. Timis	J35/2 581/1 991	CUI 18193 57	0256/4 24868	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=300°C; Dmax=5Gcal/h, pmax=16bar	OR/CR4/A,C /4,5/1256/1 /18.02.2014
41	Central	BIJU SRL	TIMISOARA, Str. Brandusei, nr.1, sc.B, parter, ap.4, Jud. Timis	J35/2 581/1 991	CUI 18193 57	0256/4 24868	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=300°C; Dmax<=5Gcal/h, pmax<=16bar, Tmax<=150°C	DISPR/CR4/ A,C/4,5/126 7/0/17.06.2 011
42	Central	BIS NIMB SA	CERNAVODA , Platforma SNN CNE INVEST , Jud. Constanta	J13/1 328/1 999	CUI 92750 05	0241/2 38488/ 238890	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	pmax<=16bar, Qmax<=10t/h, Dmax<=5Gcal/h;	DISPR/CR4/ B,C/4,5/097 8/0/09.06.2 011
43	Bucuresti	BLACK SEA SUPPLIERS SRL	CONSTANTA , Bd. Aurel Vlaicu, nr.191, Jud. Constanta	J13/2 456/1 996	CUI 88770 45	0241/6 97700	Cazane abur	-	-	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax=325°C	B/CR4/A/4/ 2094/1/15.0 1.2016

44	Central	BLACK SEA SUPPLIERS SRL	CONSTANTA, Bd. Aurel Vlaicu, nr.191, Jud. Constanta	J13/2 456/1 996	CUI 88770 45	0241/6 97700	Cazane abur	-	-	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax=325° C	DISPR/CR4/ A/4/2094/0 /05.10.2011
45	Bucuresti	BLUE NEON SA	CRAIOVA, Str. Nicolae Titulescu, nr.46, bl.E4, sc.1, ap.9, Jud. Dolj	J16/8 68/20 06	CUI 18652 333	074476 3559; 0251/5 92858	-	-	-	-	-	Cazane abur; cazane apa fierbinte	p>0.5bar, T>=110° C	B/CR4/H/4, 5/1382/0/27 .05.2013
46	Bucuresti	BONATTI Spa PARMA - Sucursala Bucuresti	BUCURESTI, Str. Gheorgheni, nr.68, et.1, ap.4, sector 5	J40/9 115/2 014	CUI 33446 663	021/40 24100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250° C; Dmax=30Gcal/h, pmax=16bar	B/CR4/A,B, C/4,5/2361/ 1/06.04.201 6
47	Bucuresti	BONATTI Spa PARMA - Sucursala Bucuresti	BUCURESTI, Str. Gheorgheni, nr.68, et.1, ap.4, sector 5	J40/9 115/2 014	CUI 33446 663	021/40 24100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250° C; Dmax=30Gcal/h, pmax=16bar	B/CR4/A,B, C/4,5/2361/ 0/28.11.201 4
48	Bacau	BRAITERM IMPEX SRL	LACU SARAT, Com. Chiscani, Jud. Braila	J09/1 529/1 994	CUI 69938 98	0239/6 52604	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=250° C	BC/CR4/A,C /4/1488/2/0 7.05.2015

49	Bacau	BRAITERM IMPEX SRL	LACU SARAT, Com. Chiscani, Jud. Braila	J09/1 529/1 994	CUI 69938 98	0239/6 52604	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=250°C	BC/CR4/A,C /4/1488/1/2 2.09.2014
50	Central	BRAITERM IMPEX SRL	LACU SARAT, Com. Chiscani, Str. Principala, nr.41, Jud. Braila	J09/1 529/1 994	CUI 69938 98	0239/6 52604	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=250°C	DISPR/CR4/ A,C/4/3026/ 0/16.02.201 2
51	Cluj	CALORA PROD SRL	CLUJ NAPOCA, Str. Parang, nr.6, bl.H3, ap.42, Jud. Cluj	J12/3 320/1 993	RO 47233 88	0264/4 32429	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h, pmax=16bar	CJ/CR4/E/4 5/0014/0/1 8.05.2010
52	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/1 8898/ 2006	RO 19222 172	021/33 45517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4, 5/2376/5/09 .08.2016
53	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/1 8898/ 2006	RO 19222 172	021/33 45517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4, 5/2376/4/19 .02.2016

54	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/1 8898/2006	RO 19222 172	021/33 45517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250 °C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4, 5/2376/3/03 .12.2015
55	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/1 8898/2006	RO 19222 172	021/33 45517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250 °C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4, 5/2376/2/23 .06.2015
56	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/1 8898/2006	RO 19222 172	021/33 45517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250 °C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4, 5/2376/1/24 .04.2015
57	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/1 8898/2006	RO 19222 172	021/33 45517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250 °C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4, 5/2376/0/04 .12.2014
58	Oradea	CENTRALA ELECTRICA DE TERMIFICARE ARAD SA	ARAD, Calea 6 Vanatori , Jud. Arad	J02/3 36/20 02	CUI 14593 668	0257/3 07455/ 213160	-	-	Cazane abur	-	-	-	Qmax=420t/h, Pmax=150bar, Tmax=540 °C	OR/CR4/C/4 /1072/0/06. 11.2012

59	Iasi	CENTRUL JUDETEAN DE APARATURA MEDICALA	IASI, Str. Vasile Conta, nr.2-4, Jud. Iasi	-	RO 12665 636	0232/3 14271/263977	Cazane abur (generatoare electrice de abur)	Cazane abur (generatoare electrice de abur)	Cazane abur (generatoare electrice de abur)	-	-	-	Qmax=0.3t/h, Pmax=6bar, Tmax=185°C	IS/CR4/A,B, C/4/0055/0/23.06.2010
60	Bucuresti	CEPROAT SRL	BUCURESTI, Str. Petre Lintes, nr.22, sector 5	J40/5 295/2 002	CUI 14715 455	072319 3194; 021/78 13415	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, Pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, Pmax=25bar, Tmax=150°C	B/CR4/E/4, 5/0177/0/02 .08.2010
61	Central	CERVES SRL	BRAILA, Str. Tineretului, nr. 4, Jud. Braila	J09/5 25/20 10	CUI 27471 760	0239/6 83324; interventie 074156 9330	-	-	-	Cazane abur, apa fierbinte	-	-	Qmax=420t/h, pmax=150bar, Tmax=570°C; Dmax=50Gcal/h	DISPR/CR4/E/4,5/0587/1/05.08.201 5
62	Central	CERVES SRL	BRAILA, Str. Poet Gr. Alexandrescu, nr.120, modul 1, et.2, Jud. Braila	J09/5 25/20 10	CUI 27471 760	0239/6 83324	-	-	-	Cazane abur, apa fierbinte	-	-	Qmax=420t/h, pmax=150bar, Tmax=570°C; Dmax=50Gcal/h	DISPR/CR4/E/4,5/0587/0/10.05.201 1

63	Central	CET GOVORA SA	RM. VALCEA, Str. Industiilor, nr.1, Jud. Valcea	J38/6 83/19 97	CUI 10102 377	0250/7 33601/ 733603	-	-	Cazane abur	-	-	-	Qmax<=420t/h, pmax<=225bar, Tmax<=570°C	DISPR/CR4/ C/4/2522/0 /07.12.2011
64	Sibiu	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie 1989, nr.152, ap.18, Jud. Cluj; CLUJ NAPOCA, Str. Garii, nr.19, Jud. Cluj	J12/1 453/1 998	CUI 11086 555	0264/4 24665/ 462385	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=250t/h, pmax<=40bar, Tmax<=400°C; Dmax<=100Gcal/h, pmax<=30bar	SB/CR4/A,B, C/4,5/1244/ 1/14.10.201 3
65	Central	CHI TECH SRL	CLUJ NAPOCA,Bd. 21 Decembrie 1989, nr.152, ap.18, Jud. Cluj; CLUJ NAPOCA, Str. Garii, nr.19, Jud. Cluj	J12/1 453/1 998	CUI 11086 555	0264/4 24665/ 462385	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=400°C; Dmax<=25Gcal/h, pmax<=30bar	DISPR/CR4/ A,B,C/4,5/1 639/0/20.07 .2011

66	Central	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie, nr.152, ap.18, Jud. Cluj; CLUJ NAPOCA, Str. Garii, nr.19, Jud. Cluj	J12/1 453/1 998	CUI 11086 555	0264/4 24665/ 462385	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmin>0.5bar; Tmin>110° C	DISPR/CR4/ G/4,5/1637/ 0/21.07.201 1
67	Central	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie 1989, nr.152, ap.18, Jud. Cluj	J12/1 453/1 998	CUI 11086 555	0264/4 24665/ 462385	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar, Tmax=350° C; pmax=16bar, Dmax=100Gcal/h	DISPR/CR4/ E/4,5/1840/ 0/07.09.201 1
68	Central	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie, nr.152, ap.18, Jud. Cluj	J12/1 453/1 998	CUI 11086 555	026442 4665/4 62385	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570° C; Dmax=100Gcal/h, pmax=30bar	DISPR/CR4/ E/4,5/1840/ 1/20.06.201 2
69	Brasov	CHIMP SRL	PLOIESTI, Str. Mierlei, nr. 25, Jud. Prahova	J29/1 229/1 993	RO 40004 37	0244/5 51949	-	-	-	-	Cazane abur	-	p>0.5bar	BV/CR4/H/4 /1362/1/27. 01.2015

70	Ploiesti	CHIMP SRL	PLOIESTI, Str. Mierlei, nr.25, Jud. Prahova	J29/1 229/1 993	RO 40004 37	0244/5 51949	-	-	-	-	Cazane abur	-	p>0.5bar	PL/CR4/H/4 /0289/0/23. 12.2010
71	Bacau	CIBOCAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8, Jud. Botosani	J07/1 038/1 994	RO 65666 70	0231/5 39028	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=20t/h, pmax=40bar, Tmax=400°C	BC/CR4/A,B ,C/4/1330/1 /19.01.2016
72	Bacau	CIBOCAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8, Jud. Botosani	J07/1 038/1 994	RO 65666 70	0231/5 31536/ 539028	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=20t/h, pmax=40bar, Tmax=400°C	BC/CR4/A,B ,C/4/1330/0 /05.11.2013
73	Cluj	CLASIC ASOCIATIA PENTRU INDUSTRIE SI COMERT DIN CLUJ SRL	CLUJ NAPOCA, Al. Scarisoara, nr.3, ap. 11, Jud. Cluj	J12/2 915/1 991	RO 22214 7	0264/5 40465	-	-	-	-	-	Cazane abur, apa fierbinte	-	CJ/CR4/H/4 ,5/0137/0/0 2.12.2010
74	Iasi	CLIMA THERM CENTE SRL	IASI, Sos. Pacurari, nr. 139, Jud. Iasi	J22/9 16/20 00	RO 13572 870	0232/2 61833/ 272700	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=5t/h, pmax=16bar, Tmax=350°C	IS/CR4/A,B, C/4/0134/0 /25.10.2010
75	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/1 1976/ 2010	CUI 27787 860	021/31 67921/ 411987 0	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/ E/4,5/0165/ 5/11.10.201 6

76	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/1 1976/ 2010	CUI 27787 860	021/31 67921/ 411987 0	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/ E/4,5/0165/ 4/19.12.201 4
77	Central	CNCIR S.A.	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/1 1976/ 2010	CUI 27787 860	021/31 67921/ 316602 7	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/ E/4,5/0165/ 2/27.07.201 2
78	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/1 1976/ 2010	CUI 27787 860	021/31 67921/ 316792 2/3167 923/31 66027	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h, Pmax=16bar,	DISPR/CR4/ E/4,5/0038/ 0/01.03.201 1
79	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/1 1976/ 2010	CUI 27787 860	021/31 67921/ 316602 7	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/ E/4,5/0165/ 1/23.04.201 2
80	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/1 1976/ 2010	CUI 27787 860	021/31 67921/ 411987 0	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/ E/4,5/0165/ 3/22.03.201 3
81	Tg. Mures	COM TUR SRL	MIERCUREA CIUC, Str. Muller Laszlo, nr.31, Jud. Harghita	J19/4 14/19 92	CUI 51268 0	0266/3 71174/ 323776	Cazane de abur	-	-	-	-	-	pmax=16 bar, Qmax=10t/h, Tmax=350°C	MS/CR4/A/4 /0011/0/12. 05.2010

82	Bacau	COMES SA	SAVINESTI, Str. Gheorghe Caranfil, nr.3, Jud. Neamt	J27/2 7/199 1	CUI 26622 92	0233/2 81568/ 281833	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=40bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=30bar, Tmax<=180°C	BC/CR4/B,C /4,5/1280/3 /08.01.2016
83	Bacau	COMES SA	SAVINESTI, Str. Uzinei, nr.1, Jud. Neamt	J27/2 7/199 1	CUI 26622 92	0233/2 81568/ 281833	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=40bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=30bar, Tmax<=180°C	BC/CR4/B,C /4,5/1280/2 /08.08.2013
84	Central	COMES SA	SAVINESTI, Str. Uzinei, nr.1, Jud. Neamt	J27/2 7/199 1	CUI 26622 92	0233/2 81568/ 281833	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=40bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=30bar, Tmax<=180°C	DISPR/CR4/ B,C/4,5/069 5/1/06.10.2 011
85	Central	COMES SA	SAVINESTI, Str. Urziceni, nr.1, Jud. Neamt	J27/2 7/199 1	CUI 26622 92	0233/2 81568/ 281833	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=40bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=30bar, Tmax<=180°C	DISPR/CR4/ B,C/4,5/069 51/0/11.05. 2011
86	Central	COMPLEXUL ENERGETIC CRAIOVA SA	CRAIOVA, Str. Unirii, nr.147, Jud. Dolj	J16/6 56/20 04	CUI 16299 139	0351/4 03310/ 403344 / 449550	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h, pmax=250bar, Tmin=105°C; Tmax=600°C; Dmax<=100Gcal/h, pmax<=25bar, Tmax<=150°C;	DISPR/CR4/ C/4,5/2538/ 0/02.12.201 1

87	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCENTRA LE CRAIOVA	CRAIOVA, Str. Unirii, nr.147, Jud. Dolj	J16/9 04/20 12	CUI 30292 810	0351/4 03310/ 303311 / 449550	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=525t/h, 0.5bar<=pmax<=25 0bar, 105 °C<=Tmax<=60 0 °C; Dmax<=100Gcal/h, pmax<=25bar, 110 °C<=Tmax<=15 0 °C	DISPR/CR4/ C/4,5/1196/ 0/05.11.201 2
88	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCENTRA LE ISALNITA	ISALNITA, Str. Mihai Viteazul, nr.101, Jud. Dolj	J16/5 87/20 13	CUI 31454 295	0251/4 07633/ 407602	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h, Tmin=105 °C, tmax=600 °C, pmax=250bar; Dmax=100Gcal/h, pmax=250bar, Tmin=110 °C, Tmax=150 °C	B/CR4/C/4, 5/1844/0/01 .10.2013
89	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCENTRA LE ROVINARI	ROVINARI, Str. Energetician ului, nr.25, Jud. Gorj	J18/3 37/20 12	CUI 30310 461	0253/3 72556/ 371590	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, 0.5bar<=pmax<=19 6bar, 105 °C<=Tmax<=60 0 °C; Dmax<=100Gcal/h, pmax<=25bar, 110 °C<=Tmax<=15 0 °C	B/CR4/A,C/ 4,5/1220/0/ 14.12.2012
90	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCENTRA LE TURCENI	TURCENI, Str. Uzinei, nr.1, Jud. Gorj	J18/3 38/20 12	CUI 30310 453	0253/3 35045/ 335015	-	-	Cazane abur	-	-	-	Qmax=1035t/h, p<=196bar, Tmax=540 °C	B/CR4/C/4/ 1611/1/30.0 9.2016

91	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCENTRALE TURCENI	TURCENI, Str. Uzinei, nr.1, Jud. Gorj	J18/38/2012	CUI 30310453	0253/335045/335081	-	-	Cazane abur	-	-	-	Qmax=1035t/h, p<=196bar, 105°C<=Tmax<=540°C	B/CR4/C/4/1611/0/17.05.2013
92	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCENTRALE CRAIOVA II	CRAIOVA, Str. Bariera Valcii, nr.195, Jud. Dolj	J16/588/2013	CUI 31454260	0251/599480/596555; 0251/599495	-	Cazane de abur, apa fierbinte	-	-	-	-	Qmax=525t/h, pmax=250bar, 105°C<=Tmax<=600°C	B/CR4/C/4,5/1911/0/03.12.2013
93	Central	COMPLEXUL ENERGETIC TURCENI SA	TURCENI, Str. Uzinei, nr.1, Jud. Gorj	J18/257/2004	CUI 16302447	0253/335045/335081	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=15bar; Dmax=1035t/h, pmax<=195bar,	DISPR/CR4/C/4,5/0482/0/11.03.2011
94	Ploiesti	COMREP SA	PLOIESTI, Str. Gh. Grigore Cantacuzino, nr.32, Jud. Prahova	J29/127/1991	RO 1345008	0244/513145/515961	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, Pmax=120bar; Dmax=50Gcal/h, Tmax=440°C	PL/CR4/B,C/4,5/0160/0/06.09.2010
95	Brasov	COMREP SA	PLOIESTI, Str. Gh. Grigore Cantacuzino, nr.32, Jud. Prahova	J29/127/1991	RO 1345008	0244/525321/515961	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, Pmax=100bar; Dmax=50Gcal/h, Tmax=440°C	BV/CR4/B,C/4,5/1266/1/26.05.2014

96	Sibiu	COMTERM INVEST SRL	TG. MURES, Str. Rozmarinulu i,nr.60, corp C1, camera 3, et.1, Jud. Mures	J26/6 77/19 99	RO 12361 289	0265/2 53250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450° C; Dmax=100Gcal/h, pmax=40bar	SB/CR4/A,B, C/4,5/1595/ 3/14.06.201 6
97	Central	COMTERM INVEST SRL	TG. MURES, Str. Rozmarinulu i,nr.60, corp C1, camera 3, et.1, Jud. Mures	J26/6 77/19 99	RO 12361 289	0265/2 53250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450° C; Dmax=50Gcal/h, pmax=40bar	SB/CR4/A,B, C/4,5/1471/ 2/27.05.201 5
98	Central	COMTERM INVEST SRL	TG. MURES, Str. Rozmarinulu i,nr.60, corp C1, camera 3, et.1, Jud. Mures	J26/6 77/19 99	RO 12361 289	0265/2 53250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450° C; Dmax=50Gcal/h, pmax=40bar	DISPR/CR4/ A,B,C/4,5/2 160/1/16.02 .2012

99	Central	COMTERM INVEST SRL	TG. MURES, Bd. 1 Decembrie 1918, nr.243, ap.31, Jud. Mures	J26/6 77/19 99	CUI 12341 289	0265/2 53250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450° C; Dmax=50Gcal/h, Pmax=40bar	DISPR/CR4/ A,B,C/4,5/2 160/14.10.2 011
100	Ploiesti	COMTERM SA	BUZAU, Str. H.P. Bengescu, nr.5, Jud. Buzau	J10/9 76/19 93	RO 43847 61	0238/7 20242/ 406760	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=1035t/h, Pmax=150bar, Tmax=560° C; Dmax=100Gcal/h	PL/CR4/A,B, C/4,5/0296/ 0/28.12.201 0
101	Central	CONCIVIC SRL	SLOBOZIA, Str. Closca, nr.20, Judet Ialomita	J21/7 90/19 93	CUI 48314 79	0243/2 30117	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=350° C; Dmax<=25Gcal/h, pmax<=16bar	DISPR/CR4/ A,B,C/4,5/1 692/0/10.08 .2011
102	Central	CONDITIONAL SRL	BACAU, Str. Letea, nr.38, bl.38, sc.A, ap.3, Jud. Bacau	J40/3 93/19 98	CUI 10439 381	0234/5 83270	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/ A,B,C/4,5/3 330/0/26.03 .2012
103	Brasov	CONDMAG SA	BRASOV, Str. Avram Iancu, nr.52, Jud. Brasov	J08/3 5/199 1	RO 11000 08	0268/4 14954/ 477772	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q<=10t/h, p<=16bar, T<=450° C; D<=5Gcal/h, p<=16bar	BV/CR4/A,B ,C/4,5/0040 /0/06.09.20 10

104	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/6 07/19 91	CUI 13240 99	0244/3 33160/ 374719; e-mail confind @confi nd.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350 °C; Dmax=50Gcal/h, pmax=40bar	DISPR/CR4/ A,B,C/4,5/1 720/0/10.06 .2011
105	Central	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/6 07/19 91	CUI 13240 99	0244/3 33160/ 374719	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350 °C; Dmax=50Gcal/h, pmax=40bar	BV/CR4/A,B ,C/4,5/1400 /1/23.03.20 15
106	Central	CONFORT SA	TIMISOARA, Str. Enric Baader, nr.11, Jud. Timis	J35/7 29/19 91	CUI 18334 67	0256/4 34575/ 434060	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=140bar, Tmax<=550 °C; Dmax<=100Gcal/h, pmax<=140bar, Tmax<=220 °C	DISPR/CR4/ A,B,C/4,5/2 151/0/07.10 .2011
107	Bucuresti	CONFORT SRL	BUCURESTI, Str. Straduintei, nr.3, bl.A4, ap.32, et.7, sector 4	J40/1 110/1 993	RO 34775 60	021/46 10529/ 461092 1	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax=25bar, Tmax=400 °C; Dmax=15Gcal/h, pmax=25bar, T>110 °C	B/CR4/A,B, C/4,5/0519/ 1/05.08.201 3

108	Central	CONSULT MERIDIAN SRL	SAT LIPIA, Com. Marei, Jud. Buzau	J10/8 85/20 05	CUI 17807 634	0238/7 11249; 037115 5437	-	-	-	Cazane abur	-	-	Qmax=40t/h, pmax=40bar, Tmax=350°C	DISPR/CR4/ E/4/0316/0/ 25.03.2011
109	Central	CORSEM IMPEX SRL	GURA HUMORULUI , Str. Orizont, nr.6A, Jud. Suceava	J33/1 947/1 993	CUI 49739 70	0230/5 14145	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=350°C; Dmax<=15Gcal/h, pmax<=16bar, Tmax<=170°C	DISPR/CR4/ A,B,C/4,5/1 580/0/25.07 .2011
110	Iasi	COSMIN COMPANY SRL	IASI, Str. Fundac Ursulea, nr.6, Jud. Iasi	J22/5 82/19 94	RO 53177 28	0232/2 64597	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=220°C	IS/CR4/A,B, C/4/0010/0 /21.04.2010 - suspendare voluntara incepand cu 23.03.2016
111	Iasi	COSMIN COMPANY SRL	IASI, Str. Fundac Ursulea, nr.6, Jud. Iasi	J22/5 82/19 94	RO 53177 28	0232/2 64597	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=10t/h, pmax=16bar, Tmax=220°C; Dmax=5Gcal/h, pmax=16bar	IS/CR4/E/4, 5/0121/0/27 .10.2010- suspendare voluntara incepand cu 23.03.2016

112	Bucuresti	CRIMAR PAMICO INDUSTRIAL MONTAJ SRL	PITESTI, Str. Zamfiresti, nr.16, camera 1, Jud. Arges	J03/12/2012	RO 29515714	0248/615434; 0758061602	-	-	Cazane abur	-	-	-	Qmax=650t/h, pmax=225bar, Tmax=570° C	B/CR4/C/4/1026/0/26.06.2012
113	Bacau	CRIO MEC SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437/463059; e-mail office@criomecsa.ro	Cazane abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=5400° C; Dmax=100Gcal/h, pmax=22bar	BC/CR4/A,C/4,5/1118/2/29.04.2015
114	Central	CRIO MEC SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437/463059	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=120t/h, pmax=140bar, Tmax=400° C; Dmax=50Gcal/h, pmax=140bar	DISPR/CR4/E/4,5/3772/2/24.06.2015
115	Central	CRIO MEC SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437/463059	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=120t/h, pmax=140bar, Tmax=400° C; Dmax=50Gcal/h, pmax=140bar	DISPR/CR4/E/4,5/3772/1/05.02.2013
116	Galati	CRIO MEC SA	GALATI, Str. Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437/463059	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=120t/h, pmax=140bar, Tmax=400° C; Dmax=50Gcal/h, pmax=140bar	GL/CR4/E/4,5/0102/0/16.11.2010

117	Bacau	CRIOMECH SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1 339/1 994	RO 56684 27	0236/3 12437/ 463059	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte				Q _{max} =120t/h, p _{max} =40bar, T _{max} =540 °C; D _{max} =100Gcal/h, p _{max} =22bar	BC/CR4/A,C /4,5/1118/1 /09.01.2013
118	Central	CSI ENERGO ELECTRIC SRL	NAVODARI, Str. Muzicii, nr.53, et.1, Jud. Constanta	J13/6 11/20 11	CUI 28179 217	0341/4 88805	-	-	Cazane abur	-	-	-	Q _{max} <=105t/h, p _{max} <=40bar, T _{max} <=440 °C	DISPR/CR4/ C/4/0626/0 /21.04.2011
119	Bacau	CYCLON TECH SRL	BRAILA, Str. Scolilor, nr.28, Bl.D2, parter, Jud. Braila; BRAILA, Str. Mare, nr.55, Jud. Braila	J09/1 144/1 994	RO 60085 00	0239/6 12022/ 612561; 0239/6 11870	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} =10t/h, P _{max} =16bar, T _{max} =220 °C; D _{max} =5Gcal/h, P _{max} =16bar	BC/CR4/A,B ,C/4,5/1082 /2/28.05.20 14

120	Bacau	CYCLON TECH SRL	BRAILA, Str. Scolilor, nr.28, Bl.D2, parter, Jud. Braila; BRAILA, Str. Mare, nr.55, Jud. Braila	J09/1 144/1 994	RO 60085 00	0239/6 12022/ 612561; 0239/6 11870	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=220 ° C; Dmax=5Gcal/h, Pmax=16bar	BC/CR4/A,B ,C/4,5/1082 /1/01.11.20 12
121	Bucuresti	D&G DYNAMIC MAINTENANCE GROUP SRL	PITESTI, Str. Transilvania , nr. 1, bl. D3, sc. D, et. 4, ap. 17, Jud. Arges; PITESTI, DN 65B, Km 4+850, Hala 1, Jud. Arges	J03/9 60/20 06	CUI 18747 999	0248/2 50448; 072262 8597	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	B/CR4/G/4, 5/2632/1/30 .09.2015
122	Central	D&G DYNAMIC MAINTENANCE GROUP SRL	PITESTI, Str. Exercitiu, bl.D3, sc.D, et.4, ap.17, Jud. Arges	J03/9 60/20 06	CUI 18747 999	0248/2 50448	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmin>0.5bar, Tmin>110 ° C	DISPR/CR4/ G/4,5/1560/ 0/21.07.201 1

123	Timisoara	D&T INDUSTRIAL EQUIPMENT SRL	GHIRODA, Cal. Lugojului, nr.67, Jud. Timis	J35/1 290/1 995	CUI 80248 89	0256/2 88641	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Q<=10t/h, p<=16bar, T<=320° C; D<=5Gcal/h, p<=16bar	TM/CR4/A,B ,C/4,5/0038 /0/02.07.20 10
124	Timisoara	DA CONSTANTIN SRL	LUGOJ, Str. Primaverii, nr.42, Jud. Timis	J35/2 089/2 002	CUI 15096 055	0256/3 29338	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Q<=5t/h, p<=16bar, T<=250° C	TM/CR4/A,B ,C/4/0079/0 /04.10.2010
125	Iasi	DAS SRL	IASI, Str. Aurel Vlaicu, nr.87, Jud. Iasi	J22/5 89/19 91	RO 19860 70	0232/2 62800	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=350° C; Dmax=20Gcal/h, pmax=16bar,	IS/CR4/A,B ,C/4,5/0097/ 0/19.08.201 0
126	Iasi	DAS SRL	IASI, Str. Aurel Vlaicu, nr.87, Jud. Iasi	J22/5 89/19 91	RO 19860 70	0232/2 62800	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=350° C; Dmax=20Gcal/h, pmax=16bar,	IS/CR4/A,B ,C/4,5/0097/ 1/06.10.201 0
127	Bucuresti	DELTA TERMO CONSTRUCT1999 SRL	PITESTI, Str. Trivale, bl. P3 Bis, sc.C,ap.1, Jud. Arges	J03/6 00/20 04	CUI 16297 707	0248/2 72797; 074506 1558	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=40bar, tmax=440° C; Dmax=50Gcal/h, pmax=25bar	B/CR4/A,B ,C/4,5/2188/ 0/16.06.201 4
128	Ploiesti	DIPERO CONSULTING SRL	PLOIESTI, Str. Pompelor, nr.4, Corp C1, Jud. Prahova	J29/1 803/2 009	RO 26316 687	074511 8171; 0244/5 14486	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=100t/h, Pmax=50bar, Tmax=450° C; Dmax=50Gcal/h, pmax=20bar, T>110° C	PL/CR4/E/4 ,5/0201/0/0 8.10.2010

129	Central	DONAU CHEM SRL	TN. MAGURELE, Str. Portului, nr.1, Jud. Teleorman	J34/5 68/20 04	CUI 16958 124	0247/4 16438/ 413379	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/ G/4,5/0868/ 0/18.05.201 1
130	Central	DONAU CHEM SRL	TN. MAGURELE, Str. Portului, nr.1, Jud. Teleorman	J34/5 68/20 04	CUI 16958 124	0247/4 16438/ 413379	Cazane de abur (generato are de abur pentru sterilizare)	Cazane de abur (generato are de abur pentru sterilizare)	Cazane de abur (generato are de abur pentru sterilizare)	-	-	-	Qmax=80t/h, pmax=116bar, Tmax=460° C; Dmax=50Gcal/h, pmax=22bar	DISPR/CR4/ A,B,C/4,5/1 490/0/18.07 .2011
131	Central	DONAU CHEM SRL	TN. MAGURELE, Str. Portului, nr.1, Jud. Teleorman	J34/5 68/20 04	CUI 16958 124	0247/4 16438/ 413379	-	-	-	-	-	Cazane abur, apa fierbinte	-	B/CR4/H/4, 5/1374/0/08 .05.2013
132	Timisoara	DOSETIMPEX SRL	TIMISOARA, Cal. Buziasului, nr.11, camera 1, Jud. Timis	J35/4 423/1 994	CUI 68256 35	0256/2 00368 /22383 8	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q<=10t/h, p<=16bar, T<=300° C; D<=5Gcal/h, p<=16bar	TM/CR4/A,C /4/0057/0/3 0.07.2010

133	Sibiu	DUOCHIM SRL	OCNA MURES, Str. Axente Sever, bl. 49, sc.C, ap.7, Jud. Alba	J01/3 3/200 1	RO 13682 309	0258/8 73180	-	-	-	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	p>=0.5bar; T>110° C	SB/CR4/G/4 ,5/0101/0/2 8.10.2010; SB/CR4/H/4 ,5/0102/0/2 8.10.2010
134	Central	DYOMEDICA CND SRL	PLOIESTI, Intrarea Clubului, nr.3, Jud. Prahova	J29/1 796/2 007	CUI 22112 765	076665 5627; 0244/5 74287	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=100bar, Tmax=540° C; Dmax=20Gcal/h, pmax=30bar	DISPR/CR4/ E/4,5/2959/ 0/09.02.201 2
135	Constanta	EARRING CO SRL	CONSTANTA, Str. Verde, nr. 30, Jud. Constanta	J13/5 530/1 992	CUI 19089 50	0241/6 35230	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=250° C; Dmax=5Gcal/h, pmax=40bar, Tmax=150° C	CT/CR4/C/4 ,5/0029/0/0 5.07.2010
136	Central	ECOTERM SRL	URZICENI, Str. Serelor, nr.5A, Jud. Ialomita	J21/1 91/20 02	CUI 14737 011	0243/2 54713	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=40bar, Tmax=570° C; Dmax=25Gcal/h, pmax=40bar, Tmax=250° C	DISPR/CR4/ A,B,C/4,5/1 597/0/08.07 .2011
137	Bucuresti	ECOTERM SRL	URZICENI, Str. Serelor, nr.5A, Jud. Ialomita	J21/1 91/20 02	CUI 14737 011	0243/2 54713	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=40bar, Tmax=570° C; Dmax=25Gcal/h, pmax=40bar	B/CR4/A,B, C/4,5/2092/ 1/04.04.201 4

138	Central	ELCOMEX IEA SA	CERNAVODA , Str. Medgidiei, nr.2B, Jud. Constanta	J13/5 616/1 994	CUI 70922 73	0241/2 38917/ 237524	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=140bar, Tmax<=540° C; Dmax<=50Gcal/h, pmax<=40bar, Tmax<=150° C	DISPR/CR4/ A,B,C/4,5/0 924/0/25.05 .2011
139	Bucuresti	ELCOS SERVICE SRL	BUCURESTI, Bd. Timisoara, nr.27, bl.E, Sc.A, ap.2, sector 6	J40/1 209/1 998	CUI 10185 240	021/41 31349	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=205° C; Dmax=50t/h, pmax=40bar, Tmax=150° C	B/CR4/A,B, C/4,5/0389/ 0/08.10.201 0
140	Bucuresti	ELCOS SERVICE SRL	BUCURESTI, Bd. Timisoara, nr.27, bl.E, Sc.A, ap.2, sector 6	J40/1 209/1 998	CUI 10185 240	021/41 31349	-	-	-	-	Cazane abur; cazane apa fierbinte	-	Qmax=40t/h, pmax=40bar, Tmax=205° C; Dmax=50t/h, pmax=40bar, Tmax=150° C	B/CR4/G/4, 5/0390/0/11 .10.2010
141	Central	ELECTROCENTRA LE BUCURESTI SA- Suc. ELECTROCENTRA LE BUCURESTI	BUCURESTI, Splaiul Independent ei, nr.227, sector 6	J40/9 343/2 000	CUI 13439 840	021/27 51108/ 275118 1	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h, pmax=155bar, Tmax=540° C; Dmax=100Gcal/h, pmax=25bar, Tmax=160° C	DISPR/CR4/ A,B,C/4,5/2 898/0/13.01 .2012
142	Central	ELECTROCENTRA LE BUCURESTI SA- Suc. ELECTROCENTRA LE MURES	IERNUT, Str. Energeticiei, nr.1, Jud. Mures	J26/5 13/20 00	CUI 12289 38	0265/4 71333/ 471388	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=640t/h, pmax=140bar, Tmax=550° C; Dmax=20Gcal/h, pmax=20bar, Tmax<=150° C	DISPR/CR4/ A,B,C/4,5/2 324/0/03.11 .2011

143	Tg. Mures	ELECTROCENTRA LE BUCURESTI SA- Suc. ELECTROCENTRA LE MURES	IERNUT, Str. Energeticii, nr. 1, Jud. Mures	J26/5 13/20 00	CUI 12289 38	0265/4 71333/ 471388	-	-	-	Cazane abur, apa fierbinte, supraincal zitoare si economiz oare independ ente	-	-	Qmax=640t/h, pmax=140bar, Tmax=550° C; Dmax=20Gcal/h, pmax=20bar	MS/CR4/E/4 ,5/0056/0/2 7.10.2010
144	Bucuresti	ELECTROCENTRA LE CONSTANTA SRL	CONSTANTA , Bd. Aurel Vlaicu, nr.123, Jud. Constanta	J13/2 3/201 53	CUI 33636 420	0241/5 85300/ 693916	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=140bar, Tmax=550° C; Dmax=100Gcal/h, Pmax=20bar	B/CR4/B,C/ 4,5/2472/0/ 11.03.2015
145	Central	ELECTROCENTRA LE BUCURESTI- SUCURSALA ELECTROCENTRA LE CONSTANTA	CONSTANTA , Bd. Aurel Vlaicu, nr.123, Jud. Constanta	J13/1 035/2 003	CUI 15264 655	0241/5 85300/ 693916	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=140bar, Tmax=550° C; Dmax=100Gcal/h, Pmax=20bar	DISPR/CR4/ B,C/4,5/304 5/0/31.01.2 012
146	Central	ELECTROCENTRA LE DEVA SA	MINTIA, Str. Santierului, nr.1, Jud. Hunedoara	J20/8 76/20 01	CUI 14348 448	0254/2 36408/ 236411	-	-	Cazane abur	-	-	-	Qmax<=330t/h, pmax<=140bar, Tmax<=550° C	DISPR/CR4/ C/4/0076/0 /02.03.2011

147	Central	ELECTROCENTRALE SA- Suc ELECTROCENTRALE BUCURESTI	BUCURESTI, Splaiul Independentei, nr.124, sector 6	J40/9343/2000	RO13439840	021/2751103/2751405	-	-	-	-	Cazane abur, cazane apa fierbinte, cazane apa calda, cazane abur joasa presiune	-	-	DISPR/CR4/G/4,5/0175/0/14.03.2011
148	Bucuresti	ELECTROCENTRALE BUCURESTI SA	BUCURESTI, Splaiul Independentei, nr. 227, sector 6	J40/1696/2003	RO15189596	021/2751108/2751181	-	-	Cazane abur, apa fierbinte	-	-	-	Qmax=525t/h, pmax=155bar, Tmax=550°C; Dmax=100Gcal/h, pmax=25bar, Tmax=160°C	B/CR4/C/4,5/1730/1/21.10.2014
149	Bucuresti	ELECTROCENTRALE BUCURESTI SA	BUCURESTI, Splaiul Independentei, nr. 227, sector 6	J40/1696/2003	RO15189596	021/2751108/2751181	-	-	Cazane abur, apa fierbinte	-	-	-	Qmax=525t/h, pmax=155bar, Tmax=550°C; Dmax=100Gcal/h, pmax=25bar, Tmax=160°C	B/CR4/C/4,5/1730/0/08.05.2013
150	Oradea	ELECTROCENTRALE ORADEA SA	ORADEA, Str. Sos. Borsului, nr.23, Jud. Bihor	J05/723/2002	RO14790708	0259/453345/463661	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/h, Pmax=165bar, Tmax=570°C	OR/CR4/A,B,C/4/1223/1/16.10.2013

151	Bacau	ELSACO ELECTRONIC SRL	BOTOSANI, Str. Pacea, nr.41A, Jud. Botosani	J07/1 201/1 994	CUI 74645 20	0231/5 07060/ 532905	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, Pmax=200bar, Tmax=570 °C; Dmax=100Gcal/h, Pmax=40bar	BC/CR4/A,B ,C/4,5/1023 /2/19.04.20 16
152	Bacau	ELSACO ELECTRONIC SRL	BOTOSANI, Str. Pacea Ocolitor, nr.41A, Jud. Botosani	J07/1 201/1 994	CUI 74645 20	0231/5 07060/ 532905	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, Pmax=40bar, Tmax=350 °C; Dmax=50Gcal/h, Pmax=20bar, Tmax=160 °C	BC/CR4/A,B ,C/4,5/1023 /1/25.07.20 12
153	Suceava	ELSACO ELECTRONIC SRL	BOTOSANI, Str. Pacea Ocolitor, nr.41A, Jud. Botosani	J07/1 201/1 994	RO 74645 20	0231/5 07060/ 532905	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Q=120t/h, p=40bar, T=350 °C; D=50Gcal/h, p=20bar, T=160 °C	SV/CR4/A,B, C/4,5/0010/ 0/24.06.201 0
154	Oradea	EMC SRL	Oradea, Str. Gh. Pitut, nr.1, Jud. Bihor	J05/4 88/20 06	RO 18457 480	073133 8099; 0259/4 33563	-	-	-	-	Cazane de abur, cazane abur si apa fierbinte	-	-	OR/CR4/G/4 /0016/0/01. 06.2010

155	Bacau	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201- 202, et. 2, jud. Bacau	J04/1 40/20 00	CUI 12826 406	0234/5 62410; e-mail office@ energof or.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=260bar, Tmax<=570° C; Dmax<=100Gcal/h, pmax<=16bar	BC/CR4/A,B ,C/4,5/1645 /3/11.05.20 16
156	Bacau	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201- 202, et. 2, jud. Bacau	J04/1 40/20 00	CUI 12826 406	0234/5 62410; e-mail office@ energof or.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	Cazane de abur, cazane abur si apa fierbinte	-	Qmax<=420t/h, pmax<=160bar, Tmax<=440° C; Dmax<=100Gcal/h, pmax<=16bar	BC/CR4/A,B ,C/4,5/1645 /2/11.02.20 16; BC/CR4/G/4 ,5/1642/2/1 1.02.2016
157	Central	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201- 202, et. 2, jud. Bacau	J04/1 40/20 00	CUI 12826 406	0234/5 62410	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax<=120t/h, pmax<=100bar, Tmax=540° C; Dmax<=100Gcal/h, pmax<=16bar	DISPR/CR4/ E/4,5/3623/ 2/30.03.201 6

158	Central	ENERGOFOR SRL	BACAU, Str. Arcadie Septilici, nr.7B, Jud. Bacau	J04/1 40/20 00	CUI 12826 406	0234/5 45683/ 562410	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	Qmax<=120t/h, pmax<=100bar, Tmax=540° C; Qmax<=420t/h, pmax<=160bar, Tmax=440° C; Dmax<=100Gcal/h, pmax<=16bar	DISPR/CR4/E/4,5/3623/1/24.05.2012; DISPR/CR4/A,B,C/4,5/3632/1/23.05.2012; DISPR/CR4/G/4,5/3626/1/24.05.2012
159	Bacau	ENERGOFOR SRL	BACAU, Str. I. L. Caragiale, nr.1, sc.D, ap.6, Jud. Bacau	J04/1 40/20 00	RO 12826 406	0234/5 45683/ 562410	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=100bar, Tmax=540° C	BC/CR4/E/4,5/0003/0/27.04.2010
160	Bacau	ENERGOFOR SRL	BACAU, Str. Ion Luca Caragiale, nr.1, bl.1, sc.D, ap.6, Jud. Bacau	J04/1 40/20 00	RO 12826 406	0234/5 45683/ 562410	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=440° C; Dmax=100Gcal/h, pmax=16bar	BC/CR4/A,B,C/4,5/0046/0/30.06.2010

161	Bacau	ENERGOFOR SRL	BACAU, Str. Ion Luca Caragiale, nr.1, bl.1, sc.D, ap.6, Jud. Bacau	J04/1 40/20 00	RO 12826 406	0234/5 45683/ 562410	-	-	-	-	Cazane abur; cazane apa fierbinte	-	p>0.5bar; T>110°C	BC/CR4/G/4 ,5/0082/0/2 8.09.2010
162	Bucuresti	ENERGOMONTAJ SA	BUCURESTI, Cal Dorobantilor , nr. 103- 105, sector 1	J40/1 36/19 91	CUI 15554 68	021/31 89304/ 318932 7	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, pmax=40bar	B/CR4/A,B, C/4,5/0296/ 2/08.10.201 4
163	Bucuresti	ENERGOMONTAJ SA	BUCURESTI, Cal. Dorobantilor , nr. 103- 105, sector 1	J40/1 36/19 91	CUI 15554 68	021/31 89303/ 318933 0	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, pmax=40bar	B/CR4/A,B, C/4,5/0296/ 1/08.01.201 3
164	Bucuresti	ENERGOMONTAJ SA	BUCURESTI, Cal Dorobantilor , nr. 103- 105, sector 1	J40/1 36/19 91	CUI 15554 68	021/31 89303/ 318933 0	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, pmax=20bar	B/CR4/A,B, C/4,5/0296/ 0/09.09.201 0
165	Bucuresti	ENERGOMONTAJ GRUP SRL	BASCOV, Str. Serelor, nr. 14, Jud. Arges	J03/1 966/1 994	RO 10698 807	0248/2 90170/ 290285	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=165bar, Tmax<=550°C; Dmax<=100Gcal/h, pmax<=25bar, Tmax<=150°C	B/CR4/A,C/ 4,5/1241/1/ 06.10.2016

166	Central	ENERGOMONTAJ GRUP SRL	PITESTI, Str. Gh. Lazar, nr.19, Jud. Arges	J03/1 966/1 994	CUI 10698 807	0248/2 90170	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar, Tmax<=400°C; Dmax<=50Gcal/h, pmax<=16bar, Tmax<=150°C	DISPR/CR4/A,C/4,5/1863/0/17.08.2011
167	Bucuresti	ENERGOMONTAJ GRUP SRL	PITESTI, Str. Gheorghe Lazar, nr.19, Jud. Arges	J03/1 966/1 994	CUI 10698 807	0248/2 90170	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=165bar, Tmax<=550°C; Dmax<=100Gcal/h, pmax<=25bar, Tmax<=150°C	B/CR4/A,C/4,5/1241/1/13.11.2012
168	Pitesti	ENERGOMONTAJ GRUP SRL	PITESTI, Str. Gh.Lazar, nr.19, ARGES	J03/1 966/1 994	RO 10698 807	0248/2 90170	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q<=120t/h, pmax<=16bar, T<=400°C; D<=50Gcal/h, pmax<=16bar, T<=150°C	PT/CR4/A,C/4,5/0061/0/21.06.2010
169	Central	ENERGOSZERVIZ KFT SRL- Sucursala Oradea	DEBRECEN, Str. Kishatar, nr.26, Jud. Hajdu-Bihar, UNGARIA; Oradea, Str.Calinului, bl.X1, Jud. Bihor	RC 09/09 /0022 95; J5/11 95/20 09	CUI HU111 47798 ; CUI 26042 662	003652 457924 / 003652 531256; 0259/4 35398	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax<=40bar, Tmax=250°C; Dmax<=15Gcal/h, pmax<=40bar	DISPR/CR4/A,C/4,5/1532/1/29.05.2012

170	Oradea	ENERGOSZERVIZ KFT SRL- Sucursala Oradea	DEBRECEN, Str. Kishatar, nr.26, Jud. Hajdu-Bihar, UNGARIA; Oradea, Str.Calinului, bl.X1, Jud. Bihor	RC 09/09 /0022 95; J5/11 95/20 09	CUI HU111 47798 ; CUI 26042 662	003652 457924 / 003652 531256; 0259/4 35398	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=1035t/h, Pmax=200bar, Tmax=570° C; Dmax=100Gcal/h, Pmax=40bar,	OR/CR4/A,C /4,5/1113/2 /05.03.2013
171	Central	ENERGOSZERVIZ SRL DEBRECEN - Suc. ORADEA	ORADEA, Al. Calinului, nr.7, bl.X1, ap.30, Jud. Bihor	J05/1 195/2 009	CUI 26042 662	0259/4 35398	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=250° C; Dmax<=15t/h, pmax<=40bar	DISPR/CR4/A,C/4,5/153 2/0/25.07.2 011
172	Central	ENERGOUTIL CONTACT SA	BUCURESTI, Str. Progresului, nr.75-77, sector 5	J40/9 97/19 91	CUI 40366 6	021/41 03191/ 410668 2	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=192bar, Tmax=570° C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/A,B,C/4,5/2 999/0/14.02 .2012
173	Central	ENERGY BIO CHEMICALS SA- Suc. CAROM	ONESTI, Str. Industriilor, nr.1, Pavilion Administrativ C399, Jud. Bacau	J04/8 38/20 08	CUI 23767 569	023430 2600; 0234/3 15315	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=50t/h, pmax=100bar, Tmax=570° C; Dmax=25Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0747/ 0/19.05.201 1

174	Bucuresti	ENERGY SYSTEM CONSULT SRL	BUCURESTI, Bd. Burebista, nr. 1, bl. D15, sc. 1, ap. 31, sector 3	J40/1 0456/ 2000	RO 13529 500	021/32 65621/ 326562 0; e- mail office@ esc- inc.ro	-	-	Cazane abur	-	-	-	Q _{max} ≤10t/h, p _{max} =100bar, T _{max} =400° C	B/CR4/C/4/ 2489/0/02.0 4.2015
175	Central	ENET SA	FOCSANI, Bd. Bucuresti,nr .4, Jud. Vrancea	J39/9 3/199 6	RO 81238 90	0237/2 12400/ 214110	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} =50t/h, p _{max} =40bar, T _{max} =450° C; D _{max} =50Gcal/h, p _{max} =25bar	DISPR/CR4/ C/4,5/3503/ 1/26.04.201 2
176	Galati	ENET SA	FOCSANI, Str, Bucuresti, nr.4, Jud. Vrancea	J39/9 3/199 6	RO 81238 90	0237/2 12400/ 214110	-	-	Cazane abur, apa fierbinte	-	-	-	p _{max} =40bar, Q _{max} =50t/h, t _{max} =450° C; p _{max} =25r, D _{max} =50Gcal/h, t _{max} =150° C	GL/CR4/C/4 ,5/0004/0/1 2.04.2010
177	Central	ERG PRESTARI SERVICII SRL	TIRIMIA, nr.247, Jud. Mures	J26/1 96/20 09	CUI 24211 0	074420 8441; 0264/4 41191	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Q _{max} =50t/h, p _{max} =100bar, T _{max} =450° C; D _{max} =25Gcal/h, P _{max} =25bar	DISPR/CR4/ E/4,5/2805/ 0/19.01.201 2

178	Pitesti	ERHAN SRL	RM. VALCEA, Str. Regina Maria, nr.7, bl.C1, tronson D, mezanin, Jud. Valcea	J38/1 9/199 2	RO 14698 63	0250/7 33919/ 731725; office@ erhan.r o	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	Qmax=10t/h, pmax=16bar, Tmax=180° C; Dmax=5Gcal/h, pmax=16bar	PT/CR4/A,B ,C/4,5/0150 /0/21.12.20 10; PT/CR4/A,B ,C/4,5/0154 /0/21.12.20 10
179	Central	EST ROM SA	VALEA LUPULUI,Str . Diminetii, nr.1, Jud. Iasi	J22/2 259/1 993	CUI 44887 70	0232/2 26380/ 253398 /24820 9/2480 46	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h, pmax=165bar, Tmax=570° C; Dmax=100Gcal/h, Pmax=30bar	DISPR/CR4/ E/4,5/2294/ 0/02.11.201 1
180	Central	EST ROM SA	VALEA LUPULUI,Str . Diminetii, nr.1, Jud. Iasi	J22/2 259/1 993	CUI 44887 70	0232/2 26380/ 248046	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=140bar, Tmax=570° C; Dmax=100Gcal/h, pmax=20bar	DISPR/CR4/ A,B,C/4,5/2 753/0/10.01 .2012
181	Bacau	EST ROM SA	VALEA LUPULUI,Str . Diminetii, nr.1, Jud. Iasi	J22/2 259/1 993	CUI 44887 70	0232/2 26380/ 248046	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=420bar, Tmax=570° C; Dmax=100Gcal/h, pmax=20bar	BC/CR4/A,B ,C/4,5/1322 /1/21.10.20 13
182	Iasi	ETNIS SRL	IASI, Cal Chisinaului, nr.98-100, Jud. Iasi	J22/1 131/1 991	RO 19561 41	0232/2 30113	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350° C	IS/CR4/A,B, C/4/01600/ 30.12.2010

183	Bacau	ETNIS SRL	IASI, Cal Chisinaului, nr.98-100, Jud. Iasi	J22/1 131/1 991	RO 19561 41	0232/2 30113	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350°C	BC/CR4/A,B ,C/4/1202/2 3.04.2013
184	Central	EUGLOS SA	CLUJ NAPOCA, Str. Garii, nr. 19, Jud. Cluj	J12/4 093/2 007	RO 22435 138	0264/4 24665/ 462385	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; Dmax=100Gcal/h, pmax=16bar	DISPR/CR4/ E/4,5/3927/ 0/29.02.201 6
185	Sibiu	EUGLOS SA	CLUJ NAPOCA, Str. Garii, nr. 19, Jud. Cluj	J12/4 093/2 007	RO 22435 138	0264/4 24665/ 462385; e-mail office@ chitech .ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=350°C; Dmax=50Gcal/h, pmax=16bar	SB/CR4/A,B, C/4,5/1486/ 0/29.07.201 5
186	Sibiu	EUGLOS SA	CLUJ NAPOCA, Str. Garii, nr. 19, Jud. Cluj	J12/4 093/2 007	RO 22435 138	0264/4 24665/ 462385	-	-	-	-	Cazane abur, cazane apa fierbinte	-	pmax>0.5bar; T>110°C	SB/CR4/G/4 ,5/1450/0/0 7.04.2015

187	Central	EUROBOILER SRL	DR. TN. SEVERIN, Str. Portile de Fier, nr. 2C9, Jud. Mehedinti	J25/1 91/20 04	CUI 16325 432	072743 5056; 0252/3 10046/ 329764	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=550t/h, pmax<=140bar, Tmax<=540°C; Dmax<=100Gcal/h, pmax<=25bar	DISPR/CR4/ A,B,C/4,5/3 346/0/20.03 .2012- retragere incepand cu 14.04.2014 (denumire noua Macchi Romania SRL)
188	Bucuresti	EUROBOILER SRL	DR. TN. SEVERIN, Str. Portile de Fier, nr. 2C9, Jud. Mehedinti	J25/1 91/20 04	CUI 16325 432	0352/8 84860; 0252/3 29764; 077209 4024	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=550t/h, pmax=140bar, Tmin=105°C; Tmax=540°C; Dmax=150Gcal/h, pmax=25bar; 110°C<Tmax=150°C	B/CR4/A,B, C/4,5/1837/ 1/11.10.201 3- retragere incepand cu 14.04.2014 (denumire noua Macchi Romania SRL)

189	Oradea	EXPERT PETROLEUM SRL	BUCURESTI, Sos. Bucuresti- Ploiesti, nr. 73-81, cladirea C3, et. 3, sector 1; TIMISOARA, Str. Corolian Brediceanu, nr. 10C, cladire C, mezanin, camera M5, Jud. Timis	J26/1 656/2 008	CUI 17634 428	037420 0640, 0317/8 01093; 0356/4 14883	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=300° C; Dmax=5Gcal/h, pmax=40ba	OR/CR4/A,B ,C/4,5/1460 /1/20.10.20 16
-----	--------	-------------------------	---	-----------------------	---------------------	--	---	---	---	---	---	---	--	--

190	Oradea	EXPERT PETROLEUM SRL	TG. MURES, Str. Tamas Erno, nr. 1, Jud. Mures; TIMISOARA, Str. Corolian Brediceanu, nr. 10C, cladire C, Mezanin, camera M5, Jud. Timis	J26/1 656/2 008	CUI 17634 428	037420 0640; 031780 1093; 0356/4 14883	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=300° C; Dmax=5Gcal/h, pmax=40ba	OR/CR4/A,B ,C/4,5/1460 /0/23.05.20 16
191	Central	FAST TECHNICAL ASSISTANCE SRL	BACAU, 9 Mai, nr.35, poz. 10, bl.35, sc.E, parter, Jud. Bacau	J04/6 96/19 97	CUI 96264 16	0234/5 13803/ 511430	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=350° C; Dmax=10Gcal/h, pmax=20bar	DISPR/CR4/ A,C/4,5/355 6/0/22.05.2 012
192	Central	TMUCB SA	BUCURESTI, Str. T. Arghezi, nr.8-10, et.5, sector 2	J40/1 171/1 991	CUI 27864 87	021/31 65669/ 312954 2	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=215bar, Tmax=600° C	DISPR/CR4/ A,B,C/4,5/1 496/0/19.07 .2011

193	Oradea	FLEXIK AUTOMATION SRL	TIMISOARA, Str. G. Cosbuc, nr.5, Jud. Timis	J35/2 848/1 994	CUI 63518 50	0256/2 92964/ 292965	Cazane abur	Cazane abur	Cazane abur	-	-	-	Q _{max} =10t/h, P _{max} =16bar, T _{max} =300°C	OR/CR4/A,B , C/4/1019/1 /17.07.2012
194	Timisoara	FLEXIK AUTOMATION SRL	TIMISOARA, Str. George Cosbuc, nr.5, Jud. Timis	J35/2 848/1 994	RO 63518 50	0256/2 92964/ 292965	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Q _{max} ≤10t/h, p _{max} ≤16bar, T _{max} ≤300°C	TM/CR4/A,B ,C/4/0014/0 /09.06.2010
195	Central	FORPRES SRL	IASI, Sos. Nationala, nr.49, bl.C3, sc.B, et.5, ap.23, Jud. Iasi; IASI, Str. Prof. dr. doc. D. Mangeron, nr.39, imobil TCM, corp D, Jud. Iasi	J22/1 258/2 002	RO 15012 143	0232/2 33390	Cazane abur	Cazane abur	Cazane abur	-	-	-	Q _{max} =20t/h, p _{max} =16bar, T _{max} =200°C	DISPR/CR4/ A,B,C/4/319 9/0/06.03.2 012

196	Central	FUTURE LINE INSTAL SRL	BUCURESTI, Sos. Mihai Bravu, nr. 75-83, bl.C17, sc.B, et.6,ap.79, sector 2	J40/2 3350/ 1992	CUI 18830	021/20 11114/ 201111 5	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=15t/h, pmax=16bar, Tmax=350°C; Dmax=10Gcal/h, pmax=16bar	DISPR/CR4/ A,B,C/4,5/3 168/0/28.02 .2012
197	Bucuresti	FUTURE LINE INSTAL SRL	BUCURESTI, Sos. Mihai Bravu, nr. 75-83, bl.C17, sc.B, et.6,ap.79, sector 2; BUCURESTI, Str. Biharia, nr. 67-77, sector 1	J40/2 3350/ 1992	CUI 18830	021/20 11114/ 201111 5	-	-	-	-	-	Cazane abur; cazane apa fierbinte	-	B/CR4/H/4, 5/1758/0/20 .08.2013
198	Bacau	GA PRO CO CHEMICALS SA	SAVINESTI, Str. Gheorghe Caranfil, nr. 11, Jud. Neamt	J27/1 478/2 005	CUI 17728 697	0233/ 280544 / 281494 / 281260	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=50t/h, pmax=110bar, Tmax=440°C	BC/CR4/A,B ,C/4/1144/1 /20.01.2015

199	Bacau	GA PRO CO CHEMICALS SA	Sat SAVINESTI, Com. Savinesti, Str. Uzinei, nr.2, Jud. Neamt	J27/1 478/2 005	CUI 17728 697	0233/2 81494/ 281260	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=50t/h, pmax=110bar, Tmax=440° C	BC/CR4/A,B ,C/4/1144/0 /21.01.2013
200	Bucuresti	GADAGROUP ROMANIA SRL	BUCURESTI, Cal. Floreasca, nr.169A, corp A, et.7, sector 1	J40/9 320/1 996	RO 89367 10	074623 1147; 021/31 72102	Cazane abur	Cazane abur	-	-	-	-	Qmax=0.4t/h, pmax=4bar, Tmax=150° C	B/CR4/A,B/ 4/2069/0/31 .03.2014
201	Constanta	GAZ SERVICES SRL	CONSTANTA , Str. Mesteru Manole, nr.1A, Jud. Constanta	J13/5 64/20 01	CUI 13687 691	074214 5008; 0241/6 38980; e-mail gaz_ser vices@y ahoo.c om	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=225° C; Dmax=5Gcal/h, pmax=16bar, Tmax=150° C	CT/CR4/A,B ,C/4,5/0112 /0/20.12.20 10

202	Bucuresti	GB INDCO SRL	BUCURESTI, Bd. Dimitrie Cantemir, nr. 9, bl. 7, sc. 1, ap. 8, sector 4; POPESTI LEORDENI, Str. Fagului, nr.19 (fosta nr. 17), Jud. Ilfov	J40/2 728/1 998	RO 10421 821	021336 1212/3 363887; e-mail contact @gbind co.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.3t/h, pmax=5bar, Tmax=150°C	B/CR4/A,B, C/4/2752/1 /10.06.2016
203	Bucuresti	GB INDCO SRL	BUCURESTI, Bd. Dimitrie Cantemir, nr. 9, bl. 7, sc. 1, ap. 8, sector 4; BUCURESTI, Str. Mixandrei, nr. 80, sector 4	J40/2 728/1 998	RO 10421 821	021/33 61212/ 336388 7; e- mail contact @gbind co.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.3t/h, pmax=5bar, Tmax=150°C	B/CR4/A,B, C/4/2752/0 /07.04.2016

204	Bucuresti	GEMA TERM CONSULTING	BUCURESTI, Str. Emanoil Buteica, nr.10, bl.61, sc.1, ap.1, sector.3	J40/1 544/1 998	CUI 10276 098	021/34 42158,0 21/344 2159	-	-	-	Cazane abur; cazane apa fierbinte	-	-	pmax=180bar Qmax = 600t/h Tmax = 570°C; Dmax= Gcal/h pmax=24 bar	B/CR4/E/4, 5/0114/0/29 .06.2010
205	Central	GEMA TERM CONSULTING SRL	BUCURESTI, Aleea Marius Emanoil Buteica, nr.10, bl.61, sc.1, ap.1, sector 3	J40/1 544/1 998	RO 10276 098	021/34 42158/ 344215 9	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=600t/h, pmax=180bar, Tmax=570°C; Dmax=50Gcal/h, pmax=24bar	DISPR/CR4/ E/4,5/3701/ 1/21.06.201 2

206	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, Indicativ E1: 6b, et.1, sector 2; PLOIESTI, Str. Maramures, nr.12, et.2, Jud. Prahova	J40/8 266/2 006	CUI 18692 907	0344/1 40953/ 571001	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=40t/h, pmax=40bar, Tmax=340° C; Dmax=25Gcal/h, pmax=100bar	DISPR/CR4/ E/4,5/1209/ 3/30.03.201 6
207	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, indicativ E1:6b, et.1, sector 2	J40/8 266/2 008	CUI 18692 907	0344/1 40953; 0244/5 71001	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=40t/h, pmax=40bar, Tmax=350° C; Dmax=25Gcal/h, pmax=18bar	DISPR/CR4/ E/4,5/1209/ 0/16.06.201 1

208	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, indicativ E1:6b, et.1, sector 2; PLOIESTI, Str. Maramures, nr. 12, et.2, Jud. Prahova	J40/8 266/2 006	CUI 18692 907	0344/1 40953; 0244/5 71001	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=40t/h, pmax=40bar, Tmax=340° C; Dmax=25Gcal/h, pmax=18bar	DISPR/CR4/ E/4,5/1209/ 1/14.12.201 1
-----	---------	-------------------------------------	---	-----------------------	---------------------	-------------------------------------	---	---	---	---	---	---	--	---

209	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, Indicativ E1: 6b, et.1, sector 2; PLOIESTI, Str. Maramures, nr.12, et.2, Jud. Prahova	J40/8 266/2 006	CUI 18692 907	0344/1 40953/ 571001	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=40t/h, pmax=40bar, Tmax=340° C; Dmax=205Gcal/h, pmax=100bar	DISPR/CR4/ E/4,5/1209/ 2/02.05.201 2
210	Central	GLEMSEV CHIM SRL	BUCURESTI, Str. Cetatea Histria, nr.9, bl.14, sc.4, et.1, ap.51, sector 6	J40/1 403/2 005	CUI 17165 127	021/72 56696	-	-	-	-	Cazane abur; cazane apa fierbinte	-	p>0.5bar, T>110° C	DISPR/CR4/ G/4,5/1083/ 0/23.06.201 1

211	Bucuresti	GLOBAL ENERGY PRODUCTION SA	GIURGIU, Sos. Sloboziei, nr. 194, Jud. Giurgiu	J52/2 83/20 11	CUI 28423 620	076906 0259; 0246/2 16665; e-mail globale nergypr oductio n@gmail .com	Cazane apa fierbinte	Cazane apa fierbinte	Cazane apa fierbinte				Qmax=10Gcal/h, pmax=18bar, tmax=150°C	B/CR4/A,B, C/5/2683/0 /13.01.2016
212	Sibiu	GRUP 4 INSTALATII SA	CLUJ NAPOCA, Str. Luncii, nr.5A, Jud. Cluj	J12/2 4/199 1	RO 24240 3	0264/4 01150/ 596266; e-mail grup4@ grup4cj .ro	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte				Qmax=120t/h, pmax=40bar, Tmax=400°C; Dmax=50Gcal/h, pmax=16bar	SB/CR4/B,C /4,5/1454/1 /14.04.2015
213	Cluj	GRUP 4 INSTALATII SA	CLUJ NAPOCA, Str. Luncii, nr.5A, Jud. Cluj	J12/2 4/199 1	RO 24240 3	0264/5 96168/ 596266	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte				Qmax=120t/h, pmax=40bar, Tmax=400°C; Dmax=50Gcal/h, pmax=16bar	CJ/CR4/B,C /4,5/0055/0 /01.08.2010
214	Central	GRUP ENERGOINSTAL SA	CLUJ NAPOCA, Str. Lunii, nr.8C, Jud. Cluj	J12/1 502/1 998	CUI 11009 951	0264/4 38352/ 453261	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-				Qmax<=50t/h, pmax<=40bar, Tmax<=400°C; Dmax<=25Gcal/h, pmax<=30bar	DISPR/CR4/ A,B/4,5/094 9/0/13.05.2 011

215	Sibiu	GRUP ENERGOINSTAL SA	CLUJ NAPOCA, Calea Dezmirului, nr.8, Jud. Cluj	J12/1 502/1 998	CUI 11009 951	0264/4 38352/ 453261	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=400° C; Dmax<=25Gcal/h, pmax<=30bar	SB/CR4/A,B /4,5/1219/1 /03.09.2013
216	Central	HIDRO TERM SRL	SATU MARE, Str. Cibirului, bl.CE 20, Jud. Satu Mare	J30/3 67/20 04	CUI 16274 975	0361/8 01950/ 810538	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=35t/h, pmax=40bar, Tmax=400° C; Dmax=30Gcal/h, pmax=40bar	DISPR/CR4/ A,C/4,5/068 7/0/11.05.2 011
217	Oradea	HIDRO TERM SRL	SATU MARE, Str. Cibirului, bl.CE 20, ap.6, Jud. Satu Mare	J30/3 67/20 04	RO 16274 975	0361/8 01950/ 810538	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=35t/h, Pmax=50bar, Tmax=450° C; Dmax=30Gcal/h, pmax=50bar, T>110° C	OR/CR4/E/, 54/0046/0/2 5.10.2010
218	Oradea	HYDROMATIC SISTEM SRL	TIMISOARA, Calea Buziasului, nr. 11, Hala Industriala si birouri, Jud. Timis	J35/7 28/19 98	CUI 10786 429	0256/2 94361/ 246427	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h, pmax=64bar, Tmax=450° C; Dmax=25Gcal/h, pmax=16bar	OR/CR4/A,B ,C/4,5/1431 /0/18.01.20 16
219	Bacau	HIDROTERM SA	ROMAN, Str. Colectorului , nr. 1, Jud. Neamt	J27/3 99/19 96	RO 56836 13	0233/7 42490	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h, pmax=50bar, Tmax=450° C; Dmax=25Gcal/h, pmax=50bar	BC/CR4/A,B ,C/4,5/1633 /0/03.02.20 16

220	Bucuresti	HSH CHEMIE SRL	BUCURESTI, Str.Dimitrie Racovita nr.19, ap.1 si 2, sector 2	J40/1 1795/ 2000	CUI 13610 671	021/31 37778/ 021/31 57864	-	-	-	-	-	Cazane abur; cazane apa fierbinte	p>0,5 bar, T>110° C	B/CR4/H/4, 5/0136/0/30 .06.2010- suspendare incepand cu 03.02.2014
221	Brasov	HYDRO X SRL	BRASOV, Str. Dealul Spirei, nr.7E, Jud. Brasov	J08/1 265/1 996	RO 88946 07	0268/5 13050/ 513157; 074432 8514	-	-	-	-	-	Cazane abur; cazane apa fierbinte	p>0.5bar; T>110° C	BV/CR4/H/4 ,5/0027/0/3 0.07.2010
222	Central	INSTITUTUL NATIONAL DE CERCETARE DEZVOLTARE PENTRU ENERGIE - ICEMENERG	BUCURESTI, Bd. Energeticien ilor, nr.8, sector 3	J40/4 323/2 014	CUI 33034 838	021/34 62769/ 346531 0	-	-	-	Cazane de abur, apa fierbinte	-	pmax=250bar, Tmax=570° C, Qmax=1035t/h; pmax=30bar, Dmax=100Gcal/h	DISPR/CR4/ E/4,5/3866/ 1/13.06.200 16	
223	Central	INSTITUTUL NATIONAL DE CERCETARE DEZVOLTARE PENTRU ENERGIE - ICEMENERG	BUCURESTI, Bd. Energeticien ilor, nr.8, sector 3	J40/4 323/2 014	CUI 33034 838	021/34 62769/ 346531 0	-	-	-	Cazane de abur, apa fierbinte	-	pmax=250bar, Tmax=570° C, Qmax=1035t/h; pmax=30bar, Dmax=100Gcal/h	DISPR/CR4/ E/4,5/3866/ 0/27.08.201 4	

224	Central	ICEMENERG SA	BUCURESTI, Str. Energeticien ilor, nr.8, sector 3	J40/7 306/2 004	CUI 16397 293	021/34 64443/ 346038 4	-	-	-	Cazane abur	-	-	pmax=245bar, Tmax=540°C, Qmax=1035t/h	DISPR/CR4/ E/4,5/1016/ 0/20.06.201 1
225	Bucuresti	ICMA SRL	PITESTI, Str. Petrochimist ilor, nr.36, Jud. Arges	J03/1 963/1 991	RO 13723 8	0248/2 06011/ 615332	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax<=206bar, Tmax<=580°C; Dmax<=100Gcal/h, pmax<=50bar	B/CR4/A,B, C/4,5/2328/ 1/14.10.201 4- suspendare voluntara incepand cu 12.10.2015
226	Central	ICMA SRL	PITESTI, Str. Petrochimist ilor, nr.36, Jud. Arges	J03/1 963/1 991	RO 13723 8	0248/2 06011/ 206012	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax<=206bar, Tmax<=580°C; Dmax<=100Gcal/h, pmax<=50bar	DISPR/CR4/ A,B,C/4,5/3 123/0/28.02 .2012
227	Bacau	ICMRS SA	GALATI, Str. Smardan , nr.1, Jud. Galati	J17/1 2/199 1	RO 16336 20	0236/4 48000/ 448011	-	-	Cazane abur	-	-	-	Qmax=300t/h, pmax=100bar, Tmax=400°C	BC/CR4/C/4 /1363/0/17. 02.2014
228	Central	ICPET GENERATOARE ABUR SA	BUCURESTI, Sos. Berceni, nr.104, sector 4	J40/1 8840/ 2004	RO 16951 886	021/31 94348/ 314905 8	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/ E/4,5/3750/ 1/02.11.201 2

229	Bucuresti	ICPET GENERATOARE ABUR SA	BUCURESTI, Sos. Berceni, nr.104, sector 4	J40/1 8840/ 2004	CUI 16951 886	021/49 20201	-	-	-	-	Cazane abur, apa fierbinte	-	Qmax=1035t/h, pmax=200bar, Tmax=570 °C; Dmax=100Gcal/h, pmax=25bar, T>110°C	B/CR4/G/4, 5/0408/0/14 .10.2010
230	Central	IMSP PROIECT SRL	CONSTANTA , Str. Breaza, nr. 14B, Jud. Constanta	J13/2 445/2 008	CUI 24178 510	072446 0170; 0241/5 15543	-	-	-	Cazane abur; cazane apa fierbinte	-	-	pmax=50bar, Tmax=440 °C, Qmax=20t/h; Dmax=5Gcal/h, pmax=18bar	DISPR/CR4/ E/4,5/1051/ 1/08.01.201 5
231	Central	IMSP PROIECT SRL	CONSTANTA , Str. Frigului, nr.4, bl.FG4, ap.11, Jud. Constanta	J13/2 445/2 008	CUI 24178 510	0241/5 53132	-	-	-	Cazane abur; cazane apa fierbinte	-	-	pmax=50bar, Tmax=440 °C, Qmax=20t/h; Dmax=5Gcal/h, pmax=18bar	DISPR/CR4/ E/4,5/1051/ 0/08.06.201 1
232	Bucuresti	IMUC SA	BRADU, Str. Petrochimist ilor, nr. 10, Jud. Arges	J03/2 36/19 91	CUI 12899 0	0248/6 15600/ 615599	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1100t/h, pmax<=225bar, Tmax<=600 °C; Dmax<=100Gcal/h, pmax<=50bar	B/CR4/A,B, C/4,5/2397/ 1/17.12.201 4
233	Central	IMUC SA	BRADU, Str. Petrochimist ilor, nr. 10, Jud. Arges	J03/2 36/19 91	CUI 12899 0	0248/6 15600/ 615599	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1100t/h, pmax<=225bar, Tmax<=600 °C; Dmax<=100Gcal/h, pmax<=50bar	DISPR/CR4/ A,B,C/4,5/2 390/0/21.11 .2011

234	Brasov	INDUSTRIAL MONTAJ SA	PLOIESTI, Str. Mihai Bravu, nr.342A, Jud. Prahova	J29/2 257/1 991	RO 13481 95	0244/5 15774/ 595275	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, Pmax=400bar, Tmax=600 °C; Dmax=150Gcal/h, Pmax=400bar	BV/CR4/A,B ,C/4,5/1502 /2/18.11.20 15
235	Brasov	INDUSTRIAL MONTAJ SA	PLOIESTI, Str. Mihai Bravu, nr.342A, Jud. Prahova	J29/2 257/1 991	RO 13481 95	0244/5 15774/ 595275	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, Pmax=400bar, Tmax=440 °C; Dmax=50Gcal/h, Pmax=400bar	BV/CR4/A,B ,C/4,5/1009 /1/21.06.20 12
236	Ploiesti	INDUSTRIAL MONTAJ SA	PLOIESTI, Str. Mihai Bravu, nr.342A, Jud. Prahova	J29/2 257/1 991	RO 13481 95	0244/5 15774/ 595275	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, pmax=400bar, Tmax=440 °C; Dmax=50Gcal/h, pmax=400bar	PL/CR4/A,B, C/4,5/0209/ 0/21.10.201 0

237	Central	INDUSTRIAL MONTAJ GRUP SRL	DRAGANESTI OLT, Str. Capitan Draganescu, bl.PM1, sc.A,parter, ap.1, Jud. Olt; RM. VALCEA, Str. Industriilor , nr.30, Jud. Valcea	J28/4 8/200 5	CUI 17128 161	072817 2325; 0250/7 30314/ 730313	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax<=196bar, Tmax<=565° C	DISPR/CR4/ A,B,C/4,5/1 256/0/28.06 .2011
238	Central	INGET INGINERIE TERMICA SRL	CLUJ NAPOCA, Str. Maramuresu lui, nr.16, Jud. Cluj	J12/1 251/1 991	CUI 20773 2	0264/4 35274	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax<=30bar, Tmax<=400° C; Dmax<=40Gcal/h, pmax<=30bar	DISPR/CR4/ A,B,C/4,5/0 400/0/30.03 .2011
239	Central	INSTAL GROUP SRL	ARAD, Str. Timotei Cipariu, nr.3, Jud. Arad	J02/6 92/19 96	CUI 88989 78	0257/2 76466/ 206626	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=300° C; Dmax<=5Gcal/h, pmax<=16bar	DISPR/CR4/ A,B,C/4,5/0 465/1/03.01 .2012

240	Bucuresti	INSTALATII ENERGO REPARATII SRL	TARGOVISTE, Str. Tineretului, nr. 3, bl. 26, sc. B, ap. 48, Dambovita	J15/279/1994	RO 5252572	0245/614946; e-mail office@reparatiiroman ia.ro	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=440° C; Dmax=5Gcal/h, pmax=25bar	B/CR4/A,C/4,5/2769/1/20.04.2016
241	Ploiesti	INSTALATII ENERGO REPARATII SRL	TARGOVISTE, Str. T. Vladimirescu, bl.B4, sc.B, ap.1, Jud. Dambovita	J15/279/1994	RO 5252572	0245/614946	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=440° C; Dmax=5Gcal/h, pmax=25bar	PL/CR4/A,C/4,5/0008/0/19.04.2010
242	Central	INSTALATII RC SRL	IASI, Bd. N. Iorga, nr.24, bl.C1, et.2, Jud. Iasi	J22/2797/1992	CUI 2639206	0232/233775/233015	Cazane abur	Cazane abur	-	-	-	-	Qmax=4t/h, pmax=16bar, Tmax=200° C	DISPR/CR4/A,B/4/1797/0/22.08.2011
243	Central	INSTALATII RC SRL	IASI, Bd. Chimiei, nr.14F, Jud. Iasi	J22/2797/1992	CUI 2639206	0232/233775	Cazane abur	Cazane abur	-	-	-	-	Qmax=4t/h, pmax=16bar, Tmax=200° C	BC/CR4/A,B/4/1175/1/15.03.2013
244	Bacau	INSTALATORUL SRL	SUCEAVA, Str. Grigore Ureche, nr. 19, et. 2, camere 1-9, Jud. Suceava	J33/1875/1992	RO 3177709	0230/551719	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=25bar, Tmax=227° C	BC/CR4/A,B,C/4/1584/0/11.08.2015

245	Central	INSTPRO SRL	DRAGASANI, Str. Traian, nr.30, Jud. Valcea	J38/5 5/199 9	CUI 11444 947	0250/8 11150	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} ≤10t/h, p _{max} ≤16bar, T _{max} ≤180°C; D _{max} ≤5Gcal/h, p _{max} ≤16bar	DISPR/CR4/ A,B,C/4,5/0 892/0/15.04 .2011
246	Cluj	INTELTERM CONSULTING SRL	CLUJ NAPOCA, Str. Rosiori, nr.3, Jud. Cluj	J12/2 10/19 98	RO 10196 037	0264/5 93904/ 431919	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} =10t/h, p _{max} =16bar, T _{max} =180°C; D _{max} =25Gcal/h, p _{max} =16bar	CJ/CR4/A,B, C/4,5/0064/ 0/17.08.201 0
247	Brasov	INTERCAZ SA	BRASOV, Str. Carierei, nr.153, Jud. Brasov	J08/1 068/1 992	CUI 10914 14	0268/5 16775	Cazane de abur	-	Cazane abur	-	-	-	Q≤100t/h, p≤16bar, T≤350°C	BV/CR4/A,C /4/0003/0/0 4.06.2010
248	Central	INTERCOM INSTAL SRL	HUNEDOARA , Bd. Dacia, bl. A3, ap.15, Jud. Hunedoara	J20/7 07/20 00	CUI 13567 164	0254/7 12123/ 714611	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} ≤10t/h, p _{max} ≤16bar	DISPR/CR4/ A,B,C/4,5/0 283/0/24.03 .2011
249	Bacau	INTERNATIONAL INSTALATII IMPEX SRL	FOCSANI, Str. Magura, nr.10, Jud. Vrancea	J39/7 10199 4	RO 61429 18	0237/6 25874	Cazane de abur	-	Cazane abur	-	-	-	Q _{max} =10t/h, p=16bar, T=250°C	BC/CR4/A,C /4/1039/0/2 4.08.2012

250	Central	INTERTEK INDUSTRY SERVICES ROMANIA SRL	BUCURESTI, Cal. Rahovei, nr. 266- 268, cprp 63, Anexe A-B, Stalpii 0-4, camera 01, et. 8, sector 5	J40/2 948/2 000	RO 12841 309	021/32 24450/ 327482 6	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar, Tmax=440° C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/ E/4,5/3966/ 1/02.03.201 7
251	Central	INTERTEK INDUSTRY SERVICES ROMANIA SRL	BUCURESTI, Cal. Rahovei, nr. 266- 268, cprp 63, Anexe A-B, Stalpii 0-4, camera 01, et. 8, sector 5	J40/2 948/2 000	RO 12841 309	021/32 24450/ 327482 6	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar, Tmax=440° C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/ E/4,5/3966/ 0/11.11.201 6
252	Bucuresti	INTREPRINDEREA MECANICA SI CHIMICA (IRMC) APROM SRL	BUCURESTI, Sos. Berceni, nr.8, Obiectiv 1, Ajustaj- Forja, et.1, sector 4	J40/1 096/2 002	RO 14458 483	2E+08	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=0.1t/h, pmax=10bar, Tmax=200° C; Dmax=400Gcal/h, pmax=3bar	B/CR4/A,B, C/4,5/1957/ 0/09.01.201 4

253	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedintea nu, nr.7, Jud. Prahova	J29/5 56/20 10	RO 26850 340	072720 5519; 0344/1 40752; 0244/5 47707	-	-	-	Cazane abur	-	-	Qmax=540t/h, pmax=250bar, Tmax=570°C	DISPR/CR4/ E/4/3727/3/ 23.06.2016
254	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedintea nu, nr.7, Jud. Prahova	J29/5 56/20 10	RO 26850 340	0344/1 40752; 0244/5 47707	-	-	-	Cazane abur	-	-	Qmax=540t/h, pmax=250bar, Tmax=570°C	DISPR/CR4/ E/4/3727/2/ 09.02.2015
255	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei lerarhi, nr.2, Constructia C1, et.1, Jud. Prahova	J29/5 56/20 10	RO 26850 340	0344/1 40752; 0244/5 47707	-	-	-	Cazane abur	-	-	Qmax=540t/h, pmax=250bar, Tmax=570°C	DISPR/CR4/ E/4/3727/1/ 04.11.2013
256	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei lerarhi, nr.2, Constructia C1, et.1, Jud. Prahova	J29/5 56/20 10	RO 26850 340	0344/1 40752; 0244/5 47707	-	-	-	Cazane abur	-	-	Qmax=540t/h, pmax=250bar, Tmax=570°C	DISPR/CR4/ E/4/3727/0/ 11.09.2012

257	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedintea nu, nr.7, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; 0244/547707	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1000t/h, Pmax=250bar, Tmax=570°C; Dmax=21Gcal/h, Pmax=40bar	BV/CR4/A,B ,C/4,5/1390 /3/06.06.2016
258	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedintea nu, nr. 7, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; e-mail: office@ipm-partners.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1000t/h, Pmax<=40bar, Tmax<=570°C; Dmax<=21Gcal/h, Pmax<=40bar	BV/CR4/A,B ,C/4,5/1390 /2/20.02.2015
259	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Constructia C1, et.1, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; e-mail: office@ipm-partners.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1000t/h, Pmax=40bar, Tmax=570°C; Dmax=21Gcal/h, Pmax=40bar	BV/CR4/A,B ,C/4,5/1196 /1/06.11.2013
260	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; 0244/547707	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1000t/h, Pmax<=40bar, Tmax<=570°C; Dmax<=21Gcal/h, Pmax<=40bar	BV/CR4/A,B ,C/4,5/1034 /0/10.08.2012
261	Central	IPOCHIM SA	BUCURESTI, Str. Mihai Eminescu, nr.19-21, sector 1	J40/6485/1991	CUI 457747	021/2117654	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570°C; Dmax=25Gcal/h, pmax=18bar	DISPR/CR4/E/4,5/0829/1/27.04.2015

262	Central	IPOCHIM SA	BUCURESTI, Str. Mihai Eminescu, nr.19-21, sector 1	J40/6 485/1 991	CUI 45774 7	021/21 17654/ 210270 1	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570°C; Dmax=25Gcal/h, pmax=18bar	DISPR/CR4/ E/4,5/0829/ 0/01.06.201 1
263	Bucuresti	IREM SERVICII SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr.3-5, parter, spatiu comercial nr. 2, sector 6	J40/1 1965/ 2006	CUI 18876 802	021/31 32904/ 312230 3	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax<=225bar, Tmax<=600°C; Dmax=100Gcal/h, pmax=50bar	B/CR4/A,B, C/4,5/1058/ 3/13.08.201 5
264	Bucuresti	IREM SERVICII SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr.3-5, et.8, ap.2, sector 6	J40/1 1965/ 2006	CUI 18876 802	021/31 32904/ 313230 3	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax<=225bar, Tmax<=600°C; Dmax=100Gcal/h, pmax=50bar	B/CR4/A,B, C/4,5/1058/ 2/10.06.201 3
265	Bucuresti	IREM SERVICII SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr.3-5, et.8, ap.2, sector 6	J40/1 1965/ 2006	CUI 18876 802	021/31 32904/ 313230 3	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax<=225bar, Tmax<=600°C; Dmax=100Gcal/h, pmax=50bar	B/CR4/A,B, C/4,5/1058/ 1/21.07.201 2

266	Central	IREM SERVICII SRL	BUCURESTI, Cal. Victoriei, nr.16-18- 20, et.2, sector 3	J40/1 1965/ 2006	CUI 18876 802	021/31 32904/ 313230 3; 072250 0130	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax<=225bar, Tmax=600° C; Dmax=100Gcal/h, pmax=50bar	DISPR/CR4/ A,B,C/4,5/2 025/0/27.09 .2011
267	Bucuresti	IREM SPA SIRACUSA SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, camera 1, et. 5, sector 6; TG. JIU, Bd. Ecaterina Teodoroiu, nr. 46, Jud. Gorj	J40/1 1709/ 2014	RO 33677 137	073233 3411, 073131 2869; 0253/2 23793	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=50bar, Tmax=300° C; Dmax=30Gcal/h, pmax=20bar	B/CR4/B,C/ 4,5/2699/0/ 18.02.2016
268	Bucuresti	IREM SPA SIRACUSA SRL- Sucursala Bucuresti	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, camera 1, et. 5, sector 6; STOINA, sectia MTN, Jud. Gorj	J40/1 1709/ 2014	RO 33677 137	073430 1816; 021/31 32904/ 312230 3	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax<=20bar, Tmax=250° C; Dmax=30Gcal/h, pmax=16bar	B/CR4/A,B, C/4,5/2608/ 0/04.09.201 5

269	Bucuresti	ISAM PRODIMPEX SRL	BUCURESTI, Al. Sergent Maj. Emil Holut, nr.4, bl.161, sc.1, et.2, ap.10, sector 4	J40/5 546/1 995	CUI 77048 52	021/33 24058	Cazane abur	-	Cazane abur	-	-	-	Qmax=0.25t/h, pmax=2.7bar, Tmax=140°C;	B/CR4/A,C/ 4/0398/0/06 .10.2010
270	Central	ISCIR CERT SRL	BUCURESTI, Str. Dr. Leonte Anastasievici, nr.4D,corp A, et.4, birou 10, sector 5	J40/7 947/2 005	RO 17535 289	021/41 15203	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=192bar, Tmax=550°C; Dmax=100Gcal/h, pmax=20bar	DISPR/CR4/ E/8/3887/0/ 07.11.2014
271	Central	ITM AMIRO SA	BUCURESTI, Sos. Berceni, nr.8, sector 4	J40/1 63/19 91	CUI 38245 8	021/33 27565	Cazane de abur (generato are de abur pentru sterilizare)	Cazane de abur (generato are de abur pentru sterilizare)	Cazane de abur (generato are de abur pentru sterilizare)	-	-	-	Qmax=100Kg/h, pmax=10bar, Tmax=200°C	DISPR/CR4/ A,B,C/4/148 6/0/19.07.2 011

272	Ploiesti	J CHRISTOF E & P SERVICES SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor , nr.49A, Jud. Prahova	J29/1 314/2 009	RO 21013 747	0344/4 01027/ 401026	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Dmax=5Gcal/h, Tmax=440° C	PL/CR4/A,B, C/4,5/0068/0/07.06.2010
273	Central	J. CHRISTOF E&P SERVICES SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor , nr.49A, Jud. Prahova	J29/1 314/2 009	CUI 21013 747	0344/4 01027/ 401026	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=440° C; Dmax=5Gcal/h, pmax=40bar	DISPR/CR4/A,B,C/4,5/2374/1/22.07.2011-suspendare incepand cu 18.02.2014 si mentinute cf. PV 16.C-078/04.03.2014
274	Brasov	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor , nr.49A, Jud. Prahova	J29/1 097/2 008	RO 22866 980	0344/4 01027/ 401026	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax=215bar, Qmax=1035t/h, Tmax=650° C; pmax=100bar, Dmax=100Gcal/h	BV/CR4/A,B ,C/4,5/1345 /3/09.12.2014

275	Ploiesti	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1097/2008	RO22866980	0344/401027/401026	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	50bar>=p>0.5bar, Qmax=200t/h, Tmax=580°C; 50>=p>0.5bar, Dmax=50Gcal/h, Tmax=150°C	PL/CR4/A,B,C/4,5/0078/0/09.06.2010
276	Ploiesti	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1097/2008	RO22866980	0344/401027/401026	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax=100bar, Qmax=200t/h, Tmax=650°C; pmax=100bar, Dmax=50Gcal/h	PL/CR4/A,B,C/4,5/0078/1/16.08.2010
277	Ploiesti	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1097/2008	RO22866980	0344/401027/401026	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax<=215bar, Qmax<=1035t/h, Tmax<=650°C; pmax<=100bar, Dmax<=100Gcal/h	DISPR/CR4/A,B,C/4,5/0078/2/14.04.2011
278	Brasov	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr. 66, camera 1A, et. 1, Jud. Prahova	J29/1153/1997	RO9816194	0344/401995/401997	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax<=20bar, Tmax<=250°C, Qmax<=30t/h	BV/CR4/A,B,C/4,5/1264/1/27.10.2016

279	Brasov	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr. 66, camera 1A, et. 1, Jud. Prahova	J29/1 153/1 997	RO 98161 94	0344/4 01995/ 401997	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax<=20bar, Tmax<=250°C, Qmax<=30t/h	BV/CR4/A,B ,C/4,5/1264 /0/28.01.20 15
280	Ploiesti	KRAFTANLAGEN ROMANIA SRL	PLOIESTI, Bd. Bucuresti, nr.66, et.2, Jud. Prahova; PETROBRAZI, Com. Brazi, Sat Brazii de Sus, Str. Trandafirilor, nr.65, Jud. Prahova	J29/2 805/2 007	RO 21536 614	0344/4 01994/ 403900 /40199 7/4039 11	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	225bar>=p>0.5bar, Dmax=700t/h, Tmax=580°C; 150>=p>0.5bar, Qmax100Gcal/h, Tmax=280°C	PL/CR4/A,B, C/4,5/0148/ 0/16.07.201 0
281	Brasov	KREMSMUELLER ROMANIA SRL	PLOIESTI, Str. Centura de Vest, nr.23, Jud. Prahova	J29/6 26/20 07	CUI 18725 133	072829 1150; 072011 2585	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=150bar, Tmax=560°C; Dmax=100Gcal/h, pmax=50bar	BV/CR4/A,C /4,5/1480/1 /06.10.2015

282	Central	KREMSMUELLER ROMANIA SRL	PLOIESTI, Str. Centura de Vest, nr.23, Jud. Prahova	J29/6 26/20 07	CUI 18725 133	072829 1150; 072011 2585	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=150bar, Tmax=560°C; Dmax=100Gcal/h, pmax=50bar	DISPR/CR4/A,C/4,5/172 4/0/28.06.2 011
283	Central	KRONSTADT ENERGII REGENERABILE SRL	BRASOV, Str. Avram Iancu, nr.48A, sc.B, parter, ap.1, Jud. Brasov	J08/1 090/2 010	CUI 27457 234	0368/4 16900/ 470881	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=16bar, Tmax=350°C; Dmax=50Gcal/h, Pmax=16bar, Tmax=170°C	DISPR/CR4/A,B,C/4,5/2 501/0/09.12 .2011
284	Brasov	LABOREX SRL	PLOIESTI, Str. Mihai Bravu, nr. 206, bl.25B, ap.3, Jud. Prahova	J29/1 09/19 94	CUI 51220 17	0244/5 18760/ 518761	-	-	-	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	pmax>0.5bar; T>110°C	BV/CR4/G/4 ,5/1086/1/2 2.11.2012; BV/CR4/H/4 ,5/1087/0/2 2.11.2012
285	Ploiesti	LABOREX SRL	PLOIESTI, Str. Mihai Bravu, nr.206, Jud. Prahova	J29/1 09/19 94	RO 51220 17	0244/5 18760/ 518761	-	-	-	-	Cazane abur, apa fierbinte	-	p>0.5bar; T>110°C	PL/CR4/G/4 ,5/0304/0/2 8.12.2010

286	Central	LABSERVICE SRL	BUCURESTI, Bd. Bucurestii Noi, nr.212A, sector 1	J40/3 459/2 002	CUI 14607 410	021/66 80952/ 668095 4	Cazane abur	-	Cazane abur	-	-	-	Q _{max} ≤5t/h, p _{max} ≤16bar, T _{max} ≤150°C	DISPR/CR4/ A,C/4/1306/ 0/30.06.201 1
287	Central	LAS PROM SRL	TG. MURES, Str. Cuza Voda, nr.25, Jud. Mures	J26/2 185/2 004	CUI 17057 184	0265/2 64436/ 311884	Cazane abur	Cazane abur	Cazane abur	-	-	-	Q _{max} ≤40t/h, p _{max} ≤40bar, T _{max} ≤440°C	DISPR/CR4/ A,B,C/4/042 4/0/07.04.2 011
288	Central	LISSCOM SRL	BRASOV, Str. Neptun, nr.10, sc.C, ap.1, Jud. Brasov	J08/2 52/19 98	CUI 10358 473	0268/5 49274	Cazane abur	Cazane abur	Cazane abur	-	-	-	Q _{max} =120t/h, p _{max} =16bar, T _{max} =300°C	DISPR/CR4/ A,B,C/4/298 0/0/10.02.2 012
289	Bacau	LOIAL IMPEX SRL	SUCEAVA, Str. Marasesti, nr.44, bl.T1, parter, Jud. Suceava	J33/2 7/199 3	RO 31761 26	0230/5 26800/. 526900; office@ loial.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} =50t/h, p _{max} =40bar, T _{max} =440°C; D _{max} =100Gcal/h, p _{max} =40bar	BC/CR4/A,B ,C/4,5/1258 /2/26.05.20 16

290	Bacau	LOIAL IMPEX SRL	SUCEAVA, Str. Marasesti, nr.44, bl.T1, parter, Jud. Suceava; SCHEIA, Str. Agronomului , nr.445, Jud. Suceava	J33/2 7/199 3	RO 31761 26	0230/5 26900; office@ loial.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440° C; Dmax=100Gcal/h, pmax=40bar	BC/CR4/A,B ,C/4,5/1258 /1/02.07.20 13
291	Central	LOIAL IMPEX SRL	SUCEAVA, Str. Marasesti, nr.44, bl.T1, Jud. Suceava; SCHEIA, Str. Agronomului , nr.445, Jud. Suceava	J33/2 7/199 3	RO 31761 26	0230/5 26800/ 526900	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440° C; Dmax=100Gcal/h, pmax=40bar	DISPR/CR4/ A,B,C/4,5/3 350/0/29.03 .2012

292	Central	LUANA PREST SERV SRL	BRASOV, Str. Castelului, nr.40, ap.2, camera 2, Jud. Brasov	J08/2 840/2 008	RO 24662 030	0268/4 77637	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	pmax>0.5bar, T>110° C	DISPR/CR4/ H/4,5/3456/ 0/12.04.201 2; DISPR/CR4/ G/4,5/3457/ 0/12.04.201 2
293	Central	LUANA PREST SERV SRL	BRASOV, Str. Castelului, nr.70, ap.2, Jud. Brasov	J08/2 840/2 008	RO 24662 030	0268/4 15715	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	pmax>0.5bar, T>110° C	DISPR/CR4/ G,H/4,5/345 6, 3457/1/23.0 5.2012
294	Bucuresti	MACCHI ROMANIA SRL	DR. TR. SEVERIN, Str. Portile de Fier, nr.2C9, Jud. Mehedinti	J25/1 91/20 04	RO 16325 432	0252/3 10046; 0352/8 84860 0252/3 29764	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	Qmax=550t/h, Pmax=140bar, Tmax=540° C; Dmax=149; Gcal/h, Pmax=25bar	B/CR4/A,B, C/4,5/2127/ 3/19.02.201 6
295	Bucuresti	MACCHI ROMANIA SRL	DR. TR. SEVERIN, Str. Portile de Fier, nr.2C9, Jud. Mehedinti	J25/1 91/20 04	RO 16325 432	072743 5056; 025231 0046; 0252/3 29764	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	Qmax=550t/h, Pmax=140bar, Tmax=540° C; Dmax=150Gcal/h, Pmax=25bar	B/CR4/A,B, C/4,5/2127/ 2/28.04.201 4

296	Oradea	MARYLAND COMEXIM SRL	Lugasu de Sus, nr. 116, Jud. Bihor	J05/981/1994	RO 5343921	0744986434; e-mail cosmin balaj@yahoo.com	-	-	-	-	-	Cazane de abur; cazane apa fierbinte	pmax>0.5bar, T>110°C	OR/CR4/H/4,5/1506/0/05.01.2017
297	Bucuresti	MED NICON SRL	BUCURESTI, Str. Jiblea, nr.34, sector 5	J40/5675/2000	RO 12820896	021/7765412	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.25t/h, pmax=5bar, Tmax=150°C	B/CR4/A,B,C/4/2350/0/28.11.2014
298	Bucuresti	MEDICARE TECHNICS SA	BUCURESTI, Str. Valea Merilor, nr.30, sector 1; TIMISOARA, Str. Iuliu Maniu, nr.3, sc.A, ap.5, Jud. Timis	J40/2238/2000	CUI 12766347	021/2286774/2286714; 0740556675	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=20bar, Tmax=250°C	B/CR4/A,C/4/1847/1/17.09.2014
299	Bucuresti	MEDICARE TECHNICS SA	BUCURESTI, Str. Valea Merilor, nr.30, sector 1	J40/2238/2000	CUI 12766347	021/2286774/2286714	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=20bar, Tmax=250°C	B/CR4/A,C/4/1847/0/18.10.2013

300	Sibiu	MEGA PASCAL SRL	SIBIU, Str. Independentei, nr.3A, Jud. Sibiu	J32/10/1993	CUI 3238580	0269/253150	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=30t/h, pmax=50bar, Tmax=440°C; Pmax=10000kW, pmax=16bar, Tmax=150°C	SB/CR4/E/4, 5/0071/0/24.08.2010
301	Bacau	MEGAPREX INSTAL SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/1145/2006	RO 18906598	0234/551544	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=10t/h, Pmax=10bar, Tmax=180°C; Dmax=5Gcal/h, Pmax=15bar	BC/CR4/A,B/4,5/0126/0/14.12.2010
302	Central	MEGATERM SRL	BUCURESTI, Bd. Ghencea, nr.34, sector 6	J40/22602/1994	CUI 6520657	021/4132025/4132017	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h, pmax=25bar	DISPR/CR4/A,B,C/4,5/1604/0/29.07.2011
303	Central	MENTCHIM SA	RM. VALCEA, Str. Uzinei, nr.1, Jud. Valcea	J38/501/2005	CUI 17571575	0250/701504; 0758710770	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=440°C; Dmax<=50Gcal/h, pmax<=40bar	DISPR/CR4/A,C/4,5/1553/0/26.07.2011- retragere voluntara incepand cu 14.09.2016
304	Bacau	MERIDIAN SRL	BOTOSANI, Str. Maxim Gorki, nr.11, Jud. Botosani	J07/1200/1994	RO 6868830	0231/517989	Cazane abur	-	Cazane abur	-	-	-	Qmax=15t/h, pmax=40bar, Tmax=250°C	BC/CR4/A,C/4/1334/1/17.08.2016

305	Suceava	MERIDIAN SRL	BOTOSANI, Str. Maxim Gorki, nr.11, Jud. Botosani	J07/1 200/1 994	RO 68688 30	0231/5 17989; e- mail: office@ meridia nbt.ro	Cazane abur	-	Cazane abur	-	-	-	Qmax=15t/h, pmax=40bar, Tmax=250° C	BC/CR4/A,C /4/1334/0/1 2.11.2013
306	Constanta	METALICA DG SRL	CONSTANTA , Str. Mihai Viteazu, nr.69A, Jud. Constanta	J13/2 161/1 992	CUI 19040 88	0241/7 62700	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=150bar, Tmax=450° C; Dmax=50Gcal/h, pmax=25bar	CT/CR4/C/4 ,5/0038/0/0 7.07.2010
307	Central	METALICA SA	BUCURESTI, Str. Petre Ispirescu, nr.75, sector 5	J40/1 2396/ 1994	CUI 59500 44	021/42 05150/ 420409 0	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=240bar, Tmax=650° C; Dmax=100Gcal/h, pmax<=25ba	DISPR/CR4/ A,B,C/4,5/1 368/0/14.07 .2011

308	Central	METALOTERM SRL	SAVINESTI, Str. Dornelor, vila 43, ap.3, Jud. Neamt; PIATRA NEAMT, Str. Stramutati, nr.74, Jud. Neamt	J27/3 30/20 00	RO 13363 849	0233/2 16050	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350°C; Dmax=5Gcal/h, pmax=16bar	DISPR/CR4/ A,C/4,5/338 2/0/30.03.2 012
309	Central	MODULAT SRL	PASCANI, Str. Cuza Voda, nr.7, bl.D3, sc.B, ap.6, Jud. Iasi	J22/4 12/20 00	RO 13090 234	0232/7 66143	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/ G/4,5/0096/ 0/17.09.201 0
310	Central	MODULAT SRL	PASCANI, Str. Cuza Voda, nr.7, bl.D3, sc.B, ap.6, Jud. Iasi; PASCANI, Str. Vatra, nr.53, Jud. Iasi	J22/4 12/20 00	RO 13090 234	0232/7 66143; 074463 8939	-	-	-	-	-	Cazane abur; cazane apa fierbinte	pmax>0.5bar, T>110°C	DISPR/CR4/ H/4,5/3200/ 0/05.03.201 2

311	Iasi	MOLDOCONSTRUCȚIA SA	IASI, Str. I.C. Bratianu, nr.20-22, Jud. Iasi	J22/4 20/19 91	RO 19561 17	0232/2 50201/ 210093	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=5t/h, pmax=16bar, Tmax=200° C; Dmax=5Gcal/h, pmax=16bar,	IS/CR4/A,B, C/4,5/0040/0/07.06.2010
312	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2 /1990	CUI 20462 50	0233/2 10660/ 210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540° C; Dmax=100Gcal/h, pmax=25bar	BC/CR4/A,B, C/4,5/1481/4/07.02.2017
313	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2 /1990	CUI 20462 50	0233/2 10660/ 210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540° C; Dmax=100Gcal/h, pmax=25bar	BC/CR4/A,B, C/4,5/1481/3/14.09.2016
314	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2 /1990	CUI 20462 50	0233/2 10660/ 210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540° C; Dmax=100Gcal/h, pmax=25bar	BC/CR4/A,B, C/4,5/1481/2/18.01.2016
315	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2 /1990	CUI 20462 50	0233/2 10660/ 210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540° C; Dmax=100Gcal/h, pmax=25bar	BC/CR4/A,B, C/4,5/1481/1/12.09.2014

316	Central	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2 /1990	CUI 20462 50	0233/2 10660/ 210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540° C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/ A,B,C/4,5/3 569/0/15.05 .2012
317	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2 /1990	RO 20462 50	0233/2 10660/ 210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540° C; Dmax=100Gcal/h, pmax=20bar, Tmax=200° C	BC/CR4/A,B ,C/4,5/0019 /0/14.05.20 10
318	Bacau	MOLDOVULCAN	GALATI, Str. Fagului, nr.6, Jud. Galati	J17/5 77/19 95	RO 72542 19	0236/4 65349; 074460 6603; moldov ulcan@gmail.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=155bar, Tmax=540° C; Dmax=100Gcal/h, pmax=22bar, Tmax=150° C	BC/CR4/A,B ,C/4,5/1224 /2/29.12.20 15
319	Cluj	MONDOCOM SRL	CLUJ NAPOCA, Str. Artelor, nr.33, Jud. Cluj	J12/3 343/1 992	RO 28925 18	0264/5 50012/ 414548	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=16bar, Tmax=350° C; Dmax=5Gcal/h, pmax=16bar	CJ/CR4/A,C /4,5/0032/0 /01.07.2010
320	Craiova	MONTAJ SRL	CRAIOVA, Str. Drumul Apelor, nr.92, Jud. Dolj	J16/2 070/1 994	RO 59842 09	0251/4 70400	Cazane abur	-	-	-	-	-	pmax<=16bar, 0.6t/h<=Q<=5t/h, Tmax<=200° C	CR/CR4/A/4 /0057/0/13. 07.2010

321	Brasov	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/3 188/1 994	CUI 66602 78	0244/5 23758/ 512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150bar, Tmax<=550°C; Dmax<=50Gcal/h, Pmax<=24bar	BV/CR4/B,C /4,5/1445/3 /23.07.2015
322	Brasov	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/3 188/1 994	CUI 66602 78	0244/5 23758/ 512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150bar, Tmax<=550°C; Dmax<=50Gcal/h, Pmax<=24bar	BV/CR4/B,C /4,5/1322/2 /29.10.2014
323	Brasov	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/3 188/1 994	CUI 66602 78	0244/5 23758/ 512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150bar, Tmax<=550°C; Dmax<=50Gcal/h, Pmax<=24bar	BV/CR4/B,C /4,5/1231/1 /21.02.2014
324	Central	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/3 188/1 994	CUI 66602 78	0244/5 23758/ 512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150bar, Tmax<=550°C; Dmax<=50Gcal/h, Pmax<=24bar	DISPR/CR4/B,C/4,5/295 0/0/30.01.2 012
325	Bucuresti	NCH ROMANIA PRODUSE DE INTRETINERE SRL	BUCURESTI, Bd. Dimitrie Pompei, nr.5-7, parter, Hermes Business Campus, sector 2	J40/3 563/1 994	CUI 79137 43	021/52 95100/ 529515 5	-	-	-	-	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	pmax>0.5bar, Tmax>110°C	B/CR4/G/4, 5/2206/1/22 .08.2016; B/CR4/H/4, 5/2205/1/22 .08.2016

326	Central	NCH ROMANIA PRODUSE DE INTRETINERE SRL	BUCURESTI, Str. Oltetului, nr.15, sector 2	J40/3 563/1 994	CUI 79137 43	021/52 95101/ 529511 1	-	-	-	-	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	pmax>0.5bar, Tmax>110°C	DISPR/CR4/ G/4,5/2206/ 0/19.10.201 1; DISPR/CR4/ H/4,5/2205/ 0/19.10.201 1
327	Bucuresti	NEOCHIM SRL	AFUMATI, Str. Decebal, nr.2A, Jud. Ilfov	J23/1 948/2 004	CUI 17046 401	072372 3127; 072350 2027; 021/35 27895	-	-	-	-	-	Cazane abur, apa fierbinte	-	B/CR4/H/4, 5/0632/0/11 .02.2011- suspendare incepand cu 19.02.2014
328	Bucuresti	NEOCHIM SRL	BUCURESTI, Str. Gorgan Spataru, nr.68, sector 2	J40/1 5403/ 2011	CUI 17046 401	072372 3127; 021/35 27895	-	-	-	-	-	Cazane abur, apa fierbinte	-	B/CR4/H/4, 5/0632/1/17 .03.2014
329	Bacau	NEW PREST SERVICE MCC SRL	IASI, Sos. Nicolina, nr.50, bl.971A, sc.C, et.6, ap.22, Jud. Iasi	J22/1 376/2 012	CUI 30554 156	0332/4 48402	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=3t/h, pmax=10bar; Tmax=200°C	BC/CR4/A,B ,C/4/1234/1 /06.10.2016

330	Bacau	NEW PREST SERVICE MCC SRL	IASI, Sos. Nicolina, nr.50, bl.971A, sc.C, et.6, ap.22, Jud. Iasi	J22/1 376/2 012	CUI 30554 156	0332/4 48402	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.3t/h, pmax=6bar; Tmax=185° C	BC/CR4/A,B, C/4/1234/0 /22.05.2013
331	Bucuresti	NICONCONSULTING TECHNICS SRL	Sat ROSU, Com. Chiajna, Intrarea Gura Leului, nr.5, Jud. Ilfov	J23/8 /2014	RO 18448 164	074057 1088; 0318/1 49735	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=10t/h, pmax=20bar; Tmax=250° C	B/CR4/A,B, C/4/2073/0 /25.03.2014
332	Bucuresti	NIMB CONSMETAL SRL	CERNAVODA, Str. Valea Cismelei, nr. 5, Jud. Constanta	J13/1 328/1 999	CUI 92750 05	0241/2 38488/ 238890	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar; Dmax=100Gcal/h, pmax=30bar	B/CR4/A,B, C/4,5/1604/ 3/06.02.201 5
333	Central	NIMB CONSMETAL SRL	CERNAVODA, Platforma SNN CNE INVEST Cernavoda, Jud. Constanta	J13/1 328/1 999	CUI 92750 05	0241/2 38488/ 238890	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar; Dmax<=5Gcal/h, pmax<=16bar	DISPR/CR4/ A,B,C/4,5/0 978/1/28.11 .2011

334	Central	NIMB CONSMETAL SRL	CERNAVODA , Str. Valea Cismeiei, nr.5, Jud. Constanta	J13/1 328/1 999	CUI 92750 05	0241/2 38488/ 238890	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar; Dmax=5Gcal/h, pmax=16bar	DISPR/CR4/ B,C/4,5/160 4/2/16.05.2 013
335	Central	NIPTER CONSTRUCT SRL	BUCOV, Str. Eroilor, nr.1, Jud. Prahova	J29/2 93/20 01	CUI 13823 122	0244/2 75012	Cazane abur	-	-	-	-	-	Qmax<=10t/h, pmax<=25bar, Tmax<=250°C	DISPR/CR4/ A/4/1954/0 /04.08.2011
336	Central	NUCLEAR NDT RESEARCH & SERVICES SRL	BUCURESTI, Sos. Berceni, nr.104, Cladire laborator central, sector 4	J40/1 782/2 000	CUI 12723 915	021/30 12575/ 301265 2	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax<=300bar, Tmax<=600°C; Dmax=50Gcal/h, pmax<=18bar	DISPR/CR4/ E/4,5/0987/ 1/28.12.201 6
337	Central	NUCLEAR NDT RESEARCH & SERVICES SRL	BUCURESTI, Sos. Berceni, nr.104, sector 4	J40/1 782/2 000	CUI 12723 915	021/30 12575/ 301265 2	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax<=196bar, Tmax<=570°C; Dmax=50Gcal/h, pmax<=18bar	DISPR/CR4/ E/4,5/0987/ 0/06.06.201 1

338	Central	NUCLEARELECTRICA	BUCURESTI, Str. Polona, nr.65, sector 1; CERNAVODA, Str. Medgidiei, nr.2, Jud. Constanta	J40/7403/1998; J13/3442/2007	RO 10874881; CUI 22554619	021/2038200/3169804; 0241/239340/239266	-	-	Cazane abur	-	-	-	pmax=17bar, Tmax=260°C, Qmax=30t/h	DI/CR4/C/4/0001/0/17.03.2010
339	Central	NUCLEARMONTAJ GALATI SA	GALATI, Str. Fagului, nr.9, Jud. Galati	J17/84/1997	CUI 8922480	0236/410923/477930	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=155bar, Tmax=540°C; Dmax=100Gcal/h, pmax=22bar, Tmax=150°C	DISPR/CR4/A,B,C/4,5/1088/0/16.05.2011
340	Bucuresti	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1	J40/8302/1997	CUI 1590082	021/2125001/3155166	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250°C; Dmax=30Gcal/h, pmax=16bar	B/CR4/A,B,C/4,5/0313/0/19.08.2010
341	Bucuresti	OMV PETROM SA	BUCURESTI, sector1, Str. Coralilor, nr.22	J40/8302/1997	CUI 1590082	021/4060040/4060420	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250°C; Dmax=30Gcal/h, pmax=16bar	B/CR4/B,C/19/0316/1/12.02.2013

342	Craiova	OMV PETROM SA	BUCURESTI, Cal. Dorobantilor , nr.239, sector 1; ISALNITA, Str. M. Eminescu, nr.105, Jud. Dolj	J40/8 302/1 997	RO 15900 82	021/20 30505; 037286 8544; 0251/4 07183/ 407370	-	-	Cazane abur, apa fierbinte	-	-	-	Qmax=120t/h, pmax=150bar, tmax=400°C; Dmax=50Gcal/h, pmax=25bar	CR/CR4/E/4 ,5/0124/0/1 5.11.2010
343	Ploiesti	OPTIMATIC SOLUTIONS SRL	PLOIESTI, Str. Bobilna, nr.62B, Jud. Prahova	J29/1 844/2 005	RO 17907 250	073577 8399; 0244/5 85811	-	-	-	Cazane abur, apa fierbinte	-	-	pmax=50bar, Qmax=100t/h, Tmax=450°C; pmax=20bar, Dmax=50Gcal/h	PL/CR4/E/4 ,5/0115/0/2 6.07.2010
344	Central	OPTIMATIC SOLUTIONS SRL	PLOIESTI, Str. Bobilna, nr.62B, Jud. Prahova; PLOIESTI, Sos. Vestului, nr.12, Jud. Prahova	J29/1 844/2 005	RO 17907 250	073577 8399; 0244/5 85811	-	-	-	Cazane abur, apa fierbinte	-	-	pmax=50bar, Qmax=100t/h, Tmax=450°C; pmax=20bar, Dmax=50Gcal/h	DISPR/CR4/ E/4,5/3794/ 1/04.04.201 3

345	Sibiu	ORDEA PRODCOM SRL	TG. MURES, Str. Libertatii, nr.122A, Jud. Mures	J26/8 26/19 97	RO 99912 33	0265/2 69078/ 261678	-	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=20bar, Tmax=350° C	SB/CR4/C/4 /1376/0/22. 09.2014
346	Bucuresti	PARTENER CONSTRUCT GENERAL SRL	NAVODARI, Str. Muzicii, nr.53, et.M, camera 1, Jud. Constanta	J13/1 837/2 013	RO 32129 578	075210 5626; 0341/4 88805	-	-	Cazane abur	-	-	-	Qmax=105t/h, pmax=40bar, Tmax=440° C	B/CR4/C/4/ 1941/0/12.1 1.2013
347	Bucuresti	PAS 97 IMPEX SRL	BUCURESTI, Str. Ion Minulescu, nr.60, Unitatea II- Corp Tab. Minerala, sector 3	J40/4 778/1 997	RO 95377 00	031/43 79247/ 437924 8	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=100t/h, pmax=40bar, Tmax=400° C	B/CR4/A/4, 5/0154/0/21 .09.2012
348	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1 233/1 993	CUI 40005 00	0244/5 13214; e- mail: sc_paul us_srl@ yahoo.c om	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q<=120t/h, P<=40bar, T<=440° C; D<=50Gcal/h, P<=40bar	BV/CR4/A,B ,C/4,5/1016 /2/10.06.20 16

349	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1 233/1 993	CUI 40005 00	0244/5 13214	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, Pmax=40bar, Tmax=440 °C; Dmax=50Gcal/h, Pmax=40bar	BV/CR4/A,B ,C/4,5/1016 /1/10.07.20 12
350	Central	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1 233/1 993	CUI 40005 00	0244/5 13214	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar, Tmax<=440 °C; Dmax<=50Gcal/h, pmax<=40bar	DISPR/CR4/ A,B,C/4,5/1 960/0/30.08 .2011
351	Ploiesti	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1 233/1 993	RO 40005 000	0244/5 13214	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Dmax=50Gcal/h, pmax=40bar, Tmax=440 °C; Dmax=50Gcal/h, pmax=40bar	PL/CR4/A,B, C/4,5/0230/ 0/12.11.201 0
352	Central	PEET ELECTROCENTRA LE PAROSEN SA	VULCAN, Str. Paroseni, nr.20, Jud. Hunedoara	J20/7 10/20 11	RO 28835 451	0254/5 70790/ 570481	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=540t/h, pmax=140bar, Tmax=545 °C; Dmax=103.2Gcal/h , pmax=20bar	DISPR/CR4/ C/4,5/3363/ 0/29.03.201 2

353	Central	PETROCHIM PROIECT SRL	PITESTI, Str. Exercitiu, bl.D17, sc.B, ap.4, Jud. Arges; PITESTI, Bd. Petrochimist ilor, Km 5, Jud. Arges	J03/2 32/19 91	RO 13148 0	0248/6 15210	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=50t/h, pmax=50bar, Tmax=450°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/ E/4,5/3717/ 1/16.08.201 2
354	Pitesti	PETROCHIM PROIECT SRL	PITESTI, Str.Exercitiu , bl.B17, sc.B,ap.4, Arges	J03/2 32/19 91	RO 13148 0	0248/6 15210	-	-	-	Cazane de abur, apa fierbinte	-	-	Q<=50t/h, pmax<=50bar, T<=450°C; D<= 50Gcal/h, pmax<=16bar, T<=180°C	PT/CR4/E/4 ,5/0062/0/2 3.06.2010
355	Central	PETROCONST SA	CONSTANTA , Bd. I.C. Bratianu, nr.45, Jud. Constanta	J13/3 113/1 994	CUI 61622 90	0241/6 14356/ 618694	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=30t/h, pmax<=120bar, Tmax<=350°C; Dmax<=50Gcal/h, pmax<=20bar	DISPR/CR4/ A,B,C/4,5/1 772/0/18.08 .2011
356	Central	PETROGAZ SRL	BRASOV, Str. Fanului, nr.73, Jud. Brasov 57G	J08/2 18/19 94	RO 52252 76	0268/3 30915	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, Dmax=50Gcal/h, pmax=100bar, Tmax=440°C	DISPR/CR4/ E/4,5/3959/ 1/30.08.201 6

357	Brasov	PETROGAZ SA	BRASOV, Str. Hortensiei, nr.73, Jud. Brasov	J08/2 18/19 94	RO 52252 76	0268/3 30915; 072276 0773	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, Dmax=50Gcal/h, pmax=100bar, Tmax=440°C	BV/CR4/E/4 ,5/0024/0/1 9.07.2010
358	Bucuresti	PIFATI SA	BUCURESTI, Str. Iovita, nr. 11, et. 2, camere 4-9, sector 5	J40/1 100/1 991	CUI 40151 7	021/41 04600/ 410063 8; e- mail office@ pifati.r o	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=450°C; pmax=40bar, Dmax=50t/h	B/CR4/A,B, C/4,5/0137/ 1/19.05.201 6
359	Bucuresti	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/1 100/1 991	CUI 40151 7	021/41 06645/ 410063 8	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=450°C; pmax=40bar, Dmax=50t/h	B/CR4/A,B, C/4,5/0137/ 0/09.07.201 0
360	Central	PIFATI SA	BUCURESTI, Str. Iovita, nr. 11, et. 2, camere 4-9, sector 5	J40/1 100/1 991	CUI 40151 7	021/41 04600/ 410063 8; e- mail office@ pifati.r o	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=100bar, Tmax=540°C; pmax=30bar, Dmax=50Gcal/h	DISPR/CR4/ E/4,5/2020/ 1/23.06.201 6
361	Central	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/1 100/1 991	CUI 40151 7	021/41 04600/ 410063 8	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=100bar, Tmax=540°C; pmax=30bar, Dmax=50Gcal/h	DISPR/CR4/ E/4,5/2020/ 0/28.09.201 1

362	Bucuresti	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/1 100/1 991	CUI 40151 7	021/41 06645/ 410063 8	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=450° C; Dmax=50Gcal/h, pmax=40bar,	B/CR4/A,B, C/4,5/0137/ 0/09.07.201 0
363	Bucuresti	PIFATI SA	BUCURESTI, Str. Iovita, nr. 11, et. 2, camere 4-9, sector 5	J40/1 100/1 991	CUI 40151 7	021/41 04600/ 410063 8; e- mail office@ pifati.r o	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	B/CR4/G/4, 5/0085/1/20 .05.2016; B/CR4/H/4, 5/0086/1/19 .05.2016
364	Bucuresti	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/1 100/1 991	CUI 40151 7	021/41 06645/ 410063 8	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Qmax=120t/h, pmax=40bar, Tmax=450° C; Dmax=50t/h, pmax=40bar, Tmax=450° C	B/CR4/G/4, 5/0085/0/18 .06.2010; B/CR4/H/4, 5/0086/0/18 .06.2010
365	Central	PIPESUPPORT CONSULT SRL	BUCURESTI, Str. Barbu Vacarescu, nr.101, parter, camera A, sector 2	J40/1 170/2 006	CUI 51832 2009	072266 5452; 072331 0805; 021/32 11354	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=192bar, Tmax=570° C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/ E/4,5/0381/ 0/08.04.201 1

366	Central	PIPESUPPORT CONSULT SRL	BUCURESTI, Str. Barbu Vacarescu, nr.101, parter, camera A, sector 2; BUCURESTI, Str. Alexandru Savulescu, nr.14, sector 2	J40/1 170/2 006	CUI 51832 2009	021/32 11354	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=400bar, Tmax=650° C; Dmax=100Gcal/h, pmax=16bar	DISPR/CR4/ E/4,5/0381/ 0/08.04.201 1
367	Central	PLUS TEST SRL	FOCSANI, Al. Echitatii, nr. 17, bl.I 14, parter, ap. 1, Jud. Vrancea	J39/3 35/20 14	CUI 33335 452	076326 1641; 0337/4 07780	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=40bar, Tmax=440° C; Dmax=5Gcal/h, pmax=25bar	DISPR/CR4/ E/4,5/3914/ 0/24.06.201 5

368	Bacau	PLUSSERVICE SRL	FOCSANI, Str. Bucegi, nr.13, bl.12, ap.12, Jud. Vrancea; FOCSANI, Str. 1 Decembrie 1918, nr.37, Jud. Vrancea	J39/6 78/20 03	RO 15818 661	074463 5244; e- mail: verifica ritehnic e@yaho o.com	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=28t/h, pmax=40bar, Tmax=250° C; Dmax=25Gcal/h, pmax=16bar, Tmax=150° C	BC/CR4/A,C /4,5/1304/0 /23.09.2013
369	Bucuresti	POLYSTART IMPEX SRL	CRAIOVA, Str. Ion Mairescu, nr.4, Jud. Dolj	J16/4 018/1 994	RO 68479 27	0251/4 06466; 0372/0 01510	Cazane de abur; cazane apa fierbinte	-	-	-	-	-	Qmax=55t/h, Pmax=16bar, Tmax=200° C; Dmax=66Gcal/h, Pmax=16bar	B/CR4/A/4, 5/2141/0/14 .05.2014- suspendare voluntara incepand cu 03.08.2016
370	Oradea	POSZET SRL	SATU MARE, Str. Bujorului, nr.52, Jud. Satu Mare	J30/7 07/20 05	RO 17670 277	0259/4 53345/ 463661	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=400° C; Dmax=5Gcal/h, pmax=16bar,	OR/CR4/A,B /4/0100/0/1 4.02.2011

371	Central	PREMIUM SA	BRAZI, Str. Trandafirilor, nr.69, Jud. Prahova	J29/1 318/1 997	CUI 99210 50	0244/5 26606/ 526885; 037275 3966; 0244/5 26883	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax<=540t/h, pmax<=196bar, Tmax<=570°C; Dmax<=50Gcal/h, pmax<=18bar	DISPR/CR4/ E/4,5/1264/ 0/22.06.201 1
372	Central	PREMIUM SA	BRAZI, Str. Trandafirilor, nr.69, Jud. Prahova	J29/1 318/1 997	CUI 99210 50	0244/5 26606/ 526885; 037275 3966; 0244/5 26883	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax<=540t/h, pmax<=196bar, Tmax<=570°C; Dmax<=50Gcal/h, pmax<=18bar	DISPR/CR4/ E/4,5/1264/ 1/09.05.201 4
373	Bucuresti	PRIMASERV SRL	CRAIOVA, Calea Bucuresti, bl.A2, sc.2, ap.2, Jud. Dolj	J16/1 148/2 005	RO 17629 570	072904 6183; 0351/4 21841/ 801815	-	-	Cazane abur	-	-	-	Pmax<=40bar, Tmax<=210°C, Qmax<=100t/h	B/CR4/C/4/ 1187/1/30.0 9.2015
374	Bucuresti	PRIMASERV SRL	CRAIOVA, Calea Bucuresti, bl.A2, sc.2, ap.2, Jud. Dolj	J16/1 148/2 005	RO 17629 570	072904 6183; 0351/4 21841/ 801815	-	-	Cazane abur	-	-	-	Pmax<=40bar, Tmax<=210°C, Qmax<=100t/h	B/CR4/A,B, C/4/1187/0 /22.11.2012

375	Central	PRIMEX SRL	CLUJ NAPOCA, Str. Campul Painii, nr.30A, Jud. Cluj	J12/4 270/1 991	CUI 23315 4	0264/4 15272/ 403135	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=50t/h, pmax=100bar, Tmax=530°C; Dmax=50Gcal/h, pmax=18bar	DISPR/CR4/ E/4,5/1160/ 0/21.06.201 1
376	Central	PRISMA SERV COMPANY SRL	IASI, Str. Petru Poni, nr.13, bl. 573A, Tr.1, parter, ap.2, Jud. Iasi	J22/6 01/20 01	CUI 13991 843	0232/2 17905; 0332/4 09775	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax<=10t/h, pmax=16bar; Tmax=300°C	DISPR/CR4/ A,B,C/4/066 5/0/22.04.2 011
377	Central	PRO TC GRUP SRL	BASCOV, Str. Serelor, nr.48A, Jud. Arges	J03/1 424/2 004	CUI 16698 504	0248/2 06081/ 206082	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=30t/h, pmax<=16bar, Tmax<=400°C; Dmax<=50Gcal/h, pmax<=16bar	DISPR/CR4/ A,C/4,5/236 9/1/15.11.2 011
378	Pitesti	PRO TC GRUP SRL	BASCOV, Str. Serelor, nr.48A, Jud. Arges	J03/1 424/2 004	RO 16698 504	0248/2 06081/ int 118sau 122, 0248/2 11060/ 206082; 072228 7365	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q<30t/h, pmax<=16bar, T<=400°C; D<=50Gcal/h, pmax<=16bar, T<=150°C	PT/CR4/A,C /4,5/0155/0 /21.12.2010

379	Pitesti	PROINSAT SA	RM. VALCEA, Str. Industiilor, nr.2, Jud. Valcea	J38/1 558/1 992	RO298 9104	0250/7 33390/ 730231	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=250°C; Dmax=10Gcal/h, pmax=25bar	PT/CR4/A,B ,C/4,5/0029 /0/27.04.20 10
380	Pitesti	PROINSTAL PIPE SRL	STEFANESTI, Sos. Bucuresti- Pitesti, nr.72A, Jud. Arges	J03/4 7/199 9	RO 11433 360	0248/2 12501/ 223403	Cazane de abur, apa fierbinte	-	-	-	-	-	Q<=10t/h, pmax<=16bar, T<=450°C; D<=5Gcal/h, pmax<=16bar, T<=150°C	PT/CR4/A/4 ,5/0006/0/0 9.04.2010
381	Central	PROTEHNIC SRL	SLOBOZIA, Str. Matei Basarab, bl.MB5A, Jud. Ialomita; BUCURESTI, Str. Grigore C. Moisil, nr.8, bl.9, sc.D, ap.168, sector 2	J21/5 63/19 95	CUI 80108 91	0243/2 34479; 021/24 24908	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax<=500t/h, pmax<=200bar, Tmax<=570°C; Dmax<=15Gcal/h, pmax<=40bar	DISPR/CR4/ A/4,5/0903/ 0/23.05.201 1
382	Bucuresti	PROTEHNIC SRL	SLOBOZIA, Str. Matei Basarab, bl.MB5A, Jud. Ialomita	J21/5 63/19 95	RO 80108 91	021/24 24908; 0243/2 34479	-	-	-	Cazane de abur	-	-	Qmax=5t/h, Pmax=50bar, Tmax=560°C	B/CR4/E/4/ 0420/0/26.1 0.2010

383	Central	RAAN - Sucursala ROMAG TERMO	DR TN. SEVERIN, Str. Nicolae Iorga, nr.1, Jud. Mehedinti; HALANGA, Com. Izvoru Barzii, Jud. Mehedinti	J25/282/1998	CUI 10882752	0252/323848/323685; 0252/323666	-	-	Cazane abur	-	-	-	Qmax=420t/h, pmax=140bar, Tmax=550°C	DISPR/CR4/C/4/3348/0/12.03.2012
384	Central	RAEMGAL SERVICE SRL	GALATI, Str. Energiei , nr.5, bl.10A, sc.2, et 2, ap. 27, Jud. Galati	J17/348/2002	CUI 14616672	0236/460514	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=450t/h, pmax<=250bar, Tmax<=540°C	DISPR/CR4/B,C/4/2977/0/07.02.2012
385	Central	RAFO SA	ONESTI, Str. Industriilor, nr.3, Jud. Bacau	J04/538/1991	CUI 958772	0234/303303/315640	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=80t/h, pmax<=50bar, Tmax<=450°C; Dmax<=25Gcal/h	DISPR/CR4/C/4,5/0661/0/03.05.2011

386	Bacau	RAFO SA	ONESTI, Str. Industiilor, nr.3, Jud. Bacau	J04/5 38/19 91	CUI 95877 2	0234/3 03303/ 315640	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} ≤80t/h, p _{max} ≤50bar, T _{max} ≤540°C; D _{max} ≤25Gcal/h, p _{max} =20bar	BC/CR4/C/4 ,5/1213/1/2 4.04.2013- suspendare voluntara incepand cu 25.11.2016
387	Bacau	RCA MOLDOTERM SRL	IASI, Aleea Tudor Neculai, nr.99, bl. 989A, sc.B, et.4, ap.18, Jud. Iasi	J22/1 741/2 004	CUI 16698 164	0332/8 08738/ 808739	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} =120t/h, p _{max} =40bar, T _{max} =350°C; D _{max} =20Gcal/h, p _{max} =16bar	BC/CR4/A,B ,C/4,5/1666 /1/17.05.20 16
388	Central	RCA MOLDOTERM SRL	IASI, Aleea Tudor Neculai, nr.99, bl. 989A, sc.B, et.4, ap.18, Jud. Iasi	J22/1 741/2 004	CUI 16698 164	0332/8 08738/ 808739	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} =120t/h, p _{max} =40bar, T _{max} =350°C; D _{max} =20Gcal/h, p _{max} =16bar	DISPR/CR4/ A,B,C/4,5/1 781/0/16.08 .2011

389	Brasov	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0244/546229/546031; e-mail: remero@yahoo.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1025t/h, pmax<=250bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=30bar	BV/CR4/A,B,C/4,5/1328/1/21.10.2014
390	Central	REMERO FIL SA	BRAZI, Sat Brazii de Sus, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0755316623; 0244/546031	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1025t/h, pmax<=25bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=30bar	DISPR/CR4/A,B,C/4,5/2875/0/23.01.2012
391	Central	REMONT SRL	CONSTANTA, Al. Garofitei, nr.11A, Jud. Constanta	J13/5695/1992	CUI 2753846	0241/558900/692260	Cazane abur	-	Cazane abur	-	-	-	Qmax<=150t/h, pmax<=40bar, Tmax<=450°C	DISPR/CR4/A,C/4/0044/1/18.05.2011
392	Constanta	REMONT SRL	CONSTANTA, Al. Garofitei, colt cu Str. Bucuresti, nr.11A, Jud. Constanta	J13/5695/1992	CUI 2753846	0241/692260/558900	Cazane abur	-	Cazane abur	-	-	-	Qmax=25t/h, pmax=16bar, Tmax=200°C	CT/CR4/C/4/0044/0/14.07.2010

393	Brasov	REPCAZCOND SRL	BUZAU, Str. Obor, bl.12, sc.A, Jud. Buzau	J10/4 26/20 13	CUI 31665 810	0238/7 20242/ 406760	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=150t/h, pmax<=40bar, Tmax=535° C	BV/CR4/A,B ,C/4/1319/0 /30.10.2014
394	Central	REVERS SRL	BRASOV, Str. Carpatilor, nr.97, Jud. Brasov	J08/2 581/1 992	CUI 30515 80	0268/3 32311	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax<=15t/h, pmax<=16bar, Tmax<=250° C; Dmax<=10Gcal/h, pmax<=16bar	DISPR/CR4/ A/4,5/2469/ 0/28.11.201 1
395	Bucuresti	RIG SERVICE SA	CONSTANTA , Str. Marc Aureliu, nr.18, Jud. Constanta	J13/2 053/2 001	CUI 14320 668	0241/5 86406/ 586448	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar; Dmax<=50Gcal/h, pmax<=40bar	B/CR4/A,B, C/4,5/1324/ 2/03.02.201 5
396	Central	RIG SERVICE SA	CONSTANTA , Str. Marc Aureliu, nr.18, Jud. Constanta	J13/2 053/2 001	CUI 14320 668	0241/5 86406/ 586448	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar; Dmax<=50Gcal/h, pmax<=40bar	DISPR/CR4/ A,B,C/4,5/0 717/0/02.05 .2011
397	Bucuresti	RIG SERVICE SA	CONSTANTA , Str. Marc Aureliu, nr.18, Jud. Constanta	J13/2 053/2 001	CUI 14320 668	0241/5 86406/ 586448	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar; Dmax<=50Gcal/h, pmax<=40bar	B/CR4/A,B, C/4,5/1324/ 1/20.03.201 3

398	Central	RINA SIMTEX- ORGANISMUL DE CERTIFICARE SRL	BUCURESTI, Str. Dr. Leonte Anastasievic i, nr. 4D, corp A, sector 5	J40/9 653/1 999	CUI 12351 790	021/61 90651/ 619035 3	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=440 °C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/ E/4,5/3955/ 0/15.07.201 6
399	Central	ROBERT BOSCH SRL	BUCURESTI, Str. Horia Macelariu, nr.30-34, et.1-2 si 4, sector 1	J40/7 601/1 994	CUI 55415 46	021405 7500/2 331313	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=540 °C; Qmax=25Gcal/h, pmax=40bar, Tmax=250 °C	DISPR/CR4/ A/4,5/2901/ 0/27.01.201 2
400	Bucuresti	ROMANOR SRL	CALARASI, Str. Gh. Lazar, nr.8, Jud. Calarasi	J51/5 77/19 92	CUI 19176 65	0242/3 22602/ 331492	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=100bar, Tmax=350 °C; Dmax=50Gcal/h, pmax=25bar, Tmax=150 °C	B/CR4/A,B, C/4,5/0580/ 1/26.09.201 2
401	Central	ROMCET GRUP SA	BUCURESTI, Str. Orion, nr.3, sector 5	J40/8 419/1 995	CUI 78154 00	021/42 04287	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax<=300t/h, pmax<=40bar, Tmax=570 °C	DISPR/CR4/ A,B,C/4/103 2/0/01.06.2 011
402	Central	ROMIB SA	TUNARI, Cal. Bucurestilor , nr.74, Jud. Ilfov	J23/1 077/2 003	CUI 69276 94	021/26 75028; 072126 6682	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=400 °C; Dmax=50Gcal/h, pmax=25bar	DISPR/CR4/ A,B,C/4,5/1 605/0/01.08 .2011

403	Bucuresti	ROMIB SA	TUNARI, Cal. Bucurestilor , nr.74, Jud. Ilfov	J23/1 077/2 003	CUI 69276 94	021/26 75028/ 267523 7	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=400 °C; Dmax=50Gcal/h, pmax=25bar	B/CR4/A,B, C/4,5/1810/ 1/24.09.201 3
404	Central	ROMINDUSTRIAL COM SRL	DR. TN. SEVERIN, Str. Construciori lor, nr.44bis, Jud. Mehedinti	J25/1 718/1 993	CUI 49970 57	0252/3 26453; 072235 5560	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax<=120t/h, pmax<=40bar, Tmax<=450 °C; Dmax<=100Gcal, pmax<=25bar, tmax<=175 °C	DISPR/CR4/ B,C/4,5/208 0/0/28.09.2 011
405	Central	ROMINDUSTRIAL COM SRL	DR. TN. SEVERIN, Str. Construciori lor, nr.44bis, Jud. Mehedinti	J25/1 718/1 993	CUI 49970 57	0252/3 26453	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax<=120t/h, pmax<=40bar, 105 °C<=Tmax<=45 0 °C; Dmax=100Gcal, pmax=25bar, 110 °C<Tmax<=175 °C	DISPR/CR4/ B,C/4,5/129 7/1/20.02.2 013
406	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/8 331/2 001	CUI 14208 851	7E+08	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=40t/h, pmax=20bar, Tmax=350 °C	DISPR/CR4/ A,B,C/4/022 7/0/21.03.2 011

407	Central	ROMINSERV SRL	BUCURESTI, Piata Presei Libere, nr.3-5, Cladirea City Gate Northern Tower, et.3, sector 1	J40/8 331/2 001	CUI 14208 851	021/27 23660/ 314089 7	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570° C; Dmax=25Gcal/h, pmax=16bar	DISPR/CR4/ E/4,5/0914/ 0/30.05.201 1
408	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/8 331/2 001	RO 14208 851	021/27 23660/ 314089 7	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570° C; Dmax=25Gcal/h, pmax=16bar	DISPR/CR4/ E/4,5/0914/ 1/02.04.201 2
409	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/8 331/2 001	RO 14208 851	021/27 23660/ 314089 7	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570° C; Dmax=25Gcal/h, pmax=16bar	DISPR/CR4/ E/4,5/0914/ 2/29.05.201 2

410	Bucuresti	ROMINSERV SRL	BUCURESTI, Piata Presei, nr.3- 5, City Northern Tower, et.3, sector 1; PETROMIDIA NAVODARI, DJ 226Km, Km 23, Jud. Constanta	J40/8 331/2 001	CUI 14208 851	0241/5 06094/ 506932	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=125bar, Tmax=570° C; Dmax=25Gcal/h, pmax=25bar, Tmax=190° C	B/CR4/A,B, C/4,5/1177/ 2/26.09.201 2
411	Constanta	ROMINSERV SRL- PETROMIDIA NAVODARI	BUCURESTI, sector 1, Cal. Victoriei, nr.155, tronson 7, bl.D1, et.5; NAVODARI, DJ 226, Km 23, Jud. Constanta	J40/8 331/2 001	CUI 14208 851	0241/5 06094/ 506932	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=125bar, Tmax=570° C; Dmax=25Gcal/h, pmax=25bar, Tmax=190° C	CT/CR4/A,B ,C/4,5/0025 /0/01.07.20 10

412	Constanta	ROMINSERV SRL- PETROMIDIA NAVODARI	BUCURESTI, sector 1, Piata Presei Libere, nr.3-5, City Northern Tower, et.3; PETROMIDIA NAVODARI, DJ 226Km, Km 23, Jud. Constanta	J40/8 331/2 001	CUI 14208 851	021/27 23660; 0241/5 06094/ 506932	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=100t/h, pmax=125bar, Tmax=570° C; Dmax=25Gcal/h, pmax=25bar, Tmax=190° C	CT/CR4/A,B ,C/4,5/0068 /1/12.10.20 10
413	Ploiesti	ROMPETROL QUALITY CONTROL SRL	NAVODARI, DJ 226, Km 23,, Camera 116, Jud. Constanta; VEGA PLOIESTI, Str, Valeni, nr.146, Jud. Prahova	J13/6 775/2 004	RO 16542 407	0241/5 06700/ 506916; 0244/4 06192	-	-	-	-	-	Cazane abur	p>0.5bar	PL/CR4/H/4 ,5/0259/0/0 6.12.2010

414	Central	ROMTERM SA	BUCURESTI, Str.lovita, nr.11, sector 5	J40/2 111/1 991	CUI 40217 2	021/41 00036	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h, pmax=195bar, Tmax=570° C; Dmax=100Gcal/h, Pmax=25bar	DISPR/CR4/ A,B,C/4,5/2 905/0/06.02 .2012
415	Bucuresti	ROMVEC INDUSTRIE SRL	BUCURESTI, Str. lovita, nr.7-9, sector 5	J40/9 857/1 998	CUI 11110 319	021/41 07615/ 410667 7	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h, pmax=196bar, Tmax=540° C; Dmax=100Gcal/h, pmax=25bar, Tmax=230° C	B/CR4/A,B, C/4,5/0039/ 0/25.05.201 0
416	Bucuresti	ROMVENT INSTAL SRL	BUCURESTI, Sos. Nicolae Titulescu, nr. 61-71, bl. 11A, et. 3, ap. 9, sector 1; BUCURESTI, Str. Barlogeni, nr. 46, Imobil C1, et. 2, sector 1	J40/1 1224/ 2003	RO 15671 292	072933 0564; 072933 0573; 0314/3 79943	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=150° C; Dmax=100t/h, pmax=40bar, Tmax=400° C	B/CR4/A,B, C/4,5/2638/ 0/13.10.201 5

417	Central	RORA CONSING SRL	RASNOV, Str. Garii, nr.6, Jud. Brasov	J08/1 245/1 991	CUI 11210 35	0268/2 31552; 026623 0858	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	pmax>0.5bar; Tmax>110°C	DISPR/CR4/ H/4,5/2324/ 0/09.01.201 2; DISPR/CR4/ G/4,5/2775/ 0/10.01.201 2
418	Central	ROS SYSTEMA SRL	TG. MURES , Str. Madach Imre, nr.8, Jud. Mures	J26/1 948/2 007	CUI 22685 444	0265/5 67017; 0365/4 30565	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h, pmax=250bar, Tmax=570°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/ E/4,5/3841/ 0/06.12.201 3
419	Central	SANCOTERM SRL	GALATI, Str. Domneasca, nr.18, bl.E, ap.13, Jud. Galati; GALATI, Str. Basarabiei, nr.210, Jud. Galati	J17/3 81/19 97	CUI 93929 00	0236/4 94930	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax<=40bar, Tmax<=540°C, Qmax<=120t/h	DISPR/CR4/ A,B,C/4/104 7/0/08.06.2 011

420	Bucuresti	SELECT CHIM SERVICE SRL	BUCURESTI, Prelungirea Ghencea, nr.93N, parter, sector 6	J40/3 824/1 994	RO 53292 93	072236 9476; 021/31 76009; e-mail: office@ electro chim.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax=40bar, Tmax=450° C, Qmax=30t/h	B/CR4/A,B, C/4/0428/1 /15.11.2013
421	Oradea	SEPE INSTALCOM SRL	ORASTIE, Str. Unirii, nr.130, Jud. Hunedoara	J20/4 34/19 98	RO 10655 490	0254/2 43335/ 243334	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, Pmax=25bar, Tmax=250° C; Dmax=50Gcal/h, Pmax=25bar	OR/CR4/A,B ,C/4,5/1380 /1/23.06.20 15
422	Sibiu	SEPE INSTALCOM SRL	ORASTIE, Str. Unirii, nr.130, Jud. Hunedoara	J20/4 34/19 98	RO 10655 490	0254/2 43335/ 243334	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, Pmax=25bar, Tmax=250° C; Dmax=50Gcal/h, Pmax=25bar, Tmax=150° C	SB/CR4/A,B, C/4,5/0074/ 0/30.03.201 0
423	Central	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/7 61/19 94	CUI 54203 74	0244/5 44707/ 519648	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=50bar, Tmax=450° C; Dmax=50Gcal/h, pmax=22bar	DISPR/CR4/ E/4,5/1795/ 0/26.06.201 1
424	Central	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/7 61/19 94	CUI 54203 74	0244/5 44707/ 519648	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=120bar, Tmax=450° C; Dmax=50Gcal/h, pmax=22bar	DISPR/CR4/ E/4,5/1795/ 1/02.11.201 1

425	Ploiesti	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761/1994	RO 5420374	0244/544707/519648	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=40t/h, Psmax=40bar, Tmax=450°C; Dmax=50Gcal/h, Psmax=40bar, Tmax=350°C	PL/CR4/A,B, C/4,5/0197/0/08.10.2010
426	Craiova	SFERA SRL	CRAIOVA, Calea Severinului, nr.18D, Jud. Dolj	J16/161/2001	RO 13765161	0251/461060/480165	-	-	-	Cazane abur, apa fierbinte	-	-	Qmax=1035t/h, pmax=200bar, tmax=540°C; Dmax=100Gcal/h, pmax=20bar	CR/CR4/E/4,5/0086/0/01.09.2010
427	Ploiesti	SGS ROMANIA SA	BUCURESTI, Cal. Serban Voda, nr.38, sector 4; Sat BRAZI, Com. Brazi, Str. Trandafirilor, nr.65, Jud. Prahova	J40/29074/1992	RO 3451552	021/3354683/3354620	-	-	-	-	-	Cazane de abur, apa fierbinte	P>0.5bar; T>110°C	PL/CR4/H/4,5/0143/0/24.08.2010
428	Bucuresti	SICOM IC SRL	BUCURESTI, Bd. Basarabia, nr.177, sector 3	J40/3960/1991	CUI 342852	021/2550073/2550074	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	0.6t/h<Qmax<=10t/h, p<=16bar, Tmax<=270°C; 0.6t/h<Dmax<=50Gcal/h, p<=20bar, Tmax<=165°C	B/CR4/A,B, C/4,5/0127/0/06.07.2010

429	Bucuresti	SISTEMPLAST SA	RM. VALCEA, Str. Uzinei, nr.1, Jud. Valcea	J38/1 1/199 9	CUI 11438 007	0250/7 01501/ 701504	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax<=60bar, Tmax<=440°C; Dmax<=50Gcal/h, pmax<=25bar	B/CR4/A,B, C/4,5/2109/ 0/27.03.201 4
430	Brasov	SMR GLOBAL SRL	ALBESTI PALEOLOGU , nr. 528, Jud. Prahova	J29/1 580/2 010	RO 27819 393	074812 1650; 037495 2363; 0344/7 80139/ 114095; e- mail: smrglob al2010 @yahoo .com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax<=450°C; Dmax=50Gcal/h, pmax=40bar, Tmax<=450°C	BV/CR4/A,B ,C/4,5/1097 /0/20.12.20 12
431	Bucuresti	SNAMPROGETTI ROMANIA SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.6A, Tronson II, et.3, birou 31, sector 2	J40/6 633/2 003	CUI 15442 280	021/23 22400/ 232243 4	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=300t/h, pmax=200bar, Tmax=550°C; Dmax=100Gcal/h, pmax=25bar	B/CR4/E/4, 5/0376/0/04 .10.2010

432	Sibiu	SNGN ROMGAZ - Sucursala de Productie Energie Electrica Iernut	IERNUT, Str. Energeticii, nr.1, Jud. Mures	J26/1 94/20 13	RO 14056 826	0265/4 71333/ 471388	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=640t/h, pmax=140bar, Tmax=550°C; Dmax=20Gcal/h, pmax=50bar, Tmax=150°C	SB/CR4/A,B, C/4,5/1297/ 0/30.04.201 4
433	Bucuresti	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/1 82/19 99	CUI 11943 106	0253/3 71678; 072338 9063	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=540°C	B/CR4/A,B, C/4/2774/2 /12.04.2016
434	Central	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/1 82/19 99	CUI 11943 106	0253/3 71678; 072338 9063	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=540°C	DISPR/CR4/ A,B,C/4/096 4/1/02.04.2 012
435	Central	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/1 82/19 99	CUI 11943 106	0253/3 71678;0 251/59 3455; 072338 9063	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=540°C;	DISPR/CR4/ A,B,C/4/096 4/0/31.05.2 012
436	Central	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/1 82/19 99	CUI 11943 106	0253/3 71678; 072338 9063	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=540°C	DISPR/CR4/ A,B,C/4/096 4/1/02.04.2 012

437	Central	SOLO PROD SRL	BUZAU, Str. Orizontului, nr.206, Jud. Buzau	J10/2 260/1 994	CUI 64460 54	0238/7 20038; 0338/1 11540	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=440°C; Dmax=50Gcal/h, Pmax=40bar	DISPR/CR4/ A,B/4,5/254 0/0/20.12.2 011
438	Central	STASS SERV SRL	IASI, Str. Vasile Lupu, nr.99, bl.D, sc.A, parter, ap.3, Jud. Iasi	J22/2 85/20 01	CUI 13797 155	0232/2 70699; 0332/8 82838	Cazane abur	-	Cazane abur	-	-	-	Qmax=50t/h, pmax=16bar, Tmax=200°C	DISPR/CR4/ A,C/4/0567/ 0/06.04.201 1
439	Brasov	STEEL TRUST CONSTRUCTII CIVILE SI INDUSTRIALE SRL	PLOIESTI, Str. Vega, nr. 11C, Jud. Prahova	J29/1 201/2 014	RO 33553 023	072228 5498; 0244/4 33100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=400bar, Tmax=440°C; Dmax=50Gcal/h, pmax=24bar	BV/CR4/A,B ,C/4,5/1505 /1/24.11.20 16
440	Brasov	STEEL TRUST CONSTRUCTII CIVILE SI INDUSTRIALE SRL	PLOIESTI, Str. Vega, nr. 11C, Jud. Prahova	J29/1 201/2 014	RO 33553 023	072228 5498; 0244/4 33100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=400bar, Tmax=440°C	BV/CR4/A,B ,C/4,5/1505 /0/18.11.20 15
441	Bucuresti	STERISYSTEMS SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/1 8053/ 2005	CUI 18077 589	021/32 27121/ 322712 3; e- mail info@ra fi.ro	Cazane abur	Cazane abur	Cazane abur	-	Cazane abur	-	pmax=7.5bar, Tmax=160°C, Qmax=120Kg/h	B/CR4/G/4/ 0693/2/28.0 5.2015; B/CR4/A,B, C/4/0694/3 /28.05.2015

442	Bucuresti	STERISYSTEMS SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/1 8053/ 2005	CUI 18077 589	021/32 05659/ 322712 3	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax=7.5bar, Tmax=160° C, Qmax=120Kg/h	B/CR4/A,B, C/4/0694/2 /13.03.2014
443	Bucuresti	STERISYSTEMS SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/1 8053/ 2005	CUI 18077 589	021/32 60395/ 326039 7	Cazane abur	Cazane abur	Cazane abur	-	Cazane abur	-	pmax=3bar, Tmax=150° C, Qmax=59Kg/h	B/CR4/G/4/ 0693/1/17.0 5.2013; B/CR4/A,B, C/4/0694/1 /17.05.2013
444	Central	STERISYSTEMS SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/1 8053/ 2005	CUI 18077 589	021/32 60395/ 326039 7	Cazane abur	Cazane abur	Cazane abur	-	Cazane abur	-	pmax=3bar, Tmax=150° C, Qmax=59Kg/h	DISPR/CR4/ G/4/0693/0 /18.05.2011 ; DISPR/CR4/ A,B,C/4/069 4/0/18.05.2 011

445	Bacau	STRONG MONTAJ SA	PIATRA NEAMT, Str. Mihai Viteazu, nr.19, bl.C1, demisol, camera 2, Jud. Neamt	J27/2 014/1 994	CUI 65370 71	0233/2 19486/ 230910	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, Pmax=40bar, Tmax=280°C; Dmax=100Gcal/h, Pmax=20bar	BC/CR4/A,B ,C/4,5/1100 /0/12.11.20 12- suspendare voluntara incepind cu 13.10.2015
446	Brasov	SUDOTERM SRL	PLOIESTI, Str. Rudului, nr. 262, Jud. Prahova	J29/4 25/20 15	RO 28241 840	0344/1 02953	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	pmax=200bar, Qmax=500t/h, tmax=550°C	BV/CR4/B,C /4,5/1562/0 /23.03.2016
447	Galati	SUPER A PLUS K SRL	GALATI, Str. George Cosbuc, nr.432, Jud. Galati	J17/1 798/1 994	RO 59339 65	0236/4 61751	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	pmax=155bar, Qmax=420t/h, tmax=540°C	GL/CR4/A,B ,C/4/0005/0 /12.04.2010
448	Bacau	SUPER A PLUS K SRL	GALATI, Str. George Cosbuc, nr.432, Jud. Galati	J17/1 798/1 994	RO 59339 65	0236/4 61751	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	pmax=155bar, Qmax=420t/h, tmax=540°C	BC/CR4/A,B ,C/4/1238/1 /14.06.2013

449	Central	SUPERMONT SA	NAVODARI, Platforma Parc Rece Midia, DJ226, Km20, Jud. Constanta	J13/5 489/2 004	CUI 16172 290	0241/4 86053	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax=215bar, Tmax=600° C; Dmax<=100Gcal/h, pmax<=25bar, Tmax<=156° C	DISPR/CR4/ A,B,C/4,5/1 521/0/12.07 .2011
450	Bucuresti	TCZ TOTAL SERVICE SRL	BUCURESTI, Str. Vidului, nr. 11A, camera 2, sector 5	J40/1 6126/ 2005	CUI 17980 065	021/77 64524	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	pmax=20bar, Qmax=30t/h, tmax=250° C	B/CR4/A,B, C/4/1706/0 /25.07.2015
451	Central	TECHNO MONTAJ SRL	BRASOV, Str. Timis Triaj,, nr.6, Jud. Brasov	J08/2 17/20 03	RO 15190 540	0268/3 34118/ 334128; 074006 5151	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=580° C; Dmax=100Gcal/h, pmax=35bar	DISPR/CR4/ A,B,C/4,5/3 232/1/09.03 .2012
452	Brasov	TECHNO MONTAJ SRL	BRASOV, Str. Timis Triaj, nr.6, Jud. Brasov	J08/2 17/20 03	RO 15190 540	0268/3 34118	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=580° C; Dmax=100Gcal/h, pmax=35bar	BV/CR4/A,B ,C/4,5/1119 /2/04.03.20 13

453	Bucuresti	TECNOSERVICE BUCURESTI SRL	BUCURESTI, Str. Tudor Vianu, nr.42, parter, camera 1, ap.1, sector 1; BUZAU, Al. Industriilor, nr.2, Jud. Buzau	J40/1 937/1 996	CUI 82379 68	031/40 70030/ 318501 9; 0238/7 17441	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax=200bar, Tmax=570° C; Dmax=100Gcal/h, pmax=40bar	B/CR4/A,B, C/4,5/1737/ 0/30.07.201 3
454	Bucuresti	TEHNO PROMPT SRL	COM. CHIAJNA, Str. 1 Mai, nr.12, Jud. Ilfov	J23/1 751/2 002	CUI 44305 15	021/30 55700	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=10t/h pmax=16bar, Tmax=200° C,	B/CR4/A,B, C/4/0107/0 /23.06.2010
455	Central	TEHNOEXPERT MANAGEMENT INDUSTRIAL SA	BUCURESTI, Str. Gheorghe Sincai, nr.11, bl.4, sc.3, ap.68, sector 4	J40/8 718/2 012	CUI 30484 794	037271 5633; 037287 9090	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=540t/h, pmax=225bar, Tmax=570° C; Dmax=100Gcal/h	DISPR/CR4/ E/4,5/3761/ 0/12.12.201 2
456	Central	TEHNOPLUS MEDICAL SRL	BUCURESTI, Str. Odobesti, nr.1, sector 3	J40/1 3952/ 1993	CUI 42619 39	021/34 85272/ 348534 3	Cazane abur	Cazane abur	-	-	-	-	pmax<=16bar, Qmax<=2t/h, Tmax<=200° C	DISPR/CR4/ A,B/4/1034/ 0/10.06.201 1

457	Central	TEHNOPLUS MEDICAL SRL	BUCURESTI, Str. Odobesti, nr.1, sector 3	J40/1 3952/ 1993	CUI 42619 39	021/34 85272/ 348534 3	-	-	-	-	Cazane abur, cazane apa fierbinte, cazane apa calda, cazane abur joasa presiune	-	-	DISPR/CR4/ G/4,5/1037/ 0/14.06.201 1
458	Brasov	TEHNOSUD ENGINEERING SRL	PLOIESTI, Str. Rudului, nr. 262, Jud. Prahova	J29/1 376/2 002	RO 15056 352	0344/1 02953	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=500t/h, pmax=200bar, Tmax=550°C; Dmax=500Gcal/h, pmax=20bar	BV/CR4/A,B ,C/4,5/1618 /0/19.10.20 16
459	Central	TEHNOTERM IMPEX SRL	REGHIN, Str. Pandurilor, nr.12, Jud. Mures	J26/3 350/1 992	CUI 33881 29	0265/5 12564/ 513898	Cazane abur	-	-	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=250°C	DISPR/CR4/ A/4/2940/0 /30.01.2012
460	Iasi	TEHNOTERM SRL	IASI, Bd. Chimiei, Jud. Iasi	J22/3 107/1 994	RO 67880 22	0232/2 59596	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=200°C	IS/CR4/A,B, C/4/0105/0 /23.09.2010
461	Bacau	TEHNOTERM SRL	IASI, Sos. Pacurari, nr.26, Jud. Iasi	J22/3 107/1 994	RO 67880 22	0232/2 59596	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=200°C	BC/CR4/A,B ,C/4/1387/1 /11.03.2014

462	Oradea	TELETECH SRL	ZALAU, Str. Gh. Doja, nr.28, bl. D28, ap.24, Jud. Salaj	J31/1 65/20 03	CUI 15324 536	7E+08	-	-	-	-	-	Cazane abur; cazane apa fierbinte	P>0.5bar; T>110°C	OR/CR4/H/4 ,5/1418/0/2 0.11.2015
463	Brasov	TEODAN INSTAL SRL	PLOIESTI, Str. Maramures, nr.14-16, Jud. Prahova	J29/2 587/2 007	CUI 22547 417	0244/5 46228; e-mail Teodan _instal @yahoo .com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=40t/h, pmax<=40bar, Tmax<=450°C; Dmax<=50Gcal/h, pmax<=40bar, Tmax<=450°C	BV/CR4/A,B ,C/4,5/1348 /1/11.12.20 14
464	Central	TEODAN INSTAL SRL	PLOIESTI, Str. Republicii, nr.108, bl.13B2, ap.6, Jud. Prahova	J29/2 587/2 007	CUI 22547 417	0244/5 46228	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=40t/h, pmax<=40bar, Tmax<=450°C; Dmax<=50Gcal/h, pmax<=40bar, Tmax<=450°C	DISPR/CR4/ A,B,C/4,5/1 579/0/20.07 .2011
465	Central	TERMA SRL	BACAU, Str. Oituz, nr.78, Jud. Bacau	J04/2 19/19 97	CUI 92349 19	0234/5 11711/ 580010	Cazane abur	-	-	-	-	-	Qmax=25t/h, pmax=40bar, Tmax=250°C	DISPR/CR4/ A/4/3004/0 /10.02.2012
466	Bacau	TERMAEXIM SA	GALATI, Str. Dr. Petru Groza, nr.23, Jud. Galati	J17/1 21/19 91	RO 16313 52	0236/4 70870/ 470669	Cazane apa fierbinte	Cazane apa fierbinte	Cazane apa fierbinte	-	-	-	Qmax=120t/h, Gcal, pmax=22bar, Tmax=150°C	BC/CR4/A,B ,C/5/1653/0 /08.04.2016

467	Bacau	TERMAEXIM SA	GALATI, Str. Dr. Petru Groza, nr.23, Jud. Galati	J17/1 21/19 91	RO 16313 52	0236/4 70870/ 470669	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/h, pmax=155bar, Tmax=540°C	BC/CR4/A,B ,C/4/1287/1 /09.09.2013
468	Central	TERMAR PROD COM SRL	CONSTANTA , Str. Varful cu Dor, nr.10, Jud. Constanta	J13/5 105/2 004	CUI 16065 111	0241/6 31350/ 631340	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=140bar, Tmax=540°C; Dmax=50Gcal/h, pmax=25bar	DISPR/CR4/ A,B,C/4,5/1 000/0/17.06 .2011
469	Bucuresti	TERMAR PROD COM SRL	CONSTANTA , Str. Varful cu Dor, nr.10, Jud. Constanta	J13/5 105/2 004	CUI 16065 111	0241/6 31350/ 631340	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=140bar, Tmax=540°C; Dmax=50Gcal/h, pmax=25bar	DISPR/CR4/ A,B,C/4,5/2 097/1/10.03 .2014
470	Central	TERMICA SA	SUCEAVA, Str. Energetician ului, nr.1, Jud. Suceava	J33/3 10/20 02	CUI 14682 110	0230/2 57066/ 257663	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=137bar, Tmax<=540°C; Dmax<=116Mw, pmax<=26bar	DISPR/CR4/ C/4,5/0855/ 0/11.05.201 1
471	Central	TERMO CONFORT SRL	BRASOV, Bd. Victoriei, nr.10, bl.43, Jud. Brasov	J08/1 84/19 98	CUI 10253 388	0268/4 16380	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=430t/h, pmax<=140bar, Tmax<=450°C; Dmax<=125Gcal/h, pmax<=25bar	DISPR/CR4/ A,B,C/4,5/1 791/0/22.08 .2011

472	Sibiu	TERMO CONSTRUCT SRL	HUNEDOARA , Str. Serei, nr.17A, Jud. Hunedoara	J20/1 369/1 993	RO 43720 15	0254/7 40577/ 716823	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=25t/h, Pmax=40bar, Tmax=300°C; Dmax=5Gcal/h, Pmax=16bar,	SB/CR4/A,B, C/4,5/0127/ 0/17.12.201 0
473	Oradea	TERMO CONSTRUCT SRL	HUNEDOARA , Str. Serei, nr.17A, Jud. Hunedoara	J20/1 369/1 993	RO 43720 15	4E+08	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=25t/h, Pmax=40bar, Tmax=300°C; Dmax=5Gcal/h, Pmax=16bar,	OR/CR4/A,B ,C/4,5/1193 /1/06.08.20 13
474	Oradea	TERMO ENERGETICA BANATUL SRL	TIMISOARA, Str. Dorobantilor , nr.63B, Jud. Timis	J35/1 41/19 93	RO 28053 76	0256/2 19224	Cazane de abur	-	Cazane de abur	-	-	-	Q=10t/h, pmax=16bar, Tmax=300°C	OR/CR4/A,C /4/1053/1/0 5.10.2012
475	Oradea	TERMO ENERGETICA BANATUL SRL	TIMISOARA, Str. Dorobantilor , nr.63B, Jud. Timis	J35/1 41/19 93	RO 28053 76	0256/2 19224	Cazane de abur	-	Cazane de abur	-	-	-	Q=10t/h, pmax=16bar, Tmax=300°C	OR/CR4/A,C /4/1053/2/1 8.10.2013
476	Bacau	TERMO INVEST SRL	BACAU, Str. Nordului, nr.38, Jud. Bacau	J04/4 38/19 97	RO 94589 24	0234/5 19519	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, Pmax<=16bar, Tmax<=440°C; Dmax<=10Gcal/h, Pmax<=16bar, Tmax<=150°C	BC/CR4/A,B ,C/4,5/0088 /0/15.09.20 10

477	Oradea	TERMO MONTAJ SRL	SATU MARE, Str. Careiului, nr.162, Jud. Satu Mare	J30/2085/1994	RO 6902657	0261/839736/839735	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax<=30t/h, Pmax<=16bar, Tmax<=350°C	OR/CR4/A,B,C/4/0021/0/24.06.2010
478	Central	TERMO SISTEMS CONTROL SRL	BUCURESTI, Str. Ionita Cegan, nr. 4, b;l. P12, sc. 1, et. 1, ap. 6, sector 5	J40/977/2001	CUI 1367180	021/3148123/4440174	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=210t/h, pmax=180bar, Tmax=450°C; Dmax=100Gcal/h, pmax=16bar	DISPR/CR4/A/4,5/3089/0/17.02.2012
479	Central	TERMO VULCAN SRL	TG. MURES, Str. Depozitelor, nr.13A, Jud. Mures	J26/2335/1992	CUI 1213457	0265/227363	Cazane abur	-	Cazane abur	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=440°C	DISPR/CR4/A,C/4/2937/0/12.01.2012
480	Central	TERMODAV SRL	BRAGADIRU, Str. Iederei, nr.63D, Jud. Ilfov	J23/3243/2008	CUI 24619986	0740044941; 031/8081274	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350°C; Dmax=10Gcal/h, pmax=16bar	DISPR/CR4/A,B,C/4,5/1615/0/01.08.2011
481	Bucuresti	TERMODAV SRL	BRAGADIRU, Str. Iederei, nr.63D, Jud. Ilfov	J23/3243/2008	CUI 24619986	031/8081274	-	-	-	-	Cazane abur, apa fierbinte	-	Qmax=220t/h, pmax=150bar, Tmax=470°C; Dmax=500Gcal/h, pmax=24ba	B/CR4/E/4,5/0462/0/04.11.2010

482	Central	TERMoeLECTRICA SA- Sucursala ELECTROCENTRA LE BRAILA	Com. CHISCANI, Str. Principala, nr.317, Jud. Braila	J09/3 06/20 00	CUI 13564 265	0239/6 11550/ 664572	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax<=155bar, Tmax<=540°C; Dmax<=100Gcal, pmax<=22bar	DISPR/CR4/ B,C/4,5/202 9/0/30.09.2 011
483	Central	TERMOPIF EXIM SRL	BUCURESTI, Str. Marcu Armasu, nr.11, bl.24, sc.B, ap.77, sector 2	J40/9 348/2 001	CUI 14279 496	021/25 50294	Cazane abur	-	-	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=250°C	DISPR/CR4/ A/4/2867/0 /27.01.2012
484	Central	TERMOPIF EXIM SRL	BUCURESTI, Str. Marcu Armasu, nr.11, bl.24, sc.B, ap.77, sector 2	J40/9 348/2 001	CUI 14279 496	021/25 50294	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/ G/4,5/2868/ 0/27.01.201 2
485	Central	TERMOPIF EXIM SRL	BUCURESTI, Str. Marcu Armasu, nr.11, bl.24, sc.B, ap.77, sector 2	J40/9 348/2 01	CUI 14279 496	021/25 50294	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=250°C; Dmax=30Gcal/h, pmax=15bar	DISPR/CR4/ A,B,C/4,5/2 867/1/15.03 .2012

486	Central	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor , nr.20, ap.6, Jud. Cluj	J12/3 927/1 994	CUI 65893 64	0264/4 31587	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmin>0.5bar, Tmin>110°C	DISPR/CR4/ G/4,5/07941 /0/10.05.20 11
487	Cluj	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor , nr.20, bl.M8, ap.6, Jud. Cluj	J12/3 927/1 994	RO 65893 64	0264/4 31587/ 596750	-	-	-	-	-	Cazane abur, apa fierbinte	-	CJ/CR4/H/4 ,5/0077/0/0 8.09.2010
488	Cluj	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor , nr.20, bl.M8, ap.6, Jud. Cluj; CLUJ NAPOCA, Str. Vasile Lupu, nr.20, bl.M8, ap.6, Jud. Cluj	J12/3 927/1 994	RO 65893 64	0264/4 31587/ 596750	-	-	-	-	Cazane abur, apa fierbinte	-	Qmax=25t/h, pmax=16bar, Tmax=350°; Dmax=10Gcal/h, pmax=16bar,	CJ/CR4/E/4 ,5/0083/0/1 0.09.2010

489	Cluj	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor , nr.20, bl.M8, ap.6, Jud. Cluj	J12/3 927/1 994	CUI 65893 64	0264/4 31587/ 596750	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	-	CJ/CR4/A,B, C/4,5/0190/ 0/31.12.201 0
490	Central	TERMOREP SRL	RAMNICU VALCEA, Str. Nistor Dumitrescu, nr.14/17, Jud. Valcea	J38/5 76/19 91	RO 14693 32	0250/7 37308/ 737302	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=165bar, Tmax<=565°C; Dmax<=100Gcal/h, pmax<=30bar, Tmax<=175°C	DISPR/CR4/ A,B,C/4,5/1 212/0/22.06 .2011
491	Central	TERMOREP SRL	RM. VALCEA, Str. Nistor Dumitrescu, nr. 14/17, Jud. Valcea	J38/5 76/19 91	CUI 14693 32	0250/7 37308/ 737302; 074454 9436	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmin>0.5bar, Tmin>110°C	DISPR/CR4/ G/4,5/1559/ 0/19.07.201 1
492	Central	TERMOREP SRL	RM. VALCEA, Str. Nistor Dumitrescu, nr.14/17, Jud. Valcea	J38/5 76/19 91	CUI 14693 32	0250/7 37308/ 737302	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h, pmax=165bar, Tmax=570°C; Dmax=100Gcal/h, Pmax=30bar	DISPR/CR4/ E/4,5/2126/ 11.10.2011

493	Cluj	TERMOSISTEM PROD SRL	CLUJ NAPOCA, Str. Piata Abator, Bl.C3, ap.19, Jud. Cluj	J12/3 214/2 005	RO 17934 344	0264/4 84810	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350 °C; Dmax=5Gcal/h, pmax=16bar	CJ/CR4/A,B, C/4,5/0024/ 0/11.06.201 0
494	Brasov	TERMOSUD CONSULT SRL	BUZAU, Cart. Episcopiei, bl.C11, ap.13, Jud. Buzau	J10/2 37/19 99	RO 11874 952	0238/7 17802	Cazane de abur	-	-	-	-	-	Q<=10t/h, p<=40bar, T<=450 °C	BV/CR4/A/4 /1104/0/24. 01.2013
495	Central	TEST NDT LABORATOR SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, demisol, Jud. Cluj	J12/2 55/20 13	RO 31156 809	074610 6196; 0264/5 96750	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, Pmax=250bar, Tmax=600 °C; Dmax=150Gcal/h, Pmax=160bar	DISPR/CR4/ E/4,5/3939/ 0/23.05.201 6
496	Bacau	TEST PRIMA SRL	SUCEAVA, Str. Petru Rares, nr.56, Jud. Suceava	J33/1 56/19 92	CUI 74463 9	0230/5 23406/ 522773	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, Pmax=40bar, Tmax=350 °C; Dmax=50Gcal/h, Pmax=40bar, Tm>110 °C	BC/CR4/A,C /4,5/1113/0 /14.12.2012
497	Bacau	TEST PRIMA SRL	SUCEAVA, Str. Petru Rares, nr.56, Jud. Suceava	J33/1 56/19 92	CUI 74463 9	0230/5 23406/ 522773	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, Pmax=40bar, Tmax=350 °C; Dmax=50Gcal/h, Pmax=40bar	BC/CR4/A,C /4,5/1113/1 /04.07.2013

498	Sibiu	TEXCO ENERGIE SRL	SIBIU, Str. Catina Ioan, nr.4, Jud. Sibiu	J32/4 71/20 13	RO 31693 632	0269/2 37325	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=20t/h, Pmax=20bar, Tmax=350 °C; Dmax=10Gcal/h, Pmax=20bar, T>110 °C	SB/CR4/A,B, C/4,5/1224/0/10.09.2013
499	Bucuresti	TMUCB SA	BUCURESTI, Str. Lujerului, nr. 26, sector 5	J40/1 171/1 991	CUI 27864 87	021/31 71060/ 312954 2	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=215bar, Tmax=600 °C; Pmax=25bar, Qmax=100Gcal/h	B/CR4/A,B, C/4,5/2786/1/06.04.2016
500	Central	TMUCB SA	BUCURESTI, Str. T. Arghezi, nr.8-10, et.5, sector 2	J40/1 171/1 991	CUI 27864 87	021/31 65669/ 312954 2	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=215bar, Tmax=600 °C; Pmax=25bar, Qmax=100Gcal/h	DISPR/CR4/A,B,C/4,5/1496/0/19.07.2011
501	Central	TOTALMONTAJ SRL	Sat TATARANI, Com. Barcanesti, nr. 237A, Jud. Prahova	J29/1 87/19 94	RO 51656 70	037270 4946; 0244/2 76783	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=80bar, Tmax=440 °C; Dmax=50Gcal/h, pmax=80bar	DISPR/CR4/C/4,5/3693/0/30.05.2012
502	Cluj	TRUSTUL DE INSTALATII MONTAJ SI CONSTRUCTII SA	CLUJ NAPOCA, Str. Buftea, nr.1, jud. Cluj	J12/5 159/1 992	RO 28973 61	0264/4 31198/ 431202	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q<=10t/h, pmax<=20bar, Tmax=350 °C; D<=5Gcal/h, pmax<=20bar	CJ/CR4/A,B, C/4,5/0042/0/01.08.2010

503	Sibiu	TRUSTUL DE INSTALATII MONTAJ SI CONSTRUCTII SA	CLUJ NAPOCA, Str. Buftea,, nr.1, Jud. Cluj	J12/5 159/1 992	RO 28973 61	0264/4 31198/ 431202	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=20bar, Tmax<=350° C; Dmax<=5Gcal/h, Pmax<=20bar	SB/CR4/A,B, C/4,5/1106/1/09.11.2012
504	Bucuresti	TUBAL EXPERT SRL	BUCURESTI, Str. Dunavat, nr.9, bl.57, sc.5, ap.74, sector 5	J40/1 0787/ 2010	CUI 27681 303	031/80 10757	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=600t/h, pmax=180bar, Tmax=570° C; Dmax=50Gcal/h, pmax=24bar	B/CR4/E/8/0612/0/23.02.2010
505	Bucuresti	TURBOENERGY POWER CHISINAU SRL- Sucursala Targoviste	TARGOVISTE, Str. Cooperative i, nr. 6, Jud. Dambovita	J15/2 24/20 15	RO 34291 80	8E+08	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/h, pmax=200bar, Tmax=540° C	B/CR4/A,B, C/4/2777/0/29.04.2016
506	Central	TUV AUSTRIA ROMANIA SRL	BUCURESTI, Cal. Plevnei, nr.139, et.1, corp C, sector 6	J40/2 2370/ 2007	CUI 19231 430	021315 3294/3 153296	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=196bar, Tmax=570° C; Dmax=100Gcal/h, Pmax=30bar	DISPR/CR4/E/4,5/2921/0/01.02.2012
507	Central	TUV AUSTRIA ROMANIA SRL	BUCURESTI, Cal. Plevnei, nr.139, et.1, corp C, sector 6	J40/2 2370/ 2007	CUI 19231 430	021315 3294/3 153296	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=196bar, Tmax=570° C; Dmax=100Gcal/h, Pmax=30bar	DISPR/CR4/E/4,5/2921/1/25.03.2013

508	Central	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr. 155, bl.D1, tronson 5, et.3, sector 1	J40/8 231/2 002	CUI 14842 360	021/31 34419/ 330081 5	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=550° C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/ E/4,5/3315/ 4/17.02.201 6
509	Central	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr. 155, bl.D1, tronson 5, et.3, sector 1	J40/8 231/2 002	CUI 14842 360	021/31 34419/ 330081 5	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=550° C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/ E/4,5/3315/ 3/16.10.201 4
510	Central	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr. 155, Spatiile D2 si C2, bl.D1, et.2, sector 1	J40/8 231/2 002	CUI 14842 360	021/33 06600/ 330081 5	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=550° C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/ E/4,5/3315/ 2/23.03.201 2

511	Bucuresti	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr.155, bl.D1, Tronson 5, et.2, spatiile D2 si C2, sector 1	J40/8 231/2 002	CUI 14842 360	021/33 06600 /33008 15	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=550° C; Dmax=100Gcal/h, pmax=25bar	B/CR4/E/4, 5/0355/1/05 .10.2010
512	Bucuresti	TUV SUD ROMANIA SRL	BUCURESTI, Bd. Gh. Sincai, nr.9A, bl.3A, et.3, ap.7 si 9, sector 4	J40/8 231/2 002	CUI 14842 360	021/33 06600 /33008 15	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax>=120t/h, pmax=200bar, Tmax=540° C; Dmax=100Gcal/h, pmax=25bar	B/CR4/E/4, 5/0001/0/19 .03.2010
513	Ploiesti	UNIVERSAL MONTAJ DARZEU SRL	BLEJOI, Sat Blejoi, nr.929, Jud. Prahova	J29/5 87/19 91	RO 13482 09	0244/4 35516/ 435519	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	100bar>=p>0.5bar, Qmax=120t/h, Tmax=500° C; 25bar>=p>0.5bar, Dmax=50Gcal/h, Tmax=150° C	PL/CR4/A,B, C/4,5/0032/0/07.05.2010

514	Central	UNIVERSITATEA POLITEHNICA BUCURESTI-Centrul de Cercetari si Expertizari ECO Metalurgice - ECOMET	BUCURESTI, Splaiul Independent ei, nr.313, corp J, sala JF 002, sector 6	-	CUI 4183199	021/4029592/3169564	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=400bar, Tmax=650 °C; Dmax=150Gcal/h, pmax=40bar	DISPR/CR4/E/4,5/1460/0/21.07.2011
515	Central	UNIVERSITATEA POLITEHNICA BUCURESTI-Centrul de Cercetari si Expertizari ECO Metalurgice - ECOMET	BUCURESTI, Splaiul Independent ei, nr.313, corp J, sala JF 002, sector 6	-	CUI 4183199	021/3169564	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=196bar, Tmax=540 °C; Dmax=50Gcal/h, pmax=18bar	DISPR/CR4/E/4,5/1460/0/21.07.2011
516	Central	UZINA ELECTRICA ZALAU SA	ZALAU, Str. Valea Mitii, nr.2, Jud. Salaj	J31/13/2002	CUI 14397920	0260/662101	-	-	Cazane abur	-	-	-	Qmax=120t/h, pmax<=40bar, Tmax<=250 °C	DISPR/CR4/C/4/0056/0/24.02.2011
517	Central	UZINA TERMOELECTRICA GIURGIU SA	GIURGIU, Sos. Sloboziei, nr.194, Jud. Giurgiu	J52/308/2001	CUI 14351222	0769/060322; 0246/216665	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=280 °C; Dmax=10Gcal/h, pmax=40bar, Tmax=150 °C	DISPR/CR4/C/4,5/3581/0/08.05.2012

518	Galati	UZINSIDER ENGINEERING SA	GALATI, Sos. Smardan, nr.2, Jud. Galati	J17/6 9/199 1	RO 16322 85	0236/4 49016/ 448348 /44823 8/ 448580	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=550t/h, pmax=180bar, Tmax=570 °C; Dmax=460Gcal/h, pmax=180bar	DISPR/CR4/E/4,5/3898/1/05.02.2015
519	Galati	UZINSIDER ENGINEERING SA	GALATI, Sos. Smardan, nr.2, Jud. Galati	J17/6 9/199 1	RO 16322 85	0236/4 49016/ 448348 /44823 8/ 448580	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=550t/h, pmax=180bar, Tmax=570 °C; Dmax=460Gcal/h, pmax=180bar	GL/CR4/E/4,5/0034/0/25.06.2010
520	Bucuresti	VALEST TERMIC TRUST SRL	BUCURESTI, Cal. 13 Septembrie, nr. 106, bl. 50, et. 3, ap. 9, sector 5	J40/7 682/2 011	CUI 28671 251	021/45 66466	Cazane de abur, apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250 °C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5/2630/0/08.10.2015
521	Craiova	VEIT AMROTEX SRL	CRAIOVA, Str. Romul, nr.2, bl.T3B, ap.3, Jud. Dolj	J16/1 137/1 998	RO 11190 717	0251/4 12155	Cazane abur	-	Cazane abur	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=220 °C	CR/CR4/A,C/4/0017/0/10.05.2010

522	Brasov	VISSMANN SRL	GHIMBAV, DN1-Km 174+941, nr.2, Jud. Brasov	J08/1 197/1 998	CUI 11075 840	0268/4 07800/ 407840; e- mail: info- ro@vies smann. com	Cazane abur, apa fierbinte	-	-	-	-	-	Q<=30t/h, p<=30bar, T<=350° C; D<=25Gcal/h, p<=30bar	BV/CR4/A/4 ,5/1151/2/1 1.10.2016
523	Brasov	VISSMANN SRL	GHIMBAV, DN1-Km 174+941, nr.2, Jud. Brasov	J08/1 197/1 998	CUI 11075 840	0268/4 07800/ 407840; e- mail: info- ro@vies smann. com	Cazane abur, apa fierbinte	-	-	-	-	-	Q<=30t/h, p<=30bar, T<=350° C; D<=25Gcal/h. p<=30bar	BV/CR4/A/4 ,5/1151/1/2 7.06.2013
524	Central	VIROMET SA	VICTORIA, Aleea Uzinei, nr.8, Jud. Brasov	J08/3 40/19 91	CUI 11263 50	0268/2 41120/ 241800	-	-	Cazane abur	-	-	-	Qmax<=120t/h, pmax<=100bar, Tmax<=450° C	DISPR/CR4/ C/4/1626/0 /19.07.2011
525	Central	VLAD ALEX TERMO SRL	BUCURESTI, Bd. Ion Mihalache, nr.96, bl.44B, sc.A, et.6, ap.12, sector 1	J40/2 7924/ 1993	CUI 50398 93	021/66 65306	-	-	-	-	Cazane abur; cazane apa fierbinte	-	Qmax<=5t/h, pmax<=16bar, Tmax<=150° C	DISPR/CR4/ G/4,5/1268/ 0/05.07.201 1

526	Central	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/2 39/19 91	CUI 14548 46	0237/6 40800/ 641720	-	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=16bar, Tmax=250°C	DISPR/CR4/ B,C/4/2020/ 0/29.09.201 1
527	Bacau	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/2 39/19 91	RO 14548 46	0337/6 40800/ 641720	-	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=16bar, Tmax=250°C	BC/CR4/B,C /4/1130/2/1 6.06.2014
528	Bacau	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/2 39/19 91	RO 14548 46	0337/6 40800/ 641720	-	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=16bar, Tmax=250°C	BC/CR4/B,C /4/1130/1/1 7.01.2013
529	Sibiu	VTU ECHIPAMENTE SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, et. 1, Jud. Cluj	J12/2 56/20 13	RO 31156 795	0264/4 31587/ 596750; e-mail vtuechi pament e@yaho o.com	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmax>0.5bar, T>110°C	SB/CR4/G/4 /5/1551/0/0 9.02.2016

530	Sibiu	VTU ECHIPAMENTE SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, et. 1, Jud. Cluj	J12/2 56/20 13	RO 31156 795	0264/4 31587/ 596750; e-mail vtuechi pament e@yaho o.com	-	-	-	-	-	Cazane abur; cazane apa fierbinte	pmax>0.5bar, T>110°C	SB/CR4/H/4 ,5/1545/0/2 8.01.2016
531	Bacau	WATER CHEM CONSULTING SRL	MAGURA, Com. Magura, Jud. Bacau	J4/68 2/201 6	CUI 36093 167	7E+08	-	-	-	-	-	Cazane abur; cazane apa fierbinte	-	BC/CR4/H/4 ,5/1688/0/1 4.07.2016
532	Central	ZAUNER ROMANIA SRL	SATU MARE, Str. Aurel Vlaicu, nr.72, Jud. Satu Mare	J30/4 59/20 03	CUI 15498 230	0361/4 20550/ 429538	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=400°C; Dmax=20Gcal/h, pmax=16bar	DISPR/CR4/ A,B,C/4,5/2 780/0/17.01 .2012
533	Oradea	ZAUNER ROMANIA SRL	SATU MARE, Str. Aurel Vlaicu, nr.72, Jud. Satu Mare	J30/4 59/20 03	CUI 15498 230	0361/4 20550/ 429538	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=400°C; Dmax=20Gcal/h, pmax=16bar	OR/CR4/A,B ,C/4,5/1140 /1/07.05.20 13
534	Oradea	ZAUNER ROMANIA SRL	SATU MARE, Str. Aurel Vlaicu, nr.72, Jud. Satu Mare	J30/4 59/20 03	CUI 15498 230	0361/4 20550/ 429538	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=100bar, Tmax=600°C; Dmax=100Gcal/h, pmax=100bar	OR/CR4/A,B ,C/4,5/1140 /2/23.07.20 14