

Persoane juridice autorizate conform PT CR4/2009 pentru efectuarea de lucrari la Cazane de abur, Cazane apa fierbinte, Supraincalzitoare si Economizoare independente- reglementate de PT C1/2010

Nr. Crt.	IT ISCIR	Societatea Comerciala	Adresa	J	CUI	Tel/fax	Domeniu autorizat						Parametrii	Autorizatii
							Instalare	Montare	Reparare	Verificari tehnice in utilizare pt. investigatii/ examinari cu caracter tehnic	Intretiner e prin spalare chimica	Intretiner e regim chimic		
1	Central	AB INSTAL SRL	CRAIOVA, Str. Caracal, nr.30, Jud. Dolj	J16/458/2000	CUI 13319762	0744/572075; 0251/543105	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h , pmax<=192bar, Tmax<=192°C; Dmax<=100Gcal/h, pmax<=25bar, Tmax<=175°C	DISPR/CR4/A,B,C/4,5/2133/07.10.2011
2	Craiova	ABC SYSTEMS SRL	DR. Tn. SEVERIN, Calea Timisoarei, nr.175B, Jud. Mehedinti	J25/1584/1994	RO 6667578	0252/329362/329363	Cazane abur, apa fierbinte	-	Cazane abur, apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, tmax=200°C; Dmax=5Gcal/h, pmax=16bar	CR/CR4/A,C/4,5/0002/0/31.03.2010

3	Sibiu	ACI BISTRITA SA	BISTRITA, Str. Zefirului, nr.1, Jud. Bistrita Nasaud	J06/15/1991	RO 566515	0263/234229/234230	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Q<=10t/h, Pmax=20bar, Tmax<=350°C; D<=5Gcal/h, Pmax<=20bar	SB/CR4/A,B, C/4,5/0174/0/18.02.2011
4	Bucuresti	ACIRAM MEDICAL SRL	BUCURESTI, Str. Margeanului, nr. 26, bl.M23A, et. 1, ap.32, sector 5	J40/10600/2007	RO 21849379	0722531761; 0214201026	Cazane abur	-	-	-	-	-	Qmax=1t/h, pmax=8bar, tmax=175°C	B/CR4/A/4/1763/0/20.08.2013
5	Bucuresti	ACVATOT SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.9-9A, cladire nr.14, Iride Busines Park, parter + etaj 1; BUCURESTI, Str. Lunca Cetatii, nr. 475, lot 3, sector 3	J40/6629/1991	CUI 13906	021/2520860/2520934; contact @acvato t.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=650t/h, pmax=170bar, Tmax=480°C; Dmax=50Gcal/h, pmax=20bar, Tmax=170°C	B/CR4/A,B, C/4,5/1385/2/22.11.2017

6	Bucuresti	ACVATOT SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.9-9A, cladire nr.14, Iride Busines Park, parter + etaj 1; BUCURESTI, Str. Lunca Cetatii, nr. 475, lot 3, sector 3	J40/66 29/199 1	CUI 13906	021/252 0860/ 2520934	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=650t/h, pmax=170bar, Tmax=480°C; Dmax=50Gcal/h , pmax=20bar, Tmax=170°C	B/CR4/A,B, C/4,5/1385/ 2/25.02.201 5
7	Bucuresti	ACVATOT SRL	BUCURESTI, Str. Popa Lazar, nr.5-25, et. 1+2, corp C14, sector 2	J40/66 29/199 1	CUI 13906	021/252 0934	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=650t/h, pmax=170bar, Tmax=480°C; Dmax=50Gcal/h , pmax=20bar, Tmax=170°C	B/CR4/A,B, C/4,5/0277/ 0/04.09.201 0
8	Bucuresti	ACVATOT SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.9-9A, cladire nr.14, Iride Busines Park, parter + etaj	J40/66 29/199 1	CUI 13906	021/316 0828/ 3160825	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=650t/h, pmax=170bar, Tmax=480°C; Dmax=50Gcal/h , pmax=20bar, Tmax=170°C	B/CR4/A,B, C/4,5/1385/ 1/27.05.201 3
9	Central	AFA PROD IMPEX SRL	CLUJ NAPOCA, Str. Timisului, nr.1, Jud. Cluj	J12/95 4/1995	CUI 73592 66	0264/41 6365/41 6758	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=350°C; Dmax<=5Gcal/h , pmax<=16bar, Tmax<=150°C	DISPR/CR4/ A,B,C/4,5/1 344/0/15.06 .2011

10	Central	AG PROIECT INTERNATIONAL SRL	BUCURESTI, Al. Cettuia, nr.10, bl.25/1, sc.A, et.3, ap. 15, sector 6	J40/18 048/20 4	CUI 16920 944	021/771 5802	Cazane abur	-	-	-	-	-	Qmax=25t/h, pmax=20bar, Tmax=250°C	DISPR/CR4/ A/4/2489/0 /05.12.2011
11	Brasov	AG SERV CONSTRUCT SRL- Punct de lucru BRASOV	NEGRESTI OAS, Str. Victoriei, Bl.C9/20, et.2, ap.12, Jud. Satu Mare; BRASOV, Str. Timis- Triaj, nr.6, Jud. Brasov	J30/41 2/1995	CUI 75200 51	0261/85 3322; 0268/33 1142/33 1752	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Q<=100t/h, p<=40bar, T<=440°C; D<=50Gcal/h, p<=40bar, T<=440°C	BV/CR4/A,C /4,5/0011/0 /14.06.2010
12	Sibiu	AGRISUT PROD COM IMPEX SRL	CLUJ NAPOCA, Str. Campului, nr. 215-219, ap. 3, Jud. Cluj	J12/48 49/199 2	RO 28944 70	0264/56 1973	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	pmax<=16bar, Qmax<=10t/h, Tmax<=250°C; pmax<=16bar, Dmax<=5Gcal/h	SB/CR4/A,B, C/4,5/1353/ 1/24.07.201 4
13	Central	AGRISUT PROD COM IMPEX SRL	CLUJ NAPOCA, Str. Grigore Alexandrescu, nr.49, ap.2, Jud. Cluj	J12/48 49/199 2	CUI 28944 70	0264/56 1973	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=250°C; Dmax<=5Gcal/h , pmax<=16bar	DISPR/CR4/ A,B,C/4,5/2 582/0/14.11 .2011

14	Bacau	AIPIFS SRL	BACAU, Str. Prieteniei, nr.7, bl.7, sc.A, ap.2, Jud. Bacau	J04/18 49/199 2	CUI 97672 8	0234/57 7165; 0744543 625	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	BC/CR4/G/4 ,5/0051/0/3 0.06.2010
15	Bucuresti	ALA INSTAL COMCONSTRUC T SRL	BUCURESTI, Str. Grigore Alexandrescu, nr.7, Bl.H1, sc.2, et.4, sector 1	J40/19 208/19 92	CUI 33169 47	021/317 4424/31 74399	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=400°C; Dmax=5Gcal/h, pmax=16bar, Tmax=160°C	B/CR4/A/4, 5/0206/0/10 .08.2010
16	Bucuresti	ALA INSTAL COMCONSTRUC T SRL	BUCURESTI, Str. Grigore Alexandrescu, nr.7, Bl.H1, sc.2, et.4, sector 1	J40/19 208/19 92	CUI 33169 47	021/317 4424/31 74399; e-mail: ala_inst al@yahoo o.com	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=400°C; Dmax=5Gcal/h, pmax=16bar, Tmax=160°C	B/CR4/A/4, 5/0206/1/23 .12.2013
17	Iasi	ALCOR PRO CONSULT SRL	IASI, Str. Sf. Lazar, nr.51, Jud. Iasi	J22/19 1/1995	RO 70480 90	0232/23 3390	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=420t/h, pmax=120bar, Tmax=550°C; Dmax=20Gcal/h , pmax=25bar,	IS/CR4/E/4, 5/0073/0/03 .08.2010
18	Bacau	ALPADO SRL	Com. STEFAN cel Mare, Sat. NEGOIESTI, nr.292, Jud. Bacau	J04/15 35/199 2	RO 97727 8	0234/33 9008	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, Pmax<=40bar, Tmax=440°C; Dmax<=50Gcal/ h, Pmax=16bar, Tmax=200°C	BC/CR4/A,C /4,5/0074/0 /26.08.2010

19	Central	AMICI SA	BACAU, Str. Ionita Sandu Sturza, nr.25, Jud. Bacau	J04/37/1991	CUI 945144	0334/405384; 0234/514336	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, Pmax<=16bar, Tmax<=200°C; Dmax<=5Gcal/h, pmax<=8bar, Tmax<=170°C	DISPR/CR4/A,B,C/4,5/1205/0/30.06.2011
20	Bucuresti	AMS 2000 TRADING IMPEX SRL	BUCURESTI, Str. Turturelelor, nr. 62, camere 1-16 din imobil Decebal Tower, et. 2, sector 3	J40/5527/1997	RO 9603757	021/3247050/3247679; e-mail office.ams@ams.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	Pmax=72kW, pmax=5bar, Tmax=138°C	B/CR4/A,B,C/4/2868/0/26.08.2016
21	Central	AMURCO SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/770/2005	CUI 17488233	0234/575440/575413	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax<=196bar, Tmax<=565°C	DISPR/CR4/A,B,C/4,5/1225/0/24.06.2011-retragere incepand cu 30.08.2016
22	Bacau	AMURCO SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/770/2005	RO 17488233	0234/575440/575413; e-mail: secretariat@amurco.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=105bar, Tmax=540°C; Dmax=25Gcal/h, pmax=20bar	BC/CR4/A,B,C/4,5/1298/1/03.09.2013-retragere incepand cu 30.08.2016

23	Pitesti	ANA CARPATI 2007 SRL	PITESTI, Str. Fagaras, bl.E2, sc.c, ap.10, Jud. Arges	J03/19 93/200 7	RO 22523 698	0729022 428; 0248/29 0025	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q<=50t/h, pmax<=50bar, T<=450° C; D<=50Gcal/h, pmax<=25bar	PT/CR4/A,C /4,5/0102/0 /30.09.2010
24	Central	ANUBIS SRL	CLUJ NAPOCA, Str. Fericirii, nr.17, ap.2, Jud. Cluj	J12/26 9/2000	CUI 12760 654	0264/48 4116	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	DISPR/CR4/ G/4,5/1472/ 0/07.07.201 1; DISPR/CR4/ H/4,5/1471/ 0/07.07.201 1
25	Iasi	APOPI & BLUMEN SRL	IASI, Str. Cuza Voda, nr.56, Jud. Iasi	J22/96 1/1993	RO 53867 28	0232/21 2269/25 2413	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=350° C; Dmax=10Gcal/h , pmax=16bar	IS/CR4/A,B, C/4,5/0061/ 0/19.07.201 0
26	Bacau	APOPI & BLUMEN SRL	IASI, Str. Cuza Voda, nr.56, Jud. Iasi	J22/96 1/1993	RO 53867 28	0232/21 2269/25 2413	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=350° C; Dmax=10Gcal/h , pmax=16bar	BC/CR4/A,B ,C/4,5/1366 /1/12.02.20 14
27	Bacau	AQUATERM SRL	BOTOSANI, Str. I.C. Bratianu, nr.35, Jud. Botosani	J07/22 6/1999	CUI 12135 214	0231/51 1585/ 511518	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=200° C	BC/CR4/A,B ,C/4/1495/0 /03.10.2014

28	Central	ARCELORMITTA L GALATI SA	GALATI, Str. Smardan , nr.1, Jud. Galati	J17/21 /1991	CUI 16397 39	0236/80 1331/80 3883	-	-	Cazane abur	-	-	-	pmax=54bar, Qmax=255t/h, Tmax=450°C	DISPR/CR4/ C/4/1250/0 /10.06.2011
29	Central	ARDENT SRL	BRASOV, Str. Arinului, nr. 3, bl. 36, ap. 12, ap.9, Jud. Brasov	J08/10 35/199 1	CUI 11102 81	0368/45 9201	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=120bar, Tmax<=540°C; Dmax<=100Gcal /h, pmax=40bar	DISPR/CR4/ E/4,5/0786/ 1/27.01.201 7
30	Central	ARDENT SRL	BRASOV, Str. Paraului, nr.15, bl. S25, sc.A, ap.9, Jud. Brasov	J08/10 35/199 1	CUI 11102 81	0722275 726; 0268/54 1682	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=120bar, Tmax<=540°C; Dmax<=100Gcal /h	DISPR/CR4/ E/4,5/0786/ 0/12.05.201 1
31	Brasov	ARDENT SRL	BRASOV, Str. Paraului, nr.15, bl. S25, sc.A, ap.9, Jud. Brasov	J08/10 35/199 1	CUI 11102 81	0722275 726; 0268/54 1682	Cazane de abur	-	Cazane de abur	-	-	-	pmax=40bar, Qmax=120t/h, Tmax=350°C	BV/CR4/A,C /4/1125/0/0 1.04.2013
32	Central	ARGENTA SRL	NAVODARI, Bd. Navodari, nr.295, Jud. Constanta	J13/23 96/199 3	CUI 39597 05	0241/51 7171/76 6876	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax<=1100t/h , pmax<=250bar, Tmax<=650°C	DISPR/CR4/ A,B,C/4/203 5/0/26.09.2 011
33	Bucuresti	ARGENTA SRL	NAVODARI, Bd. Navodari, nr.295, Jud. Constanta	J13/23 96/199 3	CUI 39597 05	0241/51 7171/ 638438	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax<=250bar, Qmax<=1100t/h , Tmax<=650°C	B/CR4/A,B, C/4/1020/1 /29.06.2012

34	Bucuresti	ARGENTA SRL	NAVODARI, Bd. Navodari, nr.295, Jud. Constanta	J13/23 96/199 3	CUI 39597 05	0241/51 7171/ 638438	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax=250bar, Qmax=1100t/h, Tmax=650°C	B/CR4/A,B, C/4/1020/2 /19.05.2014
35	Central	ARGOS SA	CERNAVODA, Str. Canalului, nr.11, Jud. Constanta	J13/15 62/199 1	CUI 24218 12	0241/23 8440/23 8197	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=30t/h, pmax<=25bar, Tmax<=225°C; Dmax<=20Gcal/ h, pmax<=25bar	DISPR/CR4/ A,B,C/4,5/1 745/0/16.08 .2011
36	Bucuresti	ARTEGO SA	TG. JIU, Str. Ciocarlau, nr.38, Jud. Gorj	J18/11 20/199 1	CUI 21574 28	0253/22 6444	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=350°C; Dmax=1.4Gcal/ h, pmax=40bar	B/CR4/A,C/ 4,5/2510/1/ 12.03.2015
37	Central	ARTEGO SA	TG. JIU, Str. Ciocarlau, nr.38, Jud. Gorj	J18/11 20/199 1	CUI 21574 28	0253/22 6444/22 6045	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Pmax<=1164kW	DISPR/CR4/ A,B,C/4,5/0 472/0/23.03 .2011
38	Bucuresti	ARTOPROD SRL	RM. VALCEA, Al. Parteneriatului, nr. 12, Jud. Valcea	J38/22 7/1997	CUI 94305 32	0250/73 6528, 0740254 909; e- mail artopro dsrl@ya hoo.co m	-	-	-	-	-	Cazane abur; cazane apa fierbinte	cazane abur pmax.0.5bar; cazane apa fierbinte T>110°C	B/CR4/H/4, 5/3101/0/30 .08.2017

39	Tg. Mures	AZOMURES SA	TG. MURES, Str. Gh. Doja, nr.30, Jud. Mures	J26/1/ 1991	RO 12004 90	0265/25 3700/25 2627	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=50t/h, pmax=50bar, Tmax=500°C; Dmax=50Gcal/h , pmax=22bar	MS/CR4/E/4 ,5/0044/0/1 2.10.2010
40	Tg. Mures	AZOMURES SA	TG. MURES SA, Str. Gh. Doja, nr.300, Jud. Mures	J26/01 /1991	CUI 12004 90	0265/25 3700/25 2627	-	-	Cazane de abur	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440°C	MS/CR4/C/4 /0071/0/29. 11.2010
41	Sibiu	BALTUR SIB SRL	SIBIU, Str. Regele Ferdinand , nr.2, Jud. Sibiu	J32/29 7/1998	CUI 10565 398	0269/21 5398/21 5376	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=150bar, Tmax<=540°C; Dmax<=100Gcal /h, pmax<=26bar	SB/CR4/A,B, C/4,5/1707/ 1/16.05.201 7
42	Central	BALTUR SIB SRL	SIBIU, Str. Regele Ferdinand , nr.2, Jud. Sibiu	J32/29 7/1998	CUI 10565 398	0269/21 5398/21 5376	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=150bar, Tmax<=540°C; Dmax<=100Gcal /h, pmax<=26bar	DISPR/CR4/ A,B,C/4,5/1 475/0/20.07 .2011
43	Oradea	BIJU SRL	TIMISOARA, Str. Brandusei, nr.1, sc.B, parter, ap.4, Jud. Timis	J35/25 81/199 1	CUI 18193 57	0256/42 4868	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=300°C; Dmax=5Gcal/h, pmax=16bar	OR/CR4/A,C /4,5/1256/1 /18.02.2014

44	Central	BIJU SRL	TIMISOARA, Str. Brandusei, nr.1, sc.B, parter, ap.4, Jud. Timis	J35/25 81/199 1	CUI 18193 57	0256/42 4868	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=300°C; Dmax<=5Gcal/h, pmax<=16bar, Tmax<=150°C	DISPR/CR4/A,C/4,5/1267/0/17.06.2011
45	Central	BIS NIMB SA	CERNAVODA, Platforma SNN CNE INVEST, Jud. Constanta	J13/13 28/199 9	CUI 92750 05	0241/23 8488/23 8890	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	pmax<=16bar, Qmax<=10t/h, Dmax<=5Gcal/h;	DISPR/CR4/B,C/4,5/0978/0/09.06.2011
46	Bucuresti	BLACK SEA SUPPLIERS SRL	CONSTANTA, Bd. Aurel Vlaicu, nr.191, Jud. Constanta	J13/24 56/199 6	CUI 88770 45	0241/69 7700	Cazane abur	-	-	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax=325°C	B/CR4/A/4/2094/1/15.01.2016
47	Central	BLACK SEA SUPPLIERS SRL	CONSTANTA, Bd. Aurel Vlaicu, nr.191, Jud. Constanta	J13/24 56/199 6	CUI 88770 45	0241/69 7700	Cazane abur	-	-	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax=325°C	DISPR/CR4/A/4/2094/0/05.10.2011
48	Bucuresti	BLUE NEON SA	CRAIOVA, Str. Nicolae Titulescu, nr.46, bl.E4, sc.1, ap.9, Jud. Dolj	J16/86 8/2006	CUI 18652 333	0744763 559; 0251/59 2858	-	-	-	-	-	Cazane abur; cazane apa fierbinte	p>0.5bar, T>=110°C	B/CR4/H/4,5/1382/0/27.05.2013

49	Bucuresti	BONATTI Spa PARMA - Sucursala Bucuresti	BUCURESTI, Str. Amiral Constantin Balanescu, nr. 31A, et. 1, ap. 4, sector 1; POENI, Str. General Gheorghe Radulescu, nr. 83, Jud. Teleorman; MORENI, Str. Al. I. Cuza, nr. 9, Jud. Dambovita	J40/91 15/201 4	CUI 33446 663	0725594 051; e- mail filippo.s curti@b onatti.it ; 0723562 119; e- mail cristian. chiritoiu @bonatt i.it	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250°C; Dmax=30Gcal/h , pmax=16bar	B/CR4/A,B, C/4,5/2361/ 2/10.07.201 7
50	Bucuresti	BONATTI Spa PARMA - Sucursala Bucuresti	BUCURESTI, Str. Gheorgheni, nr.68, et.1, ap.4, sector 5	J40/91 15/201 4	CUI 33446 663	021/402 4100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250°C; Dmax=30Gcal/h , pmax=16bar	B/CR4/A,B, C/4,5/2361/ 1/06.04.201 6
51	Bucuresti	BONATTI Spa PARMA - Sucursala Bucuresti	BUCURESTI, Str. Gheorgheni, nr.68, et.1, ap.4, sector 5;	J40/91 15/201 4	CUI 33446 663	021/402 4100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250°C; Dmax=30Gcal/h , pmax=16bar	B/CR4/A,B, C/4,5/2361/ 0/28.11.201 4
52	Bacau	BRAITERM IMPEX SRL	LACU SARAT, Com. Chiscani, Jud. Braila	J09/15 29/199 4	CUI 69938 98	0239/65 2604	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=250°C	BC/CR4/A,C /4/1488/2/0 7.05.2015

53	Bacau	BRAITERM IMPEX SRL	LACU SARAT, Com. Chiscani, Jud. Braila	J09/15 29/199 4	CUI 69938 98	0239/65 2604	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=250°C	BC/CR4/A,C /4/1488/1/2 2.09.2014
54	Central	BRAITERM IMPEX SRL	LACU SARAT, Com. Chiscani, Str. Principala, nr.41, Jud. Braila	J09/15 29/199 4	CUI 69938 98	0239/65 2604	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=250°C	DISPR/CR4/ A,C/4/3026/ 0/16.02.201 2
55	Cluj	CALORA PROD SRL	CLUJ NAPOCA, Str. Parang, nr.6, bl.H3, ap.42, Jud. Cluj	J12/33 20/199 3	RO 47233 88	0264/43 2429	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h , pmax=16bar	CJ/CR4/E/4 ,5/0014/0/1 8.05.2010
56	Bucuresti	CALOREX INTERNATIONAL TRADE SRL	BUCURESTI, Bd. Iuliu Maniu, nr. 224, sector 6	J40/27 220/19 94	RO 66461 17	021/430 3002/ 4305760 ; e-mail calorex @calore x.ro	Cazane abur, cazane apa fierbinte	Cazane abur, cazane apa fierbinte	Cazane abur, cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=250°C; Dmax=5Gcal/h, pmax=16bar	B/CR4/A,B, C/4,5/3120/ 0/01.09.201 7
57	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18 898/20 06	RO 19222 172	021/334 5517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal/h , pmax=40bar	B/CR4/A/4, 5/2376/8/28 .03.2018

58	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18 898/20 06	RO 19222 172	021/334 5517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4, 5/2376/7/20 .12.2017
59	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18 898/20 06	RO 19222 172	021/334 5517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4, 5/2376/6/28 .02.2017
60	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18 898/20 06	RO 19222 172	021/334 5517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4, 5/2376/5/09 .08.2016
61	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18 898/20 06	RO 19222 172	021/334 5517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4, 5/2376/4/19 .02.2016
62	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18 898/20 06	RO 19222 172	021/334 5517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4, 5/2376/3/03 .12.2015

63	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18 898/20 06	RO 19222 172	021/334 5517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4, 5/2376/2/23 .06.2015
64	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18 898/20 06	RO 19222 172	021/334 5517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4, 5/2376/1/24 .04.2015
65	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18 898/20 06	RO 19222 172	021/334 5517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4, 5/2376/0/04 .12.2014
66	Oradea	CENTRALA ELECTRICA DE TERMIFICARE ARAD SA	ARAD, Calea 6 Vanatori, Jud. Arad	J02/33 6/2002	CUI 14593 668	0257/30 7455/ 213160	-	-	Cazane abur	-	-	-	Qmax=420t/h, Pmax=150bar, Tmax=540°C	OR/CR4/C/4 /1072/0/06. 11.2012
67	Iasi	CENTRUL JUDETEAN DE APARATURA MEDICALA	IASI, Str. Vasile Conta, nr.2-4, Jud. Iasi	-	RO 12665 636	0232/31 4271/ 263977	Cazane abur (generatoare electrice de abur)	Cazane abur (generatoare electrice de abur)	Cazane abur (generatoare electrice de abur)	-	-	-	Qmax=0.3t/h, Pmax=6bar, Tmax=185°C	IS/CR4/A,B, C/4/0055/0 /23.06.2010

68	Bucuresti	CEPROAT SRL	BUCURESTI, Str. Petre Lintes, nr.22, sector 5	J40/52 95/200 2	CUI 14715 455	0723193 194; 021/781 3415	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, Pmax=200bar, Tmax=570° C; Dmax=100Gcal/ h, Pmax=25bar, Tmax=150° C	B/CR4/E/4, 5/0177/0/02 .08.2010
69	Central	CERVES SRL	BRAILA, Str. Tineretului, nr. 4, Jud. Braila	J09/52 5/2010	CUI 27471 760	0239/68 3324; interven tie 0741569 330	-	-	-	Cazane abur, apa fierbinte	-	-	Qmax=420t/h, pmax=150bar, Tmax=570° C; Dmax=50Gcal/h	DISPR/CR4/ E/4,5/0587/ 1/05.08.201 5
70	Central	CERVES SRL	BRAILA, Str. Poet Gr. Alexandrescu, nr.120, modul 1, et.2, Jud. Braila	J09/52 5/2010	CUI 27471 760	0239/68 3324	-	-	-	Cazane abur, apa fierbinte	-	-	Qmax=420t/h, pmax=150bar, Tmax=570° C; Dmax=50Gcal/h	DISPR/CR4/ E/4,5/0587/ 0/10.05.201 1
71	Bucuresti	CET GOVORA SA	RM. VALCEA, Str. Industiilor, nr.1, Jud. Valcea	J38/68 3/1997	CUI 10102 377	0250/73 3601/73 3603	-	-	Cazane abur	-	-	-	Qmax<=420t/h, pmax<=225bar, Tmax<=570° C	B/CR4/C/4/ 3196/1/11.0 1.2018
72	Central	CET GOVORA SA	RM. VALCEA, Str. Industiilor, nr.1, Jud. Valcea	J38/68 3/1997	CUI 10102 377	0250/73 3601/73 3603	-	-	Cazane abur	-	-	-	Qmax<=420t/h, pmax<=225bar, Tmax<=570° C	DISPR/CR4/ C/4/2522/0 /07.12.2011

73	Sibiu	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie 1989, nr.152, ap.18, Jud. Cluj; CLUJ NAPOCA, Str. Garii, nr.19, Jud. Cluj	J12/14 53/199 8	CUI 11086 555	0264/42 4665/46 2385	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=250t/h, pmax<=40bar, Tmax<=400°C; Dmax<=100Gcal/h, pmax<=30bar	SB/CR4/A,B, C/4,5/1244/1/14.10.2013
74	Central	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie 1989, nr.152, ap.18, Jud. Cluj; CLUJ NAPOCA, Str. Garii, nr.19, Jud. Cluj	J12/14 53/199 8	CUI 11086 555	0264/42 4665/46 2385	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=400°C; Dmax<=25Gcal/h, pmax<=30bar	DISPR/CR4/A,B,C/4,5/1639/0/20.07.2011
75	Central	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie, nr.152, ap.18, Jud. Cluj; CLUJ NAPOCA, Str. Garii, nr.19, Jud. Cluj	J12/14 53/199 8	CUI 11086 555	0264/42 4665/46 2385	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmin>0.5bar; Tmin>110°C	DISPR/CR4/G/4,5/1637/0/21.07.2011

76	Central	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie 1989, nr.152, ap.18, Jud. Cluj	J12/14 53/199 8	CUI 11086 555	0264/42 4665/46 2385	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; pmax=16bar, Dmax=100Gcal/ h	DISPR/CR4/ E/4,5/1840/ 0/07.09.201 1
77	Central	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie, nr.152, ap.18, Jud. Cluj	J12/14 53/199 8	CUI 11086 555	0264424 665/462 385	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/ h, pmax=30bar	DISPR/CR4/ E/4,5/1840/ 1/20.06.201 2
78	Brasov	CHIMP SRL	PLOIESTI, Str. Mierlei, nr. 25, Jud. Prahova	J29/12 29/199 3	RO 40004 37	0244/55 1949	-	-	-	-	Cazane abur	-	p>0.5bar	BV/CR4/H/4 /1362/1/27. 01.2015
79	Ploiesti	CHIMP SRL	PLOIESTI, Str. Mierlei, nr.25, Jud. Prahova	J29/12 29/199 3	RO 40004 37	0244/55 1949	-	-	-	-	Cazane abur	-	p>0.5bar	PL/CR4/H/4 /0289/0/23. 12.2010
80	Bacau	CIBOCAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8, Jud. Botosani	J07/10 38/199 4	RO 65666 70	0231/53 9028	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=20t/h, pmax=40bar, Tmax=400°C	BC/CR4/A,B ,C/4/1330/1 /19.01.2016
81	Bacau	CIBOCAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8, Jud. Botosani	J07/10 38/199 4	RO 65666 70	0231/53 1536/ 539028	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=20t/h, pmax=40bar, Tmax=400°C	BC/CR4/A,B ,C/4/1330/0 /05.11.2013

82	Cluj	CLASIC ASOCIATIA PENTRU INDUSTRIE SI COMERT DIN CLUJ SRL	CLUJ NAPOCA, Al. Scarisoara, nr.3, ap. 11, Jud. Cluj	J12/29 15/199 1	RO 22214 7	0264/54 0465	-	-	-	-	-	Cazane abur, apa fierbinte	-	CJ/CR4/H/4,5/0137/0/0 2.12.2010
83	Iasi	CLIMA THERM CENTE SRL	IASI, Sos. Pacurari, nr. 139, Jud. Iasi	J22/91 6/2000	RO 13572 870	0232/26 1833/27 2700	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=5t/h, pmax=16bar, Tmax=350°C	IS/CR4/A,B, C/4/0134/0 /25.10.2010
84	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11 976/20 10	CUI 27787 860	021/316 7921/ 4119870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h , pmax=16bar	DISPR/CR4/ E/4,5/0165/ 6/09.10.201 7
85	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11 976/20 10	CUI 27787 860	021/316 7921/ 4119870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h , pmax=16bar	DISPR/CR4/ E/4,5/0165/ 5/11.10.201 6
86	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11 976/20 10	CUI 27787 860	021/316 7921/ 4119870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h , pmax=16bar	DISPR/CR4/ E/4,5/0165/ 4/19.12.201 4

87	Central	CNCIR S.A.	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11 976/20 10	CUI 27787 860	021/316 7921/31 66027	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570° C; Dmax=50Gcal/h , pmax=16bar	DISPR/CR4/ E/4,5/0165/ 2/27.07.201 2
88	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11 976/20 10	CUI 27787 860	021/316 7921/31 67922/3 167923/ 3166027	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570° C; Dmax=50Gcal/h , Pmax=16bar,	DISPR/CR4/ E/4,5/0038/ 0/01.03.201 1
89	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11 976/20 10	CUI 27787 860	021/316 7921/31 66027	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570° C; Dmax=50Gcal/h , pmax=16bar	DISPR/CR4/ E/4,5/0165/ 1/23.04.201 2
90	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11 976/20 10	CUI 27787 860	021/316 7921/ 4119870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570° C; Dmax=50Gcal/h , pmax=16bar	DISPR/CR4/ E/4,5/0165/ 3/22.03.201 3
91	Tg. Mures	COM TUR SRL	MIERCUREA CIUC, Str. Muller Laszlo, nr.31, Jud. Harghita	J19/41 4/1992	CUI 51268 0	0266/37 1174/ 323776	Cazane de abur	-	-	-	-	-	pmax=16 bar, Qmax=10t/h, Tmax=350° C	MS/CR4/A/4 /0011/0/12. 05.2010

92	Bacau	COMES SA	SAVINESTI, Str. Gheorghe Caranfil, nr.3, Jud. Neamt	J27/27/1991	CUI 2662292	0233/281568/281833	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=40bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=30bar, Tmax<=180°C	BC/CR4/B,C/4,5/1280/3/08.01.2016
93	Bacau	COMES SA	SAVINESTI, Str. Uzinei, nr.1, Jud. Neamt	J27/27/1991	CUI 2662292	0233/281568/281833	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=40bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=30bar, Tmax<=180°C	BC/CR4/B,C/4,5/1280/2/08.08.2013
94	Central	COMES SA	SAVINESTI, Str. Uzinei, nr.1, Jud. Neamt	J27/27/1991	CUI 2662292	0233/281568/281833	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=40bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=30bar, Tmax<=180°C	DISPR/CR4/B,C/4,5/0695/1/06.10.2011
95	Central	COMES SA	SAVINESTI, Str. Urziceni, nr.1, Jud. Neamt	J27/27/1991	CUI 2662292	0233/281568/281833	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=40bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=30bar, Tmax<=180°C	DISPR/CR4/B,C/4,5/0695/1/0/11.05.2011

96	Bucuresti	COMPANIA MUNICIPALA ENERGETICA BUCURESTI	BUCURESTI, Bd. Octavian Goga, nr. 2, Tronson 1, et. 1 si 2, sector 3	J40/9172/2017	RO37752029	0372400780/400781; e-mail office@cmeb.com.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=8t/h, pmax<=16bar, Tmax<=250°C; Dmax=100Gcal/h, pmax=16ba	B/CR4/A,B, C/4,5/3230/0/10.04.2018
97	Bucuresti	COMPANIA MUNICIPALA ENERGETICA BUCURESTI	BUCURESTI, Bd. Octavian Goga, nr. 2, Tronson 1, et. 1 si 2, sector 3	J40/9172/2017	RO37752029	0372400780/400781; e-mail office@cmeb.com.ro	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	B/CR4/G/4, 5/3227/0/13.04.2018
98	Central	COMPLEXUL ENERGETIC CRAIOVA SA	CRAIOVA, Str. Unirii, nr.147, Jud. Dolj	J16/656/2004	CUI16299139	0351/403310/403344/449550	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h, pmax=250bar, Tmin=105°C; Tmax=600°C; Dmax<=100Gcal/h, pmax<=25bar, Tmax<=150°C;	DISPR/CR4/C/4,5/2538/0/02.12.2011
99	Oradea	COMPLEXUL ENERGETIC HUNEDOARA SA Sucursala ELECTROCENTRALE PAROSENII	VULCAN, Str. Paroseni, nr. 20, Jud. Hunedoara	J20/733/2013	CUI32110567	0254/570790/570481	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=540t/h, pmax=140bar, Tmax=545°C; Dmax<=103.2Gcal/h, pmax=20bar	OR/CR4/C/4,5/1571/0/14.11.2017

100	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCENTRALE CRAIOVA	CRAIOVA, Str. Unirii, nr.147, Jud. Dolj	J16/904/2012	CUI 30292810	0351/403310/303311/449550	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=525t/h, 0.5bar<=pmax<=250bar, 105°C<=Tmax<=600°C; Dmax<=100Gcal/h, pmax<=25bar, 110°C<=Tmax<=150°C	DISPR/CR4/C/4,5/1196/0/05.11.2012
101	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCENTRALE ISALNITA	ISALNITA, Str. Mihai Viteazul, nr.101, Jud. Dolj	J16/587/2013	CUI 31454295	0251/407633/407602	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h, Tmin=105°C, tmax=600°C, pmax=250bar; Dmax=100Gcal/h, pmax=250bar, Tmin=110°C, Tmax=150°C	B/CR4/C/4,5/1844/0/01.10.2013
102	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCENTRALE ROVINARI	ROVINARI, Str. Energeticianului, nr.25, Jud. Gorj	J18/337/2012	CUI 30310461	0253/372556/371590	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, 0.5bar<=pmax<=196bar, 105°C<=Tmax<=600°C; Dmax<=100Gcal/h, pmax<=25bar, 110°C<=Tmax<=150°C	B/CR4/A,C/4,5/1220/0/14.12.2012

103	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCENTRALE TURCENI	TURCENI, Str. Uzinei, nr.1, Jud. Gorj	J18/338/2012	CUI 30310453	0253/335045/335015	-	-	Cazane abur	-	-	-	Qmax=1035t/h, p<=196bar, Tmax=540°C	B/CR4/C/4/1611/1/30.09.2016
104	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCENTRALE TURCENI	TURCENI, Str. Uzinei, nr.1, Jud. Gorj	J18/338/2012	CUI 30310453	0253/335045/335081	-	-	Cazane abur	-	-	-	Qmax=1035t/h, p<=196bar, 105°C<=Tmax<=540°C	B/CR4/C/4/1611/0/17.05.2013
105	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCENTRALE CRAIOVA II	CRAIOVA, Str. Bariera Valcii, nr.195, Jud. Dolj	J16/588/2013	CUI 31454260	0251/599480/596555; 0251/599495	-	Cazane de abur, apa fierbinte	-	-	-	-	Qmax=525t/h, pmax=250bar, 105°C<=Tmax<=600°C	B/CR4/C/4,5/1911/0/03.12.2013
106	Central	COMPLEXUL ENERGETIC TURCENI SA	TURCENI, Str. Uzinei, nr.1, Jud. Gorj	J18/257/2004	CUI 16302447	0253/335045/335081	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=15bar; Dmax=1035t/h, pmax<=195bar,	DISPR/CR4/C/4,5/0482/0/11.03.2011
107	Ploiesti	COMREP SA	PLOIESTI, Str. Gh. Grigore Cantacuzino, nr.32, Jud. Prahova	J29/127/1991	RO 1345008	0244/513145/515961	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, Pmax=120bar; Dmax=50Gcal/h, Tmax=440°C	PL/CR4/B,C/4,5/0160/0/06.09.2010

108	Brasov	COMREP SA	PLOIESTI, Str. Gh. Grigore Cantacuzino, nr.32, Jud. Prahova	J29/127/1991	RO 1345008	0244/525321/515961	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, Pmax=100bar; Dmax=50Gcal/h, Tmax=440°C	BV/CR4/B,C/4,5/1266/1/26.05.2014
109	Sibiu	COMTERM INVEST SRL	TG. MURES, Str. Rozmarinului, nr .60, corp C1, camera 3, et.1, Jud. Mures	J26/677/1999	RO 12361289	0265/253250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450°C; Dmax=100Gcal/h, pmax=40bar	SB/CR4/A,B,C/4,5/1595/3/14.06.2016
110	Central	COMTERM INVEST SRL	TG. MURES, Str. Rozmarinului, nr .60, corp C1, camera 3, et.1, Jud. Mures	J26/677/1999	RO 12361289	0265/253250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h, pmax=40bar	SB/CR4/A,B,C/4,5/1471/2/27.05.2015
111	Central	COMTERM INVEST SRL	TG. MURES, Str. Rozmarinului, nr .60, corp C1, camera 3, et.1, Jud. Mures	J26/677/1999	RO 12361289	0265/253250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h, pmax=40bar	DISPR/CR4/A,B,C/4,5/2160/1/16.02.2012
112	Central	COMTERM INVEST SRL	TG. MURES, Bd. 1 Decembrie 1918, nr.243, ap.31, Jud. Mures	J26/677/1999	CUI 12341289	0265/253250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h, Pmax=40bar	DISPR/CR4/A,B,C/4,5/2160/14.10.2011

113	Ploiesti	COMTERM SA	BUZAU, Str. H.P. Bengescu, nr.5, Jud. Buzau	J10/97 6/1993	RO 43847 61	0238/72 0242/40 6760	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=1035t/h, Pmax=150bar, Tmax=560°C; Dmax=100Gcal/ h	PL/CR4/A,B, C/4,5/0296/ 0/28.12.201 0
114	Central	CONCIVIC SRL	SLOBOZIA, Str. Closca, nr.20, Judet Ialomita	J21/79 0/1993	CUI 48314 79	0243/23 0117	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=350°C; Dmax<=25Gcal/ h, pmax<=16bar	DISPR/CR4/ A,B,C/4,5/1 692/0/10.08 .2011
115	Central	CONDITIONAL SRL	BACAU, Str. Letea, nr.38, bl.38, sc.A, ap.3, Jud. Bacau	J40/39 3/1998	CUI 10439 381	0234/58 3270	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/ A,B,C/4,5/3 330/0/26.03 .2012
116	Brasov	CONDMAG SA	BRASOV, Str. Avram Iancu, nr.52, Jud. Brasov	J08/35 /1991	RO 11000 08	0268/41 4954/ 477772	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q<=10t/h, p<=16bar, T<=450°C; D<=5Gcal/h, p<=16bar	BV/CR4/A,B ,C/4,5/0040 /0/06.09.20 10
117	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/60 7/1991	CUI 13240 99	0244/33 3160/ 374719; e-mail confind @confin d.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; Dmax=50Gcal/h , pmax=40bar	BV/CR4/A,B ,C/4,5/1400 /2/18.09.20 17

118	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/1991	CUI 1324099	0244/333160/374719; e-mail confind@confind.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; Dmax=50Gcal/h, pmax=40bar	BV/CR4/A,B,C/4,5/1400/1/23.03.2015
119	Central	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/1991	CUI 1324099	0244/333160/374719	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; Dmax=50Gcal/h, pmax=40bar	DISPR/CR4/A,B,C/4,5/1720/0/10.06.2011
120	Central	CONFORT SA	TIMISOARA, Str. Enric Baader, nr.11, Jud. Timis	J35/729/1991	CUI 1833467	0256/434575/434060	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=140bar, Tmax<=550°C; Dmax<=100Gcal/h, pmax<=140bar, Tmax<=220°C	DISPR/CR4/A,B,C/4,5/2151/0/07.10.2011
121	Bucuresti	CONFORT SRL	BUCURESTI, Str. Straduintei, nr.3, bl.A4, ap.32, et.7, sector 4	J40/1110/1993	RO 3477560	021/4610529/4610921	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax=25bar, Tmax=400°C; Dmax=15Gcal/h, pmax=25bar, T>110°C	B/CR4/A,B,C/4,5/0519/1/05.08.2013

122	Central	CONSULT MERIDIAN SRL	SAT LIPIA, Com. Marei, Jud. Buzau	J10/88 5/2005	CUI 17807 634	0238/71 1249; 0371155 437	-	-	-	Cazane abur	-	-	Qmax=40t/h, pmax=40bar, Tmax=350°C	DISPR/CR4/ E/4/0316/0/ 25.03.2011
123	Central	CORSEM IMPEX SRL	GURA HUMORULUI, Str. Orizont, nr.6A, Jud. Suceava	J33/19 47/199 3	CUI 49739 70	0230/51 4145	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=350°C; Dmax<=15Gcal/ h, pmax<=16bar, Tmax<=170°C	DISPR/CR4/ A,B,C/4,5/1 580/0/25.07 .2011
124	Iasi	COSMIN COMPANY SRL	IASI, Str. Fundac Ursulea, nr.6, Jud. Iasi	J22/58 2/1994	RO 53177 28	0232/26 4597	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=220°C	IS/CR4/A,B, C/4/0010/0 /21.04.2010- suspendare voluntara incepand cu 23.03.2016
125	Iasi	COSMIN COMPANY SRL	IASI, Str. Fundac Ursulea, nr.6, Jud. Iasi	J22/58 2/1994	RO 53177 28	0232/26 4597	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=10t/h, pmax=16bar, Tmax=220°C; Dmax=5Gcal/h, pmax=16bar	IS/CR4/E/4, 5/0121/0/27 .10.2010- suspendare voluntara incepand cu 23.03.2016

126	Bucuresti	CRIMAR PAMICO INDUSTRIAL MONTAJ SRL	PITESTI, Str. Zamfiresti, nr.16, camera 1, Jud. Arges	J03/12/2012	RO 29515714	0248/615434; 0758061602	-	-	Cazane abur	-	-	-	Qmax=650t/h, pmax=225bar, Tmax=570°C	B/CR4/C/4/1026/0/26.06.2012
127	Bacau	CRIOMECSA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437/463059; e-mail office@criomec sa.ro	Cazane abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=250t/h, pmax=40bar, Tmax=540°C; Dmax=100Gcal/h, pmax=22bar	BC/CR4/A,C/4,5/1118/3/18.05.2017
128	Bacau	CRIOMECSA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437/463059; e-mail office@criomec sa.ro	Cazane abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=540°C; Dmax=100Gcal/h, pmax=22bar	BC/CR4/A,C/4,5/1118/2/29.04.2015
129	Central	CRIOMECSA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437/463059	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=120t/h, pmax=140bar, Tmax=400°C; Dmax=50Gcal/h, pmax=140bar	DISPR/CR4/E/4,5/3772/2/24.06.2015

130	Central	CRIOMEK SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/13 39/199 4	RO 56684 27	0236/31 2437/ 463059	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=120t/h, pmax=140bar, Tmax=400°C; Dmax=50Gcal/h, pmax=140bar	DISPR/CR4/E/4,5/3772/1/05.02.2013
131	Galati	CRIOMEK SA	GALATI, Str. Drumul de Centura, nr.63, Jud. Galati	J17/13 39/199 4	RO 56684 27	0236/31 2437/46 3059	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=120t/h, pmax=140bar, Tmax=400°C; Dmax=50Gcal/h, pmax=140bar	GL/CR4/E/4,5/0102/0/16.11.2010
132	Bacau	CRIOMEK SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/13 39/199 4	RO 56684 27	0236/31 2437/ 463059	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte				Qmax=120t/h, pmax=40bar, Tmax=540°C; Dmax=100Gcal/h, pmax=22bar	BC/CR4/A,C/4,5/1118/1/09.01.2013
133	Central	CSI ENERGO ELECTRIC SRL	NAVODARI, Str. Muzicii, nr.53, et.1, Jud. Constanta	J13/61 1/2011	CUI 28179 217	0341/48 8805	-	-	Cazane abur	-	-	-	Qmax<=105t/h, pmax<=40bar, Tmax<=440°C	DISPR/CR4/C/4/0626/0/21.04.2011
134	Bacau	CYCLON TECH SRL	BRAILA, Str. Scolilor, nr.28, Bl.D2, parter, Jud. Braila; BRAILA, Str. Mare, nr.55, Jud. Braila	J09/11 44/199 4	RO 60085 00	0239/61 2022/ 612561; 0239/61 1870	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=220°C; Dmax=5Gcal/h, Pmax=16bar	BC/CR4/A,B,C/4,5/1082/2/28.05.2014

135	Bacau	CYCLON TECH SRL	BRAILA, Str. Scolilor, nr.28, Bl.D2, parter, Jud. Braila; BRAILA, Str. Mare, nr.55, Jud. Braila	J09/1144/1994	RO6008500	0239/612022/612561; 0239/611870	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=220° C; Dmax=5Gcal/h, Pmax=16bar	BC/CR4/A,B ,C/4,5/1082 /1/01.11.2012
136	Bucuresti	D&G DYNAMIC MAINTENANCE GROUP SRL	PITESTI, Str. Transilvania, nr. 1, bl. D3, sc. D, et. 4, ap. 17, Jud. Arges; PITESTI, DN 65B, Km 4+850, Hala 1, Jud. Arges	J03/960/2006	CUI18747999	0248/250448; 0722628597	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	B/CR4/G/4, 5/2632/1/30.09.2015
137	Central	D&G DYNAMIC MAINTENANCE GROUP SRL	PITESTI, Str. Exercițiu, bl.D3, sc.D, et.4, ap.17, Jud. Arges	J03/960/2006	CUI18747999	0248/250448	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmin>0.5bar, Tmin>110° C	DISPR/CR4/G/4,5/1560/0/21.07.2011
138	Timisoara	D&T INDUSTRIAL EQUIPMENT SRL	GHIRODA, Cal. Lugojului, nr.67, Jud. Timis	J35/1290/1995	CUI8024889	0256/288641	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Q<=10t/h, p<=16bar, T<=320° C; D<=5Gcal/h, p<=16bar	TM/CR4/A,B ,C/4,5/0038 /0/02.07.2010
139	Timisoara	DA CONSTANTIN SRL	LUGOJ, Str. Primaverii, nr.42, Jud. Timis	J35/2089/2002	CUI15096055	0256/329338	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Q<=5t/h, p<=16bar, T<=250° C	TM/CR4/A,B ,C/4/0079/0 /04.10.2010

140	Iasi	DAS SRL	IASI, Str. Aurel Vlaicu, nr.87, Jud. Iasi	J22/58 9/1991	RO 19860 70	0232/26 2800	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=350°C; Dmax=20Gcal/h, pmax=16bar,	IS/CR4/A,B, C/4,5/0097/0/19.08.2010
141	Iasi	DAS SRL	IASI, Str. Aurel Vlaicu, nr.87, Jud. Iasi	J22/58 9/1991	RO 19860 70	0232/26 2800	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=350°C; Dmax=20Gcal/h, pmax=16bar,	IS/CR4/A,B, C/4,5/0097/1/06.10.2010
142	Bucuresti	DELTA TERMO CONSTRUCTII SRL	PITESTI, Str. Trivale, bl. P3 Bis, sc.C,ap.1, Jud. Arges	J03/60 0/2004	CUI 16297 707	0248/27 2797; 0745061 558	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=40bar, tmax=440°C; Dmax=50Gcal/h, pmax=25bar	B/CR4/A,B, C/4,5/2188/0/16.06.2014
143	Ploiesti	DIPERO CONSULTING SRL	PLOIESTI, Str. Pompelor, nr.4, Corp C1, Jud. Prahova	J29/18 03/2009	RO 26316 687	0745118 171; 0244/51 4486	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=100t/h, Pmax=50bar, Tmax=450°C; Dmax=50Gcal/h, pmax=20bar, T>110°C	PL/CR4/E/4,5/0201/0/08.10.2010
144	Central	DONAU CHEM SRL	TN. MAGURELE, Str. Portului, nr.1, Jud. Teleorman	J34/56 8/2004	CUI 16958 124	0247/41 6438/41 3379	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/G/4,5/0868/0/18.05.2011

145	Central	DONAU CHEM SRL	TN. MAGURELE, Str. Portului, nr.1, Jud. Teleorman	J34/56 8/2004	CUI 16958 124	0247/41 6438/41 3379	Cazane de abur (generatoa re de abur pentru sterilizare)	Cazane de abur (generatoa re de abur pentru sterilizare)	Cazane de abur (generatoa re de abur pentru sterilizare)	-	-	-	Qmax=80t/h, pmax=116bar, Tmax=460° C; Dmax=50Gcal/h , pmax=22bar	DISPR/CR4/ A,B,C/4,5/1 490/0/18.07 .2011
146	Central	DONAU CHEM SRL	TN. MAGURELE, Str. Portului, nr.1, Jud. Teleorman	J34/56 8/2004	CUI 16958 124	0247/41 6438/41 3379	-	-	-	-	-	Cazane abur, apa fierbinte	-	B/CR4/H/4, 5/1374/0/08 .05.2013
147	Timisoara	DOSETIMPEX SRL	TIMISOARA, Cal. Buziasului, nr.11, camera 1, Jud. Timis	J35/44 23/199 4	CUI 68256 35	0256/20 0368 /223838	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q<=10t/h, p<=16bar, T<=300° C; D<=5Gcal/h, p<=16bar	TM/CR4/A,C /4/0057/0/3 0.07.2010
148	Sibiu	DUOCHIM SRL	OCNA MURES, Str. Axente Sever, bl. 49, sc.C, ap.7, Jud. Alba	J01/33 /2001	RO 13682 309	0258/87 3180	-	-	-	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	p>=0.5bar; T>110° C	SB/CR4/G/4 ,5/0101/0/2 8.10.2010; SB/CR4/H/4 ,5/0102/0/2 8.10.2010
149	Central	DYOMEDICA CND SRL	PLOIESTI, Intrarea Clubului, nr.3, Jud. Prahova	J29/17 96/200 7	CUI 22112 765	0766655 627; 0244/57 4287	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=100bar, Tmax=540° C; Dmax=20Gcal/h , pmax=30bar	DISPR/CR4/ E/4,5/2959/ 0/09.02.201 2

150	Constanta	EARRING CO SRL	CONSTANTA, Str. Verde, nr. 30, Jud. Constanta	J13/55 30/1992	CUI 1908950	0241/63 5230	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=250°C; Dmax=5Gcal/h, pmax=40bar, Tmax=150°C	CT/CR4/C/4,5/0029/0/05.07.2010
151	Bucuresti	ECO TERM SRL	URZICENI, Str. Serelor nr.5A, Ialomita; BUCURESTI, Bd. Ferdinand I, nr. 58, sc. C, et. 1, birou 5, sector 2; DUMBRAVA ROSIE, Str. Stramutati, nr. 17, Jud. Neamt	J21/19 1/2002	CUI 14737011	0243/25 4713; e-mail office@ecoterm.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=40bar, Tmax=570°C; Dmax=25Gcal/h, pmax=20bar	B/CR4/A,B,C/4,5/2092/2/17.07.2017
152	Bucuresti	ECOTERM SRL	URZICENI, Str. Serelor, nr.5A, Jud. Ialomita	J21/19 1/2002	CUI 14737011	0243/25 4713	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=40bar, Tmax=570°C; Dmax=25Gcal/h, pmax=40bar	B/CR4/A,B,C/4,5/2092/1/04.04.2014
153	Central	ECOTERM SRL	URZICENI, Str. Serelor, nr.5A, Jud. Ialomita	J21/19 1/2002	CUI 14737011	0243/25 4713	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=40bar, Tmax=570°C; Dmax=25Gcal/h, pmax=40bar, Tmax=250°C	DISPR/CR4/A,B,C/4,5/1597/0/08.07.2011

154	Central	ELCOMEX IEA SA	CERNAVODA, Str. Medgidiei, nr.2B, Jud. Constanta	J13/56 16/199 4	CUI 70922 73	0241/23 8917/23 7524	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=140bar, Tmax<=540°C; Dmax<=50Gcal/h, pmax<=40bar, Tmax<=150°C	DISPR/CR4/A,B,C/4,5/0924/0/25.05.2011
155	Bucuresti	ELCOS SERVICE SRL	BUCURESTI, Bd. Timisoara, nr.27, bl.E, Sc.A, ap.2, sector 6	J40/12 09/199 8	CUI 10185 240	021/413 1349	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=205°C; Dmax=50t/h, pmax=40bar, Tmax=150°C	B/CR4/A,B,C/4,5/0389/0/08.10.2010
156	Bucuresti	ELCOS SERVICE SRL	BUCURESTI, Bd. Timisoara, nr.27, bl.E, Sc.A, ap.2, sector 6	J40/12 09/199 8	CUI 10185 240	021/413 1349	-	-	-	-	Cazane abur; cazane apa fierbinte	-	Qmax=40t/h, pmax=40bar, Tmax=205°C; Dmax=50t/h, pmax=40bar, Tmax=150°C	B/CR4/G/4,5/0390/0/11.10.2010
157	Central	ELECTROCENTRALE BUCURESTI SA- Suc. ELECTROCENTRALE BUCURESTI	BUCURESTI, Splaiul Independentei, nr.227, sector 6	J40/93 43/200 0	CUI 13439 840	021/275 1108/27 51181	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h, pmax=155bar, Tmax=540°C; Dmax=100Gcal/h, pmax=25bar, Tmax=160°C	DISPR/CR4/A,B,C/4,5/2898/0/13.01.2012

158	Central	ELECTROCENTR ALE BUCURESTI SA- Suc. ELECTROCENTR ALE MURES	IERNUT, Str. Energeticii, nr.1, Jud. Mures	J26/51 3/2000	CUI 12289 38	0265/47 1333/47 1388	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=640t/h, pmax=140bar, Tmax=550° C; Dmax=20Gcal/h , pmax=20bar, Tmax<=150° C	DISPR/CR4/ A,B,C/4,5/2 324/0/03.11 .2011
159	Tg. Mures	ELECTROCENTR ALE BUCURESTI SA- Suc. ELECTROCENTR ALE MURES	IERNUT, Str. Energeticii, nr. 1, Jud. Mures	J26/51 3/2000	CUI 12289 38	0265/47 1333/ 471388	-	-	-	Cazane abur, apa fierbinte, supraincal zitoare si economizo are independe nte	-	-	Qmax=640t/h, pmax=140bar, Tmax=550° C; Dmax=20Gcal/h , pmax=20bar	MS/CR4/E/4 ,5/0056/0/2 7.10.2010
160	Bucuresti	ELECTROCENTR ALE CONSTANTA SRL	CONSTANTA, Bd. Aurel Vlaicu, nr.123, Jud. Constanta	J13/23 /20153	CUI 33636 420	0241/58 5300/69 3916	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=140bar, Tmax=550° C; Dmax=100Gcal/ h, Pmax=20bar	B/CR4/B,C/ 4,5/2472/0/ 11.03.2015
161	Central	ELECTROCENTR ALE BUCURESTI- SUCURSALA ELECTROCENTR ALE CONSTANTA	CONSTANTA, Bd. Aurel Vlaicu, nr.123, Jud. Constanta	J13/10 35/200 3	CUI 15264 655	0241/58 5300/69 3916	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=140bar, Tmax=550° C; Dmax=100Gcal/ h, Pmax=20bar	DISPR/CR4/ B,C/4,5/304 5/0/31.01.2 012

162	Central	ELECTROCENTR ALE DEVA SA	MINTIA, Str. Santierului, nr. 1 , Jud. Hunedoara	J20/87 6/2001	CUI 14348 448	0254/23 6408/23 6411	-	-	Cazane abur	-	-	-	Qmax<=330t/h, pmax<=140bar, Tmax<=550°C	DISPR/CR4/ C/4/0076/0 /02.03.2011
163	Central	ELECTROCENTR ALE SA- Suc ELECTROCENTR ALE BUCURESTI	BUCURESTI, Splaiul Independentei, nr.124, sector 6	J40/93 43/200 0	CUI 13439 840	021/275 1103/27 51405	-	-	-	-	Cazane abur, cazane apa fierbinte, cazane apa calda, cazane abur joasa presiune	-	-	DISPR/CR4/ G/4,5/0175/ 0/14.03.201 1
164	Bucuresti	ELECTROCENTR ALE BUCURESTI SA	BUCURESTI, Splaiul Independentei, nr. 227, sector 6	J40/16 96/200 3	RO 15189 596	021/275 1108/ 2751181	-	-	Cazane abur, apa fierbinte	-	-	-	Qmax=525t/h, pmax=155bar, Tmax=550°C; Dmax=100Gcal/ h, pmax=25bar, Tmax=160°C	B/CR4/C/4, 5/1730/1/21 .10.2014
165	Bucuresti	ELECTROCENTR ALE BUCURESTI SA	BUCURESTI, Splaiul Independentei, nr. 227, sector 6	J40/16 96/200 3	RO 15189 596	021/275 1108/ 2751181	-	-	Cazane abur, apa fierbinte	-	-	-	Qmax=525t/h, pmax=155bar, Tmax=550°C; Dmax=100Gcal/ h, pmax=25bar, Tmax=160°C	B/CR4/C/4, 5/1730/0/08 .05.2013

166	Oradea	ELECTROCENTRALE ORADEA SA	ORADEA, Str. Sos. Borsului, nr.23, Jud. Bihor	J05/723/2002	RO 14790708	0259/453345/463661	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/h, Pmax=165bar, Tmax=570°C	OR/CR4/A,B,C/4/1223/1/16.10.2013
167	Bucuresti	ELECTROCHIM SRL	BUCURESTI, Prelungirea Ghencea, nr.93N, parter, sector 6	J40/9344/1991	CUI 445831	021/3176009	-	-	-	-	Cazane abur; cazane apa fierbinte; cazane apa calda; cazane abur joasa presiune	Cazane abur; cazane apa fierbinte; cazane apa calda; cazane abur joasa presiune		B/CR4/H/4,5/0657/0/01.02.2011; B/CR4/G/4,5/0658/0/01.02.2011
168	Bacau	ELSACO ELECTRONIC SRL	BOTOSANI, Str. Pacea, nr.41A, Jud. Botosani	J07/1201/1994	CUI 7464520	0231/507060/532905	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, Pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, Pmax=40bar	BC/CR4/A,B,C/4,5/1023/2/19.04.2016
169	Bacau	ELSACO ELECTRONIC SRL	BOTOSANI, Str. Pacea Ocolitor, nr.41A, Jud. Botosani	J07/1201/1994	CUI 7464520	0231/507060/532905	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, Pmax=40bar, Tmax=350°C; Dmax=50Gcal/h, Pmax=20bar, Tmax=160°C	BC/CR4/A,B,C/4,5/1023/1/25.07.2012

170	Suceava	ELSACO ELECTRONIC SRL	BOTOSANI, Str. Pacea Ocolitor, nr.41A, Jud. Botosani	J07/12 01/199 4	RO 74645 20	0231/50 7060/ 532905	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Q=120t/h, p=40bar, T=350°C; D=50Gcal/h, p=20bar, T=160°C	SV/CR4/A,B, C/4,5/0010/0/24.06.2010
171	Oradea	EMC SRL	Oradea, Str. Gh. Pitut, nr.1, Jud. Bihor	J05/48 8/2006	RO 18457 480	0731338 099; 0259/43 3563	-	-	-	-	Cazane de abur, cazane abur si apa fierbinte	-	-	OR/CR4/G/4 /0016/0/01.06.2010
172	Bacau	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201-202, et. 2, jud. Bacau	J04/14 0/2000	CUI 12826 406	0234/56 2410; e-mail office@energofor.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=260bar, Tmax<=570°C; Dmax<=100Gcal/h, pmax<=16bar	BC/CR4/A,B ,C/4,5/1645 /3/11.05.2016
173	Bacau	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201-202, et. 2, jud. Bacau	J04/14 0/2000	CUI 12826 406	0234/56 2410; e-mail office@energofor.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	Cazane de abur, cazane abur si apa fierbinte	-	Qmax<=420t/h, pmax<=160bar, Tmax<=440°C; Dmax<=100Gcal/h, pmax<=16bar	BC/CR4/A,B ,C/4,5/1645 /2/11.02.2016; BC/CR4/G/4 ,5/1642/2/11.02.2016

174	Central	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201-202, et. 2, jud. Bacau	J04/14 0/2000	CUI 12826 406	0234/56 2410	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax<=120t/h, pmax<=100bar, Tmax=540°C; Dmax<=100Gcal /h, pmax<=16bar	DISPR/CR4/ E/4,5/3623/ 2/30.03.201 6
175	Central	ENERGOFOR SRL	BACAU, Str. Arcadie Septilici, nr.7B, Jud. Bacau	J04/14 0/2000	CUI 12826 406	0234/54 5683/56 2410	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	Qmax<=120t/h, pmax<=100bar, Tmax=540°C; Qmax<=420t/h, pmax<=160bar, Tmax=440°C; Dmax<=100Gcal /h, pmax<=16bar	DISPR/CR4/ E/4,5/3623/ 1/24.05.201 2; DISPR/CR4/ A,B,C/4,5/3 632/1/23.05 .2012; DISPR/CR4/ G/4,5/3626/ 1/24.05.201 2
176	Bacau	ENERGOFOR SRL	BACAU, Str. I. L. Caragiale, nr.1, sc.D, ap.6, Jud. Bacau	J04/14 0/2000	RO 12826 406	0234/54 5683/ 562410	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=100bar, Tmax=540°C	BC/CR4/E/4 ,5/0003/0/2 7.04.2010
177	Bacau	ENERGOFOR SRL	BACAU, Str. Ion Luca Caragiale, nr.1, bl.1, sc.D, ap.6, Jud. Bacau	J04/14 0/2000	RO 12826 406	0234/54 5683/56 2410	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=440°C; Dmax=100Gcal/ h, pmax=16bar	BC/CR4/A,B ,C/4,5/0046 /0/30.06.20 10

178	Bacau	ENERGOFOR SRL	BACAU, Str. Ion Luca Caragiale, nr.1, bl.1, sc.D, ap.6, Jud. Bacau	J04/14 0/2000	RO 12826 406	0234/54 5683/56 2410	-	-	-	-	Cazane abur; cazane apa fierbinte	-	p>0.5bar; T>110° C	BC/CR4/G/4 ,5/0082/0/2 8.09.2010
179	Bucuresti	ENERGOMONTA J SA	BUCURESTI, Cal Dorobantilor, nr. 103-105, sector 1	J40/13 6/1991	CUI 15554 68	021/318 9304/ 3189327	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570° C; Dmax=100Gcal/h, pmax=40bar	B/CR4/A,B, C/4,5/0296/ 2/08.10.201 4
180	Bucuresti	ENERGOMONTA J SA	BUCURESTI, Cal. Dorobantilor, nr. 103-105, sector 1	J40/13 6/1991	CUI 15554 68	021/318 9303/ 3189330	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570° C; Dmax=100Gcal/h, pmax=40bar	B/CR4/A,B, C/4,5/0296/ 1/08.01.201 3
181	Bucuresti	ENERGOMONTA J SA	BUCURESTI, Cal Dorobantilor, nr. 103-105, sector 1	J40/13 6/1991	CUI 15554 68	021/318 9303/ 3189330	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570° C; Dmax=100Gcal/h, pmax=20bar	B/CR4/A,B, C/4,5/0296/ 0/09.09.201 0

182	Bucuresti	ENERGOMONTAJ GRUP SRL	BASCOV, Str. Serelor, nr. 14, Jud. Arges	J03/19 66/199 4	RO 10698 807	0248/29 0170/ 290285, 0723578 923; e- mail office@ energo montaj- grup.ro	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=165bar, Tmax<=550°C; Dmax<=100Gcal /h, pmax<=25bar, Tmax<=150°C	B/CR4/A,C/ 4,5/1241/3/ 11.10.2017
183	Bucuresti	ENERGOMONTAJ GRUP SRL	BASCOV, Str. Serelor, nr. 14, Jud. Arges	J03/19 66/199 4	RO 10698 807	0248/29 0170/ 290285	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=165bar, Tmax<=550°C; Dmax<=100Gcal /h, pmax<=25bar, Tmax<=150°C	B/CR4/A,C/ 4,5/1241/2/ 06.10.2016
184	Bucuresti	ENERGOMONTAJ GRUP SRL	PITESTI, Str. Gheorghe Lazar, nr.19, Jud. Arges	J03/19 66/199 4	CUI 10698 807	0248/29 0170	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=165bar, Tmax<=550°C; Dmax<=100Gcal /h, pmax<=25bar, Tmax<=150°C	B/CR4/A,C/ 4,5/1241/1/ 13.11.2012

185	Central	ENERGOMONTA J GRUP SRL	PITESTI, Str. Gh. Lazar, nr.19, Jud. Arges	J03/19 66/199 4	CUI 10698 807	0248/29 0170	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar, Tmax<=400°C; Dmax<=50Gcal/h, pmax<=16bar, Tmax<=150°C	DISPR/CR4/A,C/4,5/1863/0/17.08.2011
186	Pitesti	ENERGOMONTA J GRUP SRL	PITESTI, Str. Gh. Lazar, nr.19, ARGES	J03/19 66/199 4	RO 10698 807	0248/29 0170	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q<=120t/h, pmax<=16bar, T<=400°C; D<=50Gcal/h, pmax<=16bar, T<=150°C	PT/CR4/A,C/4,5/0061/0/21.06.2010
187	Central	ENERGOSZERVI Z KFT SRL- Sucursala Oradea	DEBRECEN, Str. Kishatar, nr.26, Jud. Hajdu-Bihar, UNGARIA; Oradea, Str.Calinului, bl.X1, Jud. Bihar	RC 09/09/ 002295 ; J5/119 5/2009	CUI HU111 47798 ; CUI 26042 662	0036524 57924/ 0036525 31256; 0259/43 5398	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax<=40bar, Tmax=250°C; Dmax<=15Gcal/h, pmax<=40bar	DISPR/CR4/A,C/4,5/1532/1/29.05.2012
188	Oradea	ENERGOSZERVI Z KFT SRL- Sucursala Oradea	DEBRECEN, Str. Kishatar, nr.26, Jud. Hajdu-Bihar, UNGARIA; Oradea, Str.Calinului, bl.X1, Jud. Bihar	RC 09/09/ 002295 ; J5/119 5/2009	CUI HU111 47798 ; CUI 26042 662	0036524 57924/ 0036525 31256; 0259/43 5398	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=1035t/h, Pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, Pmax=40bar,	OR/CR4/A,C/4,5/1113/2/05.03.2013

189	Central	ENERGOSZERVIZ SRL DEBRECEN - Suc. ORADEA	ORADEA, Al. Calinului, nr.7, bl.X1, ap.30, Jud. Bihor	J05/11 95/200 9	CUI 26042 662	0259/43 5398	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=250°C; Dmax<=15t/h, pmax<=40bar	DISPR/CR4/ A,C/4,5/153 2/0/25.07.2 011
190	Central	ENERGOUTIL CONTACT SA	BUCURESTI, Str. Progresului, nr.75-77, sector 5	J40/99 7/1991	CUI 40366 6	021/410 3191/41 06682	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=192bar, Tmax=570°C; Dmax=100Gcal/ h, pmax=25bar	DISPR/CR4/ A,B,C/4,5/2 999/0/14.02 .2012
191	Central	ENERGY BIO CHEMICALS SA- Suc. CAROM	ONESTI, Str. Industiilor, nr.1, Pavilion Administrativ C399, Jud. Bacau	J04/83 8/2008	CUI 23767 569	0234302 600; 0234/31 5315	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=50t/h, pmax=100bar, Tmax=570°C; Dmax=25Gcal/h , pmax=16bar	DISPR/CR4/ E/4,5/0747/ 0/19.05.201 1
192	Bucuresti	ENERGY SYSTEM CONSULT SRL	BUCURESTI, Bd. Burebista, nr. 1, bl. D15, sc. 1, ap. 31, sector 3	J40/10 456/20 00	RO 13529 500	021/326 5621/ 3265620 ; e-mail office@ esc- inc.ro	-	-	Cazane abur	-	-	-	Qmax<=10t/h, pmax=100bar, Tmax=400°C	B/CR4/C/4/ 2489/0/02.0 4.2015

193	Bacau	ENET SA	FOCSANI, Bd. Bucuresti, nr.4, Jud. Vrancea	J39/93/1996	RO 8123890	0237/212400/214110; e-mail office@enetsa.ro	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h, pmax=25bar	BC/CR4/C/4,5/1801/2/2 6.10.2017
194	Central	ENET SA	FOCSANI, Bd. Bucuresti, nr.4, Jud. Vrancea	J39/93/1996	RO 8123890	0237/212400/214110	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h, pmax=25bar	DISPR/CR4/C/4,5/3503/1/26.04.2012
195	Galati	ENET SA	FOCSANI, Str, Bucuresti, nr.4, Jud. Vrancea	J39/93/1996	RO 8123890	0237/212400/214110	-	-	Cazane abur, apa fierbinte	-	-	-	pmax=40bar, Qmax=50t/h, tmax=450°C; pmax=25r, Dmax=50Gcal/h, tmax=150°C	GL/CR4/C/4,5/0004/0/1 2.04.2010
196	Central	ERG PRESTARI SERVICII SRL	TIRIMIA, nr.247, Jud. Mures	J26/196/2009	CUI 242110	0744208441; 0264/441191	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=50t/h, pmax=100bar, Tmax=450°C; Dmax=25Gcal/h, Pmax=25bar	DISPR/CR4/E/4,5/2805/0/19.01.2012

197	Pitesti	ERHAN SRL	RM. VALCEA, Str. Regina Maria, nr.7, bl.C1, tronson D, mezanin, Jud. Valcea	J38/19 /1992	RO 14698 63	0250/73 3919/73 1725; office@ erhan.r o	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	Qmax=10t/h, pmax=16bar, Tmax=180° C; Dmax=5Gcal/h, pmax=16bar	PT/CR4/A,B ,C/4,5/0150 /0/21.12.20 10; PT/CR4/A,B ,C/4,5/0154 /0/21.12.20 10
198	Central	EST ROM SA	VALEA LUPULUI, Com. Valea Lupului, Jud. Iasi	J22/22 59/199 3	CUI 44887 70	0232/22 6380/25 3398	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h, pmax=165bar, Tmax=570° C; Dmax=100Gcal/ h, Pmax=150bar	DISPR/CR4/ E/4,5/2294/ 1/13.09.201 7
199	Central	EST ROM SA	VALEA LUPULUI, Str. Diminetii, nr.1, Jud. Iasi	J22/22 59/199 3	CUI 44887 70	0232/22 6380/25 3398/24 8209/24 8046	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h, pmax=165bar, Tmax=570° C; Dmax=100Gcal/ h, Pmax=30bar	DISPR/CR4/ E/4,5/2294/ 0/02.11.201 1
200	Bacau	EST ROM SA	VALEA LUPULUI, Com. Valea Lupului, Jud. Iasi	J22/22 59/199 3	CUI 44887 70	0232/22 6380/25 3398	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=420bar, Tmax=570° C; Dmax=100Gcal/ h, pmax=20bar	BC/CR4/A,B ,C/4,5/1322 /2/14.03.20 17
201	Bacau	EST ROM SA	VALEA LUPULUI, Str. Diminetii, nr.1, Jud. Iasi	J22/22 59/199 3	CUI 44887 70	0232/22 6380/24 8046	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=420bar, Tmax=570° C; Dmax=100Gcal/ h, pmax=20bar	BC/CR4/A,B ,C/4,5/1322 /1/21.10.20 13

202	Central	EST ROM SA	VALEA LUPULUI, Str. Diminetii, nr.1, Jud. Iasi	J22/22 59/199 3	CUI 44887 70	0232/22 6380/24 8046	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=140bar, Tmax=570°C; Dmax=100Gcal/h, pmax=20bar	DISPR/CR4/A,B,C/4,5/2 753/0/10.01 .2012
203	Iasi	ETNIS SRL	IASI, Cal Chisinaului, nr.98-100, Jud. Iasi	J22/11 31/199 1	RO 19561 41	0232/23 0113	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350°C	IS/CR4/A,B, C/4/01600/ 30.12.2010
204	Bacau	ETNIS SRL	IASI, Cal Chisinaului, nr.98-100, Jud. Iasi	J22/11 31/199 1	RO 19561 41	0232/23 0113	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350°C	BC/CR4/A,B ,C/4/1202/2 3.04.2013
205	Central	EUGLOS SA	CLUJ NAPOCA, Str. Garii, nr. 19, Jud. Cluj	J12/40 93/200 7	RO 22435 138	0264/42 4665/ 462385	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; Dmax=100Gcal/h, pmax=16bar	DISPR/CR4/ E/4,5/3927/ 0/29.02.201 6
206	Sibiu	EUGLOS SA	CLUJ NAPOCA, Str. Garii, nr. 19, Jud. Cluj	J12/40 93/200 7	RO 22435 138	0264/42 4665/ 462385; e-mail office@ chitech. ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=350°C; Dmax=50Gcal/h , pmax=16bar	SB/CR4/A,B, C/4,5/1486/ 0/29.07.201 5
207	Sibiu	EUGLOS SA	CLUJ NAPOCA, Str. Garii, nr. 19, Jud. Cluj	J12/40 93/200 7	RO 22435 138	0264/42 4665/ 462385	-	-	-	-	Cazane abur, cazane apa fierbinte	-	pmax>0.5bar; T>110°C	SB/CR4/G/4 ,5/1450/0/0 7.04.2015

208	Central	EUROBOILER SRL	DR. TN. SEVERIN, Str. Portile de Fier, nr. 2C9, Jud. Mehedinti	J25/19 1/2004	CUI 16325 432	0727435 056; 0252/31 0046/32 9764	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=550t/h, pmax<=140bar, Tmax<=540°C; Dmax<=100Gcal /h, pmax<=25bar	DISPR/CR4/ A,B,C/4,5/3 346/0/20.03 .2012- retragere incepand cu 14.04.2014 (denumire noua Macchi Romania SRL)
209	Bucuresti	EUROBOILER SRL	DR. TN. SEVERIN, Str. Portile de Fier, nr. 2C9, Jud. Mehedinti	J25/19 1/2004	CUI 16325 432	0352/88 4860; 0252/32 9764; 0772094 024	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=550t/h, pmax=140bar, Tmin=105°C; Tmax=540°C; Dmax=150Gcal/ h, pmax=25bar; 110°C<Tmax=15 0°C	B/CR4/A,B, C/4,5/1837/ 1/11.10.201 3- retragere incepand cu 14.04.2014 (denumire noua Macchi Romania SRL)

210	Oradea	EXPERT PETROLEUM SRL	BUCURESTI, Sos. Bucuresti- Ploiesti, nr. 73- 81, cladirea C3, et. 3, sector 1; TIMISOARA, Str. Corolian Brediceanu, nr. 10C, cladire C, mezanin, camera M5, Jud. Timis	J26/16 56/200 8	CUI 17634 428	0374200 640, 0317/80 1093; 0356/41 4883	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=300° C; Dmax=5Gcal/h, pmax=40ba	OR/CR4/A,B ,C/4,5/1460 /1/20.10.20 16
211	Oradea	EXPERT PETROLEUM SRL	TG. MURES, Str. Tamas Erno, nr. 1, Jud. Mures; TIMISOARA, Str. Corolian Brediceanu, nr. 10C, cladire C, Mezanin, camera M5, Jud. Timis	J26/16 56/200 8	CUI 17634 428	0374200 640; 0317801 093; 0356/41 4883	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=300° C; Dmax=5Gcal/h, pmax=40ba	OR/CR4/A,B ,C/4,5/1460 /0/23.05.20 16
212	Central	FAST TECHNICAL ASSISTANCE SRL	BACAU, 9 Mai, nr.35, poz. 10, bl.35, sc.E, parter, Jud. Bacau	J04/69 6/1997	CUI 96264 16	0234/51 3803/51 1430	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=350° C; Dmax=10Gcal/h , pmax=20bar	DISPR/CR4/ A,C/4,5/355 6/0/22.05.2 012

213	Oradea	FLEXIK AUTOMATION SRL	TIMISOARA, Str. G. Cosbuc, nr.5, Jud. Timis	J35/28 48/199 4	CUI 63518 50	0256/29 2964/29 2965	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=300°C	OR/CR4/A,B , C/4/1019/1 /17.07.2012
214	Timisoara	FLEXIK AUTOMATION SRL	TIMISOARA, Str. George Cosbuc, nr.5, Jud. Timis	J35/28 48/199 4	RO 63518 50	0256/29 2964/ 292965	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Q<=10t/h, p<=16bar, T<=300°C	TM/CR4/A,B ,C/4/0014/0 /09.06.2010
215	Central	FORPRES SRL	IASI, Sos. Nationala, nr.49, bl.C3, sc.B, et.5, ap.23, Jud. Iasi; IASI, Str. Prof. dr. doc. D. Mangeron, nr.39, imobil TCM, corp D, Jud. Iasi	J22/12 58/200 2	RO 15012 143	0232/23 3390	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=200°C	DISPR/CR4/ A,B,C/4/319 9/0/06.03.2 012
216	Central	FUTURE LINE INSTAL SRL	BUCURESTI, Sos. Mihai Bravu, nr. 75- 83, bl.C17, sc.B, et.6,ap.79, sector 2	J40/23 350/19 92	CUI 18830	021/201 1114/ 2011115	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=15t/h, pmax=16bar, Tmax=350°C; Dmax=10Gcal/h , pmax=16bar	DISPR/CR4/ A,B,C/4,5/3 168/0/28.02 .2012

217	Bucuresti	FUTURE LINE INSTAL SRL	BUCURESTI, Sos. Mihai Bravu, nr. 75-83, bl.C17, sc.B, et.6,ap.79, sector 2; BUCURESTI, Str. Biharia, nr. 67-77, sector 1	J40/23 350/19 92	CUI 18830	021/201 1114/ 2011115	-	-	-	-	-	Cazane abur; cazane apa fierbinte	-	B/CR4/H/4, 5/1758/0/20 .08.2013
218	Bacau	GA PRO CO CHEMICALS SA	SAVINESTI, Str. Gheorghe Caranfil, nr. 11, Jud. Neamt	J27/14 78/200 5	CUI 17728 697	0233/ 280544/ 281494/ 281260	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=50t/h, pmax=110bar, Tmax=440°C	BC/CR4/A,B ,C/4/1144/1 /20.01.2015
219	Bacau	GA PRO CO CHEMICALS SA	Sat SAVINESTI, Com. Savinesti, Str. Uzinei, nr.2, Jud. Neamt	J27/14 78/200 5	CUI 17728 697	0233/28 1494/ 281260	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=50t/h, pmax=110bar, Tmax=440°C	BC/CR4/A,B ,C/4/1144/0 /21.01.2013
220	Bucuresti	GADAGROUP ROMANIA SRL	BUCURESTI, Cal. Floreasca, nr.169A, corp A, et.7, sector 1	J40/93 20/199 6	RO 89367 10	0746231 147; 021/317 2102	Cazane abur	Cazane abur	-	-	-	-	Qmax=0.4t/h, pmax=4bar, Tmax=150°C	B/CR4/A,B/ 4/2069/0/31 .03.2014

221	Constanta	GAZ SERVICES SRL	CONSTANTA, Str. Mesteru Manole, nr.1A, Jud. Constanta	J13/564/2001	CUI 13687691	0742145008; 0241/638980; e-mail gaz_services@yahoo.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=225°C; Dmax=5Gcal/h, pmax=16bar, Tmax=150°C	CT/CR4/A,B,C/4,5/0112/0/20.12.2010
222	Bucuresti	GB INDCO SRL	BUCURESTI, Bd. Dimitrie Cantemir, nr. 9, bl. 7, sc. 1, ap. 8, sector 4; POPESTI LEORDENI, Str. Fagului, nr.19 (fosta nr. 17), Jud. Ilfov	J40/2728/1998	RO 10421821	0213361212/3363887; e-mail contact@gbindco.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.3t/h, pmax=5bar, Tmax=150°C	B/CR4/A,B,C/4/2752/1/10.06.2016
223	Bucuresti	GB INDCO SRL	BUCURESTI, Bd. Dimitrie Cantemir, nr. 9, bl. 7, sc. 1, ap. 8, sector 4; BUCURESTI, Str. Mixandrei, nr. 80, sector 4	J40/2728/1998	RO 10421821	021/3361212/3363887; e-mail contact@gbindco.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.3t/h, pmax=5bar, Tmax=150°C	B/CR4/A,B,C/4/2752/0/07.04.2016

224	Bucuresti	GEMA TERM CONSULTING	BUCURESTI, Str. Emanoil Buteica, nr.10, bl.61, sc.1, ap.1, sector.3	J40/15 44/199 8	CUI 10276 098	021/344 2158,02 1/34421 59	-	-	-	Cazane abur; cazane apa fierbinte	-	-	pmax=180bar Qmax = 600t/h Tmax = 570°C; Dmax= Gcal/h pmax=24 bar	B/CR4/E/4, 5/0114/0/29 .06.2010
225	Central	GEMA TERM CONSULTING SRL	BUCURESTI, Aleea Marius Emanoil Buteica, nr.10, bl.61, sc.1, ap.1, sector 3	J40/15 44/199 8	RO 10276 098	021/344 2158/34 42159	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=600t/h, pmax=180bar, Tmax=570°C; Dmax=50Gcal/h , pmax=24bar	DISPR/CR4/ E/4,5/3701/ 1/21.06.201 2
226	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, Indicativ E1: 6b, et.1, sector 2; PLOIESTI, Str. Maramures, nr.12, et.2, Jud. Prahova	J40/82 66/200 6	CUI 18692 907	0344/14 0953/57 1001	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=40t/h, pmax=40bar, Tmax=340°C; Dmax=25Gcal/h , pmax=100bar	DISPR/CR4/ E/4,5/1209/ 3/30.03.201 6

227	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, indicativ E1:6b, et.1, sector 2	J40/82 66/200 8	CUI 18692 907	0344/14 0953; 0244/57 1001	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=40t/h, pmax=40bar, Tmax=350° C; Dmax=25Gcal/h , pmax=18bar	DISPR/CR4/ E/4,5/1209/ 0/16.06.201 1
228	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, indicativ E1:6b, et.1, sector 2; PLOIESTI, Str. Maramures, nr. 12, et.2, Jud. Prahova	J40/82 66/200 6	CUI 18692 907	0344/14 0953; 0244/57 1001	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=40t/h, pmax=40bar, Tmax=340° C; Dmax=25Gcal/h , pmax=18bar	DISPR/CR4/ E/4,5/1209/ 1/14.12.201 1

229	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, Indicativ E1: 6b, et.1, sector 2; PLOIESTI, Str. Maramures, nr.12, et.2, Jud. Prahova	J40/82 66/200 6	CUI 18692 907	0344/14 0953/57 1001	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=40t/h, pmax=40bar, Tmax=340° C; Dmax=205Gcal/ h, pmax=100bar	DISPR/CR4/ E/4,5/1209/ 2/02.05.201 2
230	Central	GLEMSEV CHIM SRL	BUCURESTI,Str. Cetatea Histria, nr.9, bl.14, sc.4, et.1, ap.51, sector 6	J40/14 03/200 5	CUI 17165 127	021/725 6696	-	-	-	-	Cazane abur; cazane apa fierbinte	-	p>0.5bar, T>110° C	DISPR/CR4/ G/4,5/1083/ 0/23.06.201 1
231	Bucuresti	GLOBAL ENERGY PRODUCTION SA	GIURGIU, Sos. Sloboziei, nr. 194, Jud. Giurgiu	J52/28 3/2011	CUI 28423 620	0769060 259; 0246/21 6665; e- mail globale nergypr oductio n@gmail .com	Cazane apa fierbinte	Cazane apa fierbinte	Cazane apa fierbinte				Qmax=10Gcal/h , pmax=18bar, tmax=150° C	B/CR4/A,B, C/5/2683/0 /13.01.2016

232	Sibiu	GRUP 4 INSTALATII SA	CLUJ NAPOCA, Str. Luncii, nr.5A, Jud. Cluj	J12/24 /1991	RO 24240 3	0264/40 1150/ 596266; e-mail grup4@ grup4cj. ro	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=400° C; Dmax=50Gcal/h , pmax=16bar	SB/CR4/B,C /4,5/1454/1 /14.04.2015
233	Cluj	GRUP 4 INSTALATII SA	CLUJ NAPOCA, Str. Luncii, nr.5A, Jud. Cluj	J12/24 /1991	RO 24240 3	0264/59 6168/ 596266	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=400° C; Dmax=50Gcal/h , pmax=16bar	CJ/CR4/B,C /4,5/0055/0 /01.08.2010
234	Central	GRUP ENERGOINSTAL SA	CLUJ NAPOCA, Str. Lunii, nr.8C, Jud. Cluj	J12/15 02/199 8	CUI 11009 951	0264/43 8352/ 453261	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=400° C; Dmax<=25Gcal/ h, pmax<=30bar	DISPR/CR4/ A,B/4,5/094 9/0/13.05.2 011
235	Sibiu	GRUP ENERGOINSTAL SA	CLUJ NAPOCA, Calea Dezmirului, nr.8, Jud. Cluj	J12/15 02/199 8	CUI 11009 951	0264/43 8352/ 453261	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=400° C; Dmax<=25Gcal/ h, pmax<=30bar	SB/CR4/A,B /4,5/1219/1 /03.09.2013
236	Central	HIDRO TERM SRL	SATU MARE, Str. Cibunului, bl.CE 20, Jud. Satu Mare	J30/36 7/2004	CUI 16274 975	0361/80 1950/81 0538	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=35t/h, pmax=40bar, Tmax=400° C; Dmax=30Gcal/h , pmax=40bar	DISPR/CR4/ A,C/4,5/068 7/0/11.05.2 011

237	Oradea	HIDRO TERM SRL	SATU MARE, Str. Cibinului, bl.CE 20, ap.6, Jud. Satu Mare	J30/36 7/2004	RO 16274 975	0361/80 1950/81 0538	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=35t/h, Pmax=50bar, Tmax=450°C; Dmax=30Gcal/h , pmax=50bar, T>110°C	OR/CR4/E/, 54/0046/0/2 5.10.2010
238	Oradea	HYDROMATIC SISTEM SRL	TIMISOARA, Calea Buziasului, nr. 11, Hala Industriala si birouri, Jud. Timis	J35/72 8/1998	CUI 10786 429	0256/29 4361/ 246427	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h, pmax=64bar, Tmax=450°C; Dmax=25Gcal/h , pmax=16bar	OR/CR4/A,B ,C/4,5/1431 /1/17.05.20 17
239	Oradea	HYDROMATIC SISTEM SRL	TIMISOARA, Calea Buziasului, nr. 11, Hala Industriala si birouri, Jud. Timis	J35/72 8/1998	CUI 10786 429	0256/29 4361/ 246427	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h, pmax=64bar, Tmax=450°C; Dmax=25Gcal/h , pmax=16bar	OR/CR4/A,B ,C/4,5/1431 /0/18.01.20 16
240	Bacau	HIDROTERM SA	ROMAN, Str. Colectorului, nr. 1, Jud. Neamt	J27/39 9/1996	RO 56836 13	0233/74 2490	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h, pmax=50bar, Tmax=450°C; Dmax=25Gcal/h , pmax=50bar	BC/CR4/A,B ,C/4,5/1633 /1/11.04.20 18
241	Bacau	HIDROTERM SA	ROMAN, Str. Colectorului, nr. 1, Jud. Neamt	J27/39 9/1996	RO 56836 13	0233/74 2490	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h, pmax=50bar, Tmax=450°C; Dmax=25Gcal/h , pmax=50bar	BC/CR4/A,B ,C/4,5/1633 /0/03.02.20 16

242	Bucuresti	HSH CHEMIE SRL	BUCURESTI, Str.Dimitrie Racovita nr.19, ap.1 si 2, sector 2	J40/11795/2000	CUI 13610671	021/3137778/021/3157864	-	-	-	-	-	Cazane abur; cazane apa fierbinte	p>0,5 bar, T>110° C	B/CR4/H/4, 5/0136/0/30 .06.2010- suspendare incepand cu 03.02.2014
243	Brasov	HYDRO X SRL	BRASOV, Str. Dealul Spirei, nr.7E, Jud. Brasov	J08/1265/1996	RO 8894607	0268/513050/513157; 0744328514	-	-	-	-	-	Cazane abur; cazane apa fierbinte	p>0.5bar; T>110° C	BV/CR4/H/4,5/0027/0/3 0.07.2010
244	Central	INSTITUTUL NATIONAL DE CERCETARE DEZVOLTARE PENTRU ENERGIE - ICEMENERG	BUCURESTI, Bd. Energeticienilor , nr.8, sector 3	J40/4323/2014	CUI 33034838	021/3462769/3465310	-	-	-	Cazane de abur, apa fierbinte	-	-	pmax=250bar, Tmax=570° C, Qmax=1035t/h; pmax=30bar, Dmax=100Gcal/h	DISPR/CR4/E/4,5/3866/1/13.06.20016
245	Central	INSTITUTUL NATIONAL DE CERCETARE DEZVOLTARE PENTRU ENERGIE - ICEMENERG	BUCURESTI, Bd. Energeticienilor , nr.8, sector 3	J40/4323/2014	CUI 33034838	021/3462769/3465310	-	-	-	Cazane de abur, apa fierbinte	-	-	pmax=250bar, Tmax=570° C, Qmax=1035t/h; pmax=30bar, Dmax=100Gcal/h	DISPR/CR4/E/4,5/3866/0/27.08.2014
246	Central	ICEMENERG SA	BUCURESTI, Str. Energeticienilor , nr.8, sector 3	J40/7306/2004	CUI 16397293	021/3464443/3460384	-	-	-	Cazane abur	-	-	pmax=245bar, Tmax=540° C, Qmax=1035t/h	DISPR/CR4/E/4,5/1016/0/20.06.2011

247	Bucuresti	ICMA SRL	PITESTI, Str. Petrochimistilor , nr.36, Jud. Arges	J03/1963/1991	RO137238	0248/206011/615332	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h , pmax<=206bar, Tmax<=580°C; Dmax<=100Gcal/h, pmax<=50bar	B/CR4/A,B, C/4,5/2328/1/14.10.2014- suspendare voluntara incepand cu 12.10.2015
248	Central	ICMA SRL	PITESTI, Str. Petrochimistilor , nr.36, Jud. Arges	J03/1963/1991	RO137238	0248/206011/206012	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h , pmax<=206bar, Tmax<=580°C; Dmax<=100Gcal/h, pmax<=50bar	DISPR/CR4/A,B,C/4,5/3123/0/28.02.2012
249	Bacau	ICMRS SA	GALATI, Str. Smardan , nr.1, Jud. Galati	J17/12/1991	RO1633620	0236/448000/448011	-	-	Cazane abur	-	-	-	Qmax=300t/h, pmax=100bar, Tmax=400°C	BC/CR4/C/4/1363/0/17.02.2014
250	Central	ICPET GENERATOARE ABUR SA	BUCURESTI, Sos. Berceni, nr.104, sector 4	J40/18840/2004	RO16951886	021/3194348/3149058	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/E/4,5/3750/1/02.11.2012

251	Bucuresti	ICPET GENERATOARE ABUR SA	BUCURESTI, Sos. Berceni, nr.104, sector 4	J40/18 840/20 04	CUI 16951 886	021/492 0201	-	-	-	-	Cazane abur, apa fierbinte	-	Qmax=1035t/h, pmax=200bar, Tmax=570° C; Dmax=100Gcal/ h, pmax=25bar, T>110° C	B/CR4/G/4, 5/0408/0/14 .10.2010
252	Central	IMSP PROIECT SRL	CONSTANTA, Str. Breaza, nr. 14B, Jud. Constanta	J13/24 45/200 8	CUI 24178 510	0724460 170; 0241/51 5543	-	-	-	Cazane abur; cazane apa fierbinte	-	-	pmax=50bar, Tmax=440° C, Qmax=20t/h; Dmax=5Gcal/h, pmax=18bar	DISPR/CR4/ E/4,5/1051/ 1/08.01.201 5
253	Central	IMSP PROIECT SRL	CONSTANTA, Str. Frigului, nr.4, bl.FG4, ap.11, Jud. Constanta	J13/24 45/200 8	CUI 24178 510	0241/55 3132	-	-	-	Cazane abur; cazane apa fierbinte	-	-	pmax=50bar, Tmax=440° C, Qmax=20t/h; Dmax=5Gcal/h, pmax=18bar	DISPR/CR4/ E/4,5/1051/ 0/08.06.201 1
254	Bucuresti	IMUC SA	BRADU, Str. Petrochimistilor , nr. 10, Jud. Arges	J03/23 6/1991	CUI 12899 0	0248/61 5600/61 5599	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1100t/h , pmax<=225bar, Tmax<=600° C; Dmax<=100Gcal /h, pmax<=50bar	B/CR4/A,B, C/4,5/2397/ 1/17.12.201 4

255	Central	IMUC SA	BRADU, Str. Petrochimistilor , nr. 10, Jud. Arges	J03/236/1991	CUI 128990	0248/615600/615599	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1100t/h , pmax<=225bar, Tmax<=600° C; Dmax<=100Gcal/h, pmax<=50bar	DISPR/CR4/A,B,C/4,5/2390/0/21.11.2011
256	Brasov	INDUSTRIAL MONTAJ SA	PLOIESTI, Str. Mihai Bravu, nr.342A, Jud. Prahova	J29/2257/1991	RO 1348195	0244/515774/595275	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, Pmax=400bar, Tmax=600° C; Dmax=150Gcal/h, Pmax=400bar	BV/CR4/A,B,C/4,5/1502/2/18.11.2015
257	Brasov	INDUSTRIAL MONTAJ SA	PLOIESTI, Str. Mihai Bravu, nr.342A, Jud. Prahova	J29/2257/1991	RO 1348195	0244/515774/595275	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, Pmax=400bar, Tmax=440° C; Dmax=50Gcal/h , Pmax=400bar	BV/CR4/A,B,C/4,5/1009/1/21.06.2012
258	Ploiesti	INDUSTRIAL MONTAJ SA	PLOIESTI, Str. Mihai Bravu, nr.342A, Jud. Prahova	J29/2257/1991	RO 1348195	0244/515774/595275	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, pmax=400bar, Tmax=440° C; Dmax=50Gcal/h , pmax=400bar	PL/CR4/A,B,C/4,5/0209/0/21.10.2010

259	Central	INDUSTRIAL MONTAJ GRUP SRL	DRAGANESTI OLT, Str. Capitan Draganescu, bl.PM1, sc.A,parter, ap.1, Jud. Olt; RM. VALCEA, Str. Industriilor , nr.30, Jud. Valcea	J28/48 /2005	CUI 17128 161	0728172 325; 0250/73 0314/73 0313	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h , pmax<=196bar, Tmax<=565°C	DISPR/CR4/A,B,C/4,5/1 256/0/28.06 .2011
260	Central	INGET INGINERIE TERMICA SRL	CLUJ NAPOCA, Str. Maramuresului, nr.16, Jud. Cluj	J12/12 51/199 1	CUI 20773 2	0264/43 5274	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax<=30bar, Tmax<=400°C; Dmax<=40Gcal/h, pmax<=30bar	DISPR/CR4/A,B,C/4,5/0 400/0/30.03 .2011
261	Suceava	INSTAL EXPERT SRL	SUCEAVA, Str. Petru Rares, nr. 20, bl. 4, sc. B, ap. 2, Jud. Suceava	J33/47 /2002	RO 14426 503	0230/55 1392	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Q<=105t/h, p<=40bar, T<=450°C; D<=50Gcal/h, p<=25bar	SV/CR4/A,C /4,5/0023/0 /04.10.2010
262	Central	INSTAL GROUP SRL	ARAD, Str. Timotei Cipariu, nr.3, Jud. Arad	J02/69 2/1996	CUI 88989 78	0257/27 6466/20 6626	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=300°C; Dmax<=5Gcal/h , pmax<=16bar	DISPR/CR4/A,B,C/4,5/0 465/1/03.01 .2012

263	Bucuresti	INSTALATII ENERGO REPARATII SRL	TARGOVISTE, Str. Tineretului, nr. 3, bl. 26, sc. B, ap. 48, Dambovita	J15/279/1994	RO 5252572	0245/614946; e-mail office@reparatiiromania.ro	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=440°C; Dmax=5Gcal/h, pmax=25bar	B/CR4/A,C/4,5/2769/1/20.04.2016
264	Ploiesti	INSTALATII ENERGO REPARATII SRL	TARGOVISTE, Str. T. Vladimirescu, bl.B4, sc.B, ap.1, Jud. Dambovita	J15/279/1994	RO 5252572	0245/614946	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=440°C; Dmax=5Gcal/h, pmax=25bar	PL/CR4/A,C/4,5/0008/0/19.04.2010
265	Central	INSTALATII RC SRL	IASI, Bd. N. Iorga, nr.24, bl.C1, et.2, Jud. Iasi	J22/2797/1992	CUI 2639206	0232/233775/233015	Cazane abur	Cazane abur	-	-	-	-	Qmax=4t/h, pmax=16bar, Tmax=200°C	DISPR/CR4/A,B/4/1797/0/22.08.2011
266	Central	INSTALATII RC SRL	IASI, Bd. Chimiei, nr.14F, Jud. Iasi	J22/2797/1992	CUI 2639206	0232/233775	Cazane abur	Cazane abur	-	-	-	-	Qmax=4t/h, pmax=16bar, Tmax=200°C	BC/CR4/A,B/4/1175/1/15.03.2013
267	Bacau	INSTALATORUL SRL	SUCEAVA, Str. Grigore Ureche, nr. 19, et. 2, camere 1-9, Jud. Suceava	J33/1875/1992	RO 3177709	0230/551719	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=25bar, Tmax=227°C	BC/CR4/A,B,C/4/1584/0/11.08.2015
268	Central	INSTPRO SRL	DRAGASANI, Str. Traian, nr.30, Jud. Valcea	J38/55/1999	CUI 11444947	0250/811150	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=180°C; Dmax<=5Gcal/h, pmax<=16bar	DISPR/CR4/A,B,C/4,5/0892/0/15.04.2011

269	Cluj	INTELTERM CONSULTING SRL	CLUJ NAPOCA, Str. Rosiori, nr.3, Jud. Cluj	J12/210/1998	RO 10196037	0264/593904/431919	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=180°C; Dmax=25Gcal/h, pmax=16bar	CJ/CR4/A,B,C/4,5/0064/0/17.08.2010
270	Brasov	INTERCAZ SA	BRASOV, Str. Carierei, nr.153, Jud. Brasov	J08/1068/1992	CUI 1091414	0268/516775	Cazane de abur	-	Cazane abur	-	-	-	Q<=100t/h, p<=16bar, T<=350°C	BV/CR4/A,C/4/0003/0/04.06.2010
271	Central	INTERCOM INSTAL SRL	HUNEDOARA, Bd. Dacia, bl. A3, ap.15, Jud. Hunedoara	J20/707/2000	CUI 13567164	0254/712123/714611	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar	DISPR/CR4/A,B,C/4,5/0283/0/24.03.2011
272	Bacau	INTERNATIONAL INSTALATII IMPEX SRL	FOCSANI, Str. Magura, nr.10, Jud. Vrancea	J39/7101994	RO 6142918	0237/625874	Cazane de abur	-	Cazane abur	-	-	-	Qmax=10t/h, p=16bar, T=250°C	BC/CR4/A,C/4/1039/0/24.08.2012
273	Central	INTERTEK INDUSTRY SERVICES ROMANIA SRL	BUCURESTI, Cal. Rahovei, nr. 266-268, cprp 63, Anexe A-B, Stalpii 0-4, camera 01, et. 8, sector 5	J40/2948/2000	RO 12841309	021/3224450/3274826	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar, Tmax=440°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/E/4,5/3966/1/02.03.2017

274	Central	INTERTEK INDUSTRY SERVICES ROMANIA SRL	BUCURESTI, Cal. Rahovei, nr. 266-268, cprp 63, Anexe A-B, Stalpii 0-4, camera 01, et. 8, sector 5	J40/29 48/200 0	RO 12841 309	021/322 4450/ 3274826	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar, Tmax=440°C; Dmax=100Gcal/ h, pmax=25bar	DISPR/CR4/ E/4,5/3966/ 0/11.11.201 6
275	Bucuresti	INTREPRINDERE A MECANICA SI CHIMICA (IRMC) APROM SRL	BUCURESTI, Sos. Berceni, nr.8, Obiectiv 1, Ajustaj- Forja, et.1, sector 4	J40/10 96/200 2	RO 14458 483	2.1E+08	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=0.1t/h, pmax=10bar, Tmax=200°C; Dmax=400Gcal/ h, pmax=3bar	B/CR4/A,B, C/4,5/1957/ 0/09.01.201 4
276	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedinteanu, nr.7, Jud. Prahova	J29/55 6/2010	RO 26850 340	0727205 519; 0344/14 0752; 0244/54 7707	-	-	-	Cazane abur	-	-	Qmax=540t/h, pmax=250bar, Tmax=570°C	DISPR/CR4/ E/4/3727/3/ 23.06.2016
277	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedinteanu, nr.7, Jud. Prahova	J29/55 6/2010	RO 26850 340	0344/14 0752; 0244/54 7707	-	-	-	Cazane abur	-	-	Qmax=540t/h, pmax=250bar, Tmax=570°C	DISPR/CR4/ E/4/3727/2/ 09.02.2015
278	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Constructia C1, et.1, Jud. Prahova	J29/55 6/2010	RO 26850 340	0344/14 0752; 0244/54 7707	-	-	-	Cazane abur	-	-	Qmax=540t/h, pmax=250bar, Tmax=570°C	DISPR/CR4/ E/4/3727/1/ 04.11.2013

279	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Constructia C1, et.1, Jud. Prahova	J29/55 6/2010	RO 26850 340	0344/14 0752; 0244/54 7707	-	-	-	Cazane abur	-	-	Qmax=540t/h, pmax=250bar, Tmax=570°C	DISPR/CR4/ E/4/3727/0/ 11.09.2012
280	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedinteanu, nr.7, Jud. Prahova	J29/55 6/2010	RO 26850 340	0344/14 0752; 0244/54 7707	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1000t/h, Pmax=250bar, Tmax=570°C; Dmax=21Gcal/h , Pmax=40bar	BV/CR4/A,B ,C/4,5/1390 /3/06.06.20 16
281	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedinteanu, nr. 7, Jud. Prahova	J29/55 6/2010	RO 26850 340	0344/14 0752; e- mail: office@i pm- partners .com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1000t/h , Pmax<=40bar, Tmax<=570°C; Dmax<=21Gcal/ h, Pmax<=40bar	BV/CR4/A,B ,C/4,5/1390 /2/20.02.20 15
282	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Constructia C1, et.1, Jud. Prahova	J29/55 6/2010	RO 26850 340	0344/14 0752; e- mail: office@i pm- partners .com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1000t/h, Pmax=40bar, Tmax=570°C; Dmax=21Gcal/h , Pmax=40bar	BV/CR4/A,B ,C/4,5/1196 /1/06.11.20 13

283	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; 0244/547707	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1000t/h, Pmax<=40bar, Tmax<=570°C; Dmax<=21Gcal/h, Pmax<=40bar	BV/CR4/A,B, C/4,5/1034/0/10.08.2012
284	Central	IPOCHIM SA	BUCURESTI, Str. Mihai Eminescu, nr.19-21, sector 1	J40/6485/1991	CUI 457747	021/2117654/2102701	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570°C; Dmax=25Gcal/h, pmax=18bar	DISPR/CR4/E/4,5/0829/2/27.09.2017
285	Central	IPOCHIM SA	BUCURESTI, Str. Mihai Eminescu, nr.19-21, sector 1	J40/6485/1991	CUI 457747	021/2117654	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570°C; Dmax=25Gcal/h, pmax=18bar	DISPR/CR4/E/4,5/0829/1/27.04.2015
286	Central	IPOCHIM SA	BUCURESTI, Str. Mihai Eminescu, nr.19-21, sector 1	J40/6485/1991	CUI 457747	021/2117654/2102701	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570°C; Dmax=25Gcal/h, pmax=18bar	DISPR/CR4/E/4,5/0829/0/01.06.2011
287	Bucuresti	IREM SERVICII SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr.3-5, parter, spatiu comercial nr. 2, sector 6	J40/11965/2006	CUI 18876802	021/3132904/3122303	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax<=225bar, Tmax<=600°C; Dmax=100Gcal/h, pmax=50bar	B/CR4/A,B, C/4,5/1058/3/13.08.2015

288	Bucuresti	IREM SERVICII SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr.3-5, et.8, ap.2, sector 6	J40/11 965/20 06	CUI 18876 802	021/313 2904/ 3132303	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax<=225bar, Tmax<=600°C; Dmax=100Gcal/h, pmax=50bar	B/CR4/A,B, C/4,5/1058/2/10.06.2013
289	Bucuresti	IREM SERVICII SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr.3-5, et.8, ap.2, sector 6	J40/11 965/20 06	CUI 18876 802	021/313 2904/ 3132303	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax<=225bar, Tmax<=600°C; Dmax=100Gcal/h, pmax=50bar	B/CR4/A,B, C/4,5/1058/1/21.07.2012
290	Central	IREM SERVICII SRL	BUCURESTI, Cal. Victoriei, nr.16-18-20, et.2, sector 3	J40/11 965/20 06	CUI 18876 802	021/313 2904/31 32303; 0722500 130	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax<=225bar, Tmax=600°C; Dmax=100Gcal/h, pmax=50bar	DISPR/CR4/A,B,C/4,5/2025/0/27.09.2011

291	Bucuresti	IREM SPA SIRACUSA SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3- 5, camera 1, et. 5, sector 6; TG. JIU, Bd. Ecaterina Teodoroiu, nr. 46, Jud. Gorj	J40/11 709/20 14	RO 33677 137	0732333 411, 0731312 869; 0253/22 3793	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=50bar, Tmax=300°C; Dmax=30Gcal/h , pmax=20bar	B/CR4/B,C/ 4,5/2699/0/ 18.02.2016
292	Bucuresti	IREM SPA SIRACUSA SRL- Sucursala Bucuresti	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3- 5, camera 1, et. 5, sector 6; STOINA, sectia MTN, Jud. Gorj	J40/11 709/20 14	RO 33677 137	0734301 816; 021/313 2904/ 3122303	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax<=20bar, Tmax=250°C; Dmax=30Gcal/h , pmax=16bar	B/CR4/A,B, C/4,5/2608/ 0/04.09.201 5
293	Bucuresti	ISAM PRODIMPEX SRL	BUCURESTI, Al. Sergent Maj. Emil Holut, nr.4, bl.161, sc.1, et.2, ap.10, sector 4	J40/55 46/199 5	CUI 77048 52	021/332 4058	Cazane abur	-	Cazane abur	-	-	-	Qmax=0.25t/h, pmax=2.7bar, Tmax=140°C;	B/CR4/A,C/ 4/0398/0/06 .10.2010

294	Central	ISCIR CERT SRL	BUCURESTI, Str. Dr. Leonte Anastasiavici, nr.4D,corp A, et.4, birou 10, sector 5	J40/79 47/200 5	RO 17535 289	021/411 5203	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=192bar, Tmax=550°C; Dmax=100Gcal/ h, pmax=20bar	DISPR/CR4/ E/8/3887/0/ 07.11.2014
295	Central	ITM AMIRO SA	BUCURESTI, Sos. Berceni, nr.8, sector 4	J40/16 3/1991	CUI 38245 8	021/332 7565	Cazane de abur (generatoa re de abur pentru sterilizare)	Cazane de abur (generatoa re de abur pentru sterilizare)	Cazane de abur (generatoa re de abur pentru sterilizare)	-	-	-	Qmax=100Kg/h, pmax=10bar, Tmax=200°C	DISPR/CR4/ A,B,C/4/148 6/0/19.07.2 011
296	Brasov	J. CHRISTOF E&P SERVICES SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/13 14/200 9	CUI 21013 747	0344/40 1027/40 1026; e- mail office.j ce@chri stof.co m	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=215bar, Tmax=850°C; Dmax=100Gcal/ h, pmax=500bar	BV/CR4/A,B ,C/4,5/1646 /1/29.03.20 18
297	Brasov	J. CHRISTOF E&P SERVICES SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/13 14/200 9	CUI 21013 747	0344/40 1027/40 1026; e- mail office.j ce@chri stof.co m	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=215bar, Tmax=850°C; Dmax=100Gcal/ h, pmax=100bar	BV/CR4/A,B ,C/4,5/1646 /0/20.03.20 17

298	Ploiesti	J. CHRISTOF E&P SERVICES SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/13 14/200 9	RO 21013 747	0344/40 1027/ 401026	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Dmax=5Gcal/h, Tmax=440°C	PL/CR4/A,B, C/4,5/0068/ 0/07.06.201 0
299	Central	J. CHRISTOF E&P SERVICES SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/13 14/200 9	CUI 21013 747	0344/40 1027/40 1026	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=440°C; Dmax=5Gcal/h, pmax=40bar	DISPR/CR4/ A,B,C/4,5/2 374/1/22.07 .2011
300	Brasov	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/10 97/200 8	RO 22866 980	0344/40 1027/ 401026	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax=215bar, Qmax=1035t/h, Tmax=650°C; pmax=100bar, Dmax=100Gcal/ h	BV/CR4/A,B ,C/4,5/1345 /3/09.12.20 14- suspendare voluntara incepand cu 28.07.2017
301	Ploiesti	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/10 97/200 8	RO 22866 980	0344/40 1027/ 401026	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	50bar>=p>0.5ba r, Qmax=200t/h, Tmax=580°C; 50>=p>0.5bar, Dmax=50Gcal/h , Tmax=150°C	PL/CR4/A,B, C/4,5/0078/ 0/09.06.201 0

302	Ploiesti	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1097/2008	RO22866980	0344/401027/401026	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax=100bar, Qmax=200t/h, Tmax=650°C; pmax=100bar, Dmax=50Gcal/h	PL/CR4/A,B, C/4,5/0078/1/16.08.2010
303	Ploiesti	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1097/2008	RO22866980	0344/401027/401026	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax<=215bar, Qmax<=1035t/h, Tmax<=650°C; pmax<=100bar, Dmax<=100Gcal/h	DISPR/CR4/A,B,C/4,5/0078/2/14.04.2011
304	Brasov	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Bd. Bucuresti, nr. 66, camera 1A, et. 1, Jud. Prahova	J29/1153/1997	RO9816194	0344/401995/401997; e-mail office@karomkpk.ro	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax<=20bar, Tmax<=250°C, Qmax<=30t/h	BV/CR4/A,B ,C/4,5/1364 /3/08.12.2017
305	Brasov	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Bd. Bucuresti, nr. 66, camera 1A, et. 1, Jud. Prahova	J29/1153/1997	RO9816194	0344/401995/401997	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax<=20bar, Tmax<=250°C, Qmax<=30t/h	BV/CR4/A,B ,C/4,5/1364 /2/10.07.2017

306	Brasov	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr. 66, camera 1A, et. 1, Jud. Prahova	J29/1153/1997	RO9816194	0344/401995/401997	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax<=20bar, Tmax<=250°C, Qmax<=30t/h	BV/CR4/A,B,C/4,5/1364/1/27.10.2016
307	Brasov	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr. 66, camera 1A, et. 1, Jud. Prahova	J29/1153/1997	RO9816194	0344/401995/401997	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax<=20bar, Tmax<=250°C, Qmax<=30t/h	BV/CR4/A,B,C/4,5/1364/0/28.01.2015
308	Ploiesti	KRAFTANLAGEN ROMANIA SRL	PLOIESTI, Bd. Bucuresti, nr.66, et.2, Jud. Prahova; PETROBRAZI, Com. Brazii de Sus, Str. Trandafirilor, nr.65, Jud. Prahova	J29/2805/2007	RO21536614	0344/401994/403900/401997/403911	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	225bar>=p>0.5bar, Dmax=700t/h, Tmax=580°C; 150>=p>0.5bar, Qmax100Gcal/h, Tmax=280°C	PL/CR4/A,B,C/4,5/0148/0/16.07.2010
309	Brasov	KREMSMUELLER ROMANIA SRL	PLOIESTI, Str. Centura de Vest, nr.23, Jud. Prahova	J29/626/2007	CUI18725133	0728291150; 0720112585	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=150bar, Tmax=560°C; Dmax=100Gcal/h, pmax=50bar	BV/CR4/A,C/4,5/1480/1/06.10.2015

310	Central	KREMSMUELLER ROMANIA SRL	PLOIESTI, Str. Centura de Vest, nr.23, Jud. Prahova	J29/626/2007	CUI 18725133	0728291150; 0720112585	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=150bar, Tmax=560°C; Dmax=100Gcal/h, pmax=50bar	DISPR/CR4/A,C/4,5/1724/0/28.06.2011
311	Central	KRONSTADT ENERGII REGENERABILE SRL	BRASOV, Str. Avram Iancu, nr.48A, sc.B, parter, ap.1, Jud. Brasov	J08/1090/2010	CUI 27457234	0368/416900/470881	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=16bar, Tmax=350°C; Dmax=50Gcal/h, Pmax=16bar, Tmax=170°C	DISPR/CR4/A,B,C/4,5/2501/0/09.12.2011
312	Brasov	KRONSTADT INSTALATII SERVICE SRL	BRASOV, Str. Avram Iancu, nr.48A, sc.B, parter, ap.1, birou 1, Jud. Brasov	J08/1108/2010	CUI 27476562	0368/416900/470881; e-mail office@kinstal.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=16bar, Tmax=350°C; Dmax=50Gcal/h, Pmax=16bar	BV/CR4/A,B,C/4,5/1662/0/24.05.2017
313	Brasov	LABOREX SRL	PLOIESTI, Str. Mihai Bravu, nr. 206, bl.25B, ap.3, Jud. Prahova	J29/109/1994	CUI 5122017	0244/518760/518761	-	-	-	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	pmax>0.5bar; T>110°C	BV/CR4/G/4,5/1086/1/22.11.2012; BV/CR4/H/4,5/1087/0/22.11.2012

314	Ploiesti	LABOREX SRL	PLOIESTI, Str. Mihai Bravu, nr.206, Jud. Prahova	J29/109/1994	RO 5122017	0244/518760/518761	-	-	-	-	Cazane abur, apa fierbinte	-	p>0.5bar; T>110° C	PL/CR4/G/4,5/0304/0/28.12.2010
315	Central	LABSERVICE SRL	BUCURESTI, Bd. Bucurestii Noi, nr.212A, sector 1	J40/3459/2002	CUI 14607410	021/6680952/6680954	Cazane abur	-	Cazane abur	-	-	-	Qmax<=5t/h, pmax<=16bar, Tmax<=150° C	DISPR/CR4/A,C/4/1306/0/30.06.2011
316	Central	LAS PROM SRL	TG. MURES, Str. Cuza Voda, nr.25, Jud. Mures	J26/2185/2004	CUI 17057184	0265/264436/311884	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax<=40t/h, pmax<=40bar, Tmax<=440° C	DISPR/CR4/A,B,C/4/0424/0/07.04.2011
317	Central	LISSCOM SRL	BRASOV, Str. Neptun, nr.10, sc.C, ap.1, Jud. Brasov	J08/252/1998	CUI 10358473	0268/549274	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=120t/h, pmax=16bar, Tmax=300° C	DISPR/CR4/A,B,C/4/2980/0/10.02.2012
318	Bacau	LOIAL IMPEX SRL	SCHEIA, Com. Scheia, Str. Oborului, nr. 75A, Jud. Suceava	J33/27/1993	RO 3176126	0230/526800/526900	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440° C; Dmax=100Gcal/h, pmax=40bar	BC/CR4/A,B,C/4,5/1258/3/16.04.2018
319	Bacau	LOIAL IMPEX SRL	SUCEAVA, Str. Marasesti, nr.44, bl.T1, parter, Jud. Suceava	J33/27/1993	RO 3176126	0230/526800/.526900; office@loial.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440° C; Dmax=100Gcal/h, pmax=40bar	BC/CR4/A,B,C/4,5/1258/2/26.05.2016

320	Bacau	LOIAL IMPEX SRL	SUCEAVA, Str. Marasesti, nr.44, bl.T1, parter, Jud. Suceava; SCHEIA, Str. Agronomului, nr.445, Jud. Suceava	J33/27/1993	RO 3176126	0230/526900; office@loial.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440°C; Dmax=100Gcal/h, pmax=40bar	BC/CR4/A,B,C/4,5/1258/1/02.07.2013
321	Central	LOIAL IMPEX SRL	SUCEAVA, Str. Marasesti, nr.44, bl.T1, Jud. Suceava; SCHEIA, Str. Agronomului, nr.445, Jud. Suceava	J33/27/1993	RO 3176126	0230/526800/526900	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440°C; Dmax=100Gcal/h, pmax=40bar	DISPR/CR4/A,B,C/4,5/3350/0/29.03.2012
322	Central	LUANA PREST SERV SRL	BRASOV, Str. Castelului, nr.40, ap.2, camera 2, Jud. Brasov	J08/2840/2008	RO 24662030	0268/477637	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	pmax>0.5bar, T>110°C	DISPR/CR4/H/4,5/3456/0/12.04.2012; DISPR/CR4/G/4,5/3457/0/12.04.2012
323	Central	LUANA PREST SERV SRL	BRASOV, Str. Castelului, nr.70, ap.2, Jud. Brasov	J08/2840/2008	RO 24662030	0268/415715	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	pmax>0.5bar, T>110°C	DISPR/CR4/G,H/4,5/3456,3457/1/23.05.2012

324	Bucuresti	MACCHI ROMANIA SRL	DR. TR. SEVERIN, Str. Portile de Fier, nr.2C9, Jud. Mehedinti	J25/191/2004	RO 16325432	0252/310046; 0352/884860 0252/329764	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	Qmax=550t/h, Pmax=140bar, Tmax=540°C; Dmax=149; Gcal/h, Pmax=25bar	B/CR4/A,B, C/4,5/2127/ 3/19.02.2016
325	Bucuresti	MACCHI ROMANIA SRL	DR. TR. SEVERIN, Str. Portile de Fier, nr.2C9, Jud. Mehedinti	J25/191/2004	RO 16325432	0727435056; 0252310046; 0252/329764	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	Qmax=550t/h, Pmax=140bar, Tmax=540°C; Dmax=150Gcal/h, Pmax=25bar	B/CR4/A,B, C/4,5/2127/ 2/28.04.2014
326	Oradea	MARYLAND COMEXIM SRL	Lugasu de Sus, nr. 116, Jud. Bihor	J05/981/1994	RO 5343921	0744986434; e-mail cosminbalaj@yahoo.com	-	-	-	-	-	Cazane de abur; cazane apa fierbinte	pmax>0.5bar, T>110°C	OR/CR4/H/4, 5/1506/0/0 5.01.2017
327	Bucuresti	MED NICON SRL	BUCURESTI, Str. Jiblea, nr.34, sector 5	J40/5675/2000	RO 12820896	021/7765412	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.25t/h, pmax=5bar, Tmax=150°C	B/CR4/A,B, C/4/2350/0 /28.11.2014
328	Bucuresti	MEDICARE TECHNICS SA	BUCURESTI, Str. Valea Merilor, nr.30, sector 1; TIMISOARA, Str. Iuliu Maniu, nr.3, sc.A, ap.5, Jud. Timis	J40/2238/2000	CUI 12766347	021/2286774/ 2286714; 0740556675	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=20bar, Tmax=250°C	B/CR4/A,C/ 4/1847/1/17 .09.2014

329	Bucuresti	MEDICARE TECHNICS SA	BUCURESTI, Str. Valea Merilor, nr.30, sector 1	J40/22 38/200 0	CUI 12766 347	021/228 6774/ 2286714	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=20bar, Tmax=250°C	B/CR4/A,C/ 4/1847/0/18 .10.2013
330	Sibiu	MEGA PASCAL SRL	SIBIU, Str. Independentei, nr.3A, Jud. Sibiu	J32/11 0/1993	CUI 32385 80	0269/25 3150	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=30t/h, pmax=50bar, Tmax=440°C; Pmax=10000kW, pmax=16bar, Tmax=150°C	SB/CR4/E/4, 5/0071/0/24 .08.2010
331	Bacau	MEGAPREX INSTAL SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/11 45/200 6	RO 18906 598	0234/55 1544; e- mail megapr exinstal @yahoo. com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=10t/h, Pmax=10bar, Tmax=180°C; Dmax=5Gcal/h, Pmax=15bar	BC/CR4/A,B /4,5/0126/1 /19.05.2017
332	Bacau	MEGAPREX INSTAL SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/11 45/200 6	RO 18906 598	0234/55 1544	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=10t/h, Pmax=10bar, Tmax=180°C; Dmax=5Gcal/h, Pmax=15bar	BC/CR4/A,B /4,5/0126/0 /14.12.2010
333	Central	MEGATERM SRL	BUCURESTI, Bd. Ghencea, nr.34, sector 6	J40/22 602/19 94	CUI 65206 57	021/413 2025/41 32017	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h , pmax=25bar	DISPR/CR4/ A,B,C/4,5/1 604/0/29.07 .2011

334	Central	MENTCHIM SA	RM. VALCEA, Str. Uzinei, nr.1, Jud. Valcea	J38/50 1/2005	CUI 17571 575	0250/70 1504; 0758710 770	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=440°C; Dmax<=50Gcal/ h, pmax<=40bar	DISPR/CR4/ A,C/4,5/155 3/0/26.07.2 011- retragere voluntara incepand cu 14.09.2016
335	Bacau	MERIDIAN SRL	BOTOSANI, Str. Maxim Gorki, nr.11, Jud. Botosani	J07/12 00/199 4	RO 68688 30	0231/51 7989	Cazane abur	-	Cazane abur	-	-	-	Qmax=15t/h, pmax=40bar, Tmax=250°C	BC/CR4/A,C /4/1334/1/1 7.08.2016
336	Suceava	MERIDIAN SRL	BOTOSANI, Str. Maxim Gorki, nr.11, Jud. Botosani	J07/12 00/199 4	RO 68688 30	0231/51 7989; e- mail: office@ meridia nbt.ro	Cazane abur	-	Cazane abur	-	-	-	Qmax=15t/h, pmax=40bar, Tmax=250°C	BC/CR4/A,C /4/1334/0/1 2.11.2013
337	Constanta	METALICA DG SRL	CONSTANTA, Str. Mihai Viteazu, nr.69A, Jud. Constanta	J13/21 61/199 2	CUI 19040 88	0241/76 2700	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=150bar, Tmax=450°C; Dmax=50Gcal/h , pmax=25bar	CT/CR4/C/4 ,5/0038/0/0 7.07.2010

338	Central	METALICA SA	BUCURESTI, Str. Petre Ispirescu, nr.75, sector 5	J40/12 396/19 94	CUI 59500 44	021/420 5150/42 04090	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=240bar, Tmax=650°C; Dmax=100Gcal/ h, pmax<=25ba	DISPR/CR4/ A,B,C/4,5/1 368/0/14.07 .2011
339	Central	METALOTERM SRL	SAVINESTI, Str. Dornelor, vila 43, ap.3, Jud. Neamt; PIATRA NEAMT, Str. Stramutati, nr.74, Jud. Neamt	J27/33 0/2000	RO 13363 849	0233/21 6050	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350°C; Dmax=5Gcal/h, pmax=16bar	DISPR/CR4/ A,C/4,5/338 2/0/30.03.2 012
340	Central	MODULAT SRL	PASCANI, Str. Cuza Voda, nr.7, bl.D3, sc.B, ap.6, Jud. Iasi	J22/41 2/2000	RO 13090 234	0232/76 6143	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/ G/4,5/0096/ 0/17.09.201 0
341	Central	MODULAT SRL	PASCANI, Str. Cuza Voda, nr.7, bl.D3, sc.B, ap.6, Jud. Iasi; PASCANI, Str. Vatra, nr.53, Jud. Iasi	J22/41 2/2000	RO 13090 234	0232/76 6143; 0744638 939	-	-	-	-	-	Cazane abur; cazane apa fierbinte	pmax>0.5bar, T>110°C	DISPR/CR4/ H/4,5/3200/ 0/05.03.201 2

342	Iasi	MOLDOCONSTRUCT SA	IASI, Str. I.C. Bratianu, nr.20-22, Jud. Iasi	J22/420/1991	RO 1956117	0232/250201/210093	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=5t/h, pmax=16bar, Tmax=200° C; Dmax=5Gcal/h, pmax=16bar,	IS/CR4/A,B,C/4,5/0040/0/07.06.2010
343	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540° C; Dmax=100Gcal/h, pmax=25bar	BC/CR4/A,B,C/4,5/1481/4/07.02.2017
344	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540° C; Dmax=100Gcal/h, pmax=25bar	BC/CR4/A,B,C/4,5/1481/3/14.09.2016
345	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540° C; Dmax=100Gcal/h, pmax=25bar	BC/CR4/A,B,C/4,5/1481/2/18.01.2016
346	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540° C; Dmax=100Gcal/h, pmax=25bar	BC/CR4/A,B,C/4,5/1481/1/12.09.2014

347	Central	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/ 1990	CUI 20462 50	0233/21 0660/21 0589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} =420t/h, p _{max} =160bar, T _{max} =540°C; D _{max} =100Gcal/ h, p _{max} =25bar	DISPR/CR4/ A,B,C/4,5/3 569/0/15.05 .2012
348	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/ 1990	RO 20462 50	0233/21 0660/21 0589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} =420t/h, p _{max} =160bar, T _{max} =540°C; D _{max} =100Gcal/ h, p _{max} =20bar, T _{max} =200°C	BC/CR4/A,B ,C/4,5/0019 /0/14.05.20 10
349	Bacau	MOLDOVULCAN	GALATI, Str. Fagului, nr.6, Jud. Galati	J17/57 7/1995	RO 72542 19	0236/46 5349; 0744606 603; moldov ulcan@g mail.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} =420t/h, p _{max} =155bar, T _{max} =540°C; D _{max} =100Gcal/ h, p _{max} =22bar, T _{max} =150°C	BC/CR4/A,B ,C/4,5/1224 /2/29.12.20 15
350	Cluj	MONDOCOM SRL	CLUJ NAPOCA, Str. Artelor, nr.33, Jud. Cluj	J12/33 43/199 2	RO 28925 18	0264/55 0012/41 4548	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} =120t/h, p _{max} =16bar, T _{max} =350°C; D _{max} =5Gcal/h, p _{max} =16bar	CJ/CR4/A,C /4,5/0032/0 /01.07.2010
351	Craiova	MONTAJ SRL	CRAIOVA, Str. Drumul Apelor, nr.92, Jud. Dolj	J16/20 70/199 4	RO 59842 09	0251/47 0400	Cazane abur	-	-	-	-	-	p _{max} ≤16bar, 0.6t/h≤Q≤5t/ h, T _{max} ≤200°C	CR/CR4/A/4 /0057/0/13. 07.2010

352	Brasov	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/31 88/199 4	CUI 66602 78	0244/52 3758/51 2849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150bar, Tmax<=550°C; Dmax<=50Gcal/h, Pmax<=24bar	BV/CR4/B,C /4,5/1445/4 /13.06.2017
353	Brasov	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/31 88/199 4	CUI 66602 78	0244/52 3758/51 2849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150bar, Tmax<=550°C; Dmax<=50Gcal/h, Pmax<=24bar	BV/CR4/B,C /4,5/1445/3 /23.07.2015
354	Brasov	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/31 88/199 4	CUI 66602 78	0244/52 3758/51 2849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150bar, Tmax<=550°C; Dmax<=50Gcal/h, Pmax<=24bar	BV/CR4/B,C /4,5/1322/2 /29.10.2014
355	Brasov	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/31 88/199 4	CUI 66602 78	0244/52 3758/51 2849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150bar, Tmax<=550°C; Dmax<=50Gcal/h, Pmax<=24bar	BV/CR4/B,C /4,5/1231/1 /21.02.2014

356	Central	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/31 88/199 4	CUI 66602 78	0244/52 3758/51 2849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150bar, Tmax<=550°C; Dmax<=50Gcal/ h, Pmax<=24bar	DISPR/CR4/ B,C/4,5/295 0/0/30.01.2 012
357	Bucuresti	NCH ROMANIA PRODUSE DE INTRETINERE SRL	BUCURESTI, Bd. Dimitrie Pompei, nr.5-7, parter, Hermes Business Campus, sector 2	J40/35 63/199 4	CUI 79137 43	021/529 5100/52 95155	-	-	-	-	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	pmax>0.5bar, Tmax>110°C	B/CR4/G/4, 5/2206/1/22 .08.2016; B/CR4/H/4, 5/2205/1/22 .08.2016
358	Central	NCH ROMANIA PRODUSE DE INTRETINERE SRL	BUCURESTI, Str. Oltetului, nr.15, sector 2	J40/35 63/199 4	CUI 79137 43	021/529 5101/52 95111	-	-	-	-	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	pmax>0.5bar, Tmax>110°C	DISPR/CR4/ G/4,5/2206/ 0/19.10.201 1; DISPR/CR4/ H/4,5/2205/ 0/19.10.201 1
359	Bucuresti	NEOCHIM SRL	AFUMATI, Str. Decebal, nr.2A, Jud. Ilfov	J23/19 48/200 4	CUI 17046 401	0723723 127; 0723502 027; 021/352 7895	-	-	-	-	-	Cazane abur, apa fierbinte	-	B/CR4/H/4, 5/0632/0/11 .02.2011- suspendare incepand cu 19.02.2014

360	Bucuresti	NEOCHIM SRL	BUCURESTI, Str. Gorgan Spataru, nr.68, sector 2	J40/15 403/20 11	CUI 17046 401	0723723 127; 021/352 7895	-	-	-	-	-	Cazane abur, apa fierbinte	-	B/CR4/H/4, 5/0632/1/17 .03.2014
361	Bacau	NEW PREST SERVICE MCC SRL	IASI, Sos. Nicolina, nr.50, bl.971A, sc.C, et.6, ap.22, Jud. Iasi	J22/13 76/201 2	CUI 30554 156	0332/44 8402	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=3t/h, pmax=10bar; Tmax=200°C	BC/CR4/A,B ,C/4/1234/1 /06.10.2016
362	Bacau	NEW PREST SERVICE MCC SRL	IASI, Sos. Nicolina, nr.50, bl.971A, sc.C, et.6, ap.22, Jud. Iasi	J22/13 76/201 2	CUI 30554 156	0332/44 8402	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.3t/h, pmax=6bar; Tmax=185°C	BC/CR4/A,B ,C/4/1234/0 /22.05.2013
363	Bucuresti	NICONCONSULTING TECHNICS SRL	Sat ROSU, Com. Chiajna, Intrarea Gura Leului, nr.5, Jud. Ilfov	J23/8/ 2014	RO 18448 164	0740571 088; 0318/14 9735	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=10t/h, pmax=20bar; Tmax=250°C	B/CR4/A,B, C/4/2073/0 /25.03.2014
364	Bucuresti	NIMB CONSMETAL SRL	CERNAVODA, Str. Valea Cismelei, nr. 5, Jud. Constanta	J13/13 28/199 9	CUI 92750 05	0241/23 8488/23 8890	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar; Dmax=100Gcal/ h, pmax=30bar	B/CR4/A,B, C/4,5/1604/ 3/06.02.201 5

365	Central	NIMB CONSMETAL SRL	CERNAVODA, Platforma SNN CNE INVEST Cernavoda, Jud. Constanta	J13/13 28/199 9	CUI 92750 05	0241/23 8488/23 8890	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar; Dmax<=5Gcal/h , pmax<=16bar	DISPR/CR4/ A,B,C/4,5/0 978/1/28.11 .2011
366	Central	NIMB CONSMETAL SRL	CERNAVODA, Str. Valea Cismelei, nr.5, Jud. Constanta	J13/13 28/199 9	CUI 92750 05	0241/23 8488/23 8890	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar; Dmax=5Gcal/h, pmax=16bar	DISPR/CR4/ B,C/4,5/160 4/2/16.05.2 013
367	Central	NIPTER CONSTRUCT SRL	BUCOV, Str. Eroilor, nr.1, Jud. Prahova	J29/29 3/2001	CUI 13823 122	0244/27 5012	Cazane abur	-	-	-	-	-	Qmax<=10t/h, pmax<=25bar, Tmax<=250°C	DISPR/CR4/ A/4/1954/0 /04.08.2011
368	Central	NUCLEAR NDT RESEARCH & SERVICES SRL	BUCURESTI, Sos. Berceni, nr.104, Cladire laborator central, sector 4	J40/17 82/200 0	CUI 12723 915	021/301 2575/30 12652	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax<=300bar, Tmax<=600°C; Dmax=50Gcal/h , pmax<=18bar	DISPR/CR4/ E/4,5/0987/ 1/28.12.201 6
369	Central	NUCLEAR NDT RESEARCH & SERVICES SRL	BUCURESTI, Sos. Berceni, nr.104, sector 4	J40/17 82/200 0	CUI 12723 915	021/301 2575/30 12652	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax<=196bar, Tmax<=570°C; Dmax=50Gcal/h , pmax<=18bar	DISPR/CR4/ E/4,5/0987/ 0/06.06.201 1

370	Central	NUCLEARELECT RICA	BUCURESTI, Str. Polona, nr.65, sector 1; CERNAVODA, Str. Medgidiei, nr.2, Jud. Constanta	J40/74 03/199 8; J13/34 42/200 7	RO 10874 881; CUI 22554 619	021/203 8200/31 69804; 0241/23 9340/ 239266	-	-	Cazane abur	-	-	-	pmax=17bar, Tmax=260° C, Qmax=30t/h	DI/CR4/C/4 /0001/0/17. 03.2010
371	Central	NUCLEARMONT AJ GALATI SA	GALATI, Str. Fagului, nr.9, Jud. Galati	J17/84 /1997	CUI 89224 80	0236/41 0923/47 7930	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=155bar, Tmax=540° C; Dmax=100Gcal/ h, pmax=22bar, Tmax=150° C	DISPR/CR4/ A,B,C/4,5/1 088/0/16.05 .2011
372	Bucuresti	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1	J40/83 02/199 7	CUI 15900 82	021/212 5001/ 3155166	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250° C; Dmax=30Gcal/h , pmax=16bar	B/CR4/A,B, C/4,5/0313/ 0/19.08.201 0
373	Bucuresti	OMV PETROM SA	BUCURESTI, sector1, Str. Coralilor, nr.22	J40/83 02/199 7	CUI 15900 82	021/406 0040/ 4060420	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250° C; Dmax=30Gcal/h , pmax=16bar	B/CR4/B,C/ 19/0316/1/1 2.02.2013

374	Craiova	OMV PETROM SA	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; ISALNITA, Str. M. Eminescu, nr.105, Jud. Dolj	J40/83 02/199 7	RO 15900 82	021/203 0505; 0372868 544; 0251/40 7183/40 7370	-	-	Cazane abur, apa fierbinte	-	-	-	Qmax=120t/h, pmax=150bar, tmax=400° C; Dmax=50Gcal/h, pmax=25bar	CR/CR4/E/4,5/0124/0/1 5.11.2010
375	Ploiesti	OPTIMATIC SOLUTIONS SRL	PLOIESTI, Str. Bobilna, nr.62B, Jud. Prahova	J29/18 44/200 5	RO 17907 250	0735778 399; 0244/58 5811	-	-	Cazane abur, apa fierbinte	-	-	-	pmax=50bar, Qmax=100t/h, Tmax=450° C; pmax=20bar, Dmax=50Gcal/h	PL/CR4/E/4,5/0115/0/2 6.07.2010
376	Central	OPTIMATIC SOLUTIONS SRL	PLOIESTI, Str. Bobilna, nr.62B, Jud. Prahova; PLOIESTI, Sos. Vestului, nr.12, Jud. Prahova	J29/18 44/200 5	RO 17907 250	0735778 399; 0244/58 5811	-	-	Cazane abur, apa fierbinte	-	-	-	pmax=50bar, Qmax=100t/h, Tmax=450° C; pmax=20bar, Dmax=50Gcal/h	DISPR/CR4/E/4,5/3794/1/04.04.2013
377	Sibiu	ORDEA PRODCOM SRL	TG. MURES, Str. Libertatii, nr.122A, Jud. Mures	J26/82 6/1997	RO 99912 33	0265/26 9078/ 261678	-	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=20bar, Tmax=350° C	SB/CR4/C/4/1376/0/22. 09.2014

378	Bucuresti	PARTENER CONSTRUCT GENERAL SRL	NAVODARI, Str. Muzicii, nr.53, et.M, camera 1, Jud. Constanta	J13/18 37/201 3	RO 32129 578	0752105 626; 0341/48 8805	-	-	Cazane abur	-	-	-	Qmax=105t/h, pmax=40bar, Tmax=440°C	B/CR4/C/4/ 1941/0/12.1 1.2013
379	Bucuresti	PAS 97 IMPEX SRL	BUCURESTI, Str. Ion Minulescu, nr.60, Unitatea II- Corp Tab. Minerala, sector 3	J40/47 78/199 7	RO 95377 00	031/437 9247/ 4379248	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=100t/h, pmax=40bar, Tmax=400°C	B/CR4/A/4, 5/0154/0/21 .09.2012
380	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/12 33/199 3	CUI 40005 00	0244/51 3214; e- mail: sc_paul us_srl@ yahoo.c om	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q<=120t/h, P<=40bar, T<=440°C; D<=50Gcal/h, P<=40bar	BV/CR4/A,B ,C/4,5/1016 /2/10.06.20 16
381	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/12 33/199 3	CUI 40005 00	0244/51 3214	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, Pmax=40bar, Tmax=440°C; Dmax=50Gcal/h , Pmax=40bar	BV/CR4/A,B ,C/4,5/1016 /1/10.07.20 12

382	Central	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/1993	CUI 4000500	0244/513214	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar, Tmax<=440°C; Dmax<=50Gcal/h, pmax<=40bar	DISPR/CR4/A,B,C/4,5/1960/0/30.08.2011
383	Ploiesti	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/1993	RO 40005000	0244/513214	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Dmax=50Gcal/h, pmax=40bar, Tmax=440°C; Dmax=50Gcal/h, pmax=40bar	PL/CR4/A,B,C/4,5/0230/0/12.11.2010
384	Central	PEET ELECTROCENTRALE PAROSENI SA	VULCAN, Str. Paroseni, nr.20, Jud. Hunedoara	J20/710/2011	RO 28835451	0254/570790/570481	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=540t/h, pmax=140bar, Tmax=545°C; Dmax=103.2Gcal/h, pmax=20bar	DISPR/CR4/C/4,5/3363/0/29.03.2012
385	Central	PETROCHIM PROIECT SRL	PITESTI, Str. Exercitiu, bl.D17, sc.B, ap.4, Jud. Arges; PITESTI, Bd. Petrochimistilor, Km 5, Jud. Arges	J03/232/1991	RO 131480	0248/615210	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=50t/h, pmax=50bar, Tmax=450°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/3717/1/16.08.2012

386	Pitesti	PETROCHIM PROIECT SRL	PITESTI, Str.Exercitiu, bl.B17, sc.B,ap.4, Arges	J03/23 2/1991	RO 13148 0	0248/61 5210	-	-	-	Cazane de abur, apa fierbinte	-	-	Q<=50t/h, pmax<=50bar, T<=450°C; D<= 50Gcal/h, pmax<=16bar, T<=180°C	PT/CR4/E/4 ,5/0062/0/2 3.06.2010
387	Central	PETROCONST SA	CONSTANTA, Bd. I.C. Bratianu, nr.45, Jud. Constanta	J13/31 13/199 4	CUI 61622 90	0241/61 4356/61 8694	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=30t/h, pmax<=120bar, Tmax<=350°C; Dmax<=50Gcal/ h, pmax<=20bar	DISPR/CR4/ A,B,C/4,5/1 772/0/18.08 .2011
388	Central	PETROGAZ SRL	BRASOV, Str. Fanului, nr.73, Jud. Brasov 57G	J08/21 8/1994	RO 52252 76	0268/33 0915	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, Dmax=50Gcal/h , pmax=100bar, Tmax=440°C	DISPR/CR4/ E/4,5/3959/ 1/30.08.201 6
389	Brasov	PETROGAZ SA	BRASOV, Str. Hortensiei, nr.73, Jud. Brasov	J08/21 8/1994	RO 52252 76	0268/33 0915; 0722760 773	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, Dmax=50Gcal/h , pmax=100bar, Tmax=440°C	BV/CR4/E/4 ,5/0024/0/1 9.07.2010
390	Bucuresti	PIFATI SA	BUCURESTI, Str. Iovita, nr. 11, et. 2, camere 4-9, sector 5	J40/11 00/199 1	CUI 40151 7	021/410 4600/41 00638; e-mail office@ pifati.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=450°C; pmax=40bar, Dmax=50t/h	B/CR4/A,B, C/4,5/0137/ 1/19.05.201 6

391	Bucuresti	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/11 00/199 1	CUI 40151 7	021/410 6645/41 00638	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=450° C; pmax=40bar, Dmax=50t/h	B/CR4/A,B, C/4,5/0137/ 0/09.07.201 0
392	Central	PIFATI SA	BUCURESTI, Str. Iovita, nr. 11, et. 2, camere 4-9, sector 5	J40/11 00/199 1	CUI 40151 7	021/410 4600/41 00638; e-mail office@ pifati.ro	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=100bar, Tmax=540° C; pmax=30bar, Dmax=50Gcal/h	DISPR/CR4/ E/4,5/2020/ 1/23.06.201 6
393	Central	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/11 00/199 1	CUI 40151 7	021/410 4600/41 00638	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=100bar, Tmax=540° C; pmax=30bar, Dmax=50Gcal/h	DISPR/CR4/ E/4,5/2020/ 0/28.09.201 1
394	Bucuresti	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/11 00/199 1	CUI 40151 7	021/410 6645/ 4100638	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=450° C; Dmax=50Gcal/h , pmax=40bar,	B/CR4/A,B, C/4,5/0137/ 0/09.07.201 0
395	Bucuresti	PIFATI SA	BUCURESTI, Str. Iovita, nr. 11, et. 2, camere 4-9, sector 5	J40/11 00/199 1	CUI 40151 7	021/410 4600/ 4100638 ; e-mail office@ pifati.ro	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	B/CR4/G/4, 5/0085/1/20 .05.2016; B/CR4/H/4, 5/0086/1/19 .05.2016

396	Bucuresti	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/11 00/199 1	CUI 40151 7	021/410 6645/ 4100638	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Qmax=120t/h, pmax=40bar, Tmax=450° C; Dmax=50t/h, pmax=40bar, Tmax=450° C	B/CR4/G/4, 5/0085/0/18 .06.2010; B/CR4/H/4, 5/0086/0/18 .06.2010
397	Central	PIPESUPPORT CONSULT SRL	BUCURESTI, Str. Barbu Vacarescu, nr.101, parter, camera A, sector 2	J40/11 70/200 6	CUI 51832 2009	0722665 452; 0723310 805; 021/321 1354	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=192bar, Tmax=570° C; Dmax=50Gcal/h , pmax=16bar	DISPR/CR4/ E/4,5/0381/ 0/08.04.201 1
398	Central	PIPESUPPORT CONSULT SRL	BUCURESTI, Str. Barbu Vacarescu, nr.101, parter, camera A, sector 2; BUCURESTI, Str. Alexandru Savulescu, nr.14, sector 2	J40/11 70/200 6	CUI 51832 2009	021/321 1354	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=400bar, Tmax=650° C; Dmax=100Gcal/ h, pmax=16bar	DISPR/CR4/ E/4,5/0381/ 0/08.04.201 1
399	Central	PLUS TEST SRL	FOCSANI, Al. Echitatii, nr. 17, bl.I 14, parter, ap. 1, Jud. Vrancea	J39/33 5/2014	CUI 33335 452	0763261 641; 0337/40 7780	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=40bar, Tmax=440° C; Dmax=5Gcal/h, pmax=25bar	DISPR/CR4/ E/4,5/3914/ 0/24.06.201 5

400	Bacau	PLUSERVICE SRL	FOCSANI, Str. Bucegi, nr.13, bl.12, ap.12, Jud. Vrancea; FOCSANI, Str. 1 Decembrie 1918, nr.37, Jud. Vrancea	J39/678/2003	RO 15818661	0744635244; e-mail: verificaritehnice@yahoo.com	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=28t/h, pmax=40bar, Tmax=250°C; Dmax=25Gcal/h, pmax=16bar, Tmax=150°C	BC/CR4/A,C/4,5/1304/0/23.09.2013
401	Bucuresti	POLYSTART IMPEX SRL	CRAIOVA, Str. Ion Maiorescu, nr.4, Jud. Dolj	J16/4018/1994	RO 6847927	0251/406466; 0372/001510	Cazane de abur; cazane apa fierbinte	-	-	-	-	-	Qmax=55t/h, Pmax=16bar, Tmax=200°C; Dmax=66Gcal/h, Pmax=16bar	B/CR4/A/4,5/2141/0/14.05.2014-suspendare voluntara incepand cu 03.08.2016
402	Oradea	POSZET SRL	SATU MARE, Str. Bujorului, nr.52, Jud. Satu Mare	J30/707/2005	RO 17670277	0259/453345/463661	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=400°C; Dmax=5Gcal/h, pmax=16bar,	OR/CR4/A,B/4/0100/0/14.02.2011
403	Central	PREMIUM SA	BRAZI, Str. Trandafirilor, nr.69, Jud. Prahova	J29/1318/1997	CUI 9921050	0244/526606/526885; 0372753966; 0244/526883	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax<=540t/h, pmax<=196bar, Tmax<=570°C; Dmax<=50Gcal/h, pmax<=18bar	DISPR/CR4/E/4,5/1264/0/22.06.2011

404	Central	PREMIUM SA	BRAZI, Str. Trandafirilor, nr.69, Jud. Prahova	J29/13 18/199 7	CUI 99210 50	0244/52 6606/52 6885; 0372753 966; 0244/52 6883	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax<=540t/h, pmax<=196bar, Tmax<=570°C; Dmax<=50Gcal/ h, pmax<=18bar	DISPR/CR4/ E/4,5/1264/ 1/09.05.201 4
405	Bucuresti	PRIMASERV SRL	CRAIOVA, Calea Bucuresti, bl.A2, sc.2, ap.2, Jud. Dolj	J16/11 48/200 5	RO 17629 570	0729046 183; 0351/42 1841/ 801815	-	-	Cazane abur	-	-	-	Pmax<=40bar, Tmax<=210°C, Qmax<=100t/h	B/CR4/C/4/ 1187/1/30.0 9.2015- suspendare voluntara incepand cu 26.10.2017
406	Bucuresti	PRIMASERV SRL	CRAIOVA, Calea Bucuresti, bl.A2, sc.2, ap.2, Jud. Dolj	J16/11 48/200 5	RO 17629 570	0729046 183; 0351/42 1841/ 801815	-	-	Cazane abur	-	-	-	Pmax<=40bar, Tmax<=210°C, Qmax<=100t/h	B/CR4/A,B, C/4/1187/0 /22.11.2012
407	Central	PRIMEX SRL	CLUJ NAPOCA, Str. Campul Painii, nr.30A, Jud. Cluj	J12/42 70/199 1	CUI 23315 4	0264/41 5272/40 3135	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=50t/h, pmax=100bar, Tmax=530°C; Dmax=50Gcal/h , pmax=18bar	DISPR/CR4/ E/4,5/1160/ 0/21.06.201 1

408	Central	PRISMA SERV COMPANY SRL	IASI, Str. Petru Poni, nr.13, bl. 573A, Tr.1, parter, ap.2, Jud. Iasi	J22/60 1/2001	CUI 13991 843	0232/21 7905; 0332/40 9775	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax<=10t/h, pmax=16bar; Tmax=300°C	DISPR/CR4/ A,B,C/4/066 5/0/22.04.2 011
409	Central	PRO TC GRUP SRL	BASCOV, Str. Serelor, nr.48A, Jud. Arges	J03/14 24/200 4	CUI 16698 504	0248/20 6081/20 6082	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=30t/h, pmax<=16bar, Tmax<=400°C; Dmax<=50Gcal/ h, pmax<=16bar	DISPR/CR4/ A,C/4,5/236 9/1/15.11.2 011
410	Pitesti	PRO TC GRUP SRL	BASCOV, Str. Serelor, nr.48A, Jud. Arges	J03/14 24/200 4	RO 16698 504	0248/20 6081/ int 118sau 122, 0248/21 1060/20 6082; 0722287 365	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q<30t/h, pmax<=16bar, T<=400°C; D<=50Gcal/h, pmax<=16bar, T<=150°C	PT/CR4/A,C /4,5/0155/0 /21.12.2010
411	Pitesti	PROINSAT SA	RM. VALCEA, Str. Industriilor, nr.2, Jud. Valcea	J38/15 58/199 2	RO298 9104	0250/73 3390/ 730231	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=250°C; Dmax=10Gcal/h , pmax=25bar	PT/CR4/A,B ,C/4,5/0029 /0/27.04.20 10

412	Pitesti	PROINSTAL PIPE SRL	STEFANESTI, Sos. Bucuresti- Pitesti, nr.72A, Jud. Arges	J03/47 /1999	RO 11433 360	0248/21 2501/22 3403	Cazane de abur, apa fierbinte	-	-	-	-	-	Q<=10t/h, pmax<=16bar, T<=450°C; D<=5Gcal/h, pmax<=16bar, T<=150°C	PT/CR4/A/4 ,5/0006/0/0 9.04.2010
413	Central	PROTEHNIC SRL	SLOBOZIA, Str. Matei Basarab, bl.MB5A, Jud. Ialomita; BUCURESTI, Str. Grigore C. Moisil, nr.8, bl.9, sc.D, ap.168, sector 2	J21/56 3/1995	CUI 80108 91	0243/23 4479; 021/242 4908	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax<=500t/h, pmax<=200bar, Tmax<=570°C; Dmax<=15Gcal/ h, pmax<=40bar	DISPR/CR4/ A/4,5/0903/ 0/23.05.201 1
414	Bucuresti	PROTEHNIC SRL	SLOBOZIA, Str. Matei Basarab, bl.MB5A, Jud. Ialomita	J21/56 3/1995	RO 80108 91	021/242 4908; 0243/23 4479	-	-	-	Cazane de abur	-	-	Qmax=5t/h, Pmax=50bar, Tmax=560°C	B/CR4/E/4/ 0420/0/26.1 0.2010
415	Central	RAAN - Sucursala ROMAG TERMO	DR TN. SEVERIN, Str. Nicolae Iorga, nr.1, Jud. Mehedinti; HALANGA, Com. Izvoru Barzii, Jud. Mehedinti	J25/28 2/1998	CUI 10882 752	0252/32 3848/32 3685; 0252/32 3666	-	-	Cazane abur	-	-	-	Qmax=420t/h, pmax=140bar, Tmax=550°C	DISPR/CR4/ C/4/3348/0 /12.03.2012

416	Central	RAEMGAL SERVICE SRL	GALATI, Str. Energiei , nr.5, bl.10A, sc.2, et 2, ap. 27, Jud. Galati	J17/348/2002	CUI 14616672	0236/460514	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=450t/h, pmax<=250bar, Tmax<=540° C	DISPR/CR4/B,C/4/2977/0/07.02.2012
417	Central	RAFO SA	ONESTI, Str. Industriilor, nr.3, Jud. Bacau	J04/538/1991	CUI 958772	0234/303303/315640	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=80t/h, pmax<=50bar, Tmax<=450° C; Dmax<=25Gcal/h	DISPR/CR4/C/4,5/0661/0/03.05.2011
418	Bacau	RAFO SA	ONESTI, Str. Industriilor, nr.3, Jud. Bacau	J04/538/1991	CUI 958772	0234/303303/315640	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=80t/h, pmax<=50bar, Tmax<=540° C; Dmax<=25Gcal/h, pmax=20bar	BC/CR4/C/4,5/1213/1/24.04.2013-suspendare voluntara incepand cu 25.11.2016
419	Bacau	RCA MOLDOTERM SRL	IASI, Aleea Tudor Neculai, nr.99, bl. 989A, sc.B, et.4, ap.18, Jud. Iasi	J22/1741/2004	CUI 16698164	0332/808738/808739	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350° C; Dmax=20Gcal/h , pmax=16bar	BC/CR4/A,B,C/4,5/1666/1/17.05.2016

420	Central	RCA MOLDOTERM SRL	IASI, Aleea Tudor Neculai, nr.99, bl. 989A, sc.B, et.4, ap.18, Jud. Iasi	J22/17 41/200 4	CUI 16698 164	0332/80 8738/80 8739	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; Dmax=20Gcal/h , pmax=16bar	DISPR/CR4/ A,B,C/4,5/1 781/0/16.08 .2011
421	Brasov	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/32 2/2000	CUI 12911 480	0244/54 6229/ 546031; e-mail: remero @yahoo. com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1025t/h , pmax<=250bar, Tmax<=600°C; Dmax<=100Gcal /h, pmax<=30bar	BV/CR4/A,B ,C/4,5/1328 /1/21.10.20 14
422	Central	REMERO FIL SA	BRAZI, Sat Brazii de Sus, nr.91, Jud. Prahova	J29/32 2/2000	CUI 12911 480	0755316 623; 0244/54 6031	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1025t/h , pmax<=25bar, Tmax<=600°C; Dmax<=100Gcal /h, pmax<=30bar	DISPR/CR4/ A,B,C/4,5/2 875/0/23.01 .2012
423	Central	REMONT SRL	CONSTANTA, Al. Garofitei, nr.11A, Jud. Constanta	J13/56 95/199 2	CUI 27538 46	0241/55 8900/69 2260	Cazane abur	-	Cazane abur	-	-	-	Qmax<=150t/h, pmax<=40bar, Tmax<=450°C	DISPR/CR4/ A,C/4/0044/ 1/18.05.201 1
424	Constanta	REMONT SRL	CONSTANTA, Al. Garofitei, colt cu Str. Bucuresti, nr.11A, Jud. Constanta	J13/56 95/199 2	CUI 27538 46	0241/69 2260/55 8900	Cazane abur	-	Cazane abur	-	-	-	Qmax=25t/h, pmax=16bar, Tmax=200°C	CT/CR4/C/4 /0044/0/14. 07.2010

425	Brasov	REPCAZCOND SRL	BUZAU, Str. Obor, bl.12, sc.A, Jud. Buzau	J10/426/2013	CUI 31665810	0238/720242/406760	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=150t/h, pmax<=40bar, Tmax=535°C	BV/CR4/A,B,C/4/1319/0/30.10.2014
426	Central	REVERS SRL	BRASOV, Str. Carpatilor, nr.97, Jud. Brasov	J08/2581/1992	CUI 3051580	0268/332311	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax<=15t/h, pmax<=16bar, Tmax<=250°C; Dmax<=10Gcal/h, pmax<=16bar	DISPR/CR4/A/4,5/2469/0/28.11.2011
427	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta	J13/2053/2001	CUI 14320668	0241/586406/586448	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar; Dmax<=50Gcal/h, pmax<=40bar	B/CR4/A,B,C/4,5/1324/2/03.02.2015
428	Central	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta	J13/2053/2001	CUI 14320668	0241/586406/586448	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar; Dmax<=50Gcal/h, pmax<=40bar	DISPR/CR4/A,B,C/4,5/0717/0/02.05.2011
429	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta	J13/2053/2001	CUI 14320668	0241/586406/586448	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar; Dmax<=50Gcal/h, pmax<=40bar	B/CR4/A,B,C/4,5/1324/1/20.03.2013

430	Central	RINA SIMTEX- ORGANISMUL DE CERTIFICARE SRL	BUCURESTI, Str. Dr. Leonte Anastasievici, nr. 4D, corp A, sector 5	J40/96 53/199 9	CUI 12351 790	021/619 0651/ 6190353	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=440°C; Dmax=100Gcal/ h, pmax=25bar	DISPR/CR4/ E/4,5/3955/ 1/12.02.201 8
431	Central	RINA SIMTEX- ORGANISMUL DE CERTIFICARE SRL	BUCURESTI, Str. Dr. Leonte Anastasievici, nr. 4D, corp A, sector 5	J40/96 53/199 9	CUI 12351 790	021/619 0651/ 6190353	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=440°C; Dmax=100Gcal/ h, pmax=25bar	DISPR/CR4/ E/4,5/3955/ 0/15.07.201 6
432	Brasov	RO STEAM IT SRL	BRASOV, Str. Neagoe Basarab. Nr. 37, Jud. Brasov	J08/18 63/201 7	RO 37880 680	0368/41 4123; e- mail rosteam it@gmail l.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=100t/h, pmax<=40bar, Tmax=250°C; Dmax<=50Gcal/ h, pmax<=40bar	BV/CR4/A,B ,C/4,5/1696 /0/12.09.20 17
433	Central	ROBERT BOSCH SRL	BUCURESTI, Str. Horia Macelariu, nr.30-34, et.1-2 si 4, sector 1	J40/76 01/199 4	CUI 55415 46	0214057 500/233 1313	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=540°C; Qmax=25Gcal/h , pmax=40bar, Tmax=250°C	DISPR/CR4/ A/4,5/2901/ 0/27.01.201 2

434	Bucuresti	ROMANOR SRL	CALARASI, Str. Gh. Lazar, nr.8, Jud. Calarasi	J51/57 7/1992	CUI 19176 65	0242/32 2602/ 331492	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=100bar, Tmax=350°C; Dmax=50Gcal/h , pmax=25bar, Tmax=150°C	B/CR4/A,B, C/4,5/0580/ 1/26.09.201 2
435	Central	ROMCET GRUP SA	BUCURESTI, Str. Orion, nr.3, sector 5	J40/84 19/199 5	CUI 78154 00	021/420 4287	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax<=300t/h, pmax<=40bar, Tmax=570°C	DISPR/CR4/ A,B,C/4/103 2/0/01.06.2 011
436	Central	ROMIB SA	TUNARI, Cal. Bucurestilor, nr.74, Jud. Ilfov	J23/10 77/200 3	CUI 69276 94	021/267 5028; 0721266 682	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=400°C; Dmax=50Gcal/h , pmax=25bar	DISPR/CR4/ A,B,C/4,5/1 605/0/01.08 .2011
437	Bucuresti	ROMIB SA	TUNARI, Cal. Bucurestilor, nr.74, Jud. Ilfov	J23/10 77/200 3	CUI 69276 94	021/267 5028/ 2675237	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=400°C; Dmax=50Gcal/h , pmax=25bar	B/CR4/A,B, C/4,5/1810/ 1/24.09.201 3
438	Central	ROMINDUSTRIA L COM SRL	DR. TN. SEVERIN, Str. Constructorilor, nr.44bis, Jud. Mehedinti	J25/17 18/199 3	CUI 49970 57	0252/32 6453; 0722355 560	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax<=120t/h, pmax<=40bar, Tmax<=450°C; Dmax<=100Gcal , pmax<=25bar, tmax<=175°C	DISPR/CR4/ B,C/4,5/208 0/0/28.09.2 011

439	Central	ROMINDUSTRIAL COM SRL	DR. TN. SEVERIN, Str. Constructorilor, nr.44bis, Jud. Mehedinti	J25/17 18/199 3	CUI 49970 57	0252/32 6453	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Q _{max} ≤120t/h, p _{max} ≤40bar, 105 °C≤T _{max} ≤450 °C; D _{max} =100Gcal, p _{max} =25bar, 110 °C<T _{max} ≤175 °C	DISPR/CR4/B,C/4,5/129 7/1/20.02.2 013
440	Bucuresti	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, bl. Turnul de Nord, sector 1	J40/83 31/200 1	CUI 14208 851	021/272 3660/31 40897	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} =100t/h, p _{max} =125bar, T _{max} =570 °C; D _{max} =25Gcal/h, p _{max} =25bar	B/CR4/A,B, C/4,5/1177/ 3/03.11.201 6
441	Bucuresti	ROMINSERV SRL	BUCURESTI, Piata Presei, nr.3-5, City Northern Tower, et.3, sector 1; PETROMIDIA NAVODARI, DJ 226Km, Km 23, Jud. Constanta	J40/83 31/200 1	CUI 14208 851	0241/50 6094/ 506932	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} =100t/h, p _{max} =125bar, T _{max} =570 °C; D _{max} =25Gcal/h, p _{max} =25bar, T _{max} =190 °C	B/CR4/A,B, C/4,5/1177/ 2/26.09.201 2

442	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/83 31/200 1	CUI 14208 851	7.4E+08	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=40t/h, pmax=20bar, Tmax=350°C	DISPR/CR4/ A,B,C/4/022 7/0/21.03.2 011
443	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/83 31/200 1	RO 14208 851	021/272 3660/31 40897	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570°C; Dmax=25Gcal/h , pmax=16bar	DISPR/CR4/ E/4,5/0914/ 3/13.12.201 7
444	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/83 31/200 1	RO 14208 851	021/272 3660/31 40897	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570°C; Dmax=25Gcal/h , pmax=16bar	DISPR/CR4/ E/4,5/0914/ 2/29.05.201 2
445	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/83 31/200 1	RO 14208 851	021/272 3660/31 40897	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570°C; Dmax=25Gcal/h , pmax=16bar	DISPR/CR4/ E/4,5/0914/ 1/02.04.201 2

446	Central	ROMINSERV SRL	BUCURESTI, Piata Presei Libere, nr.3-5, Cladirea City Gate Northern Tower, et.3, sector 1	J40/83 31/200 1	CUI 14208 851	021/272 3660/31 40897	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570°C; Dmax=25Gcal/h , pmax=16bar	DISPR/CR4/ E/4,5/0914/ 0/30.05.201 1
447	Constanta	ROMINSERV SRL- PETROMIDIA NAVODARI	BUCURESTI, sector 1, Cal. Victoriei, nr.155, tronson 7, bl.D1, et.5; NAVODARI, DJ 226, Km 23, Jud. Constanta	J40/83 31/200 1	CUI 14208 851	0241/50 6094/ 506932	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=125bar, Tmax=570°C; Dmax=25Gcal/h , pmax=25bar, Tmax=190°C	CT/CR4/A,B ,C/4,5/0025 /0/01.07.20 10
448	Constanta	ROMINSERV SRL- PETROMIDIA NAVODARI	BUCURESTI, sector 1, Piata Presei Libere, nr.3-5, City Northern Tower, et.3; PETROMIDIA NAVODARI, DJ 226Km, Km 23, Jud. Constanta	J40/83 31/200 1	CUI 14208 851	021/272 3660; 0241/50 6094/ 506932	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=100t/h, pmax=125bar, Tmax=570°C; Dmax=25Gcal/h , pmax=25bar, Tmax=190°C	CT/CR4/A,B ,C/4,5/0068 /1/12.10.20 10

449	Ploiesti	ROMPETROL QUALITY CONTROL SRL	NAVODARI, DJ 226, Km 23,, Camera 116, Jud. Constanta; VEGA PLOIESTI, Str, Valeni, nr.146, Jud. Prahova	J13/67 75/200 4	RO 16542 407	0241/50 6700/50 6916; 0244/40 6192	-	-	-	-	-	-	Cazane abur	p>0.5bar	PL/CR4/H/4 ,5/0259/0/0 6.12.2010
450	Central	ROMTERM SA	BUCURESTI, Str.lovita, nr.11, sector 5	J40/21 11/199 1	CUI 40217 2	021/410 0036	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h, pmax=195bar, Tmax=570° C; Dmax=100Gcal/ h, Pmax=25bar	DISPR/CR4/ A,B,C/4,5/2 905/0/06.02 .2012	
451	Bucuresti	ROMVEC INDUSTRIE SRL	BUCURESTI, Str. lovita, nr.7 9, sector 5	J40/98 57/199 8	CUI 11110 319	021/410 7615/ 4106677	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h, pmax=196bar, Tmax=540° C; Dmax=100Gcal/ h, pmax=25bar, Tmax=230° C	B/CR4/A,B, C/4,5/0039/ 0/25.05.201 0	
452	Bucuresti	ROMVENT ENGINEERING SRL	BUCURESTI, Sos. Barlogeni, nr. 46, Imobil C1, et. 2, sector 1	J40/11 224/20 03	RO 15671 292	0729330 564; 0729330 573; 031/437 9531; e- mail romvent @gmail. com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50Gcal/h , pmax=40bar, Tmax=400° C; Dmax=100t/h, pmax=40bar	B/CR4/A,B, C/4,5/2638/ 1/12.12.201 6	

453	Bucuresti	ROMVENT INSTAL SRL	BUCURESTI, Sos. Nicolae Titulescu, nr. 61-71, bl. 11A, et. 3, ap. 9, sector 1; BUCURESTI, Str. Barlogeni, nr. 46, Imobil C1, et. 2, sector 1	J40/11 224/20 03	RO 15671 292	0729330 564; 0729330 573; 031/437 9943	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=150°C; Dmax=100t/h, pmax=40bar, Tmax=400°C	B/CR4/A,B, C/4,5/2638/ 0/13.10.201 5
454	Central	RORA CONSING SRL	RASNOV, Str. Garii, nr.6, Jud. Brasov	J08/12 45/199 1	CUI 11210 35	0268/23 1552; 0266230 858	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	pmax>0.5bar; Tmax>110°C	DISPR/CR4/ H/4,5/2324/ 0/09.01.201 2; DISPR/CR4/ G/4,5/2775/ 0/10.01.201 2
455	Central	ROS SYSTEMA SRL	TG. MURES , Str. Madach Imre, nr.8, Jud. Mures	J26/19 48/200 7	CUI 22685 444	0265/56 7017; 0365/43 0565	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h, pmax=250bar, Tmax=570°C; Dmax=100Gcal/ h, pmax=25bar	DISPR/CR4/ E/4,5/3841/ 0/06.12.201 3

456	Central	SANCOTERM SRL	GALATI, Str. Domneasca, nr.18, bl.E, ap.13, Jud. Galati; GALATI, Str. Basarabiei, nr.210, Jud. Galati	J17/38 1/1997	CUI 93929 00	0236/49 4930	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax<=40bar, Tmax<=540° C, Qmax<=120t/h	DISPR/CR4/ A,B,C/4/104 7/0/08.06.2 011
457	Bucuresti	SELECT CHIM SERVICE SRL	BUCURESTI, Prelungirea Ghencea, nr.93N, parter, sector 6	J40/38 24/199 4	RO 53292 93	0722369 476; 021/317 6009; e- mail: office@ electroc him.ro	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	pmax=75bar, Tmax=450° C, Qmax=30t/h; Dmax=50Gcal/h , pmax=16bar	B/CR4/A,B, C/4,5/0428/ 3/18.12.201 7
458	Bucuresti	SELECT CHIM SERVICE SRL	BUCURESTI, Prelungirea Ghencea, nr.93N, parter, sector 6	J40/38 24/199 4	RO 53292 93	0722369 476; 021/317 6009; e- mail: office@ electroc him.ro	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	pmax=40bar, Tmax=450° C, Qmax=30t/h	B/CR4/A,B, C/4,5/0428/ 2/12.09.201 7

459	Bucuresti	SELECT CHIM SERVICE SRL	BUCURESTI, Prelungirea Ghencea, nr.93N, parter, sector 6	J40/38 24/1994	RO 53292 93	0722369 476; 021/317 6009; e- mail: office@ electroc him.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax=40bar, Tmax=450° C, Qmax=30t/h	B/CR4/A,B, C/4/0428/1 /15.11.2013
460	Oradea	SEPE INSTALCOM SRL	ORASTIE, Str. Unirii, nr.130, Jud. Hunedoara	J20/43 4/1998	RO 10655 490	0254/24 3335/ 243334	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, Pmax=25bar, Tmax=250° C; Dmax=50Gcal/h , Pmax=25bar	OR/CR4/A,B ,C/4,5/1380 /1/23.06.20 15
461	Sibiu	SEPE INSTALCOM SRL	ORASTIE, Str. Unirii, nr.130, Jud. Hunedoara	J20/43 4/1998	RO 10655 490	0254/24 3335/ 243334	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, Pmax=25bar, Tmax=250° C; Dmax=50Gcal/h , Pmax=25bar, Tmax=150° C	SB/CR4/A,B, C/4,5/0074/ 0/30.03.201 0
462	Central	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/76 1/1994	CUI 54203 74	0244/54 4707/51 9648	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=50bar, Tmax=450° C; Dmax=50Gcal/h , pmax=22bar	DISPR/CR4/ E/4,5/1795/ 0/26.06.201 1

463	Central	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/76 1/1994	CUI 54203 74	0244/54 4707/51 9648	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=120bar, Tmax=450° C; Dmax=50Gcal/h , pmax=22bar	DISPR/CR4/ E/4,5/1795/ 1/02.11.201 1
464	Brasov	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/76 1/1994	RO 54203 74	0723276 995, 0372/00 0403	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=40t/h, Psmax=40bar, Tmax=450° C; Dmax=50Gcal/h , Psmax=40bar	BV/CR4/A,B ,C/4,5/1686 /1/02.08.20 17
465	Ploiesti	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/76 1/1994	RO 54203 74	0244/54 4707/ 519648	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=40t/h, Psmax=40bar, Tmax=450° C; Dmax=50Gcal/h , Psmax=40bar, Tmax=350° C	PL/CR4/A,B, C/4,5/0197/ 0/08.10.201 0
466	Craiova	SFERA SRL	CRAIOVA, Calea Severinului, nr.18D, Jud. Dolj	J16/16 1/2001	RO 13765 161	0251/46 1060/48 0165	-	-	-	Cazane abur, apa fierbinte	-	-	Qmax=1035t/h, pmax=200bar, tmax=540° C; Dmax=100Gcal/ h, pmax=20bar	CR/CR4/E/4 ,5/0086/0/0 1.09.2010

467	Ploiesti	SGS ROMANIA SA	BUCURESTI, Cal. Serban Voda, nr.38, sector 4; Sat BRAZI, Com. Brazi, Str. Trandafirilor, nr.65, Jud. Prahova	J40/29 074/19 92	RO 34515 52	021/335 4683/33 54620	-	-	-	-	-	Cazane de abur, apa fierbinte	P>0.5bar; T>110°C	PL/CR4/H/4 ,5/0143/0/2 4.08.2010
468	Bucuresti	SICOM IC SRL	BUCURESTI, Bd. Basarabia, nr.177, sector 3	J40/39 60/199 1	CUI 34285 2	021/255 0073/ 2550074	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	0.6t/h<Qmax<=10t/h, p<=16bar, Tmax<=270°C; 0.6t/h<Dmax<=50Gcal/h, p<=20bar, Tmax<=165°C	B/CR4/A,B, C/4,5/0127/ 0/06.07.201 0
469	Bucuresti	SISTEMPLAST SA	RM. VALCEA, Str. Uzinei, nr.1, Jud. Valcea	J38/11 /1999	CUI 11438 007	0250/70 1501/ 701504	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax<=60bar, Tmax<=440°C; Dmax<=50Gcal/h, pmax<=25bar	B/CR4/A,B, C/4,5/2109/ 0/27.03.201 4

470	Brasov	SMR GLOBAL SRL	ALBESTI PALEOLOGU, nr. 528, Jud. Prahova	J29/1580/2010	RO 27819393	0748121650; 0374952363; 0344/780139/ 114095; e-mail: smrglobal2010@yahoo.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax<=450°C; Dmax=50Gcal/h, pmax=40bar, Tmax<=450°C	BV/CR4/A,B, C/4,5/1097/0/20.12.2012
471	Bucuresti	SNAMPROGETTI ROMANIA SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.6A, Tronson II, et.3, birou 31, sector 2	J40/6633/2003	CUI 15442280	021/2322400/ 2322434	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=300t/h, pmax=200bar, Tmax=550°C; Dmax=100Gcal/h, pmax=25bar	B/CR4/E/4, 5/0376/0/04.10.2010
472	Sibiu	SNGN ROMGAZ - Sucursala de Productie Energie Electrica Iernut	IERNUT, Str. Energeticii, nr.1, Jud. Mures	J26/194/2013	RO 14056826	0265/471333/ 471388	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=640t/h, pmax=140bar, Tmax=550°C; Dmax=20Gcal/h, pmax=50bar, Tmax=150°C	SB/CR4/A,B, C/4,5/1297/0/30.04.2014

473	Bucuresti	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/18 2/1999	CUI 11943 106	0253/37 1678; 0723389 063	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=540°C	B/CR4/A,B, C/4/2774/2 /12.04.2016
474	Central	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/18 2/1999	CUI 11943 106	0253/37 1678; 0723389 063	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=540°C	DISPR/CR4/ A,B,C/4/096 4/1/02.04.2 012
475	Central	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/18 2/1999	CUI 11943 106	0253/37 1678;02 51/5934 55; 0723389 063	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=540°C;	DISPR/CR4/ A,B,C/4/096 4/0/31.05.2 012
476	Central	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/18 2/1999	CUI 11943 106	0253/37 1678; 0723389 063	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=540°C	DISPR/CR4/ A,B,C/4/096 4/1/02.04.2 012
477	Central	SOLO PROD SRL	BUZAU, Str. Orizontului, nr.206, Jud. Buzau	J10/22 60/199 4	CUI 64460 54	0238/72 0038; 0338/11 1540	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=440°C; Dmax=50Gcal/h , Pmax=40bar	DISPR/CR4/ A,B/4,5/254 0/0/20.12.2 011

478	Central	STASS SERV SRL	IASI, Str. Vasile Lupu, nr.99, bl.D, sc.A, parter, ap.3, Jud. Iasi	J22/285/2001	CUI 13797155	0232/270699; 0332/882838	Cazane abur	-	Cazane abur	-	-	-	Qmax=50t/h, pmax=16bar, Tmax=200°C	DISPR/CR4/A,C/4/0567/0/06.04.2011
479	Brasov	STEEL TRUST CONSTRUCTII CIVILE SI INDUSTRIALE SRL	PLOIESTI, Str. Vega, nr. 11C, Jud. Prahova	J29/1201/2014	RO 33553023	0722285498; 0244/433100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=400bar, Tmax=440°C; Dmax=50Gcal/h, pmax=24bar	BV/CR4/A,B,C/4,5/1505/2/11.07.2017
480	Brasov	STEEL TRUST CONSTRUCTII CIVILE SI INDUSTRIALE SRL	PLOIESTI, Str. Vega, nr. 11C, Jud. Prahova	J29/1201/2014	RO 33553023	0722285498; 0244/433100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=400bar, Tmax=440°C; Dmax=50Gcal/h, pmax=24bar	BV/CR4/A,B,C/4,5/1505/1/24.11.2016
481	Brasov	STEEL TRUST CONSTRUCTII CIVILE SI INDUSTRIALE SRL	PLOIESTI, Str. Vega, nr. 11C, Jud. Prahova	J29/1201/2014	RO 33553023	0722285498; 0244/433100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=400bar, Tmax=440°C	BV/CR4/A,B,C/4,5/1505/0/18.11.2015
482	Bucuresti	STERISYSTEMS SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/18053/2005	CUI 18077589	021/3227121/3227123; e-mail info@rafi.ro	Cazane abur	Cazane abur	Cazane abur	-	Cazane abur	-	pmax=7.5bar, Tmax=160°C, Qmax=120Kg/h	B/CR4/G/4/0693/3/31.01.2018; B/CR4/A,B,C/4/0694/4/31.01.2018

483	Bucuresti	STERISYSTEMS SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/18053/2005	CUI 18077589	021/3227121/3227123 ; e-mail info@rafi.ro	Cazane abur	Cazane abur	Cazane abur	-	Cazane abur	-	pmax=7.5bar, Tmax=160°C, Qmax=120Kg/h	B/CR4/G/4/0693/2/28.05.2015; B/CR4/A,B,C/4/0694/3/28.05.2015
484	Bucuresti	STERISYSTEMS SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/18053/2005	CUI 18077589	021/3205659/3227123	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax=7.5bar, Tmax=160°C, Qmax=120Kg/h	B/CR4/A,B,C/4/0694/2/13.03.2014
485	Bucuresti	STERISYSTEMS SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/18053/2005	CUI 18077589	021/3260395/3260397	Cazane abur	Cazane abur	Cazane abur	-	Cazane abur	-	pmax=3bar, Tmax=150°C, Qmax=59Kg/h	B/CR4/G/4/0693/1/17.05.2013; B/CR4/A,B,C/4/0694/1/17.05.2013
486	Central	STERISYSTEMS SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/18053/2005	CUI 18077589	021/3260395/3260397	Cazane abur	Cazane abur	Cazane abur	-	Cazane abur	-	pmax=3bar, Tmax=150°C, Qmax=59Kg/h	DISPR/CR4/G/4/0693/0/18.05.2011 ; DISPR/CR4/A,B,C/4/0694/0/18.05.2011

487	Bacau	STRONG MONTAJ SA	PIATRA NEAMT, Str. Mihai Viteazu, nr.19, bl.C1, demisol, camera 2, Jud. Neamt	J27/2014/1994	CUI 6537071	0233/219486/230910	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, Pmax=40bar, Tmax=280°C; Dmax=100Gcal/h, Pmax=20bar	BC/CR4/A,B,C/4,5/1100/0/12.11.2012- suspendare voluntara incepind cu 13.10.2015
488	Brasov	SUDOTERM SRL	PLOIESTI, Str. Rudului, nr. 262, Jud. Prahova	J29/425/2015	RO 28241840	0344/102953	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	pmax=200bar, Qmax=500t/h, tmax=550°C	BV/CR4/B,C/4,5/1562/0/23.03.2016
489	Galati	SUPER A PLUS K SRL	GALATI, Str. George Cosbuc, nr.432, Jud. Galati	J17/1798/1994	RO 5933965	0236/461751	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	pmax=155bar, Qmax=420t/h, tmax=540°C	GL/CR4/A,B,C/4/0005/0/12.04.2010
490	Bacau	SUPER A PLUS K SRL	GALATI, Str. George Cosbuc, nr.432, Jud. Galati	J17/1798/1994	RO 5933965	0236/461751	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	pmax=155bar, Qmax=420t/h, tmax=540°C	BC/CR4/A,B,C/4/1238/1/14.06.2013

491	Bucuresti	SUPERMONT SA	NAVODARI, Platforma Parc Rece Midia, DJ226, Km20, Jud. Constanta	J13/54 89/200 4	CUI 16172 290	0241/48 6053	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h , pmax<=215bar, Tmax<=600°C; Dmax<=100Gcal /h, pmax<=25bar, Tmax<=156°C	B/CR4/A,B, C/4,5/3026/ 1/17.03.201 7
492	Central	SUPERMONT SA	NAVODARI, Platforma Parc Rece Midia, DJ226, Km20, Jud. Constanta	J13/54 89/200 4	CUI 16172 290	0241/48 6053	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h , pmax=215bar, Tmax=600°C; Dmax<=100Gcal /h, pmax<=25bar, Tmax<=156°C	DISPR/CR4/ A,B,C/4,5/1 521/0/12.07 .2011
493	Bucuresti	TCZ TOTAL SERVICE SRL	BUCURESTI, Str. Vidului, nr. 11A, camera 2, sector 5	J40/16 126/20 05	CUI 17980 065	021/776 4524	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	pmax=20bar, Qmax=30t/h, tmax=250°C	B/CR4/A,B, C/4/1706/0 /25.07.2015
494	Brasov	TECHNO MONTAJ SRL	BRASOV, Str. Timis Triaj, nr.6, Jud. Brasov	J08/21 7/2003	RO 15190 540	0268/33 4118/ 334128; e-mail techno montaj @yahoo. com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=580°C; Dmax=100Gcal/ h, pmax=35bar	BV/CR4/A,B C/4,5/1119 /3/19.02.20 18

495	Brasov	TECHNO MONTAJ SRL	BRASOV, Str. Timis Triaj, nr.6, Jud. Brasov	J08/217/2003	RO 15190540	0268/334118	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=580°C; Dmax=100Gcal/h, pmax=35bar	BV/CR4/A,B,C/4,5/1119/2/04.03.2013
496	Central	TECHNO MONTAJ SRL	BRASOV, Str. Timis Triaj,, nr.6, Jud. Brasov	J08/217/2003	RO 15190540	0268/334118/334128; 0740065151	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=580°C; Dmax=100Gcal/h, pmax=35bar	DISPR/CR4/A,B,C/4,5/3232/1/09.03.2012
497	Bucuresti	TECNOSERVICE BUCURESTI SRL	BUCURESTI, Str. Tudor Vianu, nr.42, parter, camera 1, ap.1, sector 1; BUZAU, Al. Industriilor, nr.2, Jud. Buzau	J40/1937/1996	CUI 8237968	031/4070030/3185019; 0238/717441	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, pmax=40bar	B/CR4/A,B,C/4,5/1737/0/30.07.2013
498	Bucuresti	TEHNO PROMPT SRL	COM. CHIAJNA, Str. 1 Mai, nr.12, Jud. Ilfov	J23/1751/2002	CUI 4430515	021/3055700	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=10t/h pmax=16bar, Tmax=200°C,	B/CR4/A,B,C/4/0107/0/23.06.2010

499	Central	TEHNOEXPERT MANAGEMENT INDUSTRIAL SA	BUCURESTI, Str. Gheorghe Sincai, nr.11, bl.4, sc.3, ap.68, sector 4	J40/87 18/201 2	CUI 30484 794	0372715 633; 0372879 090	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=540t/h, pmax=225bar, Tmax=570°C; Dmax=100Gcal/ h	DISPR/CR4/ E/4,5/3761/ 0/12.12.201 2
500	Central	TEHNOPLUS MEDICAL SRL	BUCURESTI, Str. Odobesti, nr.1, sector 3	J40/13 952/19 93	CUI 42619 39	021/348 5272/34 85343	Cazane abur	Cazane abur	-	-	-	-	pmax<=16bar, Qmax<=2t/h, Tmax<=200°C	DISPR/CR4/ A,B/4/1034/ 0/10.06.201 1
501	Central	TEHNOPLUS MEDICAL SRL	BUCURESTI, Str. Odobesti, nr.1, sector 3	J40/13 952/19 93	CUI 42619 39	021/348 5272/34 85343	-	-	-	-	Cazane abur, cazane apa fierbinte, cazane apa calda, cazane abur joasa presiune	-	-	DISPR/CR4/ G/4,5/1037/ 0/14.06.201 1
502	Bucuresti	TEHNOPLUS MEDICAL SERVICE SRL	BUCURESTI, Str. Odobesti, nr.1, corp 3, sector 3	J40/13 421/20 17	CUI 38022 073	021/348 5272/34 85343; e-mail liliana.s tefan@t mpservi ce.ro	Cazane abur	-	-	-	Cazane abur; cazane apa fierbinte	-	Qmax=2t/h, pmax=16bar, Tmax=200°C	B/CR4/A/4/ 3255/0/15.0 5.2018; B/CR4/H/4, 5/3256/0/15 .05.2018

503	Brasov	TEHNOSUD ENGINEERING SRL	PLOIESTI, Str. Rudului, nr. 262, Jud. Prahova	J29/13 76/200 2	RO 15056 352	0344/10 2953	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=500t/h, pmax=200bar, Tmax=550°C; Dmax=500Gcal/ h, pmax=20bar	BV/CR4/A,B ,C/4,5/1618 /0/19.10.20 16
504	Central	TEHNOTERM IMPEX SRL	REGHIN, Str. Pandurilor, nr.12, Jud. Mures	J26/33 50/199 2	CUI 33881 29	0265/51 2564/51 3898	Cazane abur	-	-	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=250°C	DISPR/CR4/ A/4/2940/0 /30.01.2012
505	Bacau	TEHNOTERM SRL	IASI,Bd. Chimiei, nr.14, Jud. Iasi	J22/31 07/199 4	RO 67880 22	0232/25 8810/ 259596	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=25bar, Tmax=400°C	BC/CR4/A,B ,C/4/1795/1 /27.09.2017
506	Bacau	TEHNOTERM SRL	IASI, Sos. Pacurari, nr.26, Jud. Iasi	J22/31 07/199 4	RO 67880 22	0232/25 9596	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=200°C	BC/CR4/A,B ,C/4/1387/1 /11.03.2014
507	Iasi	TEHNOTERM SRL	IASI, Bd. Chimiei, Jud. Iasi	J22/31 07/199 4	RO 67880 22	0232/25 9596	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=200°C	IS/CR4/A,B, C/4/0105/0 /23.09.2010
508	Sibiu	TEHPRO SRL	CLUJ NAPOCA, Str. Horea, nr. 3, camera 110, et. 1, Jud. Cluj	J12/25 74/200 4	RO 16583 113	0264/45 6440; e- mail dan.laz ar@tehp ro.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=25t/h, 0.5bar<=pmax< =25bar, Tmax=450°C; Dmax=10Gcal/h , pmax=12bar, T>110°C	SB/CR4/A,B, C/4,5/1730/ 0/11.07.201 7

509	Oradea	TELETECH SRL	ZALAU, Str. Gh. Doja, nr.28, bl. D28, ap.24, Jud. Salaj	J31/16 5/2003	CUI 15324 536	7.4E+08	-	-	-	-	-	Cazane abur; cazane apa fierbinte	P>0.5bar; T>110°C	OR/CR4/H/4 ,5/1418/0/2 0.11.2015
510	Brasov	TEODAN INSTAL SRL	PLOIESTI, Str. Maramures, nr.14-16, Jud. Prahova	J29/25 87/200 7	CUI 22547 417	0244/54 6228; e- mail Teodan _instal@ yahoo.c om	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=40t/h, pmax<=40bar, Tmax<=450°C; Dmax<=50Gcal/ h, pmax<=40bar, Tmax<=450°C	BV/CR4/A,B ,C/4,5/1348 /1/11.12.20 14
511	Central	TEODAN INSTAL SRL	PLOIESTI, Str. Republicii, nr.108, bl.13B2, ap.6, Jud. Prahova	J29/25 87/200 7	CUI 22547 417	0244/54 6228	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=40t/h, pmax<=40bar, Tmax<=450°C; Dmax<=50Gcal/ h, pmax<=40bar, Tmax<=450°C	DISPR/CR4/ A,B,C/4,5/1 579/0/20.07 .2011
512	Bacau	TERMA SRL	BACAU, Str. Oituz, nr.78, Jud. Bacau	J04/21 9/1997	CUI 92349 19	0234/51 1711/58 0010; e- mail office@t ermaba cau.ro	Cazane abur	-	-	-	-	-	Qmax=<25t/h, pmax=40bar, Tmax<=250°C	BC/CR4/A/4 /1759/1/03. 05.2017
513	Central	TERMA SRL	BACAU, Str. Oituz, nr.78, Jud. Bacau	J04/21 9/1997	CUI 92349 19	0234/51 1711/58 0010	Cazane abur	-	-	-	-	-	Qmax=25t/h, pmax=40bar, Tmax=250°C	DISPR/CR4/ A/4/3004/0 /10.02.2012

514	Bacau	TERMAEXIM SA	GALATI, Str. Dr. Petru Groza, nr.23, Jud. Galati	J17/12 1/1991	RO 16313 52	0236/47 0870/ 470669	Cazane apa fierbinte	Cazane apa fierbinte	Cazane apa fierbinte	-	-	-	Qmax=120t/h, Gcal, pmax=22bar, Tmax=150°C	BC/CR4/A,B ,C/5/1653/0 /08.04.2016
515	Bacau	TERMAEXIM SA	GALATI, Str. Dr. Petru Groza, nr.23, Jud. Galati	J17/12 1/1991	RO 16313 52	0236/47 0870/ 470669	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/h, pmax=155bar, Tmax=540°C	BC/CR4/A,B ,C/4/1287/1 /09.09.2013
516	Central	TERMAR PROD COM SRL	CONSTANTA, Str. Varful cu Dor, nr.10, Jud. Constanta	J13/51 05/200 4	CUI 16065 111	0241/63 1350/63 1340	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=140bar, Tmax=540°C; Dmax=50Gcal/h , pmax=25bar	DISPR/CR4/ A,B,C/4,5/1 000/0/17.06 .2011
517	Bucuresti	TERMAR PROD COM SRL	CONSTANTA, Str. Varful cu Dor, nr.10, Jud. Constanta	J13/51 05/200 4	CUI 16065 111	0241/63 1350/63 1340	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=140bar, Tmax=540°C; Dmax=50Gcal/h , pmax=25bar	DISPR/CR4/ A,B,C/4,5/2 097/1/10.03 .2014
518	Central	TERMICA SA	SUCEAVA, Str. Energeticianului, nr.1, Jud. Suceava	J33/31 0/2002	CUI 14682 110	0230/25 7066/25 7663	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=137bar, Tmax<=540°C; Dmax<=116Mw, pmax<=26bar	DISPR/CR4/ C/4,5/0855/ 0/11.05.201 1

519	Central	TERMO CONFORT SRL	BRASOV, Bd. Victoriei, nr.10, bl.43, Jud. Brasov	J08/184/1998	CUI 10253388	0268/416380	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=430t/h, pmax<=140bar, Tmax<=450°C; Dmax<=125Gcal/h, pmax<=25bar	DISPR/CR4/A,B,C/4,5/1791/0/22.08.2011
520	Sibiu	TERMO CONSTRUCT SRL	HUNEDOARA, Str. Serei, nr.17A, Jud. Hunedoara	J20/1369/1993	RO 4372015	0254/740577/716823	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=25t/h, Pmax=40bar, Tmax=300°C; Dmax=5Gcal/h, Pmax=16bar,	SB/CR4/A,B,C/4,5/0127/0/17.12.2010
521	Oradea	TERMO CONSTRUCT SRL	HUNEDOARA, Str. Serei, nr.17A, Jud. Hunedoara	J20/1369/1993	RO 4372015	3.7E+08	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=25t/h, Pmax=40bar, Tmax=300°C; Dmax=5Gcal/h, Pmax=16bar,	OR/CR4/A,B,C/4,5/1193/1/06.08.2013
522	Oradea	TERMO ENERGETICA BANATUL SRL	TIMISOARA, Str. Dorobantilor, nr.63B, Jud. Timis	J35/141/1993	RO 2805376	0256/219224	Cazane de abur	-	Cazane de abur	-	-	-	Q=10t/h, pmax=16bar, Tmax=300°C	OR/CR4/A,C/4/1053/1/05.10.2012
523	Oradea	TERMO ENERGETICA BANATUL SRL	TIMISOARA, Str. Dorobantilor, nr.63B, Jud. Timis	J35/141/1993	RO 2805376	0256/219224	Cazane de abur	-	Cazane de abur	-	-	-	Q=10t/h, pmax=16bar, Tmax=300°C	OR/CR4/A,C/4/1053/2/18.10.2013

524	Bacau	TERMO INVEST SRL	BACAU, Str. Nordului, nr.38, Jud. Bacau	J04/438/1997	RO 9458924	0234/519519	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, Pmax<=16bar, Tmax<=440°C; Dmax<=10Gcal/h, Pmax<=16bar, Tmax<=150°C	BC/CR4/A,B,C/4,5/0088/0/15.09.2010
525	Oradea	TERMO MONTAJ SRL	SATU MARE, Str. Careiului, nr.162, Jud. Satu Mare	J30/2085/1994	RO 6902657	0261/839736/839735	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax<=30t/h, Pmax<=16bar, Tmax<=350°C	OR/CR4/A,B,C/4/0021/0/24.06.2010
526	Central	TERMO SYSTEMS CONTROL SRL	BUCURESTI, Str. Ionita Cegan, nr. 4, b;l. P12, sc. 1, et. 1, ap. 6, sector 5	J40/977/2001	CUI 13671180	021/3148123/4440174	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=210t/h, pmax=180bar, Tmax=450°C; Dmax=100Gcal/h, pmax=16bar	DISPR/CR4/A/4,5/3089/0/17.02.2012
527	Central	TERMO VULCAN SRL	TG. MURES, Str. Depozitelor, nr.13A, Jud. Mures	J26/2335/1992	CUI 1213457	0265/227363	Cazane abur	-	Cazane abur	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=440°C	DISPR/CR4/A,C/4/2937/0/12.01.2012
528	Central	TERMODAV SRL	BRAGADIRU, Str. Iederei, nr.63D, Jud. Ilfov	J23/3243/2008	CUI 24619986	0740044941; 031/8081274	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350°C; Dmax=10Gcal/h, pmax=16bar	DISPR/CR4/A,B,C/4,5/1615/0/01.08.2011
529	Bucuresti	TERMODAV SRL	BRAGADIRU, Str. Iederei, nr.63D, Jud. Ilfov	J23/3243/2008	CUI 24619986	031/8081274	-	-	-	-	Cazane abur, apa fierbinte	-	Qmax=220t/h, pmax=150bar, Tmax=470°C; Dmax500Gcal/h, pmax=24ba	B/CR4/E/4,5/0462/0/04.11.2010

530	Central	TERMOELECTRICA SA-Sucursala ELECTROCENTRALE BRAILA	Com. CHISCANI, Str. Principala, nr.317, Jud. Braila	J09/306/2000	CUI 13564265	0239/611550/664572	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax<=155bar, Tmax<=540°C; Dmax<=100Gcal, pmax<=22bar	DISPR/CR4/B,C/4,5/2029/0/30.09.2011
531	Oradea	TERMOFICARE ORADEA SA	ORADEA, Str. Jean Calvin, nr. 5, Jud. Bihor	J05/1095/2013	CUI 31952982	0359/409511	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=570°C	OR/CR4/A,B,C/4/1534/0/27.04.2017
532	Central	TERMOPIF EXIM SRL	BUCURESTI, Str. Marcu Armasu, nr.11, bl.24, sc.B, ap.77, sector 2	J40/9348/2001	CUI 14279496	021/2550294	Cazane abur	-	-	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=250°C	DISPR/CR4/A/4/2867/0/27.01.2012
533	Central	TERMOPIF EXIM SRL	BUCURESTI, Str. Marcu Armasu, nr.11, bl.24, sc.B, ap.77, sector 2	J40/9348/2001	CUI 14279496	021/2550294	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/G/4,5/2868/0/27.01.2012
534	Central	TERMOPIF EXIM SRL	BUCURESTI, Str. Marcu Armasu, nr.11, bl.24, sc.B, ap.77, sector 2	J40/9348/201	CUI 14279496	021/2550294	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=250°C; Dmax=30Gcal/h, pmax=15bar	DISPR/CR4/A,B,C/4,5/2867/1/15.03.2012

535	Central	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, ap.6, Jud. Cluj	J12/39 27/199 4	CUI 65893 64	0264/43 1587	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmin>0.5bar, Tmin>110°C	DISPR/CR4/ G/4,5/07941 /0/10.05.20 11
536	Cluj	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, bl.M8, ap.6, Jud. Cluj	J12/39 27/199 4	RO 65893 64	0264/43 1587/59 6750	-	-	-	-	-	Cazane abur, apa fierbinte	-	CJ/CR4/H/4 ,5/0077/0/0 8.09.2010
537	Cluj	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, bl.M8, ap.6, Jud. Cluj; CLUJ NAPOCA, Str. Vasile Lupu, nr.20, bl.M8, ap.6, Jud. Cluj	J12/39 27/199 4	RO 65893 64	0264/43 1587/59 6750	-	-	-	-	Cazane abur, apa fierbinte	-	Qmax=25t/h, pmax=16bar, Tmax=350°; Dmax=10Gcal/h , pmax=16bar,	CJ/CR4/E/4 ,5/0083/0/1 0.09.2010
538	Cluj	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, bl.M8, ap.6, Jud. Cluj	J12/39 27/199 4	CUI 65893 64	0264/43 1587/59 6750	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	-	CJ/CR4/A,B, C/4,5/0190/ 0/31.12.201 0

539	Central	TERMOREP SRL	RAMNICU VALCEA, Str. Nistor Dumitrescu, nr.14/17, Jud. Valcea	J38/57 6/1991	RO 14693 32	0250/73 7308/73 7302	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=165bar, Tmax<=565°C; Dmax<=100Gcal/h, pmax<=30bar, Tmax<=175°C	DISPR/CR4/A,B,C/4,5/1212/0/22.06.2011
540	Central	TERMOREP SRL	RM. VALCEA, Str. Nistor Dumitrescu, nr. 14/17, Jud. Valcea	J38/57 6/1991	CUI 14693 32	0250/73 7308/73 7302; 0744549 436	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmin>0.5bar, Tmin>110°C	DISPR/CR4/G/4,5/1559/0/19.07.2011
541	Central	TERMOREP SRL	RM. VALCEA, Str. Nistor Dumitrescu, nr.14/17, Jud. Valcea	J38/57 6/1991	CUI 14693 32	0250/73 7308/73 7302	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h, pmax=165bar, Tmax=570°C; Dmax=100Gcal/h, Pmax=30bar	DISPR/CR4/E/4,5/2126/11.10.2011
542	Cluj	TERMOSISTEM PROD SRL	CLUJ NAPOCA, Str. Piata Abator, Bl.C3, ap.19, Jud. Cluj	J12/32 14/200 5	RO 17934 344	0264/48 4810	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350°C; Dmax=5Gcal/h, pmax=16bar	CJ/CR4/A,B,C/4,5/0024/0/11.06.2010
543	Brasov	TERMOSUD CONSULT SRL	BUZAU, Cart. Episcopiei, bl.C11, ap.13, Jud. Buzau	J10/23 7/1999	RO 11874 952	0238/71 7802	Cazane de abur	-	-	-	-	-	Q<=10t/h, p<=40bar, T<=450°C	BV/CR4/A/4/1104/0/24.01.2013

544	Central	TEST NDT LABORATOR SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, demisol, Jud. Cluj	J12/25 5/2013	RO 31156 809	0746106 196; 0264/59 6750	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, Pmax=250bar, Tmax=600°C; Dmax=150Gcal/ h, Pmax=160bar	DISPR/CR4/ E/4,5/3939/ 0/23.05.201 6
545	Bacau	TEST PRIMA SRL	SUCEAVA, Str. Petru Rares, nr.56, Jud. Suceava	J33/15 6/1992	CUI 74463 9	0230/52 3406/ 522773	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, Pmax=40bar, Tmax=350°C; Dmax=50Gcal/h , Pmax=40bar, Tm>110°C	BC/CR4/A,C /4,5/1113/0 /14.12.2012
546	Bacau	TEST PRIMA SRL	SUCEAVA, Str. Petru Rares, nr.56, Jud. Suceava	J33/15 6/1992	CUI 74463 9	0230/52 3406/ 522773	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, Pmax=40bar, Tmax=350°C; Dmax=50Gcal/h , Pmax=40bar	BC/CR4/A,C /4,5/1113/1 /04.07.2013
547	Sibiu	TEXCO ENERGIE SRL	SIBIU, Str. Catina Ioan, nr.4, Jud. Sibiu	J32/47 1/2013	RO 31693 632	0269/23 7325	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=20t/h, Pmax=20bar, Tmax=350°C; Dmax=10Gcal/h , Pmax=20bar, T>110°C	SB/CR4/A,B, C/4,5/1224/ 0/10.09.201 3

548	Bucuresti	TMUCB SA	BUCURESTI, Str. Lujerului, nr. 26, sector 5	J40/11 71/199 1	CUI 27864 87	021/317 1060/31 29542	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=215bar, Tmax=600°C; Pmax=25bar, Qmax=100Gcal/ h	B/CR4/A,B, C/4,5/2786/ 1/06.04.201 6
549	Central	TMUCB SA	BUCURESTI, Str. T. Arghezi, nr.8-10, et.5, sector 2	J40/11 71/199 1	CUI 27864 87	021/316 5669/31 29542	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=215bar, Tmax=600°C; Pmax=25bar, Qmax=100Gcal/ h	DISPR/CR4/ A,B,C/4,5/1 496/0/19.07 .2011
550	Central	TOTALMONTAJ SRL	Sat TATARANI, Com. Barcanesti, nr. 237A, Jud. Prahova	J29/18 7/1994	RO 51656 70	0372704 946; 0244/27 6783	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=80bar, Tmax=440°C; Dmax=50Gcal/h , pmax=80bar	DISPR/CR4/ C/4,5/3693/ 0/30.05.201 2
551	Cluj	TRUSTUL DE INSTALATII MONTAJ SI CONSTRUCTII SA	CLUJ NAPOCA, Str. Buftea, nr.1, jud. Cluj	J12/51 59/199 2	RO 28973 61	0264/43 1198/ 431202	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q<=10t/h, pmax<=20bar, Tmax=350°C; D<=5Gcal/h, pmax<=20bar	CJ/CR4/A,B, C/4,5/0042/ 0/01.08.201 0
552	Sibiu	TRUSTUL DE INSTALATII MONTAJ SI CONSTRUCTII SA	CLUJ NAPOCA, Str. Buftea,, nr.1, Jud. Cluj	J12/51 59/199 2	RO 28973 61	0264/43 1198/ 431202	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=20bar, Tmax<=350°C; Dmax<=5Gcal/h , Pmax<=20bar	SB/CR4/A,B, C/4,5/1106/ 1/09.11.201 2

553	Bucuresti	TUBAL EXPERT SRL	BUCURESTI, Str. Dunavat, nr.9, bl.57, sc.5, ap.74, sector 5	J40/10 787/20 10	CUI 27681 303	031/801 0757	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=600t/h, pmax=180bar, Tmax=570°C; Dmax=50Gcal/h , pmax=24bar	B/CR4/E/8/ 0612/0/23.0 2.2010
554	Bucuresti	TURBOENERGY POWER CHISINAU SRL- Sucursala Targoviste	TARGOVISTE, Str. Cooperativei, nr. 6, Jud. Dambovita	J15/22 4/2015	RO 34291 80	0755561 119	Cazane apa fierbinte	Cazane apa fierbinte	Cazane apa fierbinte	-	-	-	Dmax=100Gcal/ h, pmax=140bar	B/CR4/A,B, C/5/3212/0 /01.03.2018
555	Bucuresti	TURBOENERGY POWER CHISINAU SRL- Sucursala Targoviste	TARGOVISTE, Str. Cooperativei, nr. 6, Jud. Dambovita	J15/22 4/2015	RO 34291 80	0755561 119	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/h, pmax=200bar, Tmax=540°C	B/CR4/A,B, C/4/2777/0 /29.04.2016
556	Central	TUV AUSTRIA ROMANIA SRL	BUCURESTI, Cal. Plevnei, nr.139, et.1, corp C, sector 6	J40/22 370/20 07	CUI 19231 430	0213153 294/315 3296	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=196bar, Tmax=570°C; Dmax=100Gcal/ h, Pmax=30bar	DISPR/CR4/ E/4,5/2921/ 0/01.02.201 2
557	Central	TUV AUSTRIA ROMANIA SRL	BUCURESTI, Cal. Plevnei, nr.139, et.1, corp C, sector 6	J40/22 370/20 07	CUI 19231 430	0213153 294/315 3296	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=196bar, Tmax=570°C; Dmax=100Gcal/ h, Pmax=30bar	DISPR/CR4/ E/4,5/2921/ 1/25.03.201 3

558	Central	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr. 155, bl.D1, tronson 5, et.3, sector 1	J40/82 31/200 2	CUI 14842 360	021/313 4419/33 00815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=550° C; Dmax=100Gcal/ h, pmax=25bar	DISPR/CR4/ E/4,5/3315/ 4/17.02.201 6
559	Central	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr. 155, bl.D1, tronson 5, et.3, sector 1	J40/82 31/200 2	CUI 14842 360	021/313 4419/33 00815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=550° C; Dmax=100Gcal/ h, pmax=25bar	DISPR/CR4/ E/4,5/3315/ 3/16.10.201 4
560	Central	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr. 155, Spatiile D2 si C2, bl.D1, et.2, sector 1	J40/82 31/200 2	CUI 14842 360	021/330 6600/33 00815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=550° C; Dmax=100Gcal/ h, pmax=25bar	DISPR/CR4/ E/4,5/3315/ 2/23.03.201 2
561	Bucuresti	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr.155, bl.D1, Tronson 5, et.2, spatiile D2 si C2, sector 1	J40/82 31/200 2	CUI 14842 360	021/330 6600 /330081 5	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=550° C; Dmax=100Gcal/ h, pmax=25bar	B/CR4/E/4, 5/0355/1/05 .10.2010

562	Bucuresti	TUV SUD ROMANIA SRL	BUCURESTI, Bd. Gh. Sincai, nr.9A, bl.3A, et.3, ap.7 si 9, sector 4	J40/82 31/200 2	ROI 14842 360	021/330 6600 /330081 5	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax>=120t/h, pmax=200bar, Tmax=540°C; Dmax=100Gcal/h, pmax=25bar	B/CR4/E/4, 5/0001/0/19 .03.2010
563	Ploiesti	UNIVERSAL MONTAJ DARZEU SRL	BLEJOI, Sat Blejoi, nr.929, Jud. Prahova	J29/58 7/1991	RO 13482 09	0244/43 5516/ 435519	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	100bar>=p>0.5bar, Qmax=120t/h, Tmax=500°C; 25bar>=p>0.5bar, Dmax=50Gcal/h, Tmax=150°C	PL/CR4/A,B, C/4,5/0032/ 0/07.05.201 0
564	Central	UNIVERSITATEA POLITEHNICA BUCURESTI-Centrul de Cercetari si Expertizari ECO Metalurgice - ECOMET	BUCURESTI, Splaiul Independentei, nr.313, corp J, sala JF 002, sector 6	-	ROI 41831 99	021/402 9592/ 3169564	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=400bar, Tmax=650°C; Dmax=150Gcal/h, pmax=40bar	DISPR/CR4/ E/4,5/1460/ 0/21.07.201 1

565	Central	UNIVERSITATEA POLITEHNICA BUCURESTI- Centrul de Cercetari si Expertizari ECO Metalurgice - ECOMET	BUCURESTI, Splaiul Independentei, nr.313, corp J, sala JF 002, sector 6	-	CUI 4183199	021/3169564	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=196bar, Tmax=540°C; Dmax=50Gcal/h, pmax=18bar	DISPR/CR4/E/4,5/1460/0/21.07.2011
566	Central	URS CERTIFICARI SRL (fost ROS SYSTEMA SRL)	TG. MURES , Str. Madach Imre, nr.8, Jud. Mures	J26/1948/2007	CUI 22685444	0265/267017; 0365/430565	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h, pmax=250bar, Tmax=570°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/E/4,5/3841/1/02.08.2017
567	Central	UZINA ELECTRICA ZALAU SA	ZALAU, Str. Valea Mitii, nr.2, Jud. Salaj	J31/13/2002	CUI 14397920	0260/662101	-	-	Cazane abur	-	-	-	Qmax=120t/h, pmax<=40bar, Tmax<=250°C	DISPR/CR4/C/4/0056/0/24.02.2011
568	Central	UZINA TERMOELECTRICA GIURGIU SA	GIURGIU, Sos. Sloboziei, nr.194, Jud. Giurgiu	J52/308/2001	CUI 14351222	0769/060322; 0246/216665	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=280°C; Dmax=10Gcal/h, pmax=40bar, Tmax=150°C	DISPR/CR4/C/4,5/3581/0/08.05.2012
569	Central	UZINSIDER ENGINEERING SA	GALATI, Sos. Smardan, nr.2, Jud. Galati	J17/69/1991	RO 1632285	0236/449016/448348/448238/448580	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=550t/h, pmax=180bar, Tmax=570°C; Dmax=460Gcal/h, pmax=180bar	DISPR/CR4/E/4,5/3898/2/24.07.2017

570	Central	UZINSIDER ENGINEERING SA	GALATI, Sos. Smardan, nr.2, Jud. Galati	J17/69 /1991	RO 16322 85	0236/44 9016/ 448348 /448238 / 448580	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=550t/h, pmax=180bar, Tmax=570° C; Dmax=460Gcal/h, pmax=180bar	DISPR/CR4/E/4,5/3898/1/05.02.2015
571	Galati	UZINSIDER ENGINEERING SA	GALATI, Sos. Smardan, nr.2, Jud. Galati	J17/69 /1991	RO 16322 85	0236/44 9016/ 448348 /448238 / 448580	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=550t/h, pmax=180bar, Tmax=570° C; Dmax=460Gcal/h, pmax=180bar	GL/CR4/E/4,5/0034/0/2 5.06.2010
572	Bucuresti	VALEST TERMIC TRUST SRL	BUCURESTI, Cal. 13 Septembrie, nr. 106, bl. 50, et. 3, ap. 9, sector 5	J40/76 82/201 1	CUI 28671 251	021/456 6466	Cazane de abur, apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250° C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4, 5/2630/0/08 .10.2015
573	Craiova	VEIT AMROTEX SRL	CRAIOVA, Str. Romul, nr.2, bl.T3B, ap.3, Jud. Dolj	J16/11 37/199 8	RO 11190 717	0251/41 2155	Cazane abur	-	Cazane abur	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=220° C	CR/CR4/A,C /4/0017/0/1 0.05.2010
574	Brasov	VISSMANN SRL	GHIMBAV, DN1-Km 174+941, nr.2, Jud. Brasov	J08/11 97/199 8	CUI 11075 840	0268/40 7800/ 407840; e-mail: info-ro@viessmann.com	Cazane abur, apa fierbinte	-	-	-	-	-	Q<=30t/h, p<=30bar, T<=350° C; D<=25Gcal/h, p<=30bar	BV/CR4/A/4,5/1151/2/1 1.10.2016

575	Brasov	VIESSMANN SRL	GHIMBAV, DN1-Km 174+941, nr.2, Jud. Brasov	J08/1197/1998	CUI 11075840	0268/407800/407840; e-mail: info-ro@viessmann.com	Cazane abur, apa fierbinte	-	-	-	-	-	Q<=30t/h, p<=30bar, T<=350°C; D<=25Gcal/h. p<=30bar	BV/CR4/A/4,5/1151/1/2 7.06.2013
576	Central	VIROMET SA	VICTORIA, Aleea Uzinei, nr.8, Jud. Brasov	J08/340/1991	CUI 1126350	0268/241120/241800	-	-	Cazane abur	-	-	-	Qmax<=120t/h, pmax<=100bar, Tmax<=450°C	DISPR/CR4/C/4/1626/0/19.07.2011
577	Central	VLAD ALEX TERMO SRL	BUCURESTI, Bd. Ion Mihalache, nr.96, bl.44B, sc.A, et.6, ap.12, sector 1	J40/27924/1993	CUI 5039893	021/6665306	-	-	-	-	Cazane abur; cazane apa fierbinte	-	Qmax<=5t/h, pmax<=16bar, Tmax<=150°C	DISPR/CR4/G/4,5/1268/0/05.07.2011
578	Central	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239/1991	CUI 1454846	0237/640800/641720	-	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=16bar, Tmax=250°C	DISPR/CR4/B,C/4/2020/0/29.09.2011
579	Bacau	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239/1991	RO 1454846	0337/640800/641720	-	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=16bar, Tmax=250°C	BC/CR4/B,C/4/1130/2/1 6.06.2014

580	Bacau	VRANCART SA	ADJUD, Str. Ecaterina Teodoriu, nr.17, Jud. Vrancea	J39/23 9/1991	RO 14548 46	0337/64 0800/ 641720	-	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=16bar, Tmax=250°C	BC/CR4/B,C /4/1130/1/1 7.01.2013
581	Sibiu	VTU ECHIPAMENTE SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, et. 1, Jud. Cluj	J12/25 6/2013	RO 31156 795	0264/43 1587/ 596750; e-mail vtuechi pament e@yaho o.com	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmax>0.5bar, T>110°C	SB/CR4/G/4 5/1551/0/0 9.02.2016
582	Sibiu	VTU ECHIPAMENTE SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, et. 1, Jud. Cluj	J12/25 6/2013	RO 31156 795	0264/43 1587/ 596750; e-mail vtuechi pament e@yaho o.com	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmax>0.5bar, T>110°C	SB/CR4/H/4 5/1545/0/2 8.01.2016
583	Bacau	WATER CHEM CONSULTING SRL	BACAU, Calea Bartadului, nr. 175 C1, Jud. Bacau	J4/682 /2016	CUI 36093 167	0748673 305	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	BC/CR4/H/4 5/1688/1/3 0.07.2017

584	Bacau	WATER CHEM CONSULTING SRL	MAGURA, Com. Magura, Jud. Bacau	J4/682/2016	CUI 36093167	0748673305	-	-	-	-	-	Cazane abur; cazane apa fierbinte	-	BC/CR4/H/4,5/1688/0/14.07.2016
585	Central	ZAUNER ROMANIA SRL	SATU MARE, Str. Aurel Vlaicu, nr.72, Jud. Satu Mare	J30/459/2003	CUI 15498230	0361/420550/429538	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=400°C; Dmax=20Gcal/h, pmax=16bar	DISPR/CR4/A,B,C/4,5/2780/0/17.01.2012
586	Oradea	ZAUNER ROMANIA SRL	SATU MARE, Str. Aurel Vlaicu, nr.72, Jud. Satu Mare	J30/459/2003	CUI 15498230	0361/420550/429538	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=400°C; Dmax=20Gcal/h, pmax=16bar	OR/CR4/A,B,C/4,5/1140/1/07.05.2013
587	Oradea	ZAUNER ROMANIA SRL	SATU MARE, Str. Aurel Vlaicu, nr.72, Jud. Satu Mare	J30/459/2003	CUI 15498230	0361/420550/429538	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=100bar, Tmax=600°C; Dmax=100Gcal/h, pmax=100bar	OR/CR4/A,B,C/4,5/1140/2/23.07.2014