

Persoane juridice autorizate conform PT CR4/2009 pentru efectuarea de lucrari la Cazane de abur, Cazane apa fierbinte, Supraincalzitoare si Economizoare independente-reglementate de PT C1/2010

Nr. Crt.	IT ISCIR	Societatea Comerciala	Adresa	J	CUI	Tel/fax	Domeniu autorizat						Parametrii	Autorizatii
							Instalare	Montare	Reparare	Verificari tehnice in utilizare pt. investigatii/examinari cu caracter tehnic	Intretinere prin spalare chimica	Intretinere regim chimic		
1	Central	AB INSTAL SRL	CRAIOVA, Str. Caracal, nr.30, Jud. Dolj	J16/458/2000	CUI 13319762	0744/572075; 0251/543105	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax<=192bar, Tmax<=192°C; Dmax<=100Gcal/h, pmax<=25bar, Tmax<=175°C	DISPR/CR4/A,B,C/4,5/2 133/07.10.2 011
2	Craiova	ABC SYSTEMS SRL	DR. Tn. SEVERIN, Calea Timisoarei, nr.175B, Jud. Mehedinti	J25/1584/1994	RO 6667578	0252/329362/329363	Cazane abur, apa fierbinte	-	Cazane abur, apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, tmax=200°C; Dmax=5Gcal/h, pmax=16bar	CR/CR4/A,C/4,5/0002/0 /31.03.2010

3	Sibiu	ACI BISTRITA SA	BISTRITA, Str. Zefirului, nr.1, Jud. Bistrita Nasaud	J06/15/1991	RO 566515	0263/234229/234230	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Q<=10t/h, Pmax=20bar, Tmax<=350°C; D<=5Gcal/h, Pmax<=20bar	SB/CR4/A,B,C/4,5/0174/0/18.02.2011
4	Bucuresti	ACIRAM MEDICAL SRL	BUCURESTI, Str. Margeanului, nr. 26, bl.M23A, et.1, ap.32, sector 5	J40/10600/2007	RO 21849379	0722531761; 0214201026	Cazane abur	-	-	-	-	-	Qmax=1t/h, pmax=8bar, tmax=175°C	B/CR4/A/4/1763/0/20.08.2013
5	Bucuresti	ACVATOT SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.9-9A, cladire nr.14, Iride Busines Park, parter + etaj 1; BUCURESTI, Str. Lunca Cetatii, nr. 475, lot 3, sector 3	J40/6629/1991	CUI 13906	021/2520860/2520934	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=650t/h, pmax=170bar, Tmax=480°C; Dmax=50Gcal/h, pmax=20bar, Tmax=170°C	B/CR4/A,B,C/4,5/1385/2/25.02.2015
6	Bucuresti	ACVATOT SRL	BUCURESTI, Str. Popa Lazar, nr.5-25, et. 1+2, corp C14, sector 2	J40/6629/1991	CUI 13906	021/2520934	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=650t/h, pmax=170bar, Tmax=480°C; Dmax=50Gcal/h, pmax=20bar, Tmax=170°C	B/CR4/A,B,C/4,5/0277/0/04.09.2010

7	Bucuresti	ACVATOT SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.9-9A, cladire nr.14, Iride Busines Park, parter + etaj	J40/6629/1991	CUI 13906	021/3160828/3160825	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=650t/h, pmax=170bar, Tmax=480°C; Dmax=50Gcal/h, pmax=20bar, Tmax=170°C	B/CR4/A,B, C/4,5/1385/1/27.05.2013
8	Central	AFA PROD IMPEX SRL	CLUJ NAPOCA, Str. Timisului, nr.1, Jud. Cluj	J12/954/1995	CUI 7359266	0264/416365/416758	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=350°C; Dmax<=5Gcal/h, pmax<=16bar, Tmax<=150°C	DISPR/CR4/A,B,C/4,5/1344/0/15.06.2011
9	Central	AG PROIECT INTERNATION AL SRL	BUCURESTI, Al. Cettuia, nr.10, bl.25/I, sc.A, et.3, ap. 15, sector 6	J40/18048/2004	CUI 16920944	021/7715802	Cazane abur	-	-	-	-	-	Qmax=25t/h, pmax=20bar, Tmax=250°C	DISPR/CR4/A/4/2489/0/05.12.2011
10	Brasov	AG SERV CONSTRUCT SRL- Punct de lucru BRASOV	NEGRESTI OAS, Str. Victoriei, Bl.C9/20, et.2, ap.12, Jud. Satu Mare; BRASOV, Str. Timis- Triaj, nr.6, Jud. Brasov	J30/412/1995	CUI 7520051	0261/853322; 0268/331142/331752	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Q<=100t/h, p<=40bar, T<=440°C; D<=50Gcal/h, p<=40bar, T<=440°C	BV/CR4/A,C/4,5/0011/0/14.06.2010
11	Sibiu	AGRISUT PROD COM IMPEX SRL	CLUJ NAPOCA, Str. Campului, nr. 215-219, ap. 3, Jud. Cluj	J12/4849/1992	RO 2894470	0264/561973	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	pmax<=16bar, Qmax<=10t/h, Tmax<=250°C; pmax<=16bar, Dmax<=5Gcal/h	SB/CR4/A,B,C/4,5/1353/1/24.07.2014

12	Central	AGRISUT PROD COM IMPEX SRL	CLUJ NAPOCA, Str. Grigore Alexandrescu, nr.49, ap.2, Jud. Cluj	J12/ 4849 /199 2	CUI 2894 470	0264 /561 973	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q <sub>max</sub> ≤10t/h, p <sub>max</sub> ≤16bar, T <sub>max</sub> ≤250°C; D <sub>max</sub> ≤5Gcal/h, p <sub>max</sub> ≤16bar	DISPR/CR4/ A,B,C/4,5/2 582/0/14.11 .2011
13	Bacau	AIPIFS SRL	BACAU, Str. Prieteniei, nr.7, bl.7, sc.A, ap.2, Jud. Bacau	J04/ 1849 /199 2	CUI 9767 28	0234 /577 165; 0744 5436 25	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	BC/CR4/G/4 ,5/0051/0/3 0.06.2010
14	Bucuresti	ALA INSTAL COMCONSTR UCT SRL	BUCURESTI, Str. Grigore Alexandrescu, nr.7, Bl.H1, sc.2, et.4, sector 1	J40/ 1920 8/19 92	CUI 3316 947	021/ 3174 424/ 3174 399	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Q <sub>max</sub> =10t/h, p <sub>max</sub> =16bar, T <sub>max</sub> =400°C; D <sub>max</sub> =5Gcal/h, p <sub>max</sub> =16bar, T <sub>max</sub> =160°C	B/CR4/A/4, 5/0206/0/1 0.08.2010

15	Bucuresti	ALA INSTAL COMCONSTR UCT SRL	BUCURESTI, Str. Grigore Alexandrescu, nr.7, Bl.H1, sc.2, et.4, sector 1	J40/ 1920 8/19 92	CUI 3316 947	021/ 3174 424/ 3174 399; e- mail: ala_i nstal @yah oo.c om	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=400°C; Dmax=5Gcal/h, pmax=16bar, Tmax=160°C	B/CR4/A/4, 5/0206/1/2 3.12.2013
16	Iasi	ALCOR PRO CONSULT SRL	IASI, Str. Sf. Lazar, nr.51, Jud. Iasi	J22/ 191/ 1995	RO 7048 090	0232 /233 390	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=420t/h, pmax=120bar, Tmax=550°C; Dmax=20Gcal/h, pmax=25bar,	IS/CR4/E/4, 5/0073/0/0 3.08.2010
17	Bacau	ALPADO SRL	Com. STEFAN cel Mare, Sat. NEGOIESTI, nr.292, Jud. Bacau	J04/ 1535 /199 2	RO 9772 78	0234 /339 008	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, Pmax<=40bar, Tmax=440°C; Dmax<=50Gcal/h, Pmax=16bar, Tmax=200°C	BC/CR4/A,C /4,5/0074/0 /26.08.2010

18	Central	AMICI SA	BACAU, Str. Ionita Sandu Sturza, nr.25, Jud. Bacau	J04/37/1991	CUI 945144	0334/405384; 0234/514336	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, Pmax<=16bar, Tmax<=200°C; Dmax<=5Gcal/h, pmax<=8bar, Tmax<=170°C	DISPR/CR4/A,B,C/4,5/1205/0/30.06.2011
19	Bucuresti	AMS 2000 TRADING IMPEX SRL	BUCURESTI, Str.Turturelelor, nr. 62, camere 1-16 din imobil Decebal Tower, et. 2, sector 3	J40/5527/1997	RO 9603757	021/3247050/3247679; e-mail office.ams@ams.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	Pmax=72kW, pmax=5bar, Tmax=138°C	B/CR4/A,B,C/4/2868/0/26.08.2016
20	Central	AMURCO SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/770/2005	CUI 17488233	0234/575440/575413	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax<=196bar, Tmax<=565°C	DISPR/CR4/A,B,C/4,5/1225/0/24.06.2011-retragere incepand cu 30.08.2016

21	Bacau	AMURCO SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/770/2005	RO 17488233	0234/575440/575413; e-mail: secretariat@amurco.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=105bar, Tmax=540°C; Dmax=25Gcal/h, pmax=20bar	BC/CR4/A,B,C/4,5/1298/1/03.09.2013-retragere incepand cu 30.08.2016
22	Pitesti	ANA CARPATI 2007 SRL	PITESTI, Str. Fagaras, bl.E2, sc.c, ap.10, Jud. Arges	J03/1993/2007	RO 22523698	0729022428; 0248/290025	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q<=50t/h, pmax<=50bar, T<=450°C; D<=50Gcal/h, pmax<=25bar	PT/CR4/A,C/4,5/0102/0/30.09.2010
23	Central	ANUBIS SRL	CLUJ NAPOCA, Str. Fericirii, nr.17, ap.2, Jud. Cluj	J12/269/2000	CUI 12760654	0264/484116	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	DISPR/CR4/G/4,5/1472/0/07.07.2011; DISPR/CR4/H/4,5/1471/0/07.07.2011

24	Iasi	APOPI & BLUMEN SRL	IASI, Str. Cuza Voda, nr.56, Jud. Iasi	J22/961/1993	RO 5386728	0232/212269/252413	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=350°C; Dmax=10Gcal/h, pmax=16bar	IS/CR4/A,B,C/4,5/0061/0/19.07.2010
25	Bacau	APOPI & BLUMEN SRL	IASI, Str. Cuza Voda, nr.56, Jud. Iasi	J22/961/1993	RO 5386728	0232/212269/252413	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=350°C; Dmax=10Gcal/h, pmax=16bar	BC/CR4/A,B,C/4,5/1366/1/12.02.2014
26	Bacau	AQUATERM SRL	BOTOSANI, Str. I.C. Bratianu, nr.35, Jud. Botosani	J07/226/1999	CUI 12135214	0231/511585/511518	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=200°C	BC/CR4/A,B,C/4/1495/0/03.10.2014
27	Central	ARCELORMIT TAL GALATI SA	GALATI, Str. Smardan , nr.1, Jud. Galati	J17/21/1991	CUI 1639739	0236/801331/803883	-	-	Cazane abur	-	-	-	pmax=54bar, Qmax=255t/h, Tmax=450°C	DISPR/CR4/C/4/1250/0/10.06.2011
28	Central	ARDENT SRL	BRASOV, Str. Arinului, nr. 3, bl. 36, ap. 12, ap.9, Jud. Brasov	J08/1035/1991	CUI 1110281	0368/459201	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=120bar, Tmax<=540°C; Dmax<=100Gcal/h, pmax=40bar	DISPR/CR4/E/4,5/0786/1/27.01.2017



29	Central	ARDENT SRL	BRASOV, Str. Paraului, nr.15, bl. S25, sc.A, ap.9, Jud. Brasov	J08/1035/1991	CUI 1110281	0722275726; 0268/541682	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=120bar, Tmax<=540°C; Dmax<=100Gcal/h	DISPR/CR4/E/4,5/0786/0/12.05.2011
30	Brasov	ARDENT SRL	BRASOV, Str. Paraului, nr.15, bl. S25, sc.A, ap.9, Jud. Brasov	J08/1035/1991	CUI 1110281	0722275726; 0268/541682	Cazane de abur	-	Cazane de abur	-	-	-	pmax=40bar, Qmax=120t/h, Tmax=350°C	BV/CR4/A,C/4/1125/0/01.04.2013
31	Central	ARGENTA SRL	NAVODARI, Bd. Navodari, nr.295, Jud. Constanta	J13/2396/1993	CUI 3959705	0241/517171/766876	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax<=1100t/h, pmax<=250bar, Tmax<=650°C	DISPR/CR4/A,B,C/4/2035/0/26.09.2011
32	Bucuresti	ARGENTA SRL	NAVODARI, Bd. Navodari, nr.295, Jud. Constanta	J13/2396/1993	CUI 3959705	0241/517171/638438	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax<=250bar, Qmax<=1100t/h, Tmax<=650°C	B/CR4/A,B,C/4/1020/1/29.06.2012

33	Bucuresti	ARGENTA SRL	NAVODARI, Bd. Navodari, nr.295, Jud. Constanta	J13/2396/1993	CUI 3959705	0241/517171/638438	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax=250bar, Qmax=1100t/h, Tmax=650°C	B/CR4/A,B,C/4/1020/2/19.05.2014
34	Central	ARGOS SA	CERNAVODA, Str. Canalului, nr.11, Jud. Constanta	J13/1562/1991	CUI 2421812	0241/238440/238197	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=30t/h, pmax<=25bar, Tmax<=225°C; Dmax<=20Gcal/h, pmax<=25bar	DISPR/CR4/A,B,C/4,5/1745/0/16.08.2011
35	Bucuresti	ARTEGO SA	TG. JIU, Str. Ciocarlau, nr.38, Jud. Gorj	J18/1120/1991	CUI 2157428	0253/226444	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=350°C; Dmax=1.4Gcal/h, pmax=40bar	B/CR4/A,C/4,5/2510/1/12.03.2015
36	Central	ARTEGO SA	TG. JIU, Str. Ciocarlau, nr.38, Jud. Gorj	J18/1120/1991	CUI 2157428	0253/226444/226045	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Pmax<=1164kW	DISPR/CR4/A,B,C/4,5/0472/0/23.03.2011
37	Tg. Mures	AZOMURES SA	TG. MURES, Str. Gh. Doja, nr.30, Jud. Mures	J26/1191	RO 1200490	0265/253700/252627	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=50t/h, pmax=50bar, Tmax=500°C; Dmax=50Gcal/h, pmax=22bar	MS/CR4/E/4,5/0044/0/12.10.2010

38	Tg. Mures	AZOMURES SA	TG. MURES SA, Str. Gh. Doja, nr.300, Jud. Mures	J26/01/1991	CUI 1200490	0265/253700/252627	-	-	Cazane de abur	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440°C	MS/CR4/C/4/0071/0/29.11.2010
39	Sibiu	BALTUR SIB SRL	SIBIU, Str. Regele Ferdinand, nr.2, Jud. Sibiu	J32/297/1998	CUI 10565398	0269/215398/215376	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=150bar, Tmax<=540°C; Dmax<=100Gcal/h, pmax<=26bar	SB/CR4/A,B,C/4,5/1707/1/16.05.2017
40	Central	BALTUR SIB SRL	SIBIU, Str. Regele Ferdinand, nr.2, Jud. Sibiu	J32/297/1998	CUI 10565398	0269/215398/215376	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=150bar, Tmax<=540°C; Dmax<=100Gcal/h, pmax<=26bar	DISPR/CR4/A,B,C/4,5/1475/0/20.07.2011
41	Oradea	BIJU SRL	TIMISOARA, Str. Brandusei, nr.1, sc.B, parter, ap.4, Jud. Timis	J35/2581/1991	CUI 1819357	0256/424868	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=300°C; Dmax=5Gcal/h, pmax=16bar	OR/CR4/A,C/4,5/1256/1/18.02.2014
42	Central	BIJU SRL	TIMISOARA, Str. Brandusei, nr.1, sc.B, parter, ap.4, Jud. Timis	J35/2581/1991	CUI 1819357	0256/424868	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=300°C; Dmax<=5Gcal/h, pmax<=16bar, Tmax<=150°C	DISPR/CR4/A,C/4,5/1267/0/17.06.2011

43	Central	BIS NIMB SA	CERNAVODA, Platforma SNN CNE INVEST , Jud. Constanta	J13/ 1328 /199 9	CUI 9275 005	0241 /238 488/ 2388 90	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	pmax<=16bar, Qmax<=10t/h, Dmax<=5Gcal/h;	DISPR/CR4/ B,C/4,5/097 8/0/09.06.2 011
44	Bucuresti	BLACK SEA SUPPLIERS SRL	CONSTANTA, Bd. Aurel Vlaicu, nr.191, Jud. Constanta	J13/ 2456 /199 6	CUI 8877 045	0241 /697 700	Cazane abur	-	-	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax=325°C	B/CR4/A/4/ 2094/1/15.0 1.2016
45	Central	BLACK SEA SUPPLIERS SRL	CONSTANTA, Bd. Aurel Vlaicu, nr.191, Jud. Constanta	J13/ 2456 /199 6	CUI 8877 045	0241 /697 700	Cazane abur	-	-	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax=325°C	DISPR/CR4/ A/4/2094/0 /05.10.2011
46	Bucuresti	BLUE NEON SA	CRAIOVA, Str. Nicolae Titulescu, nr.46, bl.E4, sc.1, ap.9, Jud. Dolj	J16/ 868/ 2006	CUI 1865 2333	0744 7635 59; 0251 /592 858	-	-	-	-	-	Cazane abur; cazane apa fierbinte	p>0.5bar, T>=110°C	B/CR4/H/4, 5/1382/0/2 7.05.2013
47	Bucuresti	BONATTI Spa PARMA - Sucursala Bucuresti	BUCURESTI, Str. Gheorgheni, nr.68, et.1, ap.4, sector 5	J40/ 9115 /201 4	CUI 3344 6663	021/ 4024 100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250°C; Dmax=30Gcal/h, pmax=16bar	B/CR4/A,B, C/4,5/2361/ 1/06.04.201 6

48	Bucuresti	BONATTI Spa PARMA - Sucursala Bucuresti	BUCURESTI, Str. Gheorgheni, nr.68, et.1, ap.4, sector 5	J40/ 9115 /201 4	CUI 3344 6663	021/ 4024 100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250°C; Dmax=30Gcal/h, pmax=16bar	B/CR4/A,B, C/4,5/2361/ 0/28.11.201 4
49	Bacau	BRAITERM IMPEX SRL	LACU SARAT, Com. Chiscani, Jud. Braila	J09/ 1529 /199 4	CUI 6993 898	0239 /652 604	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=250°C	BC/CR4/A,C /4/1488/2/ 07.05.2015
50	Bacau	BRAITERM IMPEX SRL	LACU SARAT, Com. Chiscani, Jud. Braila	J09/ 1529 /199 4	CUI 6993 898	0239 /652 604	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=250°C	BC/CR4/A,C /4/1488/1/ 22.09.2014
51	Central	BRAITERM IMPEX SRL	LACU SARAT, Com. Chiscani, Str. Principala, nr.41, Jud. Braila	J09/ 1529 /199 4	CUI 6993 898	0239 /652 604	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=250°C	DISPR/CR4/ A,C/4/3026 /0/16.02.20 12
52	Cluj	CALORA PROD SRL	CLUJ NAPOCA, Str. Parang, nr.6, bl.H3, ap.42, Jud. Cluj	J12/ 3320 /199 3	RO 4723 388	0264 /432 429	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h, pmax=16bar	CJ/CR4/E/4 5/0014/0/1 8.05.2010
53	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/ 1889 8/20 06	RO 1922 2172	021/ 3345 517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4, 5/2376/6/2 8.02.2017

54	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/1889 8/20 06	RO 1922 2172	021/ 3345 517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250° C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4, 5/2376/5/0 9.08.2016
55	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/1889 8/20 06	RO 1922 2172	021/ 3345 517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250° C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4, 5/2376/4/1 9.02.2016
56	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/1889 8/20 06	RO 1922 2172	021/ 3345 517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250° C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4, 5/2376/3/0 3.12.2015
57	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/1889 8/20 06	RO 1922 2172	021/ 3345 517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250° C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4, 5/2376/2/2 3.06.2015
58	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/1889 8/20 06	RO 1922 2172	021/ 3345 517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250° C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4, 5/2376/1/2 4.04.2015
59	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/1889 8/20 06	RO 1922 2172	021/ 3345 517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250° C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4, 5/2376/0/0 4.12.2014

60	Oradea	CENTRALA ELECTRICA DE TERMOFICAR E ARAD SA	ARAD, Calea 6 Vanatori , Jud. Arad	J02/336/2002	CUI 1459 3668	0257 /307 455/ 2131 60	-	-	Cazane abur	-	-	-	Qmax=420t/h, Pmax=150bar, Tmax=540°C	OR/CR4/C/4 /1072/0/06. 11.2012
61	Iasi	CENTRUL JUDETEAN DE APARATURA MEDICALA	IASI, Str. Vasile Conta, nr.2-4, Jud. Iasi	-	RO 1266 5636	0232 /314 271/ 2639 77	Cazane abur (generatoare electrice de abur)	Cazane abur (generatoare electrice de abur)	Cazane abur (generatoare electrice de abur)	-	-	-	Qmax=0.3t/h, Pmax=6bar, Tmax=185°C	IS/CR4/A,B, C/4/0055/0 /23.06.2010
62	Bucuresti	CEPROAT SRL	BUCURESTI, Str. Petre Lintes, nr.22, sector 5	J40/5295 /200 2	CUI 1471 5455	0723 1931 94; 021/ 7813 415	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, Pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, Pmax=25bar, Tmax=150°C	B/CR4/E/4, 5/0177/0/0 2.08.2010
63	Central	CERVES SRL	BRAILA, Str. Tineretului, nr. 4, Jud. Braila	J09/525/ 2010	CUI 2747 1760	0239 /683 324; inter venti e 0741 5693 30	-	-	-	Cazane abur, apa fierbinte	-	-	Qmax=420t/h, pmax=150bar, Tmax=570°C; Dmax=50Gcal/h	DISPR/CR4/ E/4,5/0587/ 1/05.08.201 5

64	Central	CERVES SRL	BRAILA, Str. Poet Gr. Alexandrescu, nr.120, modul 1, et.2, Jud. Braila	J09/525/2010	CUI 27471760	0239/683324	-	-	-	Cazane abur, apa fierbinte	-	-	Qmax=420t/h, pmax=150bar, Tmax=570°C; Dmax=50Gcal/h	DISPR/CR4/E/4,5/0587/0/10.05.2011
65	Central	CET GOVORA SA	RM. VALCEA, Str. Industriilor, nr.1, Jud. Valcea	J38/683/1997	CUI 10102377	0250/733601/733603	-	-	Cazane abur	-	-	-	Qmax<=420t/h, pmax<=225bar, Tmax<=570°C	DISPR/CR4/C/4/2522/0/07.12.2011
66	Sibiu	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie 1989, nr.152, ap.18, Jud. Cluj; CLUJ NAPOCA, Str. Garii, nr.19, Jud. Cluj	J12/1453/1998	CUI 11086555	0264/424665/462385	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=250t/h, pmax<=40bar, Tmax<=400°C; Dmax<=100Gcal/h, pmax<=30bar	SB/CR4/A,B,C/4,5/1244/1/14.10.2013
67	Central	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie 1989, nr.152, ap.18, Jud. Cluj; CLUJ NAPOCA, Str. Garii, nr.19, Jud. Cluj	J12/1453/1998	CUI 11086555	0264/424665/462385	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=400°C; Dmax<=25Gcal/h, pmax<=30bar	DISPR/CR4/A,B,C/4,5/1639/0/20.07.2011



68	Central	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie, nr.152, ap.18, Jud. Cluj; CLUJ NAPOCA, Str. Garii, nr.19, Jud. Cluj	J12/ 1453 /199 8	CUI 1108 6555	0264 /424 665/ 4623 85	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmin>0.5bar; Tmin>110°C	DISPR/CR4/ G/4,5/1637 /0/21.07.20 11
69	Central	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie 1989, nr.152, ap.18, Jud. Cluj	J12/ 1453 /199 8	CUI 1108 6555	0264 /424 665/ 4623 85	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; pmax=16bar, Dmax=100Gcal/h	DISPR/CR4/ E/4,5/1840/ 0/07.09.201 1
70	Central	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie, nr.152, ap.18, Jud. Cluj	J12/ 1453 /199 8	CUI 1108 6555	0264 4246 65/4 6238 5	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, pmax=30bar	DISPR/CR4/ E/4,5/1840/ 1/20.06.201 2
71	Brasov	CHIMP SRL	PLOIESTI, Str. Mierlei, nr. 25, Jud. Prahova	J29/ 1229 /199 3	RO 4000 437	0244 /551 949	-	-	-	-	Cazane abur	-	p>0.5bar	BV/CR4/H/4 /1362/1/27. 01.2015
72	Ploiesti	CHIMP SRL	PLOIESTI, Str. Mierlei, nr.25, Jud. Prahova	J29/ 1229 /199 3	RO 4000 437	0244 /551 949	-	-	-	-	Cazane abur	-	p>0.5bar	PL/CR4/H/4 /0289/0/23. 12.2010
73	Bacau	CIBOCAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8, Jud. Botosani	J07/ 1038 /199 4	RO 6566 670	0231 /539 028	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=20t/h, pmax=40bar, Tmax=400°C	BC/CR4/A,B ,C/4/1330/1 /19.01.2016

74	Bacau	CIBOCAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8, Jud. Botosani	J07/1038/1994	RO 6566670	0231/531536/539028	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=20t/h, pmax=40bar, Tmax=400°C	BC/CR4/A,B,C/4/1330/0/05.11.2013
75	Cluj	CLASIC ASOCIATIA PENTRU INDUSTRIE SI COMERT DIN CLUJ SRL	CLUJ NAPOCA, Al. Scarisoara, nr.3, ap. 11, Jud. Cluj	J12/2915/1991	RO 222147	0264/540465	-	-	-	-	-	Cazane abur, apa fierbinte	-	CJ/CR4/H/4,5/0137/0/02.12.2010
76	Iasi	CLIMA THERM CENTE SRL	IASI, Sos. Pacurari, nr. 139, Jud. Iasi	J22/916/2000	RO 13572870	0232/261833/272700	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=5t/h, pmax=16bar, Tmax=350°C	IS/CR4/A,B,C/4/0134/0/25.10.2010
77	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11976/2010	CUI 27787860	021/3167921/4119870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0165/5/11.10.2016
78	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11976/2010	CUI 27787860	021/3167921/4119870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0165/4/19.12.2014

79	Central	CNCIR S.A.	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11976/2010	CUI 27787860	021/3167921/3166027	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0165/2/27.07.2012
80	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11976/2010	CUI 27787860	021/3167921/3167922/3167923/3166027	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h, Pmax=16bar,	DISPR/CR4/E/4,5/0038/0/01.03.2011
81	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11976/2010	CUI 27787860	021/3167921/3166027	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0165/1/23.04.2012
82	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11976/2010	CUI 27787860	021/3167921/4119870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0165/3/22.03.2013

83	Tg. Mures	COM TUR SRL	MIERCUREA CIUC, Str. Muller Laszlo, nr.31, Jud. Harghita	J19/ 414/ 1992	CUI 5126 80	0266 /371 174/ 3237 76	Cazane de abur	-	-	-	-	-	pmax=16 bar, Qmax=10t/h, Tmax=350°C	MS/CR4/A/4 /0011/0/12. 05.2010
84	Bacau	COMES SA	SAVINESTI, Str. Gheorghe Caranfil, nr.3, Jud. Neamt	J27/ 27/1 991	CUI 2662 292	0233 /281 568/ 2818 33	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=40bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=30bar, Tmax<=180°C	BC/CR4/B,C /4,5/1280/3 /08.01.2016
85	Bacau	COMES SA	SAVINESTI, Str. Uzinei, nr.1, Jud. Neamt	J27/ 27/1 991	CUI 2662 292	0233 /281 568/ 2818 33	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=40bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=30bar, Tmax<=180°C	BC/CR4/B,C /4,5/1280/2 /08.08.2013
86	Central	COMES SA	SAVINESTI, Str. Uzinei, nr.1, Jud. Neamt	J27/ 27/1 991	CUI 2662 292	0233 /281 568/ 2818 33	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=40bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=30bar, Tmax<=180°C	DISPR/CR4/ B,C/4,5/069 5/1/06.10.2 011
87	Central	COMES SA	SAVINESTI, Str. Urziceni, nr.1, Jud. Neamt	J27/ 27/1 991	CUI 2662 292	0233 /281 568/ 2818 33	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=40bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=30bar, Tmax<=180°C	DISPR/CR4/ B,C/4,5/069 51/0/11.05. 2011

88	Central	COMPLEXUL ENERGETIC CRAIOVA SA	CRAIOVA, Str. Unirii, nr.147, Jud. Dolj	J16/656/2004	CUI 1629 9139	0351/403310/403344/449550	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h, pmax=250bar, Tmin=105°C; Tmax=600°C; Dmax<=100Gcal/h, pmax<=25bar, Tmax<=150°C;	DISPR/CR4/C/4,5/2538/0/02.12.2011
89	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCENTRALE CRAIOVA	CRAIOVA, Str. Unirii, nr.147, Jud. Dolj	J16/904/2012	CUI 3029 2810	0351/403310/303311/449550	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=525t/h, 0.5bar<=pmax<=250bar, 105°C<=Tmax<=600°C; Dmax<=100Gcal/h, pmax<=25bar, 110°C<=Tmax<=150°C	DISPR/CR4/C/4,5/1196/0/05.11.2012
90	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCENTRALE ISALNITA	ISALNITA, Str. Mihai Viteazul, nr.101, Jud. Dolj	J16/587/2013	CUI 3145 4295	0251/407633/407602	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h, Tmin=105°C, Tmax=600°C, pmax=250bar; Dmax=100Gcal/h, pmax=250bar, Tmin=110°C, Tmax=150°C	B/CR4/C/4,5/1844/0/01.10.2013

91	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCEN TRALE ROVINARI	ROVINARI, Str. Energeticianului , nr.25, Jud. Gorj	J18/337/2012	CUI 30310461	0253/372556/371590	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, 0.5bar<=pmax<=196bar, 105°C<=Tmax<=600°C; Dmax<=100Gcal/h, pmax<=25bar, 110°C<=Tmax<=150°C	B/CR4/A,C/4,5/1220/0/14.12.2012
92	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCEN TRALE TURCENI	TURCENI, Str. Uzinei, nr.1, Jud. Gorj	J18/338/2012	CUI 30310453	0253/335045/335015	-	-	Cazane abur	-	-	-	Qmax=1035t/h, p<=196bar, Tmax=540°C	B/CR4/C/4/1611/1/30.09.2016
93	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCEN TRALE TURCENI	TURCENI, Str. Uzinei, nr.1, Jud. Gorj	J18/338/2012	CUI 30310453	0253/335045/335081	-	-	Cazane abur	-	-	-	Qmax=1035t/h, p<=196bar, 105°C<=Tmax<=540°C	B/CR4/C/4/1611/0/17.05.2013

94	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCENTRALE CRAIOVA II	CRAIOVA, Str. Bariera Valcii, nr.195, Jud. Dolj	J16/588/2013	CUI 31454260	0251/599480/596555; 0251/599495	-	Cazane de abur, apa fierbinte	-	-	-	-	Q <sub>max</sub> =525t/h, p <sub>max</sub> =250bar, 105 °C ≤ T <sub>max</sub> ≤ 600 °C	B/CR4/C/4, 5/1911/0/0 3.12.2013
95	Central	COMPLEXUL ENERGETIC TURCENI SA	TURCENI, Str. Uzinei, nr.1, Jud. Gorj	J18/257/2004	CUI 16302447	0253/335045/335081	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Q <sub>max</sub> ≤ 10t/h, p <sub>max</sub> ≤ 15bar; D <sub>max</sub> =1035t/h, p <sub>max</sub> ≤ 195bar,	DISPR/CR4/C/4,5/0482/0/11.03.2011
96	Ploiesti	COMREP SA	PLOIESTI, Str. Gh. Grigore Cantacuzino, nr.32, Jud. Prahova	J29/127/1991	RO 1345008	0244/513145/515961	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Q <sub>max</sub> =120t/h, P <sub>max</sub> =120bar; D <sub>max</sub> =50Gcal/h, T <sub>max</sub> =440 °C	PL/CR4/B,C /4,5/0160/0 /06.09.2010
97	Brasov	COMREP SA	PLOIESTI, Str. Gh. Grigore Cantacuzino, nr.32, Jud. Prahova	J29/127/1991	RO 1345008	0244/525321/515961	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Q <sub>max</sub> =120t/h, P <sub>max</sub> =100bar; D <sub>max</sub> =50Gcal/h, T <sub>max</sub> =440 °C	BV/CR4/B,C /4,5/1266/1 /26.05.2014

98	Sibiu	COMTERM INVEST SRL	TG. MURES, Str. Rozmarinului, nr .60, corp C1, camera 3, et.1, Jud. Mures	J26/677/1999	RO 1236 1289	0265 /253 250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450°C; Dmax=100Gcal/h, pmax=40bar	SB/CR4/A,B ,C/4,5/1595 /3/14.06.20 16
99	Central	COMTERM INVEST SRL	TG. MURES, Str. Rozmarinului, nr .60, corp C1, camera 3, et.1, Jud. Mures	J26/677/1999	RO 1236 1289	0265 /253 250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h, pmax=40bar	SB/CR4/A,B ,C/4,5/1471 /2/27.05.20 15
100	Central	COMTERM INVEST SRL	TG. MURES, Str. Rozmarinului, nr .60, corp C1, camera 3, et.1, Jud. Mures	J26/677/1999	RO 1236 1289	0265 /253 250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h, pmax=40bar	DISPR/CR4/A,B,C/4,5/2 160/1/16.02 .2012
101	Central	COMTERM INVEST SRL	TG. MURES, Bd. 1 Decembrie 1918, nr.243, ap.31, Jud. Mures	J26/677/1999	CUI 1234 1289	0265 /253 250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h, Pmax=40bar	DISPR/CR4/A,B,C/4,5/2 160/14.10.2 011
102	Ploiesti	COMTERM SA	BUZAU, Str. H.P. Bengescu, nr.5, Jud. Buzau	J10/976/1993	RO 4384 761	0238 /720 242/4067 60	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=1035t/h, Pmax=150bar, Tmax=560°C; Dmax=100Gcal/h	PL/CR4/A,B ,C/4,5/0296 /0/28.12.20 10



103	Central	CONCIVIC SRL	SLOBOZIA, Str. Closca, nr.20, Judet Ialomita	J21/790/1993	CUI 4831479	0243/230117	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=350°C; Dmax<=25Gcal/h, pmax<=16bar	DISPR/CR4/A,B,C/4,5/1692/0/10.08.2011
104	Central	CONDITIONAL SRL	BACAU, Str. Letea, nr.38, bl.38, sc.A, ap.3, Jud. Bacau	J40/393/1998	CUI 10439381	0234/583270	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/A,B,C/4,5/3330/0/26.03.2012
105	Brasov	CONDMAG SA	BRASOV, Str. Avram Iancu, nr.52, Jud. Brasov	J08/35/1991	RO 1100008	0268/414954/477772	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q<=10t/h, p<=16bar, T<=450°C; D<=5Gcal/h, p<=16bar	BV/CR4/A,B,C/4,5/0040/0/06.09.2010
106	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/1991	CUI 1324099	0244/333160/374719; e-mail confind@confind.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; Dmax=50Gcal/h, pmax=40bar	DISPR/CR4/A,B,C/4,5/1720/0/10.06.2011

107	Central	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/1991	CUI 1324099	0244/333160/374719	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; Dmax=50Gcal/h, pmax=40bar	BV/CR4/A,B,C/4,5/1400/1/23.03.2015
108	Central	CONFORT SA	TIMISOARA, Str. Enric Baader, nr.11, Jud. Timis	J35/729/1991	CUI 1833467	0256/434575/434060	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=140bar, Tmax<=550°C; Dmax<=100Gcal/h, pmax<=140bar, Tmax<=220°C	DISPR/CR4/A,B,C/4,5/2151/0/07.10.2011
109	Bucuresti	CONFORT SRL	BUCURESTI, Str. Straduintei, nr.3, bl.A4, ap.32, et.7, sector 4	J40/1110/1993	RO 3477560	021/4610529/4610921	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax=25bar, Tmax=400°C; Dmax=15Gcal/h, pmax=25bar, T>110°C	B/CR4/A,B,C/4,5/0519/1/05.08.2013
110	Central	CONSULT MERIDIAN SRL	SAT LIPIA, Com. Marei, Jud. Buzau	J10/885/2005	CUI 17807634	0238/711249;0371155437	-	-	-	Cazane abur	-	-	Qmax=40t/h, pmax=40bar, Tmax=350°C	DISPR/CR4/E/4/0316/0/25.03.2011
111	Central	CORSEM IMPEX SRL	GURA HUMORULUI, Str. Orizont, nr.6A, Jud. Suceava	J33/1947/1993	CUI 4973970	0230/514145	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=350°C; Dmax<=15Gcal/h, pmax<=16bar, Tmax<=170°C	DISPR/CR4/A,B,C/4,5/1580/0/25.07.2011

112	Iasi	COSMIN COMPANY SRL	IASI, Str. Fundac Ursulea, nr.6, Jud. Iasi	J22/ 582/ 1994	RO 5317 728	0232 /264 597	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=220° C	IS/CR4/A,B, C/4/0010/0 /21.04.2010- suspendare voluntara incepand cu 23.03.2016
113	Iasi	COSMIN COMPANY SRL	IASI, Str. Fundac Ursulea, nr.6, Jud. Iasi	J22/ 582/ 1994	RO 5317 728	0232 /264 597	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=10t/h, pmax=16bar, Tmax=220° C; Dmax=5Gcal/h, pmax=16bar	IS/CR4/E/4, 5/0121/0/2 7.10.2010- suspendare voluntara incepand cu 23.03.2016
114	Bucuresti	CRIMAR PAMICO INDUSTRIAL MONTAJ SRL	PITESTI, Str. Zamfiresti, nr.16, camera 1, Jud. Arges	J03/ 12/2 012	RO 2951 5714	0248 /615 434; 0758 0616 02	-	-	Cazane abur	-	-	-	Qmax=650t/h, pmax=225bar, Tmax=570° C	B/CR4/C/4/ 1026/0/26.0 6.2012

115	Bacau	CRIOMECSA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437/463059; e-mail office@criomecsa.ro	Cazane abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q <sub>max</sub> =250t/h, p <sub>max</sub> =40bar, T <sub>max</sub> 540 °C; D <sub>max</sub> =100Gcal/h, p <sub>max</sub> =22bar	BC/CR4/A,C/4,5/1118/3/18.05.2017
116	Bacau	CRIOMECSA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437/463059; e-mail office@criomecsa.ro	Cazane abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q <sub>max</sub> =120t/h, p <sub>max</sub> =40bar, T <sub>max</sub> 540 °C; D <sub>max</sub> =100Gcal/h, p <sub>max</sub> =22bar	BC/CR4/A,C/4,5/1118/2/29.04.2015

117	Central	CRIOMECSA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437/463059	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=120t/h, pmax=140bar, Tmax=400°C; Dmax=50Gcal/h, pmax=140bar	DISPR/CR4/E/4,5/3772/2/24.06.2015
118	Central	CRIOMECSA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437/463059	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=120t/h, pmax=140bar, Tmax=400°C; Dmax=50Gcal/h, pmax=140bar	DISPR/CR4/E/4,5/3772/1/05.02.2013
119	Galati	CRIOMECSA	GALATI, Str. Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437/463059	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=120t/h, pmax=140bar, Tmax=400°C; Dmax=50Gcal/h, pmax=140bar	GL/CR4/E/4,5/0102/0/16.11.2010
120	Bacau	CRIOMECSA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437/463059	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte				Qmax=120t/h, pmax=40bar, Tmax=540°C; Dmax=100Gcal/h, pmax=22bar	BC/CR4/A,C/4,5/1118/1/09.01.2013
121	Central	CSI ENERGO ELECTRIC SRL	NAVODARI, Str. Muzicii, nr.53, et.1, Jud. Constanta	J13/611/2011	CUI 28179217	0341/488805	-	-	Cazane abur	-	-	-	Qmax<=105t/h, pmax<=40bar, Tmax<=440°C	DISPR/CR4/C/4/0626/0/21.04.2011

122	Bacau	CYCLON TECH SRL	BRAILA, Str. Scolilor, nr.28, Bl.D2, parter, Jud. Braila; BRAILA, Str. Mare, nr.55, Jud. Braila	J09/ 1144 /199 4	RO 6008 500	0239 /612 022/ 6125 61; 0239 /611 870	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=220° C; Dmax=5Gcal/h, Pmax=16bar	BC/CR4/A,B ,C/4,5/1082 /2/28.05.20 14
123	Bacau	CYCLON TECH SRL	BRAILA, Str. Scolilor, nr.28, Bl.D2, parter, Jud. Braila; BRAILA, Str. Mare, nr.55, Jud. Braila	J09/ 1144 /199 4	RO 6008 500	0239 /612 022/ 6125 61; 0239 /611 870	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=220° C; Dmax=5Gcal/h, Pmax=16bar	BC/CR4/A,B ,C/4,5/1082 /1/01.11.20 12
124	Bucuresti	D&G DYNAMIC MAINTENANC E GROUP SRL	PITESTI, Str. Transilvania, nr. 1, bl. D3, sc. D, et. 4, ap. 17, Jud. Arges; PITESTI, DN 65B, Km 4+850, Hala 1, Jud. Arges	J03/ 960/ 2006	CUI 1874 7999	0248 /250 448; 0722 6285 97	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	B/CR4/G/4, 5/2632/1/3 0.09.2015

125	Central	D&G DYNAMIC MAINTENANCE GROUP SRL	PITESTI, Str. Exercitiu, bl.D3, sc.D, et.4, ap.17, Jud. Arges	J03/ 960/ 2006	CUI 1874 7999	0248 /250 448	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmin>0.5bar, Tmin>110°C	DISPR/CR4/ G/4,5/1560 /0/21.07.20 11
126	Timisoara	D&T INDUSTRIAL EQUIPMENT SRL	GHIRODA, Cal. Lugojului, nr.67, Jud. Timis	J35/ 1290 /199 5	CUI 8024 889	0256 /288 641	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Q<=10t/h, p<=16bar, T<=320°C; D<=5Gcal/h, p<=16bar	TM/CR4/A,B ,C/4,5/0038 /0/02.07.20 10
127	Timisoara	DA CONSTANTIN SRL	LUGOJ, Str. Primaverii, nr.42, Jud. Timis	J35/ 2089 /200 2	CUI 1509 6055	0256 /329 338	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Q<=5t/h, p<=16bar, T<=250°C	TM/CR4/A,B ,C/4/0079/0 /04.10.2010
128	Iasi	DAS SRL	IASI, Str. Aurel Vlaicu, nr.87, Jud. Iasi	J22/ 589/ 1991	RO 1986 070	0232 /262 800	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=350°C; Dmax=20Gcal/h, pmax=16bar,	IS/CR4/A,B, C/4,5/0097/ 0/19.08.201 0
129	Iasi	DAS SRL	IASI, Str. Aurel Vlaicu, nr.87, Jud. Iasi	J22/ 589/ 1991	RO 1986 070	0232 /262 800	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=350°C; Dmax=20Gcal/h, pmax=16bar,	IS/CR4/A,B, C/4,5/0097/ 1/06.10.201 0
130	Bucuresti	DELTA TERMO CONSTRUCTI 999 SRL	PITESTI, Str. Trivale, bl. P3 Bis, sc.C,ap.1, Jud. Arges	J03/ 600/ 2004	CUI 1629 7707	0248 /272 797; 0745 0615 58	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=40bar, tmax=440°C; Dmax=50Gcal/h, pmax=25bar	B/CR4/A,B, C/4,5/2188/ 0/16.06.201 4

131	Ploiesti	DIPERO CONSULTING SRL	PLOIESTI, Str. Pompelor, nr.4, Corp C1, Jud. Prahova	J29/1803/2009	RO 26316687	0745118171; 0244/514486	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=100t/h, Pmax=50bar, Tmax=450° C; Dmax=50Gcal/h, pmax=20bar, T>110° C	PL/CR4/E/4,5/0201/0/08.10.2010
132	Central	DONAU CHEM SRL	TN. MAGURELE, Str. Portului, nr.1, Jud. Teleorman	J34/568/2004	CUI 16958124	0247/416438/413379	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/G/4,5/0868/0/18.05.2011
133	Central	DONAU CHEM SRL	TN. MAGURELE, Str. Portului, nr.1, Jud. Teleorman	J34/568/2004	CUI 16958124	0247/416438/413379	Cazane de abur (generatoare de abur pentru sterilizare)	Cazane de abur (generatoare de abur pentru sterilizare)	Cazane de abur (generatoare de abur pentru sterilizare)	-	-	-	Qmax=80t/h, pmax=116bar, Tmax=460° C; Dmax=50Gcal/h, pmax=22bar	DISPR/CR4/A,B,C/4,5/1490/0/18.07.2011
134	Central	DONAU CHEM SRL	TN. MAGURELE, Str. Portului, nr.1, Jud. Teleorman	J34/568/2004	CUI 16958124	0247/416438/413379	-	-	-	-	-	Cazane abur, apa fierbinte	-	B/CR4/H/4,5/1374/0/08.05.2013



135	Timisoara	DOSETIMPEX SRL	TIMISOARA, Cal. Buziasului, nr.11, camera 1, Jud. Timis	J35/4423/1994	CUI 6825635	0256/200368/223838	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q<=10t/h, p<=16bar, T<=300°C; D<=5Gcal/h, p<=16bar	TM/CR4/A,C/4/0057/0/30.07.2010
136	Sibiu	DUOCHIM SRL	OCNA MURES, Str. Axente Sever, bl. 49, sc.C, ap.7, Jud. Alba	J01/33/2001	RO 13682309	0258/873180	-	-	-	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	p>=0.5bar; T>110°C	SB/CR4/G/4,5/0101/0/28.10.2010; SB/CR4/H/4,5/0102/0/28.10.2010
137	Central	DYOMEDICA CND SRL	PLOIESTI, Intrarea Clubului, nr.3, Jud. Prahova	J29/1796/2007	CUI 22112765	0766655627; 0244/574287	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=100bar, Tmax=540°C; Dmax=20Gcal/h, pmax=30bar	DISPR/CR4/E/4,5/2959/0/09.02.2012
138	Constanta	EARRING CO SRL	CONSTANTA, Str. Verde, nr. 30, Jud. Constanta	J13/5530/1992	CUI 1908950	0241/635230	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=250°C; Dmax=5Gcal/h, pmax=40bar, Tmax=150°C	CT/CR4/C/4,5/0029/0/05.07.2010

139	Central	ECOTERM SRL	URZICENI, Str. Serelor, nr.5A, Jud. Ialomita	J21/191/2002	CUI 1473 7011	0243 /254 713	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=40bar, Tmax=570°C; Dmax=25Gcal/h, pmax=40bar, Tmax=250°C	DISPR/CR4/A,B,C/4,5/1597/0/08.07.2011
140	Bucuresti	ECOTERM SRL	URZICENI, Str. Serelor, nr.5A, Jud. Ialomita	J21/191/2002	CUI 1473 7011	0243 /254 713	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=40bar, Tmax=570°C; Dmax=25Gcal/h, pmax=40bar	B/CR4/A,B,C/4,5/2092/1/04.04.2014
141	Central	ELCOMEX IEA SA	CERNAVODA, Str. Medgidiei, nr.2B, Jud. Constanta	J13/5616/1994	CUI 7092 273	0241 /238 917/2375 24	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=140bar, Tmax<=540°C; Dmax<=50Gcal/h, pmax<=40bar, Tmax<=150°C	DISPR/CR4/A,B,C/4,5/0924/0/25.05.2011
142	Bucuresti	ELCOS SERVICE SRL	BUCURESTI, Bd. Timisoara, nr.27, bl.E, Sc.A, ap.2, sector 6	J40/1209/1998	CUI 1018 5240	021/4131 349	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=205°C; Dmax=50t/h, pmax=40bar, Tmax=150°C	B/CR4/A,B,C/4,5/0389/0/08.10.2010
143	Bucuresti	ELCOS SERVICE SRL	BUCURESTI, Bd. Timisoara, nr.27, bl.E, Sc.A, ap.2, sector 6	J40/1209/1998	CUI 1018 5240	021/4131 349	-	-	-	-	Cazane abur; cazane apa fierbinte	-	Qmax=40t/h, pmax=40bar, Tmax=205°C; Dmax=50t/h, pmax=40bar, Tmax=150°C	B/CR4/G/4,5/0390/0/11.10.2010

144	Central	ELECTROCEN TRALE BUCURESTI SA- Suc. ELECTROCEN TRALE BUCURESTI	BUCURESTI, Splaiul Independentei, nr.227, sector 6	J40/ 9343 /200 0	CUI 1343 9840	021/ 2751 108/ 2751 181	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h, pmax=155bar, Tmax=540°C; Dmax=100Gcal/h, pmax=25bar, Tmax=160°C	DISPR/CR4/ A,B,C/4,5/2 898/0/13.01 .2012
145	Central	ELECTROCEN TRALE BUCURESTI SA- Suc. ELECTROCEN TRALE MURES	IERNUT, Str. Energeticii, nr.1, Jud. Mures	J26/ 513/ 2000	CUI 1228 938	0265 /471 333/ 4713 88	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=640t/h, pmax=140bar, Tmax=550°C; Dmax=20Gcal/h, pmax=20bar, Tmax<=150°C	DISPR/CR4/ A,B,C/4,5/2 324/0/03.11 .2011
146	Tg. Mures	ELECTROCEN TRALE BUCURESTI SA- Suc. ELECTROCEN TRALE MURES	IERNUT, Str. Energeticii, nr. 1, Jud. Mures	J26/ 513/ 2000	CUI 1228 938	0265 /471 333/ 4713 88	-	-	-	Cazane abur, apa fierbinte, supraincalzi toare si economizoa re independen te	-	-	Qmax=640t/h, pmax=140bar, Tmax=550°C; Dmax=20Gcal/h, pmax=20bar	MS/CR4/E/4 ,5/0056/0/2 7.10.2010
147	Bucuresti	ELECTROCEN TRALE CONSTANTA SRL	CONSTANTA, Bd. Aurel Vlaicu, nr.123, Jud. Constanta	J13/ 23/2 0153	CUI 3363 6420	0241 /585 300/ 6939 16	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=140bar, Tmax=550°C; Dmax=100Gcal/h, Pmax=20bar	B/CR4/B,C/ 4,5/2472/0/ 11.03.2015

148	Central	ELECTROCEN TRALE BUCURESTI- SUCURSALA ELECTROCEN TRALE CONSTANTA	CONSTANTA, Bd. Aurel Vlaicu, nr.123, Jud. Constanta	J13/ 1035 /200 3	CUI 1526 4655	0241 /585 300/ 6939 16	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=140bar, Tmax=550° C; Dmax=100Gcal/h, Pmax=20bar	DISPR/CR4/ B,C/4,5/304 5/0/31.01.2 012
149	Central	ELECTROCEN TRALE DEVA SA	MINTIA, Str. Santierului,nr.1 , Jud. Hunedoara	J20/ 876/ 2001	CUI 1434 8448	0254 /236 408/ 2364 11	-	-	Cazane abur	-	-	-	Qmax<=330t/h, pmax<=140bar, Tmax<=550° C	DISPR/CR4/ C/4/0076/0 /02.03.2011
150	Central	ELECTROCEN TRALE SA- Suc ELECTROCEN TRALE BUCURESTI	BUCURESTI, Splaiul Independentei, nr.124, sector 6	J40/ 9343 /200 0	CUI 1343 9840	021/ 2751 103/ 2751 405	-	-	-	-	Cazane abur, cazane apa fierbinte, cazane apa calda, cazane abur joasa presiune	-	-	DISPR/CR4/ G/4,5/0175 /0/14.03.20 11
151	Bucuresti	ELECTROCEN TRALE BUCURESTI SA	BUCURESTI, Splaiul Independentei, nr. 227, sector 6	J40/ 1696 /200 3	RO 1518 9596	021/ 2751 108/ 2751 181	-	-	Cazane abur, apa fierbinte	-	-	-	Qmax=525t/h, pmax=155bar, Tmax=550° C; Dmax=100Gcal/h, pmax=25bar, Tmax=160° C	B/CR4/C/4, 5/1730/1/2 1.10.2014

152	Bucuresti	ELECTROCEN TRALE BUCURESTI SA	BUCURESTI, Splaiul Independentei, nr. 227, sector 6	J40/ 1696 /200 3	RO 1518 9596	021/ 2751 108/ 2751 181	-	-	Cazane abur, apa fierbinte	-	-	-	Q <sub>max</sub> =525t/h, p <sub>max</sub> =155bar, T <sub>max</sub> =550°C; D <sub>max</sub> =100Gcal/h, p <sub>max</sub> =25bar, T <sub>max</sub> =160°C	B/CR4/C/4, 5/1730/0/0 8.05.2013
153	Oradea	ELECTROCEN TRALE ORADEA SA	ORADEA, Str. Sos. Borsului, nr.23, Jud. Bihor	J05/ 723/ 2002	RO 1479 0708	0259 /453 345/ 4636 61	Cazane abur	Cazane abur	Cazane abur	-	-	-	Q <sub>max</sub> =420t/h, P <sub>max</sub> =165bar, T <sub>max</sub> =570°C	OR/CR4/A,B ,C/4/1223/1 /16.10.2013
154	Bacau	ELSACO ELECTRONIC SRL	BOTOSANI, Str. Pacea, nr.41A, Jud. Botosani	J07/ 1201 /199 4	CUI 7464 520	0231 /507 060/ 5329 05	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q <sub>max</sub> =1035t/h, P <sub>max</sub> =200bar, T <sub>max</sub> =570°C; D <sub>max</sub> =100Gcal/h, P <sub>max</sub> =40bar	BC/CR4/A,B ,C/4,5/1023 /2/19.04.20 16
155	Bacau	ELSACO ELECTRONIC SRL	BOTOSANI, Str. Pacea Ocolitor, nr.41A, Jud. Botosani	J07/ 1201 /199 4	CUI 7464 520	0231 /507 060/ 5329 05	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q <sub>max</sub> =120t/h, P <sub>max</sub> =40bar, T <sub>max</sub> =350°C; D <sub>max</sub> =50Gcal/h, P <sub>max</sub> =20bar, T <sub>max</sub> =160°C	BC/CR4/A,B ,C/4,5/1023 /1/25.07.20 12
156	Suceava	ELSACO ELECTRONIC SRL	BOTOSANI, Str. Pacea Ocolitor, nr.41A, Jud. Botosani	J07/ 1201 /199 4	RO 7464 520	0231 /507 060/ 5329 05	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Q=120t/h, p=40bar, T=350°C; D=50Gcal/h, p=20bar, T=160°C	SV/CR4/A,B ,C/4,5/0010 /0/24.06.20 10

157	Oradea	EMC SRL	Oradea, Str. Gh. Pitut, nr.1, Jud. Bihor	J05/488/2006	RO 18457480	0731338099; 0259/433563	-	-	-	-	Cazane de abur, cazane abur si apa fierbinte	-	-	OR/CR4/G/4/0016/0/01.06.2010
158	Bacau	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201-202, et. 2, jud. Bacau	J04/140/2000	CUI 12826406	0234/562410; e-mail office@energofor.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=260bar, Tmax<=570°C; Dmax<=100Gcal/h, pmax<=16bar	BC/CR4/A,B,C/4,5/1645/3/11.05.2016
159	Bacau	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201-202, et. 2, jud. Bacau	J04/140/2000	CUI 12826406	0234/562410; e-mail office@energofor.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	Cazane de abur, cazane abur si apa fierbinte	-	Qmax<=420t/h, pmax<=160bar, Tmax<=440°C; Dmax<=100Gcal/h, pmax<=16bar	BC/CR4/A,B,C/4,5/1645/2/11.02.2016; BC/CR4/G/4,5/1642/2/11.02.2016

160	Central	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201-202, et. 2, jud. Bacau	J04/140/2000	CUI 1282 6406	0234 /562 410	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax<=120t/h, pmax<=100bar, Tmax=540°C; Dmax<=100Gcal/h, pmax<=16bar	DISPR/CR4/E/4,5/3623/2/30.03.2016
161	Central	ENERGOFOR SRL	BACAU, Str. Arcadie Septilici, nr.7B, Jud. Bacau	J04/140/2000	CUI 1282 6406	0234 /545 683/5624 10	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	Qmax<=120t/h, pmax<=100bar, Tmax=540°C; Qmax<=420t/h, pmax<=160bar, Tmax=440°C; Dmax<=100Gcal/h, pmax<=16bar	DISPR/CR4/E/4,5/3623/1/24.05.2012; DISPR/CR4/A,B,C/4,5/3632/1/23.05.2012; DISPR/CR4/G/4,5/3626/1/24.05.2012
162	Bacau	ENERGOFOR SRL	BACAU, Str. I. L. Caragiale, nr.1, sc.D, ap.6, Jud. Bacau	J04/140/2000	RO 1282 6406	0234 /545 683/5624 10	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=100bar, Tmax=540°C	BC/CR4/E/4,5/0003/0/27.04.2010
163	Bacau	ENERGOFOR SRL	BACAU, Str. Ion Luca Caragiale, nr.1, bl.1, sc.D, ap.6, Jud. Bacau	J04/140/2000	RO 1282 6406	0234 /545 683/5624 10	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=440°C; Dmax=100Gcal/h, pmax=16bar	BC/CR4/A,B,C/4,5/0046/0/30.06.2010

164	Bacau	ENERGOFOR SRL	BACAU, Str. Ion Luca Caragiale, nr.1, bl.1, sc.D, ap.6, Jud. Bacau	J04/140/2000	RO 1282 6406	0234/545 683/5624 10	-	-	-	-	Cazane abur; cazane apa fierbinte	-	p>0.5bar; T>110°C	BC/CR4/G/4,5/0082/0/2 8.09.2010
165	Bucuresti	ENERGOMON TAJ SA	BUCURESTI, Cal Dorobantilor, nr. 103-105, sector 1	J40/136/1991	CUI 1555 468	021/3189 304/3189 327	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, pmax=40bar	B/CR4/A,B,C/4,5/0296/2/08.10.2014
166	Bucuresti	ENERGOMON TAJ SA	BUCURESTI, Cal. Dorobantilor, nr. 103-105, sector 1	J40/136/1991	CUI 1555 468	021/3189 303/3189 330	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, pmax=40bar	B/CR4/A,B,C/4,5/0296/1/08.01.2013
167	Bucuresti	ENERGOMON TAJ SA	BUCURESTI, Cal Dorobantilor, nr. 103-105, sector 1	J40/136/1991	CUI 1555 468	021/3189 303/3189 330	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, pmax=20bar	B/CR4/A,B,C/4,5/0296/0/09.09.2010
168	Bucuresti	ENERGOMON TAJ GRUP SRL	BASCOV, Str. Serelor, nr. 14, Jud. Arges	J03/1966/1994	RO 1069 8807	0248/290 170/2902 85	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=165bar, Tmax<=550°C; Dmax<=100Gcal/h, pmax<=25bar, Tmax<=150°C	B/CR4/A,C/4,5/1241/1/06.10.2016



169	Central	ENERGOMON TAJ GRUP SRL	PITESTI, Str. Gh. Lazar, nr.19, Jud. Arges	J03/ 1966 /199 4	CUI 1069 8807	0248 /290 170	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar, Tmax<=400°C; Dmax<=50Gcal/h, pmax<=16bar, Tmax<=150°C	DISPR/CR4/ A,C/4,5/186 3/0/17.08.2 011
170	Bucuresti	ENERGOMON TAJ GRUP SRL	PITESTI, Str. Gheorghe Lazar, nr.19, Jud. Arges	J03/ 1966 /199 4	CUI 1069 8807	0248 /290 170	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=165bar, Tmax<=550°C; Dmax<=100Gcal/h, pmax<=25bar, Tmax<=150°C	B/CR4/A,C/ 4,5/1241/1/ 13.11.2012
171	Pitesti	ENERGOMON TAJ GRUP SRL	PITESTI,Str.Gh. Lazar, nr.19, ARGES	J03/ 1966 /199 4	RO 1069 8807	0248 /290 170	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q<=120t/h, pmax<=16bar, T<=400°C; D<=50Gcal/h, pmax<=16bar, T<=150°C	PT/CR4/A,C /4,5/0061/0 /21.06.2010
172	Central	ENERGOSZER VIZ KFT SRL- Sucursala Oradea	DEBRECEN, Str. Kishatar, nr.26, Jud. Hajdu- Bihar, UNGARIA; Oradea, Str.Calinului, bl.X1, Jud. Bihar	RC 09/0 9/00 2295; J5/1 195/ 2009	CUI HU11 1477 98; CUI 2604 2662	0036 5245 7924 / 0036 5253 1256 ; 0259 /435 398	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax<=40bar, Tmax=250°C; Dmax<=15Gcal/h, pmax<=40bar	DISPR/CR4/ A,C/4,5/153 2/1/29.05.2 012

173	Oradea	ENERGOSZER VIZ KFT SRL- Sucursala Oradea	DEBRECEN, Str. Kishatar, nr.26, Jud. Hajdu- Bihar, UNGARIA; Oradea, Str.Calinului, bl.X1, Jud. Bihar	RC 09/0 9/00 2295; J5/1 195/ 2009	CUI HU11 1477 98; CUI 2604 2662	0036 5245 7924 / 0036 5253 1256 ; 0259 /435 398	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=1035t/h, Pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, Pmax=40bar,	OR/CR4/A,C /4,5/1113/2 /05.03.2013
174	Central	ENERGOSZER VIZ SRL DEBRECEN - Suc. ORADEA	ORADEA, Al. Calinului, nr.7, bl.X1, ap.30, Jud. Bihar	J05/ 1195 /200 9	CUI 2604 2662	0259 /435 398	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=250°C; Dmax<=15t/h, pmax<=40bar	DISPR/CR4/ A,C/4,5/153 2/0/25.07.2 011
175	Central	ENERGOUTIL CONTACT SA	BUCURESTI, Str. Progresului, nr.75-77, sector 5	J40/ 997/ 1991	CUI 4036 66	021/ 4103 191/ 4106 682	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=192bar, Tmax=570°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/ A,B,C/4,5/2 999/0/14.02 .2012
176	Central	ENERGY BIO CHEMICALS SA- Suc. CAROM	ONESTI, Str. Industiilor, nr.1, Pavilion Administrativ C399, Jud. Bacau	J04/ 838/ 2008	CUI 2376 7569	0234 3026 00; 0234 /315 315	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=50t/h, pmax=100bar, Tmax=570°C; Dmax=25Gcal/h, pmax=16bar	DISPR/CR4/ E/4,5/0747/ 0/19.05.201 1

177	Bucuresti	ENERGY SYSTEM CONSULT SRL	BUCURESTI, Bd. Burebista, nr. 1, bl. D15, sc. 1, ap. 31, sector 3	J40/10456/2000	RO 13529500	021/3265621/3265620; e-mail office@esc-inc.ro	-	-	Cazane abur	-	-	-	Qmax<=10t/h, pmax=100bar, Tmax=400°C	B/CR4/C/4/2489/0/02.04.2015
178	Central	ENET SA	FOCSANI, Bd. Bucuresti, nr.4, Jud. Vrancea	J39/93/1996	RO 8123890	0237/212400/214110	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h, pmax=25bar	DISPR/CR4/C/4,5/3503/1/26.04.2012
179	Galati	ENET SA	FOCSANI, Str, Bucuresti, nr.4, Jud. Vrancea	J39/93/1996	RO 8123890	0237/212400/214110	-	-	Cazane abur, apa fierbinte	-	-	-	pmax=40bar, Qmax=50t/h, tmax=450°C; pmax=25r, Dmax=50Gcal/h, tmax=150°C	GL/CR4/C/4,5/0004/0/12.04.2010
180	Central	ERG PRESTARI SERVICII SRL	TIRIMIA, nr.247, Jud. Mures	J26/196/2009	CUI 242110	0744208441; 0264/441191	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=50t/h, pmax=100bar, Tmax=450°C; Dmax=25Gcal/h, Pmax=25bar	DISPR/CR4/E/4,5/2805/0/19.01.2012

181	Pitesti	ERHAN SRL	RM. VALCEA, Str. Regina Maria, nr.7, bl.C1, tronson D, mezanin, Jud. Valcea	J38/ 19/1 992	RO 1469 863	0250 /733 919/ 7317 25; office@er han. ro	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	Qmax=10t/h, pmax=16bar, Tmax=180°C; Dmax=5Gcal/h, pmax=16bar	PT/CR4/A,B ,C/4,5/0150 /0/21.12.20 10; PT/CR4/A,B ,C/4,5/0154 /0/21.12.20 10
182	Central	EST ROM SA	VALEA LUPULUI,Str. Diminetii, nr.1, Jud. Iasi	J22/ 2259 /199 3	CUI 4488 770	0232 /226 380/ 2533 98/2 4820 9/24 8046	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h, pmax=165bar, Tmax=570°C; Dmax=100Gcal/h, Pmax=30bar	DISPR/CR4/ E/4,5/2294/ 0/02.11.201 1
183	Bacau	EST ROM SA	VALEA LUPULUI,Com. Valea Lupului, Jud. Iasi	J22/ 2259 /199 3	CUI 4488 770	0232 /226 380/ 2533 98	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=420bar, Tmax=570°C; Dmax=100Gcal/h, pmax=20bar	BC/CR4/A,B ,C/4,5/1322 /2/14.03.20 17

184	Bacau	EST ROM SA	VALEA LUPULUI, Str. Diminetii, nr.1, Jud. Iasi	J22/2259 /1993	CUI 4488770	0232 /226380/248046	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=420bar, Tmax=570°C; Dmax=100Gcal/h, pmax=20bar	BC/CR4/A,B,C/4,5/1322 /1/21.10.2013
185	Central	EST ROM SA	VALEA LUPULUI, Str. Diminetii, nr.1, Jud. Iasi	J22/2259 /1993	CUI 4488770	0232 /226380/248046	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=140bar, Tmax=570°C; Dmax=100Gcal/h, pmax=20bar	DISPR/CR4/A,B,C/4,5/2753/0/10.01.2012
186	Iasi	ETNIS SRL	IASI, Cal Chisinaului, nr.98-100, Jud. Iasi	J22/1131 /1991	RO 1956141	0232 /230113	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350°C	IS/CR4/A,B,C/4/01600/30.12.2010
187	Bacau	ETNIS SRL	IASI, Cal Chisinaului, nr.98-100, Jud. Iasi	J22/1131 /1991	RO 1956141	0232 /230113	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350°C	BC/CR4/A,B,C/4/1202/23.04.2013
188	Central	EUGLOS SA	CLUJ NAPOCA, Str. Garii, nr. 19, Jud. Cluj	J12/4093 /2007	RO 22435138	0264 /424665/462385	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; Dmax=100Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/3927/0/29.02.2016

189	Sibiu	EUGLOS SA	CLUJ NAPOCA, Str. Garii, nr. 19, Jud. Cluj	J12/ 4093 /200 7	RO 2243 5138	0264 /424 665/ 4623 85; e mail offic e@c hitec h.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=350°C; Dmax=50Gcal/h, pmax=16bar	SB/CR4/A,B ,C/4,5/1486 /0/29.07.20 15
190	Sibiu	EUGLOS SA	CLUJ NAPOCA, Str. Garii, nr. 19, Jud. Cluj	J12/ 4093 /200 7	RO 2243 5138	0264 /424 665/ 4623 85	-	-	-	-	Cazane abur, cazane apa fierbinte	-	pmax>0.5bar; T>110°C	SB/CR4/G/4 ,5/1450/0/0 7.04.2015
191	Central	EUROBOILER SRL	DR. TN. SEVERIN, Str. Portile de Fier, nr. 2C9, Jud. Mehedinti	J25/ 191/ 2004	CUI 1632 5432	0727 4350 56; 0252 /310 046/ 3297 64	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=550t/h, pmax<=140bar, Tmax<=540°C; Dmax<=100Gcal/h, pmax<=25bar	DISPR/CR4/ A,B,C/4,5/3 346/0/20.03 .2012- retragere incepand cu 14.04.2014 (denumire noua Macchi Romania SRL)

192	Bucuresti	EUROBOILER SRL	DR. TN. SEVERIN, Str. Portile de Fier, nr. 2C9, Jud. Mehedinti	J25/191/2004	CUI 16325432	0352/884860; 0252/329764; 0772094024	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=550t/h, pmax=140bar, Tmin=105°C; Tmax=540°C; Dmax=150Gcal/h, pmax=25bar; 110°C<Tmax=150°C	B/CR4/A,B, C/4,5/1837/1/11.10.2013- retragere incepand cu 14.04.2014 (denumire noua Macchi Romania SRL)
193	Oradea	EXPERT PETROLEUM SRL	BUCURESTI, Sos. Bucuresti-Ploiesti, nr. 73-81, cladirea C3, et. 3, sector 1; TIMISOARA, Str. Corolian Brediceanu, nr. 10C, cladire C, mezanin, camera M5, Jud. Timis	J26/1656/2008	CUI 17634428	0374200640, 0317/801093; 0356/414883	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=300°C; Dmax=5Gcal/h, pmax=40ba	OR/CR4/A,B, C/4,5/1460/1/20.10.2016

194	Oradea	EXPERT PETROLEUM SRL	TG. MURES, Str. Tamas Erno, nr. 1, Jud. Mures; TIMISOARA, Str. Corolian Brediceanu, nr. 10C, cladire C, Mezanin, camera M5, Jud. Timis	J26/ 1656 /200 8	CUI 1763 4428	0374 2006 40; 0317 8010 93; 0356 /414 883	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=300°C; Dmax=5Gcal/h, pmax=40ba	OR/CR4/A,B ,C/4,5/1460 /0/23.05.20 16
195	Central	FAST TECHNICAL ASSISTANCE SRL	BACAU, 9 Mai, nr.35, poz. 10, bl.35, sc.E, parter, Jud. Bacau	J04/ 696/ 1997	CUI 9626 416	0234 /513 803/ 5114 30	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=350°C; Dmax=10Gcal/h, pmax=20bar	DISPR/CR4/ A,C/4,5/355 6/0/22.05.2 012
196	Central	TMUCB SA	BUCURESTI, Str. T. Arghezi, nr.8- 10, et.5, sector 2	J40/ 1171 /199 1	CUI 2786 487	021/ 3165 669/ 3129 542	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=215bar, Tmax=600°C	DISPR/CR4/ A,B,C/4,5/1 496/0/19.07 .2011
197	Oradea	FLEXIK AUTOMATION SRL	TIMISOARA, Str. G. Cosbuc, nr.5, Jud. Timis	J35/ 2848 /199 4	CUI 6351 850	0256 /292 964/ 2929 65	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=300°C	OR/CR4/A,B , C/4/1019/1 /17.07.2012



198	Timisoara	FLEXIK AUTOMATION SRL	TIMISOARA, Str. George Cosbuc, nr.5, Jud. Timis	J35/ 2848 /199 4	RO 6351 850	0256 /292 964/ 2929 65	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Q<=10t/h, p<=16bar, T<=300°C	TM/CR4/A,B ,C/4/0014/0 /09.06.2010
199	Central	FORPRES SRL	IASI, Sos. Nationala, nr.49, bl.C3, sc.B, et.5, ap.23, Jud. Iasi; IASI, Str. Prof. dr. doc. D. Mangeron, nr.39, imobil TCM, corp D, Jud. Iasi	J22/ 1258 /200 2	RO 1501 2143	0232 /233 390	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=200°C	DISPR/CR4/ A,B,C/4/319 9/0/06.03.2 012
200	Central	FUTURE LINE INSTAL SRL	BUCURESTI, Sos. Mihai Bravu, nr. 75- 83, bl.C17, sc.B, et.6,ap.79, sector 2	J40/ 2335 0/19 92	CUI 1883 0	021/ 2011 114/ 2011 115	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=15t/h, pmax=16bar, Tmax=350°C; Dmax=10Gcal/h, pmax=16bar	DISPR/CR4/ A,B,C/4,5/3 168/0/28.02 .2012

201	Bucuresti	FUTURE LINE INSTAL SRL	BUCURESTI, Sos. Mihai Bravu, nr. 75-83, bl.C17, sc.B, et.6,ap.79, sector 2; BUCURESTI, Str. Biharia, nr. 67-77, sector 1	J40/ 2335 0/19 92	CUI 1883 0	021/ 2011 114/ 2011 115	-	-	-	-	-	Cazane abur; cazane apa fierbinte	-	B/CR4/H/4, 5/1758/0/2 0.08.2013
202	Bacau	GA PRO CO CHEMICALS SA	SAVINESTI, Str. Gheorghe Caranfil, nr. 11, Jud. Neamt	J27/ 1478 /200 5	CUI 1772 8697	0233 / 2805 44/ 2814 94/ 2812 60	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=50t/h, pmax=110bar, Tmax=440°C	BC/CR4/A,B ,C/4/1144/1 /20.01.2015
203	Bacau	GA PRO CO CHEMICALS SA	Sat SAVINESTI, Com. Savinesti, Str. Uzinei, nr.2, Jud. Neamt	J27/ 1478 /200 5	CUI 1772 8697	0233 /281 494/ 2812 60	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=50t/h, pmax=110bar, Tmax=440°C	BC/CR4/A,B ,C/4/1144/0 /21.01.2013

204	Bucuresti	GADAGROUP ROMANIA SRL	BUCURESTI, Cal. Floreasca, nr.169A, corp A, et.7, sector 1	J40/ 9320 /199 6	RO 8936 710	0746 2311 47; 021/ 3172 102	Cazane abur	Cazane abur	-	-	-	-	Qmax=0.4t/h, pmax=4bar, Tmax=150°C	B/CR4/A,B/ 4/2069/0/3 1.03.2014
205	Constanta	GAZ SERVICES SRL	CONSTANTA, Str. Mesteru Manole, nr.1A, Jud. Constanta	J13/ 564/ 2001	CUI 1368 7691	0742 1450 08; 0241 /638 980; e- mail gaz_ servi ces@ yaho o.co m	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=225°C; Dmax=5Gcal/h, pmax=16bar, Tmax=150°C	CT/CR4/A,B ,C/4,5/0112 /0/20.12.20 10

206	Bucuresti	GB INDCO SRL	BUCURESTI, Bd. Dimitrie Cantemir, nr. 9, bl. 7, sc. 1, ap. 8, sector 4; POPESTI LEORDENI, Str. Fagului, nr.19 (fosta nr. 17), Jud. Ilfov	J40/2728/1998	RO 10421821	0213361212/336387; e-mail contact@gbindco.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.3t/h, pmax=5bar, Tmax=150°C	B/CR4/A,B, C/4/2752/1 /10.06.2016
207	Bucuresti	GB INDCO SRL	BUCURESTI, Bd. Dimitrie Cantemir, nr. 9, bl. 7, sc. 1, ap. 8, sector 4; BUCURESTI, Str. Mixandrei, nr. 80, sector 4	J40/2728/1998	RO 10421821	021/3361212/3363887; e-mail contact@gbindco.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.3t/h, pmax=5bar, Tmax=150°C	B/CR4/A,B, C/4/2752/0 /07.04.2016

208	Bucuresti	GEMA TERM CONSULTING	BUCURESTI, Str. Emanoil Buteica, nr.10, bl.61, sc.1, ap.1, sector.3	J40/1544/1998	CUI 10276098	021/3442158, 021/3442159	-	-	-	Cazane abur; cazane apa fierbinte	-	-	pmax=180bar Qmax = 600t/h Tmax = 570 °C; Dmax= Gcal/h pmax=24 bar	B/CR4/E/4, 5/0114/0/2 9.06.2010
209	Central	GEMA TERM CONSULTING SRL	BUCURESTI, Aleea Marius Emanoil Buteica, nr.10, bl.61, sc.1, ap.1, sector 3	J40/1544/1998	RO 10276098	021/3442158/3442159	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=600t/h, pmax=180bar, Tmax=570 °C; Dmax=50Gcal/h, pmax=24bar	DISPR/CR4/E/4,5/3701/1/21.06.2012
210	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, Indicativ E1: 6b, et.1, sector 2; PLOIESTI, Str. Maramures, nr.12, et.2, Jud. Prahova	J40/8266/2006	CUI 18692907	0344/140953/571001	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=40t/h, pmax=40bar, Tmax=340 °C; Dmax=25Gcal/h, pmax=100bar	DISPR/CR4/E/4,5/1209/3/30.03.2016

211	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, indicativ E1:6b, et.1, sector 2	J40/ 8266 /200 8	CUI 1869 2907	0344 /140 953; 0244 /571 001	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=40t/h, pmax=40bar, Tmax=350° C; Dmax=25Gcal/h, pmax=18bar	DISPR/CR4/ E/4,5/1209/ 0/16.06.201 1
212	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, indicativ E1:6b, et.1, sector 2; PLOIESTI, Str. Maramures, nr. 12, et.2, Jud. Prahova	J40/ 8266 /200 6	CUI 1869 2907	0344 /140 953; 0244 /571 001	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=40t/h, pmax=40bar, Tmax=340° C; Dmax=25Gcal/h, pmax=18bar	DISPR/CR4/ E/4,5/1209/ 1/14.12.201 1

213	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, Indicativ E1: 6b, et.1, sector 2; PLOIESTI, Str. Maramures, nr.12, et.2, Jud. Prahova	J40/ 8266 /200 6	CUI 1869 2907	0344 /140 953/ 5710 01	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=40t/h, pmax=40bar, Tmax=340°C; Dmax=205Gcal/h, pmax=100bar	DISPR/CR4/ E/4,5/1209/ 2/02.05.201 2
214	Central	GLEMSERV CHIM SRL	BUCURESTI,Str. Cetatea Histria, nr.9, bl.14, sc.4, et.1, ap.51, sector 6	J40/ 1403 /200 5	CUI 1716 5127	021/ 7256 696	-	-	-	-	Cazane abur; cazane apa fierbinte	-	p>0.5bar, T>110°C	DISPR/CR4/ G/4,5/1083 /0/23.06.20 11

215	Bucuresti	GLOBAL ENERGY PRODUCTION SA	GIURGIU, Sos. Sloboziei, nr. 194, Jud. Giurgiu	J52/283/2011	CUI 28423620	0769060259; 0246/216665; e-mail globalenergyproduction@gmail.com	Cazane apa fierbinte	Cazane apa fierbinte	Cazane apa fierbinte				Qmax=10Gcal/h, pmax=18bar, tmax=150°C	B/CR4/A,B, C/5/2683/0 /13.01.2016
216	Sibiu	GRUP 4 INSTALATII SA	CLUJ NAPOCA, Str. Luncii, nr.5A, Jud. Cluj	J12/24/1991	RO 242403	0264/401150/596266; e-mail grup4@grup4cj.ro	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte				Qmax=120t/h, pmax=40bar, Tmax=400°C; Dmax=50Gcal/h, pmax=16bar	SB/CR4/B,C /4,5/1454/1 /14.04.2015



217	Cluj	GRUP 4 INSTALATII SA	CLUJ NAPOCA, Str. Luncii, nr.5A, Jud. Cluj	J12/ 24/1 991	RO 2424 03	0264 /596 168/ 5962 66	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=400°C; Dmax=50Gcal/h, pmax=16bar	CJ/CR4/B,C /4,5/0055/0 /01.08.2010
218	Central	GRUP ENERGOINST AL SA	CLUJ NAPOCA, Str. Lunii, nr.8C, Jud. Cluj	J12/ 1502 /199 8	CUI 1100 9951	0264 /438 352/ 4532 61	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=400°C; Dmax<=25Gcal/h, pmax<=30bar	DISPR/CR4/ A,B/4,5/094 9/0/13.05.2 011
219	Sibiu	GRUP ENERGOINST AL SA	CLUJ NAPOCA, Calea Dezmirului, nr.8, Jud. Cluj	J12/ 1502 /199 8	CUI 1100 9951	0264 /438 352/ 4532 61	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=400°C; Dmax<=25Gcal/h, pmax<=30bar	SB/CR4/A,B /4,5/1219/1 /03.09.2013
220	Central	HIDRO TERM SRL	SATU MARE, Str. Cibinului, bl.CE 20, Jud. Satu Mare	J30/ 367/ 2004	CUI 1627 4975	0361 /801 950/ 8105 38	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=35t/h, pmax=40bar, Tmax=400°C; Dmax=30Gcal/h, pmax=40bar	DISPR/CR4/ A,C/4,5/068 7/0/11.05.2 011
221	Oradea	HIDRO TERM SRL	SATU MARE, Str. Cibinului, bl.CE 20, ap.6, Jud. Satu Mare	J30/ 367/ 2004	RO 1627 4975	0361 /801 950/ 8105 38	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=35t/h, Pmax=50bar, Tmax=450°C; Dmax=30Gcal/h, pmax=50bar, T>110°C	OR/CR4/E/, 54/0046/0/ 25.10.2010

222	Oradea	HYDROMATIC SISTEM SRL	TIMISOARA, Calea Buziasului, nr. 11, Hala Industriala si birouri, Jud. Timis	J35/728/1998	CUI 10786429	0256/294361/246427	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h, pmax=64bar, Tmax=450°C; Dmax=25Gcal/h, pmax=16bar	OR/CR4/A,B, C/4,5/1431/1/17.05.2017
223	Oradea	HYDROMATIC SISTEM SRL	TIMISOARA, Calea Buziasului, nr. 11, Hala Industriala si birouri, Jud. Timis	J35/728/1998	CUI 10786429	0256/294361/246427	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h, pmax=64bar, Tmax=450°C; Dmax=25Gcal/h, pmax=16bar	OR/CR4/A,B, C/4,5/1431/0/18.01.2016
224	Bacau	HIDROTERM SA	ROMAN, Str. Colectorului, nr. 1, Jud. Neamt	J27/399/1996	RO 5683613	0233/742490	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h, pmax=50bar, Tmax=450°C; Dmax=25Gcal/h, pmax=50bar	BC/CR4/A,B, C/4,5/1633/0/03.02.2016
225	Bucuresti	HSH CHEMIE SRL	BUCURESTI, Str. Dimitrie Racovita nr.19, ap.1 si 2, sector 2	J40/11795/2000	CUI 13610671	021/313778/021/3157864	-	-	-	-	-	Cazane abur; cazane apa fierbinte	p>0,5 bar, T>110°C	B/CR4/H/4, 5/0136/0/30.06.2010-suspendare incepand cu 03.02.2014

226	Brasov	HYDRO X SRL	BRASOV, Str. Dealul Spirei, nr.7E, Jud. Brasov	J08/1265/1996	RO 8894607	0268/513050/513157; 0744328514	-	-	-	-	-	Cazane abur; cazane apa fierbinte	p>0.5bar; T>110°C	BV/CR4/H/4,5/0027/0/30.07.2010
227	Central	INSTITUTUL NATIONAL DE CERCETARE DEZVOLTARE PENTRU ENERGIE - ICEMENERG	BUCURESTI, Bd. Energeticienilor , nr.8, sector 3	J40/4323/2014	CUI 33034838	021/3462769/3465310	-	-	-	Cazane de abur, apa fierbinte	-	-	pmax=250bar, Tmax=570°C, Qmax=1035t/h; pmax=30bar, Dmax=100Gcal/h	DISPR/CR4/E/4,5/3866/1/13.06.20016
228	Central	INSTITUTUL NATIONAL DE CERCETARE DEZVOLTARE PENTRU ENERGIE - ICEMENERG	BUCURESTI, Bd. Energeticienilor , nr.8, sector 3	J40/4323/2014	CUI 33034838	021/3462769/3465310	-	-	-	Cazane de abur, apa fierbinte	-	-	pmax=250bar, Tmax=570°C, Qmax=1035t/h; pmax=30bar, Dmax=100Gcal/h	DISPR/CR4/E/4,5/3866/0/27.08.2014
229	Central	ICEMENERG SA	BUCURESTI, Str. Energeticienilor , nr.8, sector 3	J40/7306/2004	CUI 16397293	021/3464443/3460384	-	-	-	Cazane abur	-	-	pmax=245bar, Tmax=540°C, Qmax=1035t/h	DISPR/CR4/E/4,5/1016/0/20.06.2011

230	Bucuresti	ICMA SRL	PITESTI, Str. Petrochimistilor , nr.36, Jud. Arges	J03/1963/1991	RO 137238	0248/206011/615332	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax<=206bar, Tmax<=580°C; Dmax<=100Gcal/h, pmax<=50bar	B/CR4/A,B,C/4,5/2328/1/14.10.2014- suspendare voluntara incepand cu 12.10.2015
231	Central	ICMA SRL	PITESTI, Str. Petrochimistilor , nr.36, Jud. Arges	J03/1963/1991	RO 137238	0248/206011/206012	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax<=206bar, Tmax<=580°C; Dmax<=100Gcal/h, pmax<=50bar	DISPR/CR4/A,B,C/4,5/3123/0/28.02.2012
232	Bacau	ICMRS SA	GALATI, Str. Smardan , nr.1, Jud. Galati	J17/12/1991	RO 1633620	0236/448000/448011	-	-	Cazane abur	-	-	-	Qmax=300t/h, pmax=100bar, Tmax=400°C	BC/CR4/C/4/1363/0/17.02.2014
233	Central	ICPET GENERATOARE ABUR SA	BUCURESTI, Sos. Berceni, nr.104, sector 4	J40/18840/2004	RO 16951886	021/3194348/3149058	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/E/4,5/3750/1/02.11.2012

234	Bucuresti	ICPET GENERATOARE ABUR SA	BUCURESTI, Sos. Berceni, nr.104, sector 4	J40/ 1884 0/20 04	CUI 1695 1886	021/ 4920 201	-	-	-	-	Cazane abur, apa fierbinte	-	Qmax=1035t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, pmax=25bar, T>110°C	B/CR4/G/4, 5/0408/0/1 4.10.2010
235	Central	IMSP PROIECT SRL	CONSTANTA, Str. Breaza, nr. 14B, Jud. Constanta	J13/ 2445 /200 8	CUI 2417 8510	0724 4601 70; 0241 /515 543	-	-	-	Cazane abur; cazane apa fierbinte	-	-	pmax=50bar, Tmax=440°C, Qmax=20t/h; Dmax=5Gcal/h, pmax=18bar	DISPR/CR4/ E/4,5/1051/ 1/08.01.201 5
236	Central	IMSP PROIECT SRL	CONSTANTA, Str. Frigului, nr.4, bl.FG4, ap.11, Jud. Constanta	J13/ 2445 /200 8	CUI 2417 8510	0241 /553 132	-	-	-	Cazane abur; cazane apa fierbinte	-	-	pmax=50bar, Tmax=440°C, Qmax=20t/h; Dmax=5Gcal/h, pmax=18bar	DISPR/CR4/ E/4,5/1051/ 0/08.06.201 1
237	Bucuresti	IMUC SA	BRADU, Str. Petrochimistilor , nr. 10, Jud. Arges	J03/ 236/ 1991	CUI 1289 90	0248 /615 600/ 6155 99	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1100t/h, pmax<=225bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=50bar	B/CR4/A,B, C/4,5/2397/ 1/17.12.201 4
238	Central	IMUC SA	BRADU, Str. Petrochimistilor , nr. 10, Jud. Arges	J03/ 236/ 1991	CUI 1289 90	0248 /615 600/ 6155 99	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1100t/h, pmax<=225bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=50bar	DISPR/CR4/ A,B,C/4,5/2 390/0/21.11 .2011

239	Brasov	INDUSTRIAL MONTAJ SA	PLOIESTI, Str. Mihai Bravu, nr.342A, Jud. Prahova	J29/2257/1991	RO 1348195	0244/515774/595275	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, Pmax=400bar, Tmax=600°C; Dmax=150Gcal/h, Pmax=400bar	BV/CR4/A,B ,C/4,5/1502 /2/18.11.2015
240	Brasov	INDUSTRIAL MONTAJ SA	PLOIESTI, Str. Mihai Bravu, nr.342A, Jud. Prahova	J29/2257/1991	RO 1348195	0244/515774/595275	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, Pmax=400bar, Tmax=440°C; Dmax=50Gcal/h, Pmax=400bar	BV/CR4/A,B ,C/4,5/1009 /1/21.06.2012
241	Ploiesti	INDUSTRIAL MONTAJ SA	PLOIESTI, Str. Mihai Bravu, nr.342A, Jud. Prahova	J29/2257/1991	RO 1348195	0244/515774/595275	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, pmax=400bar, Tmax=440°C; Dmax=50Gcal/h, pmax=400bar	PL/CR4/A,B ,C/4,5/0209 /0/21.10.2010
242	Central	INDUSTRIAL MONTAJ GRUP SRL	DRAGANESTI OLT, Str. Capitan Draganescu, bl.PM1, sc.A,parter, ap.1, Jud. Olt; RM. VALCEA, Str. Industriilor , nr.30, Jud. Valcea	J28/48/2005	CUI 17128161	0728172325; 0250/730314/730313	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax<=196bar, Tmax<=565°C	DISPR/CR4/A,B,C/4,5/1256/0/28.06.2011

243	Central	INGET INGINERIE TERMICA SRL	CLUJ NAPOCA, Str. Maramuresului, nr.16, Jud. Cluj	J12/ 1251 /199 1	CUI 2077 32	0264 /435 274	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax<=30bar, Tmax<=400°C; Dmax<=40Gcal/h, pmax<=30bar	DISPR/CR4/ A,B,C/4,5/0 400/0/30.03 .2011
244	Suceava	INSTAL EXPERT SRL	SUCEAVA, Str. Petru Rares, nr. 20, bl. 4, sc. B, ap. 2, Jud. Suceava	J33/ 47/2 002	RO 1442 6503	0230 /551 392	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Q<=105t/h, p<=40bar, T<=450°C; D<=50Gcal/h, p<=25bar	SV/CR4/A,C /4,5/0023/0 /04.10.2010
245	Central	INSTAL GROUP SRL	ARAD, Str. Timotei Cipariu, nr.3, Jud. Arad	J02/ 692/ 1996	CUI 8898 978	0257 /276 466/ 2066 26	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=300°C; Dmax<=5Gcal/h, pmax<=16bar	DISPR/CR4/ A,B,C/4,5/0 465/1/03.01 .2012
246	Bucuresti	INSTALATII ENERGO REPARATII SRL	TARGOVISTE, Str. Tineretului, nr. 3, bl. 26, sc. B, ap. 48, Dambovita	J15/ 279/ 1994	RO 5252 572	0245 /614 946; e- mail office@re paratiro mani a.ro	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=440°C; Dmax=5Gcal/h, pmax=25bar	B/CR4/A,C/ 4,5/2769/1/ 20.04.2016

247	Ploiesti	INSTALATII ENERGO REPARATII SRL	TARGOVISTE, Str. T. Vladimirescu, bl.B4, sc.B, ap.1, Jud. Dambovita	J15/279/1994	RO 5252/572	0245/614/946	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=440°C; Dmax=5Gcal/h, pmax=25bar	PL/CR4/A,C/4,5/0008/0/19.04.2010
248	Central	INSTALATII RC SRL	IASI, Bd. N. Iorga, nr.24, bl.C1, et.2, Jud. Iasi	J22/2797/1992	CUI 2639206	0232/233775/233015	Cazane abur	Cazane abur	-	-	-	-	Qmax=4t/h, pmax=16bar, Tmax=200°C	DISPR/CR4/A,B/4/1797/0/22.08.2011
249	Central	INSTALATII RC SRL	IASI, Bd. Chimiei, nr.14F, Jud. Iasi	J22/2797/1992	CUI 2639206	0232/233775	Cazane abur	Cazane abur	-	-	-	-	Qmax=4t/h, pmax=16bar, Tmax=200°C	BC/CR4/A,B/4/1175/1/15.03.2013
250	Bacau	INSTALATOR UL SRL	SUCEAVA, Str. Grigore Ureche, nr. 19, et. 2, camere 1-9, Jud. Suceava	J33/1875/1992	RO 3177709	0230/551/719	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=25bar, Tmax=227°C	BC/CR4/A,B,C/4/1584/0/11.08.2015
251	Central	INSTPRO SRL	DRAGASANI, Str. Traian, nr.30, Jud. Valcea	J38/55/1999	CUI 11444947	0250/811/150	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=180°C; Dmax<=5Gcal/h, pmax<=16bar	DISPR/CR4/A,B,C/4,5/0892/0/15.04.2011
252	Cluj	INTELTERM CONSULTING SRL	CLUJ NAPOCA, Str. Rosiori, nr.3, Jud. Cluj	J12/210/1998	RO 10196037	0264/593904/431919	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=180°C; Dmax=25Gcal/h, pmax=16bar	CJ/CR4/A,B,C/4,5/0064/0/17.08.2010



253	Brasov	INTERCAZ SA	BRASOV, Str. Carierei, nr.153, Jud. Brasov	J08/1068/1992	CUI 1091414	0268/516775	Cazane de abur	-	Cazane abur	-	-	-	Q<=100t/h, p<=16bar, T<=350°C	BV/CR4/A,C/4/0003/0/04.06.2010
254	Central	INTERCOM INSTAL SRL	HUNEDOARA, Bd. Dacia, bl. A3, ap.15, Jud. Hunedoara	J20/707/2000	CUI 13567164	0254/712123/714611	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar	DISPR/CR4/A,B,C/4,5/0283/0/24.03.2011
255	Bacau	INTERNATIONAL INSTALATII IMPEX SRL	FOCSANI, Str. Magura, nr.10, Jud. Vrancea	J39/7101994	RO 6142918	0237/625874	Cazane de abur	-	Cazane abur	-	-	-	Qmax=10t/h, p=16bar, T=250°C	BC/CR4/A,C/4/1039/0/24.08.2012
256	Central	INTERTEK INDUSTRY SERVICES ROMANIA SRL	BUCURESTI, Cal. Rahovei, nr. 266-268, cprp 63, Anexe A-B, Stalpii 0-4, camera 01, et. 8, sector 5	J40/2948/2000	RO 12841309	021/3224450/3274826	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar, Tmax=440°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/E/4,5/3966/1/02.03.2017
257	Central	INTERTEK INDUSTRY SERVICES ROMANIA SRL	BUCURESTI, Cal. Rahovei, nr. 266-268, cprp 63, Anexe A-B, Stalpii 0-4, camera 01, et. 8, sector 5	J40/2948/2000	RO 12841309	021/3224450/3274826	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar, Tmax=440°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/E/4,5/3966/0/11.11.2016

258	Bucuresti	INTREPRINDE REA MECANICA SI CHIMICA (IRMC) APROM SRL	BUCURESTI, Sos. Berceni, nr.8, Obiectiv 1, Ajustaj- Forja, et.1, sector 4	J40/ 1096 /200 2	RO 1445 8483	####	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=0.1t/h, pmax=10bar, Tmax=200°C; Dmax=400Gcal/h, pmax=3bar	B/CR4/A,B, C/4,5/1957/ 0/09.01.201 4
259	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedinteanu, nr.7, Jud. Prahova	J29/ 556/ 2010	RO 2685 0340	0727 2055 19; 0344 /140 752; 0244 /547 707	-	-	-	Cazane abur	-	-	Qmax=540t/h, pmax=250bar, Tmax=570°C	DISPR/CR4/ E/4/3727/3 /23.06.2016
260	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedinteanu, nr.7, Jud. Prahova	J29/ 556/ 2010	RO 2685 0340	0344 /140 752; 0244 /547 707	-	-	-	Cazane abur	-	-	Qmax=540t/h, pmax=250bar, Tmax=570°C	DISPR/CR4/ E/4/3727/2 /09.02.2015

261	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Constructia C1, et.1, Jud. Prahova	J29/ 556/ 2010	RO 2685 0340	0344 /140 752; 0244 /547 707	-	-	-	Cazane abur	-	-	Qmax=540t/h, pmax=250bar, Tmax=570°C	DISPR/CR4/ E/4/3727/1 /04.11.2013
262	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Constructia C1, et.1, Jud. Prahova	J29/ 556/ 2010	RO 2685 0340	0344 /140 752; 0244 /547 707	-	-	-	Cazane abur	-	-	Qmax=540t/h, pmax=250bar, Tmax=570°C	DISPR/CR4/ E/4/3727/0 /11.09.2012
263	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedinteanu, nr.7, Jud. Prahova	J29/ 556/ 2010	RO 2685 0340	0344 /140 752; 0244 /547 707	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1000t/h, Pmax=250bar, Tmax=570°C; Dmax=21Gcal/h, Pmax=40bar	BV/CR4/A,B ,C/4,5/1390 /3/06.06.20 16

264	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedinteanu, nr. 7, Jud. Prahova	J29/ 556/ 2010	RO 2685 0340	0344 /140 752; e- mail: offic e@ip m- part ners. com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1000t/h, Pmax<=40bar, Tmax<=570° C; Dmax<=21Gcal/h, Pmax<=40bar	BV/CR4/A,B ,C/4,5/1390 /2/20.02.20 15
265	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Constructia C1, et.1, Jud. Prahova	J29/ 556/ 2010	RO 2685 0340	0344 /140 752; e- mail: offic e@ip m- part ners. com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1000t/h, Pmax=40bar, Tmax=570° C; Dmax=21Gcal/h, Pmax=40bar	BV/CR4/A,B ,C/4,5/1196 /1/06.11.20 13

266	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Jud. Prahova	J29/556/2010	RO 2685 0340	0344 /140 752; 0244 /547 707	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1000t/h, Pmax<=40bar, Tmax<=570°C; Dmax<=21Gcal/h, Pmax<=40bar	BV/CR4/A,B ,C/4,5/1034 /0/10.08.20 12
267	Central	IPOCHIM SA	BUCURESTI, Str. Mihai Eminescu, nr.19-21, sector 1	J40/6485 /199 1	CUI 4577 47	021/ 2117 654	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570°C; Dmax=25Gcal/h, pmax=18bar	DISPR/CR4/ E/4,5/0829/ 1/27.04.201 5
268	Central	IPOCHIM SA	BUCURESTI, Str. Mihai Eminescu, nr.19-21, sector 1	J40/6485 /199 1	CUI 4577 47	021/ 2117 654/ 2102 701	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570°C; Dmax=25Gcal/h, pmax=18bar	DISPR/CR4/ E/4,5/0829/ 0/01.06.201 1
269	Bucuresti	IREM SERVICII SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr.3-5, parter, spatiu comercial nr. 2, sector 6	J40/1196 5/20 06	CUI 1887 6802	021/ 3132 904/ 3122 303	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax<=225bar, Tmax<=600°C; Dmax=100Gcal/h, pmax=50bar	B/CR4/A,B, C/4,5/1058/ 3/13.08.201 5

270	Bucuresti	IREM SERVICII SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr.3-5, et.8, ap.2, sector 6	J40/1196 5/20 06	CUI 1887 6802	021/ 3132 904/ 3132 303	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax<=225bar, Tmax<=600°C; Dmax=100Gcal/h, pmax=50bar	B/CR4/A,B, C/4,5/1058/ 2/10.06.201 3
271	Bucuresti	IREM SERVICII SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr.3-5, et.8, ap.2, sector 6	J40/1196 5/20 06	CUI 1887 6802	021/ 3132 904/ 3132 303	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax<=225bar, Tmax<=600°C; Dmax=100Gcal/h, pmax=50bar	B/CR4/A,B, C/4,5/1058/ 1/21.07.201 2
272	Central	IREM SERVICII SRL	BUCURESTI, Cal. Victoriei, nr.16-18-20, et.2, sector 3	J40/1196 5/20 06	CUI 1887 6802	021/ 3132 904/ 3132 303; 0722 5001 30	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax<=225bar, Tmax=600°C; Dmax=100Gcal/h, pmax=50bar	DISPR/CR4/ A,B,C/4,5/2 025/0/27.09 .2011

273	Bucuresti	IREM SPA SIRACUSA SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3- 5, camera 1, et. 5, sector 6; TG. JIU, Bd. Ecaterina Teodoroiu, nr. 46, Jud. Gorj	J40/ 1170 9/20 14	RO 3367 7137	0732 3334 11, 0731 3128 69; 0253 /223 793	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=50bar, Tmax=300° C; Dmax=30Gcal/h, pmax=20bar	B/CR4/B,C/ 4,5/2699/0/ 18.02.2016
274	Bucuresti	IREM SPA SIRACUSA SRL- Sucursala Bucuresti	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3- 5, camera 1, et. 5, sector 6; STOINA, sectia MTN, Jud. Gorj	J40/ 1170 9/20 14	RO 3367 7137	0734 3018 16; 021/ 3132 904/ 3122 303	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax<=20bar, Tmax=250° C; Dmax=30Gcal/h, pmax=16bar	B/CR4/A,B, C/4,5/2608/ 0/04.09.201 5
275	Bucuresti	ISAM PRODIMPEX SRL	BUCURESTI, Al. Sergent Maj. Emil Holut, nr.4, bl.161, sc.1, et.2, ap.10, sector 4	J40/ 5546 /199 5	CUI 7704 852	021/ 3324 058	Cazane abur	-	Cazane abur	-	-	-	Qmax=0.25t/h, pmax=2.7bar, Tmax=140° C;	B/CR4/A,C/ 4/0398/0/0 6.10.2010

276	Central	ISCIR CERT SRL	BUCURESTI, Str. Dr. Leonte Anastasievici, nr.4D,corp A, et.4, birou 10, sector 5	J40/7947/2005	RO 17535289	021/4115203	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=192bar, Tmax=550°C; Dmax=100Gcal/h, pmax=20bar	DISPR/CR4/E/8/3887/0/07.11.2014
277	Central	ITM AMIRO SA	BUCURESTI, Sos. Berceni, nr.8, sector 4	J40/163/1991	CUI 382458	021/3327565	Cazane de abur (generatoare de abur pentru sterilizare)	Cazane de abur (generatoare de abur pentru sterilizare)	Cazane de abur (generatoare de abur pentru sterilizare)	-	-	-	Qmax=100Kg/h, pmax=10bar, Tmax=200°C	DISPR/CR4/A,B,C/4/1486/0/19.07.2011
278	Brasov	J. CHRISTOF E&P SERVICES SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1314/2009	CUI 21013747	0344/401027/401026; e-mail office.jce@christof.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=215bar, Tmax=850°C; Dmax=100Gcal/h, pmax=100bar	BV/CR4/A,B,C/4,5/1646/0/20.03.2017



279	Ploiesti	J. CHRISTOF E&P SERVICES SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/ 1314 /200 9	RO 2101 3747	0344 /401 027/ 4010 26	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Dmax=5Gcal/h, Tmax=440° C	PL/CR4/A,B ,C/4,5/0068 /0/07.06.20 10
280	Central	J. CHRISTOF E&P SERVICES SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/ 1314 /200 9	CUI 2101 3747	0344 /401 027/ 4010 26	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=440° C; Dmax=5Gcal/h, pmax=40bar	DISPR/CR4/ A,B,C/4,5/2 374/1/22.07 .2011
281	Brasov	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/ 1097 /200 8	RO 2286 6980	0344 /401 027/ 4010 26	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax=215bar, Qmax=1035t/h, Tmax=650° C; pmax=100bar, Dmax=100Gcal/h	BV/CR4/A,B ,C/4,5/1345 /3/09.12.20 14- suspendare voluntara incepand cu 28.07.2017
282	Ploiesti	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/ 1097 /200 8	RO 2286 6980	0344 /401 027/ 4010 26	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	50bar>=p>0.5bar, Qmax=200t/h, Tmax=580° C; 50>=p>0.5bar, Dmax=50Gcal/h, Tmax=150° C	PL/CR4/A,B ,C/4,5/0078 /0/09.06.20 10

283	Ploiesti	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1097/2008	RO 22866980	0344/401027/401026	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax=100bar, Qmax=200t/h, Tmax=650°C; pmax=100bar, Dmax=50Gcal/h	PL/CR4/A,B,C/4,5/0078/1/16.08.2010
284	Ploiesti	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1097/2008	RO 22866980	0344/401027/401026	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax<=215bar, Qmax<=1035t/h, Tmax<=650°C; pmax<=100bar, Dmax<=100Gcal/h	DISPR/CR4/A,B,C/4,5/0078/2/14.04.2011
285	Brasov	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Bd. Bucuresti, nr. 66, camera 1A, et. 1, Jud. Prahova	J29/1153/1997	RO 9816194	0344/401995/401997	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax<=20bar, Tmax<=250°C, Qmax<=30t/h	BV/CR4/A,B,C/4,5/1364/2/10.07.2017
286	Brasov	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr. 66, camera 1A, et. 1, Jud. Prahova	J29/1153/1997	RO 9816194	0344/401995/401997	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax<=20bar, Tmax<=250°C, Qmax<=30t/h	BV/CR4/A,B,C/4,5/1364/1/27.10.2016
287	Brasov	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr. 66, camera 1A, et. 1, Jud. Prahova	J29/1153/1997	RO 9816194	0344/401995/401997	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax<=20bar, Tmax<=250°C, Qmax<=30t/h	BV/CR4/A,B,C/4,5/1364/0/28.01.2015

288	Ploiesti	KRAFTANLAG EN ROMANIA SRL	PLOIESTI, Bd. Bucuresti, nr.66, et.2, Jud. Prahova; PETROBRAZI, Com. Brazii de Sus, Str. Trandafirilor, nr.65, Jud. Prahova	J29/ 2805 /2007	RO 2153 6614	0344 /401 994/ 4039 00/4 0199 7/40 3911	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	225bar>=p>0.5bar, Dmax=700t/h, Tmax=580°C; 150>=p>0.5bar, Qmax100Gcal/h, Tmax=280°C	PL/CR4/A,B ,C/4,5/0148 /0/16.07.20 10
289	Brasov	KREMSMUELL ER ROMANIA SRL	PLOIESTI, Str. Centura de Vest, nr.23, Jud. Prahova	J29/ 626/ 2007	CUI 1872 5133	0728 2911 50; 0720 1125 85	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=150bar, Tmax=560°C; Dmax=100Gcal/h, pmax=50bar	BV/CR4/A,C /4,5/1480/1 /06.10.2015
290	Central	KREMSMUELL ER ROMANIA SRL	PLOIESTI, Str. Centura de Vest, nr.23, Jud. Prahova	J29/ 626/ 2007	CUI 1872 5133	0728 2911 50; 0720 1125 85	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=150bar, Tmax=560°C; Dmax=100Gcal/h, pmax=50bar	DISPR/CR4/ A,C/4,5/172 4/0/28.06.2 011
291	Central	KRONSTADT ENERGII REGENERABIL E SRL	BRASOV, Str. Avram Iancu, nr.48A, sc.B, parter, ap.1, Jud. Brasov	J08/ 1090 /201 0	CUI 2745 7234	0368 /416 900/ 4708 81	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=16bar, Tmax=350°C; Dmax=50Gcal/h, Pmax=16bar, Tmax=170°C	DISPR/CR4/ A,B,C/4,5/2 501/0/09.12 .2011

292	Brasov	KRONSTADT INSTALATII SERVICE SRL	BRASOV, Str. Avram Iancu, nr.48A, sc.B, parter, ap.1, birou 1, Jud. Brasov	J08/ 1108 /201 0	CUI 2747 6562	0368 /416 900/ 4708 81; e mail office@k instal .ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=16bar, Tmax=350°C; Dmax=50Gcal/h, Pmax=16bar	BV/CR4/A,B ,C/4,5/1662 /0/24.05.20 17
293	Brasov	LABOREX SRL	PLOIESTI, Str. Mihai Bravu, nr. 206, bl.25B, ap.3, Jud. Prahova	J29/ 109/ 1994	CUI 5122 017	0244 /518 760/ 5187 61	-	-	-	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	pmax>0.5bar; T>110°C	BV/CR4/G/4 ,5/1086/1/2 2.11.2012; BV/CR4/H/4 ,5/1087/0/2 2.11.2012
294	Ploiesti	LABOREX SRL	PLOIESTI, Str. Mihai Bravu, nr.206, Jud. Prahova	J29/ 109/ 1994	RO 5122 017	0244 /518 760/ 5187 61	-	-	-	-	Cazane abur, apa fierbinte	-	p>0.5bar; T>110°C	PL/CR4/G/4 ,5/0304/0/2 8.12.2010

295	Central	LABSERVICE SRL	BUCURESTI, Bd. Bucurestii Noi, nr.212A, sector 1	J40/3459/2002	CUI 14607410	021/6680952/6680954	Cazane abur	-	Cazane abur	-	-	-	Qmax<=5t/h, pmax<=16bar, Tmax<=150°C	DISPR/CR4/A,C/4/1306/0/30.06.2011
296	Central	LAS PROM SRL	TG. MURES, Str. Cuza Voda, nr.25, Jud. Mures	J26/2185/2004	CUI 17057184	0265/264436/311884	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax<=40t/h, pmax<=40bar, Tmax<=440°C	DISPR/CR4/A,B,C/4/0424/0/07.04.2011
297	Central	LISSCOM SRL	BRASOV, Str. Neptun, nr.10, sc.C, ap.1, Jud. Brasov	J08/252/1998	CUI 10358473	0268/549274	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=120t/h, pmax=16bar, Tmax=300°C	DISPR/CR4/A,B,C/4/2980/0/10.02.2012
298	Bacau	LOIAL IMPEX SRL	SUCEAVA, Str. Marasesti, nr.44, bl.T1, parter, Jud. Suceava	J33/27/1993	RO 3176126	0230/526800/526900; office@loial.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440°C; Dmax=100Gcal/h, pmax=40bar	BC/CR4/A,B,C/4,5/1258/2/26.05.2016

299	Bacau	LOIAL IMPEX SRL	SUCEAVA, Str. Marasesti, nr.44, bl.T1, parter, Jud. Suceava; SCHEIA, Str. Agronomului, nr.445, Jud. Suceava	J33/27/1993	RO 3176126	0230/526900; office@loial.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440°C; Dmax=100Gcal/h, pmax=40bar	BC/CR4/A,B,C/4,5/1258/1/02.07.2013
300	Central	LOIAL IMPEX SRL	SUCEAVA, Str. Marasesti, nr.44, bl.T1, Jud. Suceava; SCHEIA, Str. Agronomului, nr.445, Jud. Suceava	J33/27/1993	RO 3176126	0230/526800/526900	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440°C; Dmax=100Gcal/h, pmax=40bar	DISPR/CR4/A,B,C/4,5/3350/0/29.03.2012
301	Central	LUANA PREST SERV SRL	BRASOV, Str. Castelului, nr.40, ap.2, camera 2, Jud. Brasov	J08/2840/2008	RO 24662030	0268/477637	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	pmax>0.5bar, T>110°C	DISPR/CR4/H/4,5/3456/0/12.04.2012; DISPR/CR4/G/4,5/3457/0/12.04.2012
302	Central	LUANA PREST SERV SRL	BRASOV, Str. Castelului, nr.70, ap.2, Jud. Brasov	J08/2840/2008	RO 24662030	0268/415715	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	pmax>0.5bar, T>110°C	DISPR/CR4/G,H/4,5/3456,3457/1/23.05.2012

303	Bucuresti	MACCHI ROMANIA SRL	DR. TR. SEVERIN, Str. Portile de Fier, nr.2C9, Jud. Mehedinti	J25/ 191/ 2004	RO 1632 5432	0252 /310 046; 0352 /884 860 0252 /329 764	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	Qmax=550t/h, Pmax=140bar, Tmax=540° C; Dmax=149; Gcal/h, Pmax=25bar	B/CR4/A,B, C/4,5/2127/ 3/19.02.201 6
304	Bucuresti	MACCHI ROMANIA SRL	DR. TR. SEVERIN, Str. Portile de Fier, nr.2C9, Jud. Mehedinti	J25/ 191/ 2004	RO 1632 5432	0727 4350 56; 0252 3100 46; 0252 /329 764	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	Qmax=550t/h, Pmax=140bar, Tmax=540° C; Dmax=150Gcal/h, Pmax=25bar	B/CR4/A,B, C/4,5/2127/ 2/28.04.201 4

305	Oradea	MARYLAND COMEXIM SRL	Lugasu de Sus, nr. 116, Jud. Bihor	J05/ 981/ 1994	RO 5343 921	0744 9864 34; e mail cosm inbal aj@y ahoo .com	-	-	-	-	-	Cazane de abur; cazane apa fierbinte	pmax>0.5bar, T>110° C	OR/CR4/H/ 4,5/1506/0/ 05.01.2017
306	Bucuresti	MED NICON SRL	BUCURESTI, Str. Jiblea, nr.34, sector 5	J40/ 5675 /200 0	RO 1282 0896	021/ 7765 412	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.25t/h, pmax=5bar, Tmax=150° C	B/CR4/A,B, C/4/2350/0 /28.11.2014
307	Bucuresti	MEDICARE TECHNICS SA	BUCURESTI, Str. Valea Merilor, nr.30, sector 1; TIMISOARA, Str. Iuliu Maniu, nr.3, sc.A, ap.5,Jud. Timis	J40/ 2238 /200 0	CUI 1276 6347	021/ 2286 774/ 2286 714; 0740 5566 75	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=20bar, Tmax=250° C	B/CR4/A,C/ 4/1847/1/1 7.09.2014



308	Bucuresti	MEDICARE TECHNICS SA	BUCURESTI, Str. Valea Merilor, nr.30, sector 1	J40/ 2238 /200 0	CUI 1276 6347	021/ 2286 774/ 2286 714	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=20bar, Tmax=250°C	B/CR4/A,C/ 4/1847/0/1 8.10.2013
309	Sibiu	MEGA PASCAL SRL	SIBIU, Str. Independentei, nr.3A, Jud. Sibiu	J32/ 110/ 1993	CUI 3238 580	0269 /253 150	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=30t/h, pmax=50bar, Tmax=440°C; Pmax=10000kW, pmax=16bar, Tmax=150°C	SB/CR4/E/4 ,5/0071/0/2 4.08.2010
310	Bacau	MEGAPREX INSTAL SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/ 1145 /200 6	RO 1890 6598	0234 /551 544; e- mail meg apre xinst al@y ahoo .com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=10t/h, Pmax=10bar, Tmax=180°C; Dmax=5Gcal/h, Pmax=15bar	BC/CR4/A,B /4,5/0126/1 /19.05.2017
311	Bacau	MEGAPREX INSTAL SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/ 1145 /200 6	RO 1890 6598	0234 /551 544	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=10t/h, Pmax=10bar, Tmax=180°C; Dmax=5Gcal/h, Pmax=15bar	BC/CR4/A,B /4,5/0126/0 /14.12.2010

312	Central	MEGATERM SRL	BUCURESTI, Bd. Ghencea, nr.34, sector 6	J40/22602/1994	CUI 6520657	021/4132025/4132017	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h, pmax=25bar	DISPR/CR4/A,B,C/4,5/1604/0/29.07.2011
313	Central	MENTCHIM SA	RM. VALCEA, Str. Uzinei, nr.1, Jud. Valcea	J38/501/2005	CUI 17571575	0250/701504;0758710770	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=440°C; Dmax<=50Gcal/h, pmax<=40bar	DISPR/CR4/A,C/4,5/1553/0/26.07.2011- retragere voluntara incepand cu 14.09.2016
314	Bacau	MERIDIAN SRL	BOTOSANI, Str. Maxim Gorki, nr.11, Jud. Botosani	J07/1200/1994	RO 6868830	0231/517989	Cazane abur	-	Cazane abur	-	-	-	Qmax=15t/h, pmax=40bar, Tmax=250°C	BC/CR4/A,C/4/1334/1/17.08.2016

315	Suceava	MERIDIAN SRL	BOTOSANI, Str. Maxim Gorki, nr.11, Jud. Botosani	J07/1200/1994	RO 6868830	0231/517989; e-mail: office@meridianbt.ro	Cazane abur	-	Cazane abur	-	-	-	Qmax=15t/h, pmax=40bar, Tmax=250°C	BC/CR4/A,C/4/1334/0/12.11.2013
316	Constanta	METALICA DG SRL	CONSTANTA, Str. Mihai Viteazu, nr.69A, Jud. Constanta	J13/2161/1992	CUI 1904088	0241/762700	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=150bar, Tmax=450°C; Dmax=50Gcal/h, pmax=25bar	CT/CR4/C/4,5/0038/0/07.07.2010
317	Central	METALICA SA	BUCURESTI, Str. Petre Ispirescu, nr.75, sector 5	J40/12396/1994	CUI 5950044	021/4205150/4204090	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=240bar, Tmax=650°C; Dmax=100Gcal/h, pmax<=25ba	DISPR/CR4/A,B,C/4,5/1368/0/14.07.2011

318	Central	METALOTERM SRL	SAVINESTI, Str. Dornelor, vila 43, ap.3, Jud. Neamt; PIATRA NEAMT, Str. Stramutati, nr.74, Jud. Neamt	J27/330/2000	RO 1336 3849	0233 /216 050	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350° C; Dmax=5Gcal/h, pmax=16bar	DISPR/CR4/A,C/4,5/338 2/0/30.03.2 012
319	Central	MODULAT SRL	PASCANI, Str. Cuza Voda, nr.7, bl.D3, sc.B, ap.6, Jud. Iasi	J22/412/2000	RO 1309 0234	0232 /766 143	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/G/4,5/0096 /0/17.09.20 10
320	Central	MODULAT SRL	PASCANI, Str. Cuza Voda, nr.7, bl.D3, sc.B, ap.6, Jud. Iasi; PASCANI, Str. Vatra, nr.53, Jud. Iasi	J22/412/2000	RO 1309 0234	0232 /766 143; 0744 6389 39	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmax>0.5bar, T>110° C	DISPR/CR4/H/4,5/3200 /0/05.03.20 12
321	Iasi	MOLDOCONSTRUCT SA	IASI, Str. I.C. Bratianu, nr.20-22, Jud. Iasi	J22/420/1991	RO 1956 117	0232 /250 201/ 2100 93	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=5t/h, pmax=16bar, Tmax=200° C; Dmax=5Gcal/h, pmax=16bar,	IS/CR4/A,B, C/4,5/0040/ 0/07.06.201 0

322	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540°C; Dmax=100Gcal/h, pmax=25bar	BC/CR4/A,B, C/4,5/1481/4/07.02.2017
323	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540°C; Dmax=100Gcal/h, pmax=25bar	BC/CR4/A,B, C/4,5/1481/3/14.09.2016
324	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540°C; Dmax=100Gcal/h, pmax=25bar	BC/CR4/A,B, C/4,5/1481/2/18.01.2016
325	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540°C; Dmax=100Gcal/h, pmax=25bar	BC/CR4/A,B, C/4,5/1481/1/12.09.2014
326	Central	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/A,B,C/4,5/3569/0/15.05.2012

327	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	RO 2046250	0233/210660/210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540°C; Dmax=100Gcal/h, pmax=20bar, Tmax=200°C	BC/CR4/A,B,C/4,5/0019/0/14.05.2010
328	Bacau	MOLDOVULCAN	GALATI, Str. Fagului, nr.6, Jud. Galati	J17/577/1995	RO 7254219	0236/465349; 0744606603; moldovulcan@gmail.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=155bar, Tmax=540°C; Dmax=100Gcal/h, pmax=22bar, Tmax=150°C	BC/CR4/A,B,C/4,5/1224/2/29.12.2015
329	Cluj	MONDOCOM SRL	CLUJ NAPOCA, Str. Artelor, nr.33, Jud. Cluj	J12/3343/1992	RO 2892518	0264/550012/414548	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=16bar, Tmax=350°C; Dmax=5Gcal/h, pmax=16bar	CJ/CR4/A,C/4,5/0032/0/01.07.2010
330	Craiova	MONTAJ SRL	CRAIOVA, Str. Drumul Apelor, nr.92, Jud. Dolj	J16/2070/1994	RO 5984209	0251/470400	Cazane abur	-	-	-	-	-	pmax<=16bar, 0.6t/h<=Q<=5t/h, Tmax<=200°C	CR/CR4/A/4/0057/0/13.07.2010

331	Brasov	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/3188/1994	CUI 6660278	0244/523758/512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150bar, Tmax<=550°C; Dmax<=50Gcal/h, Pmax<=24bar	BV/CR4/B,C /4,5/1445/4 /13.06.2017
332	Brasov	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/3188/1994	CUI 6660278	0244/523758/512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150bar, Tmax<=550°C; Dmax<=50Gcal/h, Pmax<=24bar	BV/CR4/B,C /4,5/1445/3 /23.07.2015
333	Brasov	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/3188/1994	CUI 6660278	0244/523758/512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150bar, Tmax<=550°C; Dmax<=50Gcal/h, Pmax<=24bar	BV/CR4/B,C /4,5/1322/2 /29.10.2014
334	Brasov	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/3188/1994	CUI 6660278	0244/523758/512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150bar, Tmax<=550°C; Dmax<=50Gcal/h, Pmax<=24bar	BV/CR4/B,C /4,5/1231/1 /21.02.2014
335	Central	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/3188/1994	CUI 6660278	0244/523758/512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150bar, Tmax<=550°C; Dmax<=50Gcal/h, Pmax<=24bar	DISPR/CR4/B,C/4,5/2950/0/30.01.2012

336	Bucuresti	NCH ROMANIA PRODUSE DE INTRETINERE SRL	BUCURESTI, Bd. Dimitrie Pompei, nr.5-7, parter, Hermes Business Campus, sector 2	J40/ 3563 /199 4	CUI 7913 743	021/ 5295 100/ 5295 155	-	-	-	-	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	pmax>0.5bar, Tmax>110°C	B/CR4/G/4, 5/2206/1/2 2.08.2016; B/CR4/H/4, 5/2205/1/2 2.08.2016
337	Central	NCH ROMANIA PRODUSE DE INTRETINERE SRL	BUCURESTI, Str. Oltetului, nr.15, sector 2	J40/ 3563 /199 4	CUI 7913 743	021/ 5295 101/ 5295 111	-	-	-	-	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	pmax>0.5bar, Tmax>110°C	DISPR/CR4/ G/4,5/2206 /0/19.10.20 11; DISPR/CR4/ H/4,5/2205 /0/19.10.20 11
338	Bucuresti	NEOCHIM SRL	AFUMATI, Str. Decebal, nr.2A, Jud. Ilfov	J23/ 1948 /200 4	CUI 1704 6401	0723 7231 27; 0723 5020 27; 021/ 3527 895	-	-	-	-	-	Cazane abur, apa fierbinte	-	B/CR4/H/4, 5/0632/0/1 1.02.2011- suspendare incepand cu 19.02.2014



339	Bucuresti	NEOCHIM SRL	BUCURESTI, Str. Gorgan Spataru, nr.68, sector 2	J40/15403/2011	CUI 17046401	0723723127; 021/3527895	-	-	-	-	-	Cazane abur, apa fierbinte	-	B/CR4/H/4, 5/0632/1/17.03.2014
340	Bacau	NEW PREST SERVICE MCC SRL	IASI, Sos. Nicolina, nr.50, bl.971A, sc.C, et.6, ap.22, Jud. Iasi	J22/1376/2012	CUI 30554156	0332/448402	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=3t/h, pmax=10bar; Tmax=200°C	BC/CR4/A,B,C/4/1234/1/06.10.2016
341	Bacau	NEW PREST SERVICE MCC SRL	IASI, Sos. Nicolina, nr.50, bl.971A, sc.C, et.6, ap.22, Jud. Iasi	J22/1376/2012	CUI 30554156	0332/448402	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.3t/h, pmax=6bar; Tmax=185°C	BC/CR4/A,B,C/4/1234/0/22.05.2013
342	Bucuresti	NICONCONSULTING TECHNICS SRL	Sat ROSU, Com. Chiajna, Intrarea Gura Leului, nr.5, Jud. Ilfov	J23/8/2014	RO 18448164	0740571088; 0318/149735	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=10t/h, pmax=20bar; Tmax=250°C	B/CR4/A,B,C/4/2073/0/25.03.2014

343	Bucuresti	NIMB CONSMETAL SRL	CERNAVODA, Str. Valea Cismelei, nr. 5, Jud. Constanta	J13/ 1328 /199 9	CUI 9275 005	0241 /238 488/ 2388 90	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar; Dmax=100Gcal/h, pmax=30bar	B/CR4/A,B, C/4,5/1604/ 3/06.02.201 5
344	Central	NIMB CONSMETAL SRL	CERNAVODA, Platforma SNN CNE INVEST Cernavoda, Jud. Constanta	J13/ 1328 /199 9	CUI 9275 005	0241 /238 488/ 2388 90	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar; Dmax<=5Gcal/h, pmax<=16bar	DISPR/CR4/ A,B,C/4,5/0 978/1/28.11 .2011
345	Central	NIMB CONSMETAL SRL	CERNAVODA, Str. Valea Cismelei, nr.5, Jud. Constanta	J13/ 1328 /199 9	CUI 9275 005	0241 /238 488/ 2388 90	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar; Dmax=5Gcal/h, pmax=16bar	DISPR/CR4/ B,C/4,5/160 4/2/16.05.2 013
346	Central	NIPTER CONSTRUCT SRL	BUCOV, Str. Eroilor, nr.1, Jud. Prahova	J29/ 293/ 2001	CUI 1382 3122	0244 /275 012	Cazane abur	-	-	-	-	-	Qmax<=10t/h, pmax<=25bar, Tmax<=250°C	DISPR/CR4/ A/4/1954/0 /04.08.2011
347	Central	NUCLEAR NDT RESEARCH & SERVICES SRL	BUCURESTI, Sos. Berceni, nr.104, Cladire laborator central, sector 4	J40/ 1782 /200 0	CUI 1272 3915	021/ 3012 575/ 3012 652	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax<=300bar, Tmax<=600°C; Dmax=50Gcal/h, pmax<=18bar	DISPR/CR4/ E/4,5/0987/ 1/28.12.201 6

348	Central	NUCLEAR NDT RESEARCH & SERVICES SRL	BUCURESTI, Sos. Berceni, nr.104, sector 4	J40/ 1782 /200 0	CUI 1272 3915	021/ 3012 575/ 3012 652	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax<=196bar, Tmax<=570°C; Dmax=50Gcal/h, pmax<=18bar	DISPR/CR4/ E/4,5/0987/ 0/06.06.201 1
349	Central	NUCLEARELE CTRICA	BUCURESTI, Str. Polona, nr.65, sector 1; CERNAVODA, Str. Medgidiei, nr.2, Jud. Constanta	J40/ 7403 /199 8; J13/ 3442 /200 7	RO 1087 4881 ; CUI 2255 4619	021/ 2038 200/ 3169 804; 0241 /239 340/ 2392 66	-	-	Cazane abur	-	-	-	pmax=17bar, Tmax=260°C, Qmax=30t/h	DI/CR4/C/4 /0001/0/17. 03.2010
350	Central	NUCLEARMO NTAJ GALATI SA	GALATI, Str. Fagului, nr.9, Jud. Galati	J17/ 84/1 997	CUI 8922 480	0236 /410 923/ 4779 30	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=155bar, Tmax=540°C; Dmax=100Gcal/h, pmax=22bar, Tmax=150°C	DISPR/CR4/ A,B,C/4,5/1 088/0/16.05 .2011
351	Bucuresti	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1	J40/ 8302 /199 7	CUI 1590 082	021/ 2125 001/ 3155 166	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250°C; Dmax=30Gcal/h, pmax=16bar	B/CR4/A,B, C/4,5/0313/ 0/19.08.201 0

352	Bucuresti	OMV PETROM SA	BUCURESTI, sector1, Str. Coralilor, nr.22	J40/8302/1997	CUI 1590082	021/4060040/4060420	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250°C; Dmax=30Gcal/h, pmax=16bar	B/CR4/B,C/19/0316/1/12.02.2013
353	Craiova	OMV PETROM SA	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; ISALNITA, Str. M. Eminescu, nr.105, Jud. Dolj	J40/8302/1997	RO 1590082	021/2030505; 0372868544; 0251/407183/407370	-	-	Cazane abur, apa fierbinte	-	-	-	Qmax=120t/h, pmax=150bar, tmax=400°C; Dmax=50Gcal/h, pmax=25bar	CR/CR4/E/4,5/0124/0/15.11.2010
354	Ploiesti	OPTIMATIC SOLUTIONS SRL	PLOIESTI, Str. Bobilna, nr.62B, Jud. Prahova	J29/1844/2005	RO 17907250	0735778399; 0244/585811	-	-	-	Cazane abur, apa fierbinte	-	-	pmax=50bar, Qmax=100t/h, Tmax=450°C; pmax=20bar, Dmax=50Gcal/h	PL/CR4/E/4,5/0115/0/26.07.2010

355	Central	OPTIMATIC SOLUTIONS SRL	PLOIESTI, Str. Bobilna, nr.62B, Jud. Prahova; PLOIESTI, Sos. Vestului, nr.12, Jud. Prahova	J29/1844/2005	RO 17907250	0735778399; 0244/585811	-	-	-	Cazane abur, apa fierbinte	-	-	pmax=50bar, Qmax=100t/h, Tmax=450°C; pmax=20bar, Dmax=50Gcal/h	DISPR/CR4/E/4,5/3794/1/04.04.2013
356	Sibiu	ORDEA PRODCOM SRL	TG. MURES, Str. Libertatii, nr.122A, Jud. Mures	J26/826/1997	RO 9991233	0265/269078/261678	-	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=20bar, Tmax=350°C	SB/CR4/C/4/1376/0/22.09.2014
357	Bucuresti	PARTENER CONSTRUCT GENERAL SRL	NAVODARI, Str. Muzicii, nr.53, et.M, camera 1, Jud. Constanta	J13/1837/2013	RO 32129578	0752105626; 0341/488805	-	-	Cazane abur	-	-	-	Qmax=105t/h, pmax=40bar, Tmax=440°C	B/CR4/C/4/1941/0/12.11.2013
358	Bucuresti	PAS 97 IMPEX SRL	BUCURESTI, Str. Ion Minulescu, nr.60, Unitatea II- Corp Tab. Minerala, sector 3	J40/4778/1997	RO 9537700	031/4379247/4379248	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=100t/h, pmax=40bar, Tmax=400°C	B/CR4/A/4,5/0154/0/21.09.2012

359	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/1993	CUI 4000500	0244/513214; e-mail: sc_paulus_srl@yahoo.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q<=120t/h, P<=40bar, T<=440°C; D<=50Gcal/h, P<=40bar	BV/CR4/A,B,C/4,5/1016/2/10.06.2016
360	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/1993	CUI 4000500	0244/513214	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, Pmax=40bar, Tmax=440°C; Dmax=50Gcal/h, Pmax=40bar	BV/CR4/A,B,C/4,5/1016/1/10.07.2012
361	Central	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/1993	CUI 4000500	0244/513214	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar, Tmax<=440°C; Dmax<=50Gcal/h, pmax<=40bar	DISPR/CR4/A,B,C/4,5/1960/0/30.08.2011
362	Ploiesti	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/1993	RO 40005000	0244/513214	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Dmax=50Gcal/h, pmax=40bar, Tmax=440°C; Dmax=50Gcal/h, pmax=40bar	PL/CR4/A,B,C/4,5/0230/0/12.11.2010

363	Central	PEET ELECTROCEN TRALE PAROENI SA	VULCAN, Str. Paroseni, nr.20, Jud. Hunedoara	J20/710/2011	RO 2883 5451	0254 /570 790/ 5704 81	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=540t/h, pmax=140bar, Tmax=545°C; Dmax=103.2Gcal/h, pmax=20bar	DISPR/CR4/C/4,5/3363/0/29.03.2012
364	Central	PETROCHIM PROIECT SRL	PITESTI, Str. Exercițiu, bl.D17, sc.B, ap.4, Jud. Arges; PITESTI, Bd. Petrochimistilor, Km 5, Jud. Arges	J03/232/1991	RO 1314 80	0248 /615 210	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=50t/h, pmax=50bar, Tmax=450°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/3717/1/16.08.2012
365	Pitesti	PETROCHIM PROIECT SRL	PITESTI, Str.Exercițiu, bl.B17, sc.B,ap.4, Arges	J03/232/1991	RO 1314 80	0248 /615 210	-	-	-	Cazane de abur, apa fierbinte	-	-	Q<=50t/h, pmax<=50bar, T<=450°C; D<= 50Gcal/h, pmax<=16bar, T<=180°C	PT/CR4/E/4,5/0062/0/23.06.2010
366	Central	PETROCONST SA	CONSTANTA, Bd. I.C. Bratianu, nr.45, Jud. Constanta	J13/3113 /1994	CUI 6162 290	0241 /614 356/ 6186 94	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=30t/h, pmax<=120bar, Tmax<=350°C; Dmax<=50Gcal/h, pmax<=20bar	DISPR/CR4/A,B,C/4,5/1772/0/18.08.2011
367	Central	PETROGAZ SRL	BRASOV, Str. Fanului, nr.73, Jud. Brasov 57G	J08/218/1994	RO 5225 276	0268 /330 915	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, Dmax=50Gcal/h, pmax=100bar, Tmax=440°C	DISPR/CR4/E/4,5/3959/1/30.08.2016

368	Brasov	PETROGAZ SA	BRASOV, Str. Hortensiei, nr.73, Jud. Brasov	J08/218/1994	RO 5225 276	0268 /330 915; 0722 7607 73	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, Dmax=50Gcal/h, pmax=100bar, Tmax=440°C	BV/CR4/E/4,5/0024/0/19.07.2010
369	Bucuresti	PIFATI SA	BUCURESTI, Str. Iovita, nr. 11, et. 2, camere 4-9, sector 5	J40/1100/1991	CUI 4015 17	021/4104 600/4100 638; e-mail office@pifati.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=450°C; pmax=40bar, Dmax=50t/h	B/CR4/A,B,C/4,5/0137/1/19.05.2016
370	Bucuresti	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/1100/1991	CUI 4015 17	021/4106 645/4100 638	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=450°C; pmax=40bar, Dmax=50t/h	B/CR4/A,B,C/4,5/0137/0/09.07.2010



371	Central	PIFATI SA	BUCURESTI, Str. Iovita, nr. 11, et. 2, camere 4-9, sector 5	J40/1100/1991	CUI 401517	021/4104600/4100638; e-mail office@pifati.ro	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=100bar, Tmax=540°C; pmax=30bar, Dmax=50Gcal/h	DISPR/CR4/E/4,5/2020/1/23.06.2016
372	Central	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/1100/1991	CUI 401517	021/4104600/4100638	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=100bar, Tmax=540°C; pmax=30bar, Dmax=50Gcal/h	DISPR/CR4/E/4,5/2020/0/28.09.2011
373	Bucuresti	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/1100/1991	CUI 401517	021/4106645/4100638	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h, pmax=40bar,	B/CR4/A,B,C/4,5/0137/0/09.07.2010

374	Bucuresti	PIFATI SA	BUCURESTI, Str. Iovita, nr. 11, et. 2, camere 4-9, sector 5	J40/1100/1991	CUI 401517	021/4104600/4100638; e-mail office@pifati.ro	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	B/CR4/G/4, 5/0085/1/2 0.05.2016; B/CR4/H/4, 5/0086/1/1 9.05.2016	
375	Bucuresti	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/1100/1991	CUI 401517	021/4106645/4100638	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Q <sub>max</sub> =120t/h, p <sub>max</sub> =40bar, T <sub>max</sub> =450°C; D <sub>max</sub> =50t/h, p <sub>max</sub> =40bar, T <sub>max</sub> =450°C	B/CR4/G/4, 5/0085/0/1 8.06.2010; B/CR4/H/4, 5/0086/0/1 8.06.2010	
376	Central	PIPESUPPORT CONSULT SRL	BUCURESTI, Str. Barbu Vacarescu, nr.101, parter, camera A, sector 2	J40/1170/2006	CUI 518322009	0722665452; 0723310805; 021/3211354	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Q <sub>max</sub> =1035t/h, p <sub>max</sub> =192bar, T <sub>max</sub> =570°C; D <sub>max</sub> =50Gcal/h, p <sub>max</sub> =16bar	DISPR/CR4/E/4,5/0381/0/08.04.2011

377	Central	PIPESUPPORT CONSULT SRL	BUCURESTI, Str. Barbu Vacarescu, nr.101, parter, camera A, sector 2; BUCURESTI, Str. Alexandru Savulescu, nr.14, sector 2	J40/ 1170 /200 6	CUI 5183 2200 9	021/ 3211 354	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=400bar, Tmax=650° C; Dmax=100Gcal/h, pmax=16bar	DISPR/CR4/ E/4,5/0381/ 0/08.04.201 1
378	Central	PLUS TEST SRL	FOCSANI, Al. Echitatii, nr. 17, bl.I 14, parter, ap. 1, Jud. Vrancea	J39/ 335/ 2014	CUI 3333 5452	0763 2616 41; 0337 /407 780	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=40bar, Tmax=440° C; Dmax=5Gcal/h, pmax=25bar	DISPR/CR4/ E/4,5/3914/ 0/24.06.201 5

379	Bacau	PLUSSERVICE SRL	FOCSANI, Str. Bucegi, nr.13, bl.12, ap.12, Jud. Vrancea; FOCSANI, Str. 1 Decembrie 1918, nr.37, Jud. Vrancea	J39/678/2003	RO 15818661	0744635244; e-mail: verificari@yahoohoo.com	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=28t/h, pmax=40bar, Tmax=250°C; Dmax=25Gcal/h, pmax=16bar, Tmax=150°C	BC/CR4/A,C/4,5/1304/0/23.09.2013
380	Bucuresti	POLYSTART IMPEX SRL	CRAIOVA, Str. Ion Maiorescu, nr.4, Jud. Dolj	J16/4018/1994	RO 6847927	0251/406466; 0372/001510	Cazane de abur; cazane apa fierbinte	-	-	-	-	-	Qmax=55t/h, Pmax=16bar, Tmax=200°C; Dmax=66Gcal/h, Pmax=16bar	B/CR4/A/4,5/2141/0/14.05.2014-suspendare voluntara incepand cu 03.08.2016
381	Oradea	POSZET SRL	SATU MARE, Str. Bujorului, nr.52, Jud. Satu Mare	J30/707/2005	RO 17670277	0259/453345/463661	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=400°C; Dmax=5Gcal/h, pmax=16bar,	OR/CR4/A,B/4/0100/0/14.02.2011

382	Central	PREMIUM SA	BRAZI, Str. Trandafirilor, nr.69, Jud. Prahova	J29/1318/1997	CUI 9921050	0244/526606/526885;0372753966;0244/526883	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax<=540t/h, pmax<=196bar, Tmax<=570°C; Dmax<=50Gcal/h, pmax<=18bar	DISPR/CR4/E/4,5/1264/0/22.06.2011
383	Central	PREMIUM SA	BRAZI, Str. Trandafirilor, nr.69, Jud. Prahova	J29/1318/1997	CUI 9921050	0244/526606/526885;0372753966;0244/526883	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax<=540t/h, pmax<=196bar, Tmax<=570°C; Dmax<=50Gcal/h, pmax<=18bar	DISPR/CR4/E/4,5/1264/1/09.05.2014

384	Bucuresti	PRIMASERV SRL	CRAIOVA, Calea Bucuresti, bl.A2, sc.2, ap.2, Jud. Dolj	J16/1148/2005	RO 17629570	0729046183;0351/421841/801815	-	-	Cazane abur	-	-	-	Pmax<=40bar, Tmax<=210°C, Qmax<=100t/h	B/CR4/C/4/1187/1/30.09.2015
385	Bucuresti	PRIMASERV SRL	CRAIOVA, Calea Bucuresti, bl.A2, sc.2, ap.2, Jud. Dolj	J16/1148/2005	RO 17629570	0729046183;0351/421841/801815	-	-	Cazane abur	-	-	-	Pmax<=40bar, Tmax<=210°C, Qmax<=100t/h	B/CR4/A,B,C/4/1187/0/22.11.2012
386	Central	PRIMEX SRL	CLUJ NAPOCA, Str. Campul Painii, nr.30A, Jud. Cluj	J12/4270/1991	CUI 233154	0264/415272/403135	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=50t/h, pmax=100bar, Tmax=530°C; Dmax=50Gcal/h, pmax=18bar	DISPR/CR4/E/4,5/1160/0/21.06.2011

387	Central	PRISMA SERV COMPANY SRL	IASI, Str. Petru Poni, nr.13, bl. 573A, Tr.1, parter, ap.2, Jud. Iasi	J22/ 601/ 2001	CUI 1399 1843	0232 /217 905; 0332 /409 775	Cazane abur	Cazane abur	Cazane abur	-	-	-	Q <sub>max</sub> ≤10t/h, p <sub>max</sub> =16bar; T <sub>max</sub> =300°C	DISPR/CR4/ A,B,C/4/066 5/0/22.04.2 011
388	Central	PRO TC GRUP SRL	BASCOV, Str. Serelor, nr.48A, Jud. Arges	J03/ 1424 /200 4	CUI 1669 8504	0248 /206 081/ 2060 82	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Q <sub>max</sub> ≤30t/h, p <sub>max</sub> ≤16bar, T <sub>max</sub> ≤400°C; D <sub>max</sub> ≤50Gcal/h, p <sub>max</sub> ≤16bar	DISPR/CR4/ A,C/4,5/236 9/1/15.11.2 011
389	Pitesti	PRO TC GRUP SRL	BASCOV, Str. Serelor, nr.48A, Jud. Arges	J03/ 1424 /200 4	RO 1669 8504	0248 /206 081/ int 118s au 122, 0248 /211 060/ 2060 82; 0722 2873 65	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q<30t/h, p <sub>max</sub> ≤16bar, T≤400°C; D≤50Gcal/h, p <sub>max</sub> ≤16bar, T≤150°C	PT/CR4/A,C /4,5/0155/0 /21.12.2010

390	Pitesti	PROINSAT SA	RM. VALCEA, Str. Industriilor, nr.2, Jud. Valcea	J38/ 1558 /199 2	RO29 8910 4	0250 /733 390/ 7302 31	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=250°C; Dmax=10Gcal/h, pmax=25bar	PT/CR4/A,B ,C/4,5/0029 /0/27.04.20 10
391	Pitesti	PROINSTAL PIPE SRL	STEFANESTI, Sos. Bucuresti- Pitesti, nr.72A, Jud. Arges	J03/ 47/1 999	RO 1143 3360	0248 /212 501/ 2234 03	Cazane de abur, apa fierbinte	-	-	-	-	-	Q<=10t/h, pmax<=16bar, T<=450°C; D<=5Gcal/h, pmax<=16bar, T<=150°C	PT/CR4/A/4 ,5/0006/0/0 9.04.2010
392	Central	PROTEHNIC SRL	SLOBOZIA, Str. Matei Basarab, bl.MB5A, Jud. Ialomita; BUCURESTI, Str. Grigore C. Moisil, nr.8, bl.9, sc.D, ap.168, sector 2	J21/ 563/ 1995	CUI 8010 891	0243 /234 479; 021/ 2424 908	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax<=500t/h, pmax<=200bar, Tmax<=570°C; Dmax<=15Gcal/h, pmax<=40bar	DISPR/CR4/ A/4,5/0903/ 0/23.05.201 1
393	Bucuresti	PROTEHNIC SRL	SLOBOZIA, Str. Matei Basarab, bl.MB5A, Jud. Ialomita	J21/ 563/ 1995	RO 8010 891	021/ 2424 908; 0243 /234 479	-	-	-	Cazane de abur	-	-	Qmax=5t/h, Pmax=50bar, Tmax=560°C	B/CR4/E/4/ 0420/0/26.1 0.2010



394	Central	RAAN - Sucursala ROMAG TERMO	DR TN. SEVERIN, Str. Nicolae Iorga, nr.1, Jud. Mehedinti; HALANGA, Com. Izvoru Barzii, Jud. Mehedinti	J25/ 282/ 1998	CUI 1088 2752	0252 /323 848/ 3236 85; 0252 /323 666	-	-	Cazane abur	-	-	-	Q <sub>max</sub> =420t/h, p <sub>max</sub> =140bar, T <sub>max</sub> =550° C	DISPR/CR4/ C/4/3348/0 /12.03.2012
395	Central	RAEMGAL SERVICE SRL	GALATI, Str. Energiei , nr.5, bl.10A, sc.2, et 2, ap. 27, Jud. Galati	J17/ 348/ 2002	CUI 1461 6672	0236 /460 514	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q <sub>max</sub> =450t/h, p <sub>max</sub> <=250bar, T <sub>max</sub> <=540° C	DISPR/CR4/ B,C/4/2977 /0/07.02.20 12
396	Central	RAFO SA	ONESTI, Str. Industiilor, nr.3, Jud. Bacau	J04/ 538/ 1991	CUI 9587 72	0234 /303 303/ 3156 40	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Q <sub>max</sub> <=80t/h, p <sub>max</sub> <=50bar, T <sub>max</sub> <=450° C; D <sub>max</sub> <=25Gcal/h	DISPR/CR4/ C/4,5/0661/ 0/03.05.201 1
397	Bacau	RAFO SA	ONESTI, Str. Industiilor, nr.3, Jud. Bacau	J04/ 538/ 1991	CUI 9587 72	0234 /303 303/ 3156 40	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Q <sub>max</sub> <=80t/h, p <sub>max</sub> <=50bar, T <sub>max</sub> <=540° C; D <sub>max</sub> <=25Gcal/h, p <sub>max</sub> =20bar	BC/CR4/C/4 ,5/1213/1/2 4.04.2013- suspendare voluntara incepand cu 25.11.2016

398	Bacau	RCA MOLDOTERM SRL	IASI, Aleea Tudor Neculai, nr.99, bl. 989A, sc.B, et.4, ap.18, Jud. Iasi	J22/ 1741 /200 4	CUI 1669 8164	0332 /808 738/ 8087 39	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; Dmax=20Gcal/h, pmax=16bar	BC/CR4/A,B ,C/4,5/1666 /1/17.05.20 16
399	Central	RCA MOLDOTERM SRL	IASI, Aleea Tudor Neculai, nr.99, bl. 989A, sc.B, et.4, ap.18, Jud. Iasi	J22/ 1741 /200 4	CUI 1669 8164	0332 /808 738/ 8087 39	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; Dmax=20Gcal/h, pmax=16bar	DISPR/CR4/ A,B,C/4,5/1 781/0/16.08 .2011
400	Brasov	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/ 322/ 2000	CUI 1291 1480	0244 /546 229/ 5460 31; e mail: reme ro@y ahoo .com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1025t/h, pmax<=250bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=30bar	BV/CR4/A,B ,C/4,5/1328 /1/21.10.20 14

401	Central	REMERO FIL SA	BRAZI, Sat Brazii de Sus, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0755316623; 0244/546031	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1025t/h, pmax<=25bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=30bar	DISPR/CR4/A,B,C/4,5/2875/0/23.01.2012
402	Central	REMONT SRL	CONSTANTA, AL. Garofitei, nr.11A, Jud. Constanta	J13/5695/1992	CUI 2753846	0241/558900/692260	Cazane abur	-	Cazane abur	-	-	-	Qmax<=150t/h, pmax<=40bar, Tmax<=450°C	DISPR/CR4/A,C/4/0044/1/18.05.2011
403	Constanta	REMONT SRL	CONSTANTA, AL. Garofitei, colt cu Str. Bucuresti, nr.11A, Jud. Constanta	J13/5695/1992	CUI 2753846	0241/692260/558900	Cazane abur	-	Cazane abur	-	-	-	Qmax=25t/h, pmax=16bar, Tmax=200°C	CT/CR4/C/4/0044/0/14.07.2010
404	Brasov	REPCAZCOND SRL	BUZAU, Str. Obor, bl.12, sc.A, Jud. Buzau	J10/426/2013	CUI 31665810	0238/720242/406760	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=150t/h, pmax<=40bar, Tmax=535°C	BV/CR4/A,B,C/4/1319/0/30.10.2014
405	Central	REVERS SRL	BRASOV, Str. Carpatilor, nr.97, Jud. Brasov	J08/2581/1992	CUI 3051580	0268/332311	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax<=15t/h, pmax<=16bar, Tmax<=250°C; Dmax<=10Gcal/h, pmax<=16bar	DISPR/CR4/A/4,5/2469/0/28.11.2011

406	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta	J13/2053/2001	CUI 14320668	0241/586406/586448	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar; Dmax<=50Gcal/h, pmax<=40bar	B/CR4/A,B,C/4,5/1324/2/03.02.2015
407	Central	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta	J13/2053/2001	CUI 14320668	0241/586406/586448	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar; Dmax<=50Gcal/h, pmax<=40bar	DISPR/CR4/A,B,C/4,5/0717/0/02.05.2011
408	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta	J13/2053/2001	CUI 14320668	0241/586406/586448	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar; Dmax<=50Gcal/h, pmax<=40bar	B/CR4/A,B,C/4,5/1324/1/20.03.2013
409	Central	RINA SIMTEX-ORGANISMUL DE CERTIFICARE SRL	BUCURESTI, Str. Dr. Leonte Anastasievici, nr. 4D, corp A, sector 5	J40/9653/1999	CUI 12351790	021/6190651/6190353	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=440°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/E/4,5/3955/0/15.07.2016
410	Central	ROBERT BOSCH SRL	BUCURESTI, Str. Horia Macelariu, nr.30-34, et.1-2 si 4, sector 1	J40/7601/1994	CUI 5541546	0214057500/2331313	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=540°C; Qmax=25Gcal/h, pmax=40bar, Tmax=250°C	DISPR/CR4/A/4,5/2901/0/27.01.2012

411	Bucuresti	ROMANOR SRL	CALARASI, Str. Gh. Lazar, nr.8, Jud. Calarasi	J51/577/1992	CUI 1917665	0242/322602/331492	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=100bar, Tmax=350°C; Dmax=50Gcal/h, pmax=25bar, Tmax=150°C	B/CR4/A,B,C/4,5/0580/1/26.09.2012
412	Central	ROMCET GRUP SA	BUCURESTI, Str. Orion, nr.3, sector 5	J40/8419/1995	CUI 7815400	021/4204287	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax<=300t/h, pmax<=40bar, Tmax=570°C	DISPR/CR4/A,B,C/4/1032/0/01.06.2011
413	Central	ROMIB SA	TUNARI, Cal. Bucurestilor, nr.74, Jud. Ilfov	J23/1077/2003	CUI 6927694	021/2675028; 0721266682	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=400°C; Dmax=50Gcal/h, pmax=25bar	DISPR/CR4/A,B,C/4,5/1605/0/01.08.2011
414	Bucuresti	ROMIB SA	TUNARI, Cal. Bucurestilor, nr.74, Jud. Ilfov	J23/1077/2003	CUI 6927694	021/2675028/2675237	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=400°C; Dmax=50Gcal/h, pmax=25bar	B/CR4/A,B,C/4,5/1810/1/24.09.2013
415	Central	ROMINDUSTRIAL COM SRL	DR. TN. SEVERIN, Str. Constructorilor, nr.44bis, Jud. Mehedinti	J25/1718/1993	CUI 4997057	0252/326453; 0722355560	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax<=120t/h, pmax<=40bar, Tmax<=450°C; Dmax<=100Gcal, pmax<=25bar, tmax<=175°C	DISPR/CR4/B,C/4,5/2080/0/28.09.2011

416	Central	ROMINDUSTRIAL COM SRL	DR. TN. SEVERIN, Str. Constructorilor, nr.44bis, Jud. Mehedinti	J25/1718/1993	CUI 4997057	0252/326453	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax<=120t/h, pmax<=40bar, 105°C<=Tmax<=450°C; Dmax=100Gcal, pmax=25bar, 110°C<Tmax<=175°C	DISPR/CR4/B,C/4,5/1297/1/20.02.2013
417	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/8331/2001	CUI 14208851	####	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=40t/h, pmax=20bar, Tmax=350°C	DISPR/CR4/A,B,C/4/0227/0/21.03.2011
418	Central	ROMINSERV SRL	BUCURESTI, Piata Presei Libere, nr.3-5, Cladirea City Gate Northern Tower, et.3, sector 1	J40/8331/2001	CUI 14208851	021/2723660/3140897	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570°C; Dmax=25Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0914/0/30.05.2011
419	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/8331/2001	RO 14208851	021/2723660/3140897	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570°C; Dmax=25Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0914/1/02.04.2012

420	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/8331/2001	RO 1420 8851	021/2723 660/3140 897	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570° C; Dmax=25Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0914/2/29.05.2012
421	Bucuresti	ROMINSERV SRL	BUCURESTI, Piata Presei, nr.3-5, City Northern Tower, et.3, sector 1; PETROMIDIA NAVODARI, DJ 226Km, Km 23, Jud. Constanta	J40/8331/2001	CUI 1420 8851	0241/506 094/5069 32	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=125bar, Tmax=570° C; Dmax=25Gcal/h, pmax=25bar, Tmax=190° C	B/CR4/A,B, C/4,5/1177/2/26.09.2012
422	Constanta	ROMINSERV SRL- PETROMIDIA NAVODARI	BUCURESTI, sector 1, Cal. Victoriei, nr.155, tronson 7, bl.D1, et.5; NAVODARI, DJ 226, Km 23, Jud. Constanta	J40/8331/2001	CUI 1420 8851	0241/506 094/5069 32	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=125bar, Tmax=570° C; Dmax=25Gcal/h, pmax=25bar, Tmax=190° C	CT/CR4/A,B ,C/4,5/0025 /0/01.07.2010

423	Constanta	ROMINSERV SRL- PETROMIDIA NAVODARI	BUCURESTI, sector 1, Piata Presei Libere, nr.3-5, City Northerm Tower, et.3; PETROMIDIA NAVODARI, DJ 226Km, Km 23, Jud. Constanta	J40/8331/2001	CUI 14208851	021/2723660; 0241/506094/506932	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=100t/h, pmax=125bar, Tmax=570°C; Dmax=25Gcal/h, pmax=25bar, Tmax=190°C	CT/CR4/A,B, C/4,5/0068/1/12.10.2010
424	Ploiesti	ROMPETROL QUALITY CONTROL SRL	NAVODARI, DJ 226, Km 23,, Camera 116, Jud. Constanta; VEGA PLOIESTI, Str, Valeni, nr.146, Jud. Prahova	J13/6775/2004	RO 16542407	0241/506700/506916; 0244/406192	-	-	-	-	-	Cazane abur	p>0.5bar	PL/CR4/H/4,5/0259/0/06.12.2010
425	Central	ROMTERM SA	BUCURESTI, Str.lovita, nr.11, sector 5	J40/2111/1991	CUI 402172	021/4100036	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h, pmax=195bar, Tmax=570°C; Dmax=100Gcal/h, Pmax=25bar	DISPR/CR4/A,B,C/4,5/2905/0/06.02.2012
426	Bucuresti	ROMVEC INDUSTRIE SRL	BUCURESTI, Str. lovita, nr.7-9, sector 5	J40/9857/1998	CUI 11110319	021/4107615/4106677	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h, pmax=196bar, Tmax=540°C; Dmax=100Gcal/h, pmax=25bar, Tmax=230°C	B/CR4/A,B, C/4,5/0039/0/25.05.2010



427	Bucuresti	ROMVENT ENGINEERING SRL	BUCURESTI, Sos. Barlogeni, nr. 46, Imobil C1, et. 2, sector 1	J40/ 1122 4/20 03	RO 1567 1292	0729 3305 64; 0729 3305 73; 031/ 4379 531; e- mail romv ent@ gmai l.co m	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50Gcal/h, pmax=40bar, Tmax=400°C; Dmax=100t/h, pmax=40bar	B/CR4/A,B, C/4,5/2638/ 1/12.12.201 6
428	Bucuresti	ROMVENT INSTAL SRL	BUCURESTI, Sos. Nicolae Titulescu, nr. 61-71, bl. 11A, et. 3, ap. 9, sector 1; BUCURESTI, Str. Barlogeni, nr. 46, Imobil C1, et. 2, sector 1	J40/ 1122 4/20 03	RO 1567 1292	0729 3305 64; 0729 3305 73; 031/ 4379 943	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=150°C; Dmax=100t/h, pmax=40bar, Tmax=400°C	B/CR4/A,B, C/4,5/2638/ 0/13.10.201 5

429	Central	RORA CONSING SRL	RASNOV, Str. Garii, nr.6, Jud. Brasov	J08/ 1245 /199 1	CUI 1121 035	0268 /231 552; 0266 2308 58	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	pmax>0.5bar; Tmax>110°C	DISPR/CR4/ H/4,5/2324 /0/09.01.20 12; DISPR/CR4/ G/4,5/2775 /0/10.01.20 12
430	Central	ROS SYSTEMA SRL	TG. MURES , Str. Madach Imre, nr.8, Jud. Mures	J26/ 1948 /200 7	CUI 2268 5444	0265 /567 017; 0365 /430 565	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h, pmax=250bar, Tmax=570°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/ E/4,5/3841/ 0/06.12.201 3
431	Central	SANCOTERM SRL	GALATI, Str. Domneasca, nr.18, bl.E, ap.13, Jud. Galati; GALATI, Str. Basarabiei, nr.210, Jud. Galati	J17/ 381/ 1997	CUI 9392 900	0236 /494 930	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax<=40bar, Tmax<=540°C, Qmax<=120t/h	DISPR/CR4/ A,B,C/4/104 7/0/08.06.2 011

432	Bucuresti	SELECT CHIM SERVICE SRL	BUCURESTI, Prelungirea Ghencea, nr.93N, parter, sector 6	J40/3824/1994	RO 5329293	0722369476; 021/3176009; e-mail: office@electrochim.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax=40bar, Tmax=450°C, Qmax=30t/h	B/CR4/A,B, C/4/0428/1/15.11.2013
433	Oradea	SEPE INSTALCOM SRL	ORASTIE, Str. Unirii, nr.130, Jud. Hunedoara	J20/434/1998	RO 10655490	0254/24335/243334	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, Pmax=25bar, Tmax=250°C; Dmax=50Gcal/h, Pmax=25bar	OR/CR4/A,B, C/4,5/1380/1/23.06.2015
434	Sibiu	SEPE INSTALCOM SRL	ORASTIE, Str. Unirii, nr.130, Jud. Hunedoara	J20/434/1998	RO 10655490	0254/24335/243334	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, Pmax=25bar, Tmax=250°C; Dmax=50Gcal/h, Pmax=25bar, Tmax=150°C	SB/CR4/A,B, C/4,5/0074/0/30.03.2010

435	Central	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761/1994	CUI 5420374	0244/544707/519648	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=50bar, Tmax=450°C; Dmax=50Gcal/h, pmax=22bar	DISPR/CR4/E/4,5/1795/0/26.06.2011
436	Central	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761/1994	CUI 5420374	0244/544707/519648	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=120bar, Tmax=450°C; Dmax=50Gcal/h, pmax=22bar	DISPR/CR4/E/4,5/1795/1/02.11.2011
437	Ploiesti	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761/1994	RO 5420374	0244/544707/519648	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=40t/h, Psmax=40bar, Tmax=450°C; Dmax=50Gcal/h, Psmax=40bar, Tmax=350°C	PL/CR4/A,B,C/4,5/0197/0/08.10.2010
438	Craiova	SFERA SRL	CRAIOVA, Calea Severinului, nr.18D, Jud. Dolj	J16/161/2001	RO 13765161	0251/461060/480165	-	-	-	Cazane abur, apa fierbinte	-	-	Qmax=1035t/h, pmax=200bar, tmax=540°C; Dmax=100Gcal/h, pmax=20bar	CR/CR4/E/4,5/0086/0/01.09.2010
439	Ploiesti	SGS ROMANIA SA	BUCURESTI, Cal. Serban Voda, nr.38, sector 4; Sat BRAZI, Com. Brazi, Str. Trandafirilor, nr.65, Jud. Prahova	J40/29074/1992	RO 3451552	021/3354683/3354620	-	-	-	-	-	Cazane de abur, apa fierbinte	P>0.5bar; T>110°C	PL/CR4/H/4,5/0143/0/24.08.2010

440	Bucuresti	SICOM IC SRL	BUCURESTI, Bd. Basarabia, nr.177, sector 3	J40/3960/1991	CUI 342852	021/2550073/2550074	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	0.6t/h<Qmax<=10t/h, p<=16bar, Tmax<=270°C; 0.6t/h<Dmax<=50Gcal/h, p<=20bar, Tmax<=165°C	B/CR4/A,B, C/4,5/0127/0/06.07.2010
441	Bucuresti	SISTEMPLAST SA	RM. VALCEA, Str. Uzinei, nr.1, Jud. Valcea	J38/11/1999	CUI 11438007	0250/701501/701504	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax<=60bar, Tmax<=440°C; Dmax<=50Gcal/h, pmax<=25bar	B/CR4/A,B, C/4,5/2109/0/27.03.2014

442	Brasov	SMR GLOBAL SRL	ALBESTI PALEOLOGU, nr. 528, Jud. Prahova	J29/1580/2010	RO 27819393	0748 1216 50; 0374 9523 63; 0344 /780 139/ 1140 95; e mail: smrg lobal 2010 @yah oo.c om	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax<=450°C; Dmax=50Gcal/h, pmax=40bar, Tmax<=450°C	BV/CR4/A,B, C/4,5/1097/0/20.12.2012
443	Bucuresti	SNAMPROGETI ROMANIA SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.6A, Tronson II, et.3, birou 31, sector 2	J40/6633/2003	CUI 15442280	021/2322400/2322434	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=300t/h, pmax=200bar, Tmax=550°C; Dmax=100Gcal/h, pmax=25bar	B/CR4/E/4, 5/0376/0/04.10.2010

444	Sibiu	SNGN ROMGAZ - Sucursala de Productie Energie Electrica Iernut	IERNUT, Str. Energeticii, nr.1, Jud. Mures	J26/194/2013	RO 14056826	0265/471333/471388	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=640t/h, pmax=140bar, Tmax=550°C; Dmax=20Gcal/h, pmax=50bar, Tmax=150°C	SB/CR4/A,B,C/4,5/1297/0/30.04.2014
445	Bucuresti	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/182/1999	CUI 11943106	0253/371678; 0723389063	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=540°C	B/CR4/A,B,C/4/2774/2/12.04.2016
446	Central	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/182/1999	CUI 11943106	0253/371678; 0723389063	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=540°C	DISPR/CR4/A,B,C/4/0964/1/02.04.2012

447	Central	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/182/1999	CUI 11943106	0253/371678; 0251/593455; 0723389063	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=540°C;	DISPR/CR4/A,B,C/4/0964/0/31.05.2012
448	Central	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/182/1999	CUI 11943106	0253/371678; 0723389063	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=540°C	DISPR/CR4/A,B,C/4/0964/1/02.04.2012
449	Central	SOLO PROD SRL	BUZAU, Str. Orizontului, nr.206, Jud. Buzau	J10/2260/1994	CUI 6446054	0238/720038; 0338/111540	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=440°C; Dmax=50Gcal/h, Pmax=40bar	DISPR/CR4/A,B/4,5/2540/0/20.12.2011



450	Central	STASS SERV SRL	IASI, Str. Vasile Lupu, nr.99, bl.D, sc.A, parter, ap.3, Jud. Iasi	J22/285/2001	CUI 13797155	0232/270699; 0332/882838	Cazane abur	-	Cazane abur	-	-	-	Qmax=50t/h, pmax=16bar, Tmax=200°C	DISPR/CR4/A,C/4/0567/0/06.04.2011
451	Brasov	STEEL TRUST CONSTRUCTII CIVILE SI INDUSTRIALE SRL	PLOIESTI, Str. Vega, nr. 11C, Jud. Prahova	J29/1201/2014	RO 33553023	0722285498; 0244/433100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=400bar, Tmax=440°C; Dmax=50Gcal/h, pmax=24bar	BV/CR4/A,B,C/4,5/1505/1/24.11.2016
452	Brasov	STEEL TRUST CONSTRUCTII CIVILE SI INDUSTRIALE SRL	PLOIESTI, Str. Vega, nr. 11C, Jud. Prahova	J29/1201/2014	RO 33553023	0722285498; 0244/433100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=400bar, Tmax=440°C	BV/CR4/A,B,C/4,5/1505/0/18.11.2015

453	Bucuresti	STERISYSTEM S SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/18053/2005	CUI 18077589	021/3227121/3227123; e-mail info@rafi.ro	Cazane abur	Cazane abur	Cazane abur	-	Cazane abur	-	pmax=7.5bar, Tmax=160°C, Qmax=120Kg/h	B/CR4/G/4/0693/2/28.05.2015; B/CR4/A,B,C/4/0694/3/28.05.2015
454	Bucuresti	STERISYSTEM S SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/18053/2005	CUI 18077589	021/3205659/3227123	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax=7.5bar, Tmax=160°C, Qmax=120Kg/h	B/CR4/A,B,C/4/0694/2/13.03.2014
455	Bucuresti	STERISYSTEM S SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/18053/2005	CUI 18077589	021/3260395/3260397	Cazane abur	Cazane abur	Cazane abur	-	Cazane abur	-	pmax=3bar, Tmax=150°C, Qmax=59Kg/h	B/CR4/G/4/0693/1/17.05.2013; B/CR4/A,B,C/4/0694/1/17.05.2013
456	Central	STERISYSTEM S SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/18053/2005	CUI 18077589	021/3260395/3260397	Cazane abur	Cazane abur	Cazane abur	-	Cazane abur	-	pmax=3bar, Tmax=150°C, Qmax=59Kg/h	DISPR/CR4/G/4/0693/0/18.05.2011; DISPR/CR4/A,B,C/4/0694/0/18.05.2011

457	Bacau	STRONG MONTAJ SA	PIATRA NEAMT, Str. Mihai Viteazu, nr.19, bl.C1, demisol, camera 2, Jud. Neamt	J27/2014/1994	CUI 6537071	0233/219486/230910	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, Pmax=40bar, Tmax=280°C; Dmax=100Gcal/h, Pmax=20bar	BC/CR4/A,B,C/4,5/1100/0/12.11.2012- suspendare voluntara incepind cu 13.10.2015
458	Brasov	SUDOTERM SRL	PLOIESTI, Str. Rudului, nr. 262, Jud. Prahova	J29/425/2015	RO 28241840	0344/102953	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	pmax=200bar, Qmax=500t/h, tmax=550°C	BV/CR4/B,C/4,5/1562/0/23.03.2016
459	Galati	SUPER A PLUS K SRL	GALATI, Str. George Cosbuc, nr.432, Jud. Galati	J17/1798/1994	RO 5933965	0236/461751	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	pmax=155bar, Qmax=420t/h, tmax=540°C	GL/CR4/A,B,C/4/0005/0/12.04.2010
460	Bacau	SUPER A PLUS K SRL	GALATI, Str. George Cosbuc, nr.432, Jud. Galati	J17/1798/1994	RO 5933965	0236/461751	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	pmax=155bar, Qmax=420t/h, tmax=540°C	BC/CR4/A,B,C/4/1238/1/14.06.2013
461	Central	SUPERMONT SA	NAVODARI, Platforma Parc Rece Midia, DJ226, Km20, Jud. Constanta	J13/5489/2004	CUI 16172290	0241/486053	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax=215bar, Tmax=600°C; Dmax<=100Gcal/h, pmax<=25bar, Tmax<=156°C	DISPR/CR4/A,B,C/4,5/1521/0/12.07.2011

462	Bucuresti	TCZ TOTAL SERVICE SRL	BUCURESTI, Str. Vidului, nr. 11A, camera 2, sector 5	J40/16126/2005	CUI 17980065	021/7764524	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	pmax=20bar, Qmax=30t/h, tmax=250°C	B/CR4/A,B, C/4/1706/0/25.07.2015
463	Central	TECHNO MONTAJ SRL	BRASOV, Str. Timis Triaj,, nr.6, Jud. Brasov	J08/217/2003	RO 15190540	0268/334118/334128; 0740065151	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=580°C; Dmax=100Gcal/h, pmax=35bar	DISPR/CR4/A,B,C/4,5/3232/1/09.03.2012
464	Brasov	TECHNO MONTAJ SRL	BRASOV, Str. Timis Triaj, nr.6, Jud. Brasov	J08/217/2003	RO 15190540	0268/334118	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=580°C; Dmax=100Gcal/h, pmax=35bar	BV/CR4/A,B,C/4,5/1119/2/04.03.2013
465	Bucuresti	TECNOSERVICIE BUCURESTI SRL	BUCURESTI, Str. Tudor Vianu, nr.42, parter, camera 1, ap.1, sector 1; BUZAU, Al. Industriilor, nr.2, Jud. Buzau	J40/1937/1996	CUI 8237968	031/4070030/3185019; 0238/717441	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, pmax=40bar	B/CR4/A,B, C/4,5/1737/0/30.07.2013

466	Bucuresti	TEHNO PROMPT SRL	COM. CHIAJNA, Str. 1 Mai, nr.12, Jud. Ilfov	J23/1751/2002	CUI 4430515	021/3055700	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=200°C,	B/CR4/A,B, C/4/0107/0 /23.06.2010
467	Central	TEHNOEXPERT MANAGEMENT INDUSTRIAL SA	BUCURESTI, Str. Gheorghe Sincai, nr.11, bl.4, sc.3, ap.68, sector 4	J40/8718/2012	CUI 30484794	0372715633; 0372879090	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=540t/h, pmax=225bar, Tmax=570°C; Dmax=100Gcal/h	DISPR/CR4/E/4,5/3761/0/12.12.2012
468	Central	TEHNOPLUS MEDICAL SRL	BUCURESTI, Str. Odobesti, nr.1, sector 3	J40/13952/1993	CUI 4261939	021/3485272/3485343	Cazane abur	Cazane abur	-	-	-	-	pmax<=16bar, Qmax<=2t/h, Tmax<=200°C	DISPR/CR4/A,B/4/1034/0/10.06.2011
469	Central	TEHNOPLUS MEDICAL SRL	BUCURESTI, Str. Odobesti, nr.1, sector 3	J40/13952/1993	CUI 4261939	021/3485272/3485343	-	-	-	-	Cazane abur, cazane apa fierbinte, cazane apa calda, cazane abur joasa presiune	-	-	DISPR/CR4/G/4,5/1037/0/14.06.2011

470	Brasov	TEHNOSUD ENGINEERING SRL	PLOIESTI, Str. Rudului, nr. 262, Jud. Prahova	J29/ 1376 /200 2	RO 1505 6352	0344 /102 953	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=500t/h, pmax=200bar, Tmax=550°C; Dmax=500Gcal/h, pmax=20bar	BV/CR4/A,B ,C/4,5/1618 /0/19.10.20 16
471	Central	TEHNOTERM IMPEX SRL	REGHIN, Str. Pandurilor, nr.12, Jud. Mures	J26/ 3350 /199 2	CUI 3388 129	0265 /512 564/ 5138 98	Cazane abur	-	-	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=250°C	DISPR/CR4/ A/4/2940/0 /30.01.2012
472	Iasi	TEHNOTERM SRL	IASI, Bd. Chimiei, Jud. Iasi	J22/ 3107 /199 4	RO 6788 022	0232 /259 596	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=200°C	IS/CR4/A,B, C/4/0105/0 /23.09.2010
473	Bacau	TEHNOTERM SRL	IASI, Sos. Pacurari, nr.26, Jud. Iasi	J22/ 3107 /199 4	RO 6788 022	0232 /259 596	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=200°C	BC/CR4/A,B ,C/4/1387/1 /11.03.2014
474	Oradea	TELETECH SRL	ZALAU, Str. Gh. Doja, nr.28, bl. D28, ap.24, Jud. Salaj	J31/ 165/ 2003	CUI 1532 4536	####	-	-	-	-	-	-	Cazane abur; cazane apa fierbinte P>0.5bar; T>110°C	OR/CR4/H/ 4,5/1418/0/ 20.11.2015

475	Brasov	TEODAN INSTAL SRL	PLOIESTI, Str. Maramures, nr.14-16, Jud. Prahova	J29/ 2587 /200 7	CUI 2254 7417	0244 /546 228; e- mail Teod an_i nstal @yah oo.c om	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=40t/h, pmax<=40bar, Tmax<=450°C; Dmax<=50Gcal/h, pmax<=40bar, Tmax<=450°C	BV/CR4/A,B ,C/4,5/1348 /1/11.12.20 14
476	Central	TEODAN INSTAL SRL	PLOIESTI, Str. Republicii, nr.108, bl.13B2, ap.6, Jud. Prahova	J29/ 2587 /200 7	CUI 2254 7417	0244 /546 228	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=40t/h, pmax<=40bar, Tmax<=450°C; Dmax<=50Gcal/h, pmax<=40bar, Tmax<=450°C	DISPR/CR4/ A,B,C/4,5/1 579/0/20.07 .2011
477	Bacau	TERMA SRL	BACAU, Str. Oituz, nr.78, Jud. Bacau	J04/ 219/ 1997	CUI 9234 919	0234 /511 711/ 5800 10; e- mail office@te rmab acau .ro	Cazane abur	-	-	-	-	-	Qmax<=25t/h, pmax=40bar, Tmax<=250°C	BC/CR4/A/4 /1759/1/03. 05.2017

478	Central	TERMA SRL	BACAU, Str. Oituz, nr.78, Jud. Bacau	J04/219/1997	CUI 9234 919	0234 /511 711/ 5800 10	Cazane abur	-	-	-	-	-	Qmax=25t/h, pmax=40bar, Tmax=250°C	DISPR/CR4/A/4/3004/0 /10.02.2012
479	Bacau	TERMAEXIM SA	GALATI, Str. Dr. Petru Groza, nr.23, Jud. Galati	J17/121/1991	RO 1631 352	0236 /470 870/ 4706 69	Cazane apa fierbinte	Cazane apa fierbinte	Cazane apa fierbinte	-	-	-	Qmax=120t/h, Gcal, pmax=22bar, Tmax=150°C	BC/CR4/A,B ,C/5/1653/0 /08.04.2016
480	Bacau	TERMAEXIM SA	GALATI, Str. Dr. Petru Groza, nr.23, Jud. Galati	J17/121/1991	RO 1631 352	0236 /470 870/ 4706 69	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/h, pmax=155bar, Tmax=540°C	BC/CR4/A,B ,C/4/1287/1 /09.09.2013
481	Central	TERMAR PROD COM SRL	CONSTANTA, Str. Varful cu Dor, nr.10, Jud. Constanta	J13/5105 /200 4	CUI 1606 5111	0241 /631 350/ 6313 40	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=140bar, Tmax=540°C; Dmax=50Gcal/h, pmax=25bar	DISPR/CR4/A,B,C/4,5/1 000/0/17.06 .2011
482	Bucuresti	TERMAR PROD COM SRL	CONSTANTA, Str. Varful cu Dor, nr.10, Jud. Constanta	J13/5105 /200 4	CUI 1606 5111	0241 /631 350/ 6313 40	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=140bar, Tmax=540°C; Dmax=50Gcal/h, pmax=25bar	DISPR/CR4/A,B,C/4,5/2 097/1/10.03 .2014



483	Central	TERMICA SA	SUCEAVA, Str. Energeticianului, nr.1, Jud. Suceava	J33/310/2002	CUI 14682110	0230/257066/257663	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=137bar, Tmax<=540°C; Dmax<=116Mw, pmax<=26bar	DISPR/CR4/C/4,5/0855/0/11.05.2011
484	Central	TERMO CONFORT SRL	BRASOV, Bd. Victoriei, nr.10, bl.43, Jud. Brasov	J08/184/1998	CUI 10253388	0268/416380	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=430t/h, pmax<=140bar, Tmax<=450°C; Dmax<=125Gcal/h, pmax<=25bar	DISPR/CR4/A,B,C/4,5/1791/0/22.08.2011
485	Sibiu	TERMO CONSTRUCT SRL	HUNEDOARA, Str. Serei, nr.17A, Jud. Hunedoara	J20/1369/1993	RO 4372015	0254/740577/716823	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=25t/h, Pmax=40bar, Tmax=300°C; Dmax=5Gcal/h, Pmax=16bar,	SB/CR4/A,B,C/4,5/0127/0/17.12.2010
486	Oradea	TERMO CONSTRUCT SRL	HUNEDOARA, Str. Serei, nr.17A, Jud. Hunedoara	J20/1369/1993	RO 4372015	####	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=25t/h, Pmax=40bar, Tmax=300°C; Dmax=5Gcal/h, Pmax=16bar,	OR/CR4/A,B,C/4,5/1193/1/06.08.2013
487	Oradea	TERMO ENERGETICA BANATUL SRL	TIMISOARA, Str. Dorobantilor, nr.63B, Jud. Timis	J35/141/1993	RO 2805376	0256/219224	Cazane de abur	-	Cazane de abur	-	-	-	Q=10t/h, pmax=16bar, Tmax=300°C	OR/CR4/A,C/4/1053/1/05.10.2012
488	Oradea	TERMO ENERGETICA BANATUL SRL	TIMISOARA, Str. Dorobantilor, nr.63B, Jud. Timis	J35/141/1993	RO 2805376	0256/219224	Cazane de abur	-	Cazane de abur	-	-	-	Q=10t/h, pmax=16bar, Tmax=300°C	OR/CR4/A,C/4/1053/2/18.10.2013

489	Bacau	TERMO INVEST SRL	BACAU, Str. Nordului, nr.38, Jud. Bacau	J04/438/1997	RO 9458 924	0234/519 519	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, Pmax<=16bar, Tmax<=440°C; Dmax<=10Gcal/h, Pmax<=16bar, Tmax<=150°C	BC/CR4/A,B ,C/4,5/0088 /0/15.09.2010
490	Oradea	TERMO MONTAJ SRL	SATU MARE, Str. Careiului, nr.162, Jud. Satu Mare	J30/2085/1994	RO 6902 657	0261/839 736/8397 35	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax<=30t/h, Pmax<=16bar, Tmax<=350°C	OR/CR4/A,B ,C/4/0021/0 /24.06.2010
491	Central	TERMO SYSTEMS CONTROL SRL	BUCURESTI, Str. Ionita Cegan, nr. 4, b;l. P12, sc. 1, et. 1, ap. 6, sector 5	J40/977/2001	CUI 1367 1180	021/3148 123/4440 174	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=210t/h, pmax=180bar, Tmax=450°C; Dmax=100Gcal/h, pmax=16bar	DISPR/CR4/A/4,5/3089/0/17.02.2012
492	Central	TERMO VULCAN SRL	TG. MURES, Str. Depozitelor, nr.13A, Jud. Mures	J26/2335/1992	CUI 1213 457	0265/227 363	Cazane abur	-	Cazane abur	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=440°C	DISPR/CR4/A,C/4/2937 /0/12.01.2012
493	Central	TERMODAV SRL	BRAGADIRU, Str. Iederei, nr.63D, Jud. Ilfov	J23/3243/2008	CUI 2461 9986	0740 0449 41; 031/8081 274	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350°C; Dmax=10Gcal/h, pmax=16bar	DISPR/CR4/A,B,C/4,5/1 615/0/01.08 .2011

494	Bucuresti	TERMODAV SRL	BRAGADIRU, Str. Iederei, nr.63D, Jud. Ilfov	J23/3243/2008	CUI 24619986	031/8081274	-	-	-	-	Cazane abur, apa fierbinte	-	Qmax=220t/h, pmax=150bar, Tmax=470°C; Dmax500Gcal/h, pmax=24ba	B/CR4/E/4, 5/0462/0/0 4.11.2010
495	Central	TERMOELECTRICA SA-Sucursala ELECTROCENTRALE BRAILA	Com. CHISCANI, Str. Principala, nr.317, Jud. Braila	J09/306/2000	CUI 13564265	0239/611550/664572	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax<=155bar, Tmax<=540°C; Dmax<=100Gcal, pmax<=22bar	DISPR/CR4/B,C/4,5/2029/0/30.09.2011
496	Oradea	TERMOFICARE ORADEA SA	ORADEA, Str. Jean Calvin, nr. 5, Jud. Bihor	J05/1095/2013	CUI 31952982	0359/409511	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=570°C	OR/CR4/A,B,C/4/1534/0/27.04.2017
497	Central	TERMOPIFEXIM SRL	BUCURESTI, Str. Marcu Armasu, nr.11, bl.24, sc.B, ap.77, sector 2	J40/9348/2001	CUI 14279496	021/2550294	Cazane abur	-	-	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=250°C	DISPR/CR4/A/4/2867/0/27.01.2012
498	Central	TERMOPIFEXIM SRL	BUCURESTI, Str. Marcu Armasu, nr.11, bl.24, sc.B, ap.77, sector 2	J40/9348/2001	CUI 14279496	021/2550294	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/G/4,5/2868/0/27.01.2012
499	Central	TERMOPIFEXIM SRL	BUCURESTI, Str. Marcu Armasu, nr.11, bl.24, sc.B, ap.77, sector 2	J40/9348/201	CUI 14279496	021/2550294	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=250°C; Dmax=30Gcal/h, pmax=15bar	DISPR/CR4/A,B,C/4,5/2867/1/15.03.2012

500	Central	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, ap.6, Jud. Cluj	J12/ 3927 /199 4	CUI 6589 364	0264 /431 587	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmin>0.5bar, Tmin>110°C	DISPR/CR4/ G/4,5/0794 1/0/10.05.2 011
501	Cluj	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, bl.M8, ap.6, Jud. Cluj	J12/ 3927 /199 4	RO 6589 364	0264 /431 587/ 5967 50	-	-	-	-	-	Cazane abur, apa fierbinte	-	CJ/CR4/H/4 ,5/0077/0/0 8.09.2010
502	Cluj	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, bl.M8, ap.6, Jud. Cluj; CLUJ NAPOCA, Str. Vasile Lupu, nr.20, bl.M8, ap.6, Jud. Cluj	J12/ 3927 /199 4	RO 6589 364	0264 /431 587/ 5967 50	-	-	-	Cazane abur, apa fierbinte	-	-	Qmax=25t/h, pmax=16bar, Tmax=350°; Dmax=10Gcal/h, pmax=16bar,	CJ/CR4/E/4 ,5/0083/0/1 0.09.2010
503	Cluj	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, bl.M8, ap.6, Jud. Cluj	J12/ 3927 /199 4	CUI 6589 364	0264 /431 587/ 5967 50	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	-	CJ/CR4/A,B ,C/4,5/0190 /0/31.12.20 10

504	Central	TERMOREP SRL	RAMNICU VALCEA, Str. Nistor Dumitrescu, nr.14/17, Jud. Valcea	J38/576/1991	RO 1469 332	0250 /737 308/ 7373 02	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=165bar, Tmax<=565°C; Dmax<=100Gcal/h, pmax<=30bar, Tmax<=175°C	DISPR/CR4/A,B,C/4,5/1 212/0/22.06 .2011
505	Central	TERMOREP SRL	RM. VALCEA, Str. Nistor Dumitrescu, nr. 14/17, Jud. Valcea	J38/576/1991	CUI 1469 332	0250 /737 308/ 7373 02; 0744 5494 36	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmin>0.5bar, Tmin>110°C	DISPR/CR4/G/4,5/1559 /0/19.07.20 11
506	Central	TERMOREP SRL	RM. VALCEA, Str. Nistor Dumitrescu, nr.14/17, Jud. Valcea	J38/576/1991	CUI 1469 332	0250 /737 308/ 7373 02	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h, pmax=165bar, Tmax=570°C; Dmax=100Gcal/h, Pmax=30bar	DISPR/CR4/E/4,5/2126/ 11.10.2011
507	Cluj	TERMOSISTE M PROD SRL	CLUJ NAPOCA, Str. Piata Abator, Bl.C3, ap.19, Jud. Cluj	J12/3214 /200 5	RO 1793 4344	0264 /484 810	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350°C; Dmax=5Gcal/h, pmax=16bar	CJ/CR4/A,B ,C/4,5/0024 /0/11.06.20 10
508	Brasov	TERMOSUD CONSULT SRL	BUZAU, Cart. Episcopiei, bl.C11, ap.13, Jud. Buzau	J10/237/1999	RO 1187 4952	0238 /717 802	Cazane de abur	-	-	-	-	-	Q<=10t/h, p<=40bar, T<=450°C	BV/CR4/A/4 /1104/0/24. 01.2013

509	Central	TEST NDT LABORATOR SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, demisol, Jud. Cluj	J12/ 255/ 2013	RO 3115 6809	0746 1061 96; 0264 /596 750	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, Pmax=250bar, Tmax=600°C; Dmax=150Gcal/h, Pmax=160bar	DISPR/CR4/ E/4,5/3939/ 0/23.05.201 6
510	Bacau	TEST PRIMA SRL	SUCEAVA, Str. Petru Rares, nr.56, Jud. Suceava	J33/ 156/ 1992	CUI 7446 39	0230 /523 406/ 5227 73	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, Pmax=40bar, Tmax=350°C; Dmax=50Gcal/h, Pmax=40bar, Tm>110°C	BC/CR4/A,C /4,5/1113/0 /14.12.2012
511	Bacau	TEST PRIMA SRL	SUCEAVA, Str. Petru Rares, nr.56, Jud. Suceava	J33/ 156/ 1992	CUI 7446 39	0230 /523 406/ 5227 73	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, Pmax=40bar, Tmax=350°C; Dmax=50Gcal/h, Pmax=40bar	BC/CR4/A,C /4,5/1113/1 /04.07.2013
512	Sibiu	TEXCO ENERGIE SRL	SIBIU, Str. Catina Ioan, nr.4, Jud. Sibiu	J32/ 471/ 2013	RO 3169 3632	0269 /237 325	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=20t/h, Pmax=20bar, Tmax=350°C; Dmax=10Gcal/h, Pmax=20bar, T>110°C	SB/CR4/A,B ,C/4,5/1224 /0/10.09.20 13
513	Bucuresti	TMUCB SA	BUCURESTI, Str. Lujerului, nr. 26, sector 5	J40/ 1171 /199 1	CUI 2786 487	021/ 3171 060/ 3129 542	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=215bar, Tmax=600°C; Pmax=25bar, Qmax=100Gcal/h	B/CR4/A,B, C/4,5/2786/ 1/06.04.201 6

514	Central	TMUCB SA	BUCURESTI, Str. T. Arghezi, nr.8/10, et.5, sector 2	J40/1171/1991	CUI 2786487	021/3165669/3129542	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=215bar, Tmax=600°C; Pmax=25bar, Qmax=100Gcal/h	DISPR/CR4/A,B,C/4,5/1496/0/19.07.2011
515	Central	TOTALMONTAJ SRL	Sat TATARANI, Com. Barcanesti, nr. 237A, Jud. Prahova	J29/187/1994	RO 5165670	0372704946; 0244/276783	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=80bar, Tmax=440°C; Dmax=50Gcal/h, pmax=80bar	DISPR/CR4/C/4,5/3693/0/30.05.2012
516	Cluj	TRUSTUL DE INSTALATII MONTAJ SI CONSTRUCTII SA	CLUJ NAPOCA, Str. Buftea, nr.1, jud. Cluj	J12/5159/1992	RO 2897361	0264/431198/431202	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q<=10t/h, pmax<=20bar, Tmax=350°C; D<=5Gcal/h, pmax<=20bar	CJ/CR4/A,B,C/4,5/0042/0/01.08.2010
517	Sibiu	TRUSTUL DE INSTALATII MONTAJ SI CONSTRUCTII SA	CLUJ NAPOCA, Str. Buftea,, nr.1, Jud. Cluj	J12/5159/1992	RO 2897361	0264/431198/431202	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=20bar, Tmax<=350°C; Dmax<=5Gcal/h, Pmax<=20bar	SB/CR4/A,B,C/4,5/1106/1/09.11.2012
518	Bucuresti	TUBAL EXPERT SRL	BUCURESTI, Str. Dunavat, nr.9, bl.57, sc.5, ap.74, sector 5	J40/10787/2010	CUI 27681303	031/8010757	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=600t/h, pmax=180bar, Tmax=570°C; Dmax=50Gcal/h, pmax=24bar	B/CR4/E/8/0612/0/23.02.2010

519	Bucuresti	TURBOENERGY POWER CHISINAU SRL Sucursala Targoviste	TARGOVISTE, Str. Cooperativei, nr. 6, Jud. Dambovita	J15/ 224/ 2015	RO 3429 180	####	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/h, pmax=200bar, Tmax=540°C	B/CR4/A,B, C/4/2777/0 /29.04.2016
520	Central	TUV AUSTRIA ROMANIA SRL	BUCURESTI, Cal. Plevnei, nr.139, et.1, corp C, sector 6	J40/ 2237 0/20 07	CUI 1923 1430	0213 1532 94/3 1532 96	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=196bar, Tmax=570°C; Dmax=100Gcal/h, Pmax=30bar	DISPR/CR4/ E/4,5/2921/ 0/01.02.201 2
521	Central	TUV AUSTRIA ROMANIA SRL	BUCURESTI, Cal. Plevnei, nr.139, et.1, corp C, sector 6	J40/ 2237 0/20 07	CUI 1923 1430	0213 1532 94/3 1532 96	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=196bar, Tmax=570°C; Dmax=100Gcal/h, Pmax=30bar	DISPR/CR4/ E/4,5/2921/ 1/25.03.201 3
522	Central	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr. 155, bl.D1, tronson 5, et.3, sector 1	J40/ 8231 /200 2	CUI 1484 2360	021/ 3134 419/ 3300 815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=550°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/ E/4,5/3315/ 4/17.02.201 6
523	Central	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr. 155, bl.D1, tronson 5, et.3, sector 1	J40/ 8231 /200 2	CUI 1484 2360	021/ 3134 419/ 3300 815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=550°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/ E/4,5/3315/ 3/16.10.201 4



524	Central	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr. 155, Spatiile D2 si C2, bl.D1, et.2, sector 1	J40/8231/2002	CUI 14842360	021/3306600/3300815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=550°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/E/4,5/3315/2/23.03.2012
525	Bucuresti	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr.155, bl.D1, Tronson 5, et.2, spatiile D2 si C2, sector 1	J40/8231/2002	CUI 14842360	021/3306600/3300815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=550°C; Dmax=100Gcal/h, pmax=25bar	B/CR4/E/4,5/0355/1/05.10.2010
526	Bucuresti	TUV SUD ROMANIA SRL	BUCURESTI, Bd. Gh. Sincai, nr.9A, bl.3A, et.3, ap.7 si 9, sector 4	J40/8231/2002	CUI 14842360	021/3306600/3300815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax>=120t/h, pmax=200bar, Tmax=540°C; Dmax=100Gcal/h, pmax=25bar	B/CR4/E/4,5/0001/0/19.03.2010
527	Ploiesti	UNIVERSAL MONTAJ DARZEU SRL	BLEJOI, Sat Blejoi, nr.929, Jud. Prahova	J29/587/1991	RO 1348209	0244/435516/435519	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	100bar>=p>0.5bar, Qmax=120t/h, Tmax=500°C; 25bar>=p>0.5bar, Dmax=50Gcal/h, Tmax=150°C	PL/CR4/A,B,C/4,5/0032/0/07.05.2010

528	Central	UNIVERSITAT EA POLITEHNICA BUCURESTI- Centrul de Cercetari si Expertizari ECO Metalurgice - ECOMET	BUCURESTI, Splaiul Independentei, nr.313, corp J, sala JF 002, sector 6	-	CUI 4183 199	021/ 4029 592/ 3169 564	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=400bar, Tmax=650°C; Dmax=150Gcal/h, pmax=40bar	DISPR/CR4/ E/4,5/1460/ O/21.07.201 1
529	Central	UNIVERSITAT EA POLITEHNICA BUCURESTI- Centrul de Cercetari si Expertizari ECO Metalurgice - ECOMET	BUCURESTI, Splaiul Independentei, nr.313, corp J, sala JF 002, sector 6	-	CUI 4183 199	021/ 3169 564	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=196bar, Tmax=540°C; Dmax=50Gcal/h, pmax=18bar	DISPR/CR4/ E/4,5/1460/ O/21.07.201 1
530	Central	UZINA ELECTRICA ZALAU SA	ZALAU, Str. Valea Mitii, nr.2, Jud. Salaj	J31/ 13/2 002	CUI 1439 7920	0260 /662 101	-	-	Cazane abur	-	-	-	Qmax=120t/h, pmax<=40bar, Tmax<=250°C	DISPR/CR4/ C/4/0056/0 /24.02.2011

531	Central	UZINA TERMOELECT RICA GIURGIU SA	GIURGIU, Sos. Sloboziei, nr.194, Jud. Giurgiu	J52/ 308/ 2001	CUI 1435 1222	0769 /060 322; 0246 /216 665	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=280° C; Dmax=10Gcal/h, pmax=40bar, Tmax=150° C	DISPR/CR4/ C/4,5/3581/ 0/08.05.201 2
532	Galati	UZINSIDER ENGINEERING SA	GALATI, Sos. Smardan, nr.2, Jud. Galati	J17/ 69/1 991	RO 1632 285	0236 /449 016/ 4483 48 /448 238/ 4485 80	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=550t/h, pmax=180bar, Tmax=570° C; Dmax=460Gcal/h, pmax=180bar	DISPR/CR4/ E/4,5/3898/ 1/05.02.201 5
533	Galati	UZINSIDER ENGINEERING SA	GALATI, Sos. Smardan, nr.2, Jud. Galati	J17/ 69/1 991	RO 1632 285	0236 /449 016/ 4483 48 /448 238/ 4485 80	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=550t/h, pmax=180bar, Tmax=570° C; Dmax=460Gcal/h, pmax=180bar	GL/CR4/E/4 ,5/0034/0/2 5.06.2010

534	Bucuresti	VALEST TERMIC TRUST SRL	BUCURESTI, Cal. 13 Septembrie, nr. 106, bl. 50, et. 3, ap. 9, sector 5	J40/ 7682 /201 1	CUI 2867 1251	021/ 4566 466	Cazane de abur, apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4, 5/2630/0/0 8.10.2015
535	Craiova	VEIT AMROTEX SRL	CRAIOVA, Str. Romul, nr.2, bl.T3B, ap.3, Jud. Dolj	J16/ 1137 /199 8	RO 1119 0717	0251 /412 155	Cazane abur	-	Cazane abur	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=220°C	CR/CR4/A,C /4/0017/0/ 10.05.2010
536	Brasov	VISSMANN SRL	GHIMBAV, DN1- Km 174+941, nr.2, Jud. Brasov	J08/ 1197 /199 8	CUI 1107 5840	0268 /407 800/ 4078 40; e mail: info- ro@v iess man n.co m	Cazane abur, apa firbinte	-	-	-	-	-	Q<=30t/h, p<=30bar, T<=350°C; D<=25Gcal/h, p<=30bar	BV/CR4/A/4 ,5/1151/2/1 1.10.2016

537	Brasov	VIESSMANN SRL	GHIMBAV, DN1-Km 174+941, nr.2, Jud. Brasov	J08/1197/1998	CUI 11075840	0268/407800/407840; e-mail: info-ro@viessmann.com	Cazane abur, apa fierbinte	-	-	-	-	-	Q<=30t/h, p<=30bar, T<=350°C; D<=25Gcal/h. p<=30bar	BV/CR4/A/4,5/1151/1/27.06.2013
538	Central	VIROMET SA	VICTORIA, Aleea Uzinei, nr.8, Jud. Brasov	J08/340/1991	CUI 1126350	0268/241120/241800	-	-	Cazane abur	-	-	-	Qmax<=120t/h, pmax<=100bar, Tmax<=450°C	DISPR/CR4/C/4/1626/0/19.07.2011
539	Central	VLAD ALEX TERMO SRL	BUCURESTI, Bd. Ion Mihalache, nr.96, bl.44B, sc.A, et.6, ap.12, sector 1	J40/27924/1993	CUI 5039893	021/6665306	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax<=5t/h, pmax<=16bar, Tmax<=150°C	DISPR/CR4/G/4,5/1268/0/05.07.2011

540	Central	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239/1991	CUI 1454846	0237/640800/641720	-	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=16bar, Tmax=250°C	DISPR/CR4/B,C/4/2020/0/29.09.2011
541	Bacau	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239/1991	RO 1454846	0337/640800/641720	-	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=16bar, Tmax=250°C	BC/CR4/B,C/4/1130/2/16.06.2014
542	Bacau	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239/1991	RO 1454846	0337/640800/641720	-	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=16bar, Tmax=250°C	BC/CR4/B,C/4/1130/1/17.01.2013

543	Sibiu	VTU ECHIPAMENT E SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, et. 1, Jud. Cluj	J12/ 256/ 2013	RO 3115 6795	0264 /431 587/ 5967 50; e mail vtue chip ame nte@ yaho o.co m	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmax>0.5bar, T>110° C	SB/CR4/G/4 ,5/1551/0/0 9.02.2016
544	Sibiu	VTU ECHIPAMENT E SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, et. 1, Jud. Cluj	J12/ 256/ 2013	RO 3115 6795	0264 /431 587/ 5967 50; e mail vtue chip ame nte@ yaho o.co m	-	-	-	-	-	Cazane abur; cazane apa fierbinte	pmax>0.5bar, T>110° C	SB/CR4/H/4 ,5/1545/0/2 8.01.2016

545	Bacau	WATER CHEM CONSULTING SRL	MAGURA, Com. Magura, Jud. Bacau	J4/6 82/2 016	CUI 3609 3167	####	-	-	-	-	-	Cazane abur; cazane apa fierbinte	-	BC/CR4/H/4,5/1688/0/1 4.07.2016
546	Central	ZAUNER ROMANIA SRL	SATU MARE, Str. Aurel Vlaicu, nr.72, Jud. Satu Mare	J30/459/2003	CUI 1549 8230	0361/420 550/4295 38	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=400°C; Dmax=20Gcal/h, pmax=16bar	DISPR/CR4/A,B,C/4,5/2 780/0/17.01 .2012
547	Oradea	ZAUNER ROMANIA SRL	SATU MARE, Str. Aurel Vlaicu, nr.72, Jud. Satu Mare	J30/459/2003	CUI 1549 8230	0361/420 550/4295 38	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=400°C; Dmax=20Gcal/h, pmax=16bar	OR/CR4/A,B ,C/4,5/1140 /1/07.05.20 13
548	Oradea	ZAUNER ROMANIA SRL	SATU MARE, Str. Aurel Vlaicu, nr.72, Jud. Satu Mare	J30/459/2003	CUI 1549 8230	0361/420 550/4295 38	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=100bar, Tmax=600°C; Dmax=100Gcal/h, pmax=100bar	OR/CR4/A,B ,C/4,5/1140 /2/23.07.20 14