

Persoane juridice autorizate conform PT CR4/2009 pentru efectuarea de lucrari la Cazane de abur, Cazane apa fierbinte, Supraincalzitoare si Economizoare independente-reglementate de PT C1/2010

Nr. Crt.	IT ISCIR	Societatea Comerciala	Adresa	J	CUI	Tel/fax	Domeniu autorizat						Parametrii	Autorizatii
							Instalare	Montare	Reparare	Verificari tehnice in utilizare pt. investigatii/examinari cu caracter tehnic	Intretinere prin spalare chimica	Intretinere regim chimic		
1	Central	AB INSTAL SRL	CRAIOVA, Str. Caracal, nr.30, Jud. Dolj	J16/458/2000	CUI 13319762	0744/572075; 0251/543105	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} ≤1035t/h, p _{max} ≤192bar, T _{max} ≤192°C; D _{max} ≤100Gcal/h, p _{max} ≤25bar, T _{max} ≤175°C	DISPR/CR4/A,B,C/4,5/2133/07.10.2011

2	Craiova	ABC SYSTEMS SRL	DR. Tn. SEVERIN, Calea Timisoarei, nr.175B, Jud. Mehedinti	J25/1584/1994	RO 6667578	0252/329362/329363	Cazane abur, apa fierbinte	-	Cazane abur, apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, tmax=200°C; Dmax=5Gcal/h, pmax=16bar	CR/CR4/A,C/4,5/0002/0/31.03.2010
3	Sibiu	ACI BISTRITA SA	BISTRITA, Str. Zefirului, nr.1, Jud. Bistrita Nasaud	J06/15/1991	RO 566515	0263/234229/234230	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Q<=10t/h, Pmax=20bar, Tmax<=350°C ; D<=5Gcal/h, Pmax<=20bar	SB/CR4/A,B,C/4,5/0174/0/18.02.2011
4	Bucuresti	ACIRAM MEDICAL SRL	BUCURESTI, Str. Margeanului, nr. 26, bl.M23A, et.1, ap.32, sector 5	J40/10600/2007	RO 21849379	0722531761; 0214201026	Cazane abur	-	-	-	-	-	Qmax=1t/h, pmax=8bar, tmax=175°C	B/CR4/A/4/1763/0/20.08.2013

5	Bucuresti	ACVATOT SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.9- 9A, cladire nr.14, Iride Busines Park, parter + etaj 1; BUCURESTI, Str. Lunca Cetatii, nr. 475, lot 3, sector 3	J40/ 6629 /199 1	CUI 13906	021/ 2520 860/ 2520 934	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=650t/h , pmax=170bar , Tmax=480° C; Dmax=50Gcal /h, pmax=20bar, Tmax=170° C	B/CR4/A,B,C /4,5/1385/2 /25.02.2015
6	Bucuresti	ACVATOT SRL	BUCURESTI, Str. Popa Lazar, nr.5- 25, et. 1+2, corp C14, sector 2	J40/ 6629 /199 1	CUI 13906	021/ 2520 934	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=650t/h , pmax=170bar , Tmax=480° C; Dmax=50Gcal /h, pmax=20bar, Tmax=170° C	B/CR4/A,B,C /4,5/0277/0 /04.09.2010

7	Bucuresti	ACVATOT SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.9- 9A, cladire nr.14, Iride Busines Park, parter + etaj	J40/ 6629 /199 1	CUI 13906	021/ 3160 828/ 3160 825	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=650t/h , pmax=170bar , Tmax=480°C; Dmax=50Gcal /h, pmax=20bar, Tmax=170°C	B/CR4/A,B,C /4,5/1385/1 /27.05.2013
8	Central	AFA PROD IMPEX SRL	CLUJ NAPOCA, Str. Timisului, nr.1, Jud. Cluj	J12/ 954/ 1995	CUI 73592 66	0264 /416 365/ 4167 58	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h , pmax<=16bar , Tmax<=350°C ; Dmax<=5Gcal /h, pmax<=16bar , Tmax<=150°C	DISPR/CR4/ A,B,C/4,5/1 344/0/15.06 .2011
9	Central	AG PROIECT INTERNATIONAL SRL	BUCURESTI, Al. Cettuia, nr.10, bl.25/I, sc.A, et.3, ap. 15, sector 6	J40/ 1804 8/20 4	CUI 16920 944	021/ 7715 802	Cazane abur	-	-	-	-	-	Qmax=25t/h, pmax=20bar, Tmax=250°C	DISPR/CR4/ A/4/2489/0/ 05.12.2011

10	Brasov	AG SERV CONSTRUCT SRL- Punct de lucru BRASOV	NEGRESTI OAS, Str. Victoriei, Bl.C9/20, et.2, ap.12, Jud. Satu Mare; BRASOV, Str. Timis- Triaj, nr.6, Jud. Brasov	J30/ 412/ 1995	CUI 75200 51	0261 /853 322; 0268 /331 142/ 3317 52	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Q<=100t/h, p<=40bar, T<=440°C; D<=50Gcal/h, p<=40bar, T<=440°C	BV/CR4/A,C /4,5/0011/0 /14.06.2010
11	Sibiu	AGRISUT PROD COM IMPEX SRL	CLUJ NAPOCA, Str. Campului, nr. 215-219, ap. 3, Jud. Cluj	J12/ 4849 /199 2	RO 28944 70	0264 /561 973	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	pmax<=16bar , Qmax<=10t/h , Tmax<=250°C ; pmax<=16bar , Dmax<=5Gcal /h	SB/CR4/A,B, C/4,5/1353/ 1/24.07.201 4
12	Central	AGRISUT PROD COM IMPEX SRL	CLUJ NAPOCA, Str. Grigore Alexandrescu, nr.49, ap.2, Jud. Cluj	J12/ 4849 /199 2	CUI 28944 70	0264 /561 973	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h , pmax<=16bar , Tmax<=250°C ; Dmax<=5Gcal /h, pmax<=16bar	DISPR/CR4/ A,B,C/4,5/2 582/0/14.11 .2011

13	Bacau	APIFS SRL	BACAU, Str. Prieteniei, nr.7, bl.7, sc.A, ap.2, Jud. Bacau	J04/1849/1992	CUI 976728	0234/577165; 0744543625	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	BC/CR4/G/4,5/0051/0/30.06.2010
14	Bucuresti	ALA INSTAL COMCONSTRUCT SRL	BUCURESTI, Str. Grigore Alexandrescu, nr.7, Bl.H1, sc.2, et.4, sector 1	J40/19208/1992	CUI 3316947	021/3174424/3174399	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=400°C; Dmax=5Gcal/h, pmax=16bar, Tmax=160°C	B/CR4/A/4,5/0206/0/10.08.2010

15	Bucuresti	ALA INSTAL COMCONSTRUCT SRL	BUCURESTI, Str. Grigore Alexandrescu, nr.7, Bl.H1, sc.2, et.4, sector 1	J40/ 1920 8/19 92	CUI 33169 47	021/ 3174 424/ 3174 399; e- mail : ala_i nstal @ya hoo. com	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=400°C; Dmax=5Gcal/ h, pmax=16bar, Tmax=160°C	B/CR4/A/4,5 /0206/1/23. 12.2013
16	Iasi	ALCOR PRO CONSULT SRL	IASI, Str. Sf. Lazar, nr.51, Jud. Iasi	J22/ 191/ 1995	RO 70480 90	0232 /233 390	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=420t/h , pmax=120bar , Tmax=550°C; Dmax=20Gcal /h, pmax=25bar,	IS/CR4/E/4, 5/0073/0/03 .08.2010

17	Bacau	ALPADO SRL	Com. STEFAN cel Mare, Sat. NEGOIESTI, nr.292, Jud. Bacau	J04/ 1535 /199 2	RO 97727 8	0234 /339 008	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , Pmax<=40bar , Tmax=440°C; Dmax<=50Gcal/h, Pmax=16bar, Tmax=200°C	BC/CR4/A,C /4,5/0074/0 /26.08.2010
18	Central	AMICI SA	BACAU, Str. Ionita Sandu Sturza, nr.25, Jud. Bacau	J04/ 37/1 991	CUI 94514 4	0334 /405 384; 0234 /514 336	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h , Pmax<=16bar , Tmax<=200°C ; Dmax<=5Gcal/h, pmax<=8bar, Tmax<=170°C	DISPR/CR4/ A,B,C/4,5/1 205/0/30.06 .2011

19	Bucuresti	AMS 2000 TRADING IMPEX SRL	BUCURESTI, Str.Turturelel or, nr. 62, camere 1-16 din imobil Decebal Tower, et. 2, sector 3	J40/ 5527 /199 7	RO 96037 57	021/ 3247 050/ 3247 679; e- mail offic e.a ms@ ams. ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	Pmax=72kW, pmax=5bar, Tmax=138°C	B/CR4/A,B,C /4/2868/0/2 6.08.2016
20	Central	AMURCO SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/ 770/ 2005	CUI 17488 233	0234 /575 440/ 5754 13	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t /h, pmax<=196ba r, Tmax<=565°C	DISPR/CR4/ A,B,C/4,5/1 225/0/24.06 .2011- retragere incepand cu 30.08.2016

21	Bacau	AMURCO SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/770/2005	RO 17488233	0234/575440/575413; e-mail: secretariat@amurco.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=105bar, Tmax=540°C; Dmax=25Gcal/h, pmax=20bar	BC/CR4/A,B,C/4,5/1298/1/03.09.2013- retragere incepand cu 30.08.2016
22	Pitesti	ANA CARPATI 2007 SRL	PITESTI, Str. Fagaras, bl.E2, sc.c, ap.10, Jud. Arges	J03/1993/2007	RO 22523698	0729022428; 0248/290025	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q<=50t/h, pmax<=50bar, T<=450°C; D<=50Gcal/h, pmax<=25bar	PT/CR4/A,C/4,5/0102/0/30.09.2010
23	Central	ANUBIS SRL	CLUJ NAPOCA, Str. Fericirii, nr.17, ap.2, Jud. Cluj	J12/269/2000	CUI 12760654	0264/484116	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	DISPR/CR4/G/4,5/1472/0/07.07.2011; DISPR/CR4/H/4,5/1471/0/07.07.2011

24	Iasi	APOPI & BLUMEN SRL	IASI, Str. Cuza Voda, nr.56, Jud. Iasi	J22/961/1993	RO 5386728	0232/212269/252413	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=350°C; Dmax=10Gcal/h, pmax=16bar	IS/CR4/A,B, C/4,5/0061/0/19.07.2010
25	Bacau	APOPI & BLUMEN SRL	IASI, Str. Cuza Voda, nr.56, Jud. Iasi	J22/961/1993	RO 5386728	0232/212269/252413	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=350°C; Dmax=10Gcal/h, pmax=16bar	BC/CR4/A,B, C/4,5/1366/1/12.02.2014
26	Bacau	AQUATERM SRL	BOTOSANI, Str. I.C. Bratianu, nr.35, Jud. Botosani	J07/226/1999	CUI 12135214	0231/511585/511518	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=200°C	BC/CR4/A,B, C/4/1495/0/03.10.2014
27	Central	ARCELORMITTAL GALATI SA	GALATI, Str. Smardan, nr.1, Jud. Galati	J17/21/1991	CUI 1639739	0236/801331/803883	-	-	Cazane abur	-	-	-	pmax=54bar, Qmax=255t/h, Tmax=450°C	DISPR/CR4/C/4/1250/0/10.06.2011

28	Central	ARDENT SRL	BRASOV, Str. Arinului, nr. 3, bl. 36, ap. 12, ap.9, Jud. Brasov	J08/1035/1991	CUI 1110281	0368/459201	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h , pmax=120bar , Tmax<=540°C ; Dmax<=100G cal/h, pmax=40bar	DISPR/CR4/E/4,5/0786/1/27.01.2017
29	Central	ARDENT SRL	BRASOV, Str. Paraului, nr.15, bl. S25, sc.A, ap.9, Jud. Brasov	J08/1035/1991	CUI 1110281	0722275726; 0268/541682	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h , pmax=120bar , Tmax<=540°C ; Dmax<=100G cal/h	DISPR/CR4/E/4,5/0786/0/12.05.2011
30	Brasov	ARDENT SRL	BRASOV, Str. Paraului, nr.15, bl. S25, sc.A, ap.9, Jud. Brasov	J08/1035/1991	CUI 1110281	0722275726; 0268/541682	Cazane de abur	-	Cazane de abur	-	-	-	pmax=40bar, Qmax=120t/h , Tmax=350°C	BV/CR4/A,C/4/1125/0/01.04.2013
31	Central	ARGENTA SRL	NAVODARI, Bd. Navodari, nr.295, Jud. Constanta	J13/2396/1993	CUI 3959705	0241/517171/766876	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax<=1100t/h, pmax<=250bar, Tmax<=650°C	DISPR/CR4/A,B,C/4/2035/0/26.09.2011

32	Bucuresti	ARGENTA SRL	NAVODARI, Bd. Navodari, nr.295, Jud. Constanta	J13/ 2396 /199 3	CUI 39597 05	0241 /517 171/ 6384 38	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax<=250bar, Qmax<=1100t/h, Tmax<=650°C	B/CR4/A,B,C /4/1020/1/2 9.06.2012
33	Bucuresti	ARGENTA SRL	NAVODARI, Bd. Navodari, nr.295, Jud. Constanta	J13/ 2396 /199 3	CUI 39597 05	0241 /517 171/ 6384 38	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax=250bar, Qmax=1100t/h, Tmax=650°C	B/CR4/A,B,C /4/1020/2/1 9.05.2014
34	Central	ARGOS SA	CERNAVODA, Str. Canalului, nr.11, Jud. Constanta	J13/ 1562 /199 1	CUI 24218 12	0241 /238 440/ 2381 97	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=30t/h, pmax<=25bar, Tmax<=225°C ; Dmax<=20Gcal/h, pmax<=25bar	DISPR/CR4/ A,B,C/4,5/1 745/0/16.08 .2011
35	Bucuresti	ARTEGO SA	TG. JIU, Str. Ciocarlau, nr.38, Jud. Gorj	J18/ 1120 /199 1	CUI 21574 28	0253 /226 444	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=350°C; Dmax=1.4Gcal/h, pmax=40bar	B/CR4/A,C/ 4,5/2510/1/ 12.03.2015

36	Central	ARTEGO SA	TG. JIU, Str. Ciocarlau, nr.38, Jud. Gorj	J18/1120/1991	CUI 2157428	0253/226444/226045	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Pmax<=1164kW	DISPR/CR4/A,B,C/4,5/0472/0/23.03.2011
37	Tg. Mures	AZOMURES SA	TG. MURES, Str. Gh. Doja, nr.30, Jud. Mures	J26/1/1991	RO 1200490	0265/253700/252627	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=50t/h, pmax=50bar, Tmax=500°C; Dmax=50Gcal/h, pmax=22bar	MS/CR4/E/4,5/0044/0/12.10.2010
38	Tg. Mures	AZOMURES SA	TG. MURES SA, Str. Gh. Doja, nr.300, Jud. Mures	J26/01/1991	CUI 1200490	0265/253700/252627	-	-	Cazane de abur	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440°C	MS/CR4/C/4/0071/0/29.11.2010
39	Sibiu	BALTUR SIB SRL	SIBIU, Str. Regele Ferdinand, nr.2, Jud. Sibiu	J32/297/1998	CUI 10565398	0269/215398/215376	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=150bar, Tmax<=540°C; Dmax<=100Gcal/h, pmax<=26bar	SB/CR4/A,B,C/4,5/1707/1/16.05.2017

40	Central	BALTUR SIB SRL	SIBIU, Str. Regele Ferdinand , nr.2, Jud. Sibiu	J32/297/1998	CUI 10565398	0269/215398/215376	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=150bar, Tmax<=540°C ; Dmax<=100Gcal/h, pmax<=26bar	DISPR/CR4/A,B,C/4,5/1475/0/20.07.2011
41	Oradea	BIJU SRL	TIMISOARA, Str. Brandusei, nr.1, sc.B, parter, ap.4, Jud. Timis	J35/2581/1991	CUI 1819357	0256/424868	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=300°C; Dmax=5Gcal/h, pmax=16bar	OR/CR4/A,C/4,5/1256/1/18.02.2014
42	Central	BIJU SRL	TIMISOARA, Str. Brandusei, nr.1, sc.B, parter, ap.4, Jud. Timis	J35/2581/1991	CUI 1819357	0256/424868	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=300°C ; Dmax<=5Gcal/h, pmax<=16bar, Tmax<=150°C	DISPR/CR4/A,C/4,5/1267/0/17.06.2011

43	Central	BIS NIMB SA	CERNAVODA, Platforma SNN CNE INVEST , Jud. Constanta	J13/ 1328 /199 9	CUI 92750 05	0241 /238 488/ 2388 90	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	pmax<=16bar , Qmax<=10t/h , Dmax<=5Gcal /h;	DISPR/CR4/B ,C/4,5/0978 /0/09.06.20 11
44	Bucuresti	BLACK SEA SUPPLIERS SRL	CONSTANTA, Bd. Aurel Vlaicu, nr.191, Jud. Constanta	J13/ 2456 /199 6	CUI 88770 45	0241 /697 700	Cazane abur	-	-	-	-	-	Qmax<=10t/h , pmax<=16bar , Tmax=325°C	B/CR4/A/4/ 2094/1/15.0 1.2016
45	Central	BLACK SEA SUPPLIERS SRL	CONSTANTA, Bd. Aurel Vlaicu, nr.191, Jud. Constanta	J13/ 2456 /199 6	CUI 88770 45	0241 /697 700	Cazane abur	-	-	-	-	-	Qmax<=10t/h , pmax<=16bar , Tmax=325°C	DISPR/CR4/ A/4/2094/0/ 05.10.2011
46	Bucuresti	BLUE NEON SA	CRAIOVA, Str. Nicolae Titulescu, nr.46, bl.E4, sc.1, ap.9, Jud. Dolj	J16/ 868/ 2006	CUI 18652 333	0744 7635 59; 0251 /592 858	-	-	-	-	-	-	Cazane abur; cazane apa fierbinte p>0.5bar, T>=110°C	B/CR4/H/4, 5/1382/0/27 .05.2013

47	Bucuresti	BONATTI Spa PARMA - Sucursala Bucuresti	BUCURESTI, Str. Amiral Constantin Balanescu, nr. 31A, et. 1, ap. 4, sector 1; POENI, Str. General Gheorghe Radulescu, nr. 83, Jud. Teleorman; MORENI, Str. Al. I. Cuza, nr. 9, Jud. Dambovita	J40/ 9115 /201 4	CUI 33446 663	0725 5940 51; e- mail filip po.s curti @bo natti .it; 0723 5621 19; e- mail crist ian. chiri toiu @bo natti .it	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250° C; Dmax=30Gcal /h, pmax=16bar	B/CR4/A,B,C /4,5/2361/2 /10.07.2017
----	-----------	--	--	---------------------------	---------------------	---	---	---	---	---	---	---	--	---

48	Bucuresti	BONATTI Spa PARMA - Sucursala Bucuresti	BUCURESTI, Str. Gheorgheni, nr.68, et.1, ap.4, sector 5	J40/ 9115 /201 4	CUI 33446 663	021/ 4024 100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250°C; Dmax=30Gcal /h, pmax=16bar	B/CR4/A,B,C /4,5/2361/1 /06.04.2016
49	Bucuresti	BONATTI Spa PARMA - Sucursala Bucuresti	BUCURESTI, Str. Gheorgheni, nr.68, et.1, ap.4, sector 5;	J40/ 9115 /201 4	CUI 33446 663	021/ 4024 100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250°C; Dmax=30Gcal /h, pmax=16bar	B/CR4/A,B,C /4,5/2361/0 /28.11.2014
50	Bacau	BRAITERM IMPEX SRL	LACU SARAT, Com. Chiscani, Jud. Braila	J09/ 1529 /199 4	CUI 69938 98	0239 /652 604	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=250°C	BC/CR4/A,C /4/1488/2/0 7.05.2015
51	Bacau	BRAITERM IMPEX SRL	LACU SARAT, Com. Chiscani, Jud. Braila	J09/ 1529 /199 4	CUI 69938 98	0239 /652 604	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=250°C	BC/CR4/A,C /4/1488/1/2 2.09.2014

52	Central	BRAITERM IMPEX SRL	LACU SARAT, Com. Chiscani, Str. Principala, nr.41, Jud. Braila	J09/1529/1994	CUI 6993898	0239/652604	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=250°C	DISPR/CR4/A,C/4/3026/0/16.02.2012
53	Cluj	CALORA PROD SRL	CLUJ NAPOCA, Str. Parang, nr.6, bl.H3, ap.42, Jud. Cluj	J12/3320/1993	RO 4723388	0264/432429	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h, pmax=16bar	CJ/CR4/E/4,5/0014/0/18.05.2010
54	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18898/2006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5/2376/6/28.02.2017

55	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/ 1889 8/20 06	RO 19222 172	021/ 3345 517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250 ° C; Dmax=50Gcal /h, pmax=40bar	B/CR4/A/4,5 /2376/5/09. 08.2016
56	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/ 1889 8/20 06	RO 19222 172	021/ 3345 517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250 ° C; Dmax=50Gcal /h, pmax=40bar	B/CR4/A/4,5 /2376/4/19. 02.2016
57	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/ 1889 8/20 06	RO 19222 172	021/ 3345 517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250 ° C; Dmax=50Gcal /h, pmax=40bar	B/CR4/A/4,5 /2376/3/03. 12.2015

58	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/1889 8/20 06	RO 19222 172	021/ 3345 517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250 ° C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5 /2376/2/23. 06.2015
59	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/1889 8/20 06	RO 19222 172	021/ 3345 517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250 ° C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5 /2376/1/24. 04.2015
60	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/1889 8/20 06	RO 19222 172	021/ 3345 517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250 ° C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5 /2376/0/04. 12.2014
61	Oradea	CENTRALA ELECTRICA DE TERMIFICARE ARAD SA	ARAD, Calea 6 Vanatori , Jud. Arad	J02/ 336/ 2002	CUI 14593 668	0257 /307 455/ 2131 60	-	-	Cazane abur	-	-	-	Qmax=420t/h , Pmax=150bar , Tmax=540 ° C	OR/CR4/C/4 /1072/0/06. 11.2012

62	Iasi	CENTRUL JUDETEAN DE APARATURA MEDICALA	IASI, Str. Vasile Conta, nr.2-4, Jud. Iasi	-	RO 12665 636	0232 /314 271/ 2639 77	Cazane abur (generatoare electrice de abur)	Cazane abur (generatoare electrice de abur)	Cazane abur (generatoare electrice de abur)	-	-	-	Qmax=0.3t/h , Pmax=6bar, Tmax=185° C	IS/CR4/A,B, C/4/0055/0/ 23.06.2010
63	Bucuresti	CEPROAT SRL	BUCURESTI, Str. Petre Lintes, nr.22, sector 5	J40/ 5295 /200 2	CUI 14715 455	0723 1931 94; 021/ 7813 415	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, Pmax=200bar , Tmax=570° C; Dmax=100Gcal/h, Pmax=25bar, Tmax=150° C	B/CR4/E/4,5 /0177/0/02. 08.2010
64	Central	CERVES SRL	BRAILA, Str. Tineretului, nr. 4, Jud. Braila	J09/ 525/ 2010	CUI 27471 760	0239 /683 324; interventie 0741 5693 30	-	-	-	Cazane abur, apa fierbinte	-	-	Qmax=420t/h , pmax=150bar , Tmax=570° C; Dmax=50Gcal /h	DISPR/CR4/E /4,5/0587/1 /05.08.2015

65	Central	CERVES SRL	BRAILA, Str. Poet Gr. Alexandrescu, nr.120, modul 1, et.2, Jud. Braila	J09/525/2010	CUI 27471760	0239/683324	-	-	-	Cazane abur, apa fierbinte	-	-	Qmax=420t/h, pmax=150bar, Tmax=570°C; Dmax=50Gcal/h	DISPR/CR4/E/4,5/0587/0/10.05.2011
66	Central	CET GOVORA SA	RM. VALCEA, Str. Industriilor, nr.1, Jud. Valcea	J38/683/1997	CUI 10102377	0250/733601/733603	-	-	Cazane abur	-	-	-	Qmax<=420t/h, pmax<=225bar, Tmax<=570°C	DISPR/CR4/C/4/2522/0/07.12.2011
67	Sibiu	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie 1989, nr.152, ap.18, Jud. Cluj; CLUJ NAPOCA, Str. Garii, nr.19, Jud. Cluj	J12/1453/1998	CUI 11086555	0264/424665/462385	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=250t/h, pmax<=40bar, Tmax<=400°C; Dmax<=100Gcal/h, pmax<=30bar	SB/CR4/A,B,C/4,5/1244/1/14.10.2013

68	Central	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie 1989, nr.152, ap.18, Jud. Cluj; CLUJ NAPOCA, Str. Garii, nr.19, Jud. Cluj	J12/ 1453 /199 8	CUI 11086 555	0264 /424 665/ 4623 85	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h , pmax<=40bar , Tmax<=400°C ; Dmax<=25Gc al/h, pmax<=30bar	DISPR/CR4/ A,B,C/4,5/1 639/0/20.07 .2011
69	Central	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie, nr.152, ap.18, Jud. Cluj; CLUJ NAPOCA, Str. Garii, nr.19, Jud. Cluj	J12/ 1453 /199 8	CUI 11086 555	0264 /424 665/ 4623 85	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmin>0.5bar; Tmin>110°C	DISPR/CR4/ G/4,5/1637/ 0/21.07.201 1
70	Central	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie 1989, nr.152, ap.18, Jud. Cluj	J12/ 1453 /199 8	CUI 11086 555	0264 /424 665/ 4623 85	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h , pmax=40bar, Tmax=350°C; pmax=16bar, Dmax=100Gc al/h	DISPR/CR4/E /4,5/1840/0 /07.09.2011

71	Central	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie, nr.152, ap.18, Jud. Cluj	J12/ 1453 /199 8	CUI 11086 555	0264 4246 65/4 6238 5	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/ h, pmax=200bar , Tmax=570°C; Dmax=100Gc al/h, pmax=30bar	DISPR/CR4/E /4,5/1840/1 /20.06.2012
72	Brasov	CHIMP SRL	PLOIESTI, Str. Mierlei, nr. 25, Jud. Prahova	J29/ 1229 /199 3	RO 40004 37	0244 /551 949	-	-	-	-	Cazane abur	-	p>0.5bar	BV/CR4/H/4 /1362/1/27. 01.2015
73	Ploiesti	CHIMP SRL	PLOIESTI, Str. Mierlei, nr.25, Jud. Prahova	J29/ 1229 /199 3	RO 40004 37	0244 /551 949	-	-	-	-	Cazane abur	-	p>0.5bar	PL/CR4/H/4 /0289/0/23. 12.2010
74	Bacau	CIBOCAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8, Jud. Botosani	J07/ 1038 /199 4	RO 65666 70	0231 /539 028	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=20t/h, pmax=40bar, Tmax=400°C	BC/CR4/A,B, C/4/1330/1/ 19.01.2016
75	Bacau	CIBOCAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8, Jud. Botosani	J07/ 1038 /199 4	RO 65666 70	0231 /531 536/ 5390 28	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=20t/h, pmax=40bar, Tmax=400°C	BC/CR4/A,B, C/4/1330/0/ 05.11.2013

76	Cluj	CLASIC ASOCIATIA PENTRU INDUSTRIE SI COMERT DIN CLUJ SRL	CLUJ NAPOCA, Al. Scarisoara, nr.3, ap. 11, Jud. Cluj	J12/2915/1991	RO 222147	0264/540465	-	-	-	-	-	Cazane abur, apa fierbinte	-	CJ/CR4/H/4,5/0137/0/02.12.2010
77	Iasi	CLIMA THERM CENTE SRL	IASI, Sos. Pacurari, nr. 139, Jud. Iasi	J22/916/2000	RO 13572870	0232/261833/272700	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=5t/h, pmax=16bar, Tmax=350°C	IS/CR4/A,B,C/4/0134/0/25.10.2010
78	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11976/2010	CUI 27787860	021/3167921/4119870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0165/6/09.10.2017
79	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11976/2010	CUI 27787860	021/3167921/4119870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0165/5/11.10.2016

80	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/ 1197 6/20 10	CUI 27787 860	021/ 3167 921/ 4119 870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/ h, pmax=190bar , Tmax=570°C; Dmax=50Gcal /h, pmax=16bar	DISPR/CR4/E /4,5/0165/4 /19.12.2014
81	Central	CNCIR S.A.	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/ 1197 6/20 10	CUI 27787 860	021/ 3167 921/ 3166 027	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/ h, pmax=190bar , Tmax=570°C; Dmax=50Gcal /h, pmax=16bar	DISPR/CR4/E /4,5/0165/2 /27.07.2012
82	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/ 1197 6/20 10	CUI 27787 860	021/ 3167 921/ 3167 922/ 3167 923/ 3166 027	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/ h, pmax=190bar , Tmax=570°C; Dmax=50Gcal /h, Pmax=16bar,	DISPR/CR4/E /4,5/0038/0 /01.03.2011

83	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/ 1197 6/20 10	CUI 27787 860	021/ 3167 921/ 3166 027	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/ h, pmax=190bar , Tmax=570° C; Dmax=50Gcal /h, pmax=16bar	DISPR/CR4/E /4,5/0165/1 /23.04.2012
84	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/ 1197 6/20 10	CUI 27787 860	021/ 3167 921/ 4119 870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/ h, pmax=190bar , Tmax=570° C; Dmax=50Gcal /h, pmax=16bar	DISPR/CR4/E /4,5/0165/3 /22.03.2013
85	Tg. Mures	COM TUR SRL	MIERCUREA CIUC, Str. Muller Laszlo, nr.31, Jud. Harghita	J19/ 414/ 1992	CUI 51268 0	0266 /371 174/ 3237 76	Cazane de abur	-	-	-	-	-	pmax=16 bar, Qmax=10t/h, Tmax=350° C	MS/CR4/A/4 /0011/0/12. 05.2010

86	Bacau	COMES SA	SAVINESTI, Str. Gheorghe Caranfil, nr.3, Jud. Neamt	J27/ 27/1 991	CUI 26622 92	0233 /281 568/ 2818 33	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/ h, pmax<=40bar , Tmax<=600° C ; Dmax<=100G cal/h, pmax<=30bar , Tmax<=180° C	BC/CR4/B,C /4,5/1280/3 /08.01.2016
87	Bacau	COMES SA	SAVINESTI, Str. Uzinei, nr.1, Jud. Neamt	J27/ 27/1 991	CUI 26622 92	0233 /281 568/ 2818 33	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/ h, pmax<=40bar , Tmax<=600° C ; Dmax<=100G cal/h, pmax<=30bar , Tmax<=180° C	BC/CR4/B,C /4,5/1280/2 /08.08.2013

88	Central	COMES SA	SAVINESTI, Str. Uzinei, nr.1, Jud. Neamt	J27/ 27/1 991	CUI 26622 92	0233 /281 568/ 2818 33	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/ h, pmax<=40bar , Tmax<=600°C ; Dmax<=100G cal/h, pmax<=30bar , Tmax<=180°C	DISPR/CR4/B ,C/4,5/0695 /1/06.10.20 11
89	Central	COMES SA	SAVINESTI, Str. Urziceni, nr.1, Jud. Neamt	J27/ 27/1 991	CUI 26622 92	0233 /281 568/ 2818 33	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/ h, pmax<=40bar , Tmax<=600°C ; Dmax<=100G cal/h, pmax<=30bar , Tmax<=180°C	DISPR/CR4/B ,C/4,5/0695 1/0/11.05.2 011

90	Central	COMPLEXUL ENERGETIC CRAIOVA SA	CRAIOVA, Str. Unirii, nr.147, Jud. Dolj	J16/656/2004	CUI 16299139	0351/403310/403344/449550	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h, pmax=250bar, Tmin=105°C; Tmax=600°C; Dmax<=100Gcal/h, pmax<=25bar, Tmax<=150°C; ;	DISPR/CR4/C/4,5/2538/0/02.12.2011
91	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCENTRALE CRAIOVA	CRAIOVA, Str. Unirii, nr.147, Jud. Dolj	J16/904/2012	CUI 30292810	0351/403310/303311/449550	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=525t/h, 0.5bar<=pmax<=250bar, 105°C<=Tmax<=600°C; Dmax<=100Gcal/h, pmax<=25bar, 110°C<=Tmax<=150°C	DISPR/CR4/C/4,5/1196/0/05.11.2012

92	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCENTRALE ISALNITA	ISALNITA, Str. Mihai Viteazul, nr.101, Jud. Dolj	J16/587/2013	CUI 31454295	0251/407633/407602	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h, , Tmin=105°C, tmax=600°C, pmax=250bar ; Dmax=100Gcal/h, pmax=250bar , Tmin=110°C, Tmax=150°C	B/CR4/C/4, 5/1844/0/01 .10.2013
93	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCENTRALE ROVINARI	ROVINARI, Str. Energeticianului, nr.25, Jud. Gorj	J18/337/2012	CUI 30310461	0253/372556/371590	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, 0.5bar<=pmax<=196bar, 105°C<=Tmax<=600°C; Dmax<=100Gcal/h, pmax<=25bar , 110°C<=Tmax<=150°C	B/CR4/A,C/ 4,5/1220/0/ 14.12.2012
94	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCENTRALE TURCENI	TURCENI, Str. Uzinei, nr.1, Jud. Gorj	J18/338/2012	CUI 30310453	0253/335045/335015	-	-	Cazane abur	-	-	-	Qmax=1035t/h, p<=196bar, Tmax=540°C	B/CR4/C/4/ 1611/1/30.0 9.2016

95	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCENTRALE TURCENI	TURCENI, Str. Uzinei, nr.1, Jud. Gorj	J18/338/2012	CUI 30310453	0253/335045/335081	-	-	Cazane abur	-	-	-	Qmax=1035t/h, p<=196bar, 105°C<=Tmax<=540°C	B/CR4/C/4/1611/0/17.05.2013
96	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCENTRALE CRAIOVA II	CRAIOVA, Str. Bariera Valcii, nr.195, Jud. Dolj	J16/588/2013	CUI 31454260	0251/599480/596555; 0251/599495	-	Cazane de abur, apa fierbinte	-	-	-	-	Qmax=525t/h, pmax=250bar, 105°C<=Tmax<=600°C	B/CR4/C/4,5/1911/0/03.12.2013
97	Central	COMPLEXUL ENERGETIC TURCENI SA	TURCENI, Str. Uzinei, nr.1, Jud. Gorj	J18/257/2004	CUI 16302447	0253/335045/335081	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=15bar; Dmax=1035t/h, pmax<=195bar,	DISPR/CR4/C/4,5/0482/0/11.03.2011
98	Ploiesti	COMREP SA	PLOIESTI, Str. Gh. Grigore Cantacuzino, nr.32, Jud. Prahova	J29/127/1991	RO 1345008	0244/513145/515961	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, Pmax=120bar; Dmax=50Gcal/h, Tmax=440°C	PL/CR4/B,C/4,5/0160/0/06.09.2010

99	Brasov	COMREP SA	PLOIESTI, Str. Gh. Grigore Cantacuzino, nr.32, Jud. Prahova	J29/127/1991	RO 1345008	0244/525321/515961	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h , Pmax=100bar ; Dmax=50Gcal/h, Tmax=440°C	BV/CR4/B,C /4,5/1266/1 /26.05.2014
100	Sibiu	COMTERM INVEST SRL	TG. MURES, Str. Rozmarinului, nr.60, corp C1, camera 3, et.1, Jud. Mures	J26/677/1999	RO 12361289	0265/253250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450°C; Dmax=100Gcal/h, pmax=40bar	SB/CR4/A,B, C/4,5/1595/ 3/14.06.2016
101	Central	COMTERM INVEST SRL	TG. MURES, Str. Rozmarinului, nr.60, corp C1, camera 3, et.1, Jud. Mures	J26/677/1999	RO 12361289	0265/253250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h, pmax=40bar	SB/CR4/A,B, C/4,5/1471/ 2/27.05.2015

102	Central	COMTERM INVEST SRL	TG. MURES, Str. Rozmarinului, nr.60, corp C1, camera 3, et.1, Jud. Mures	J26/ 677/ 1999	RO 12361 289	0265 /253 250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450 ° C; Dmax=50Gcal /h, pmax=40bar	DISPR/CR4/ A,B,C/4,5/2 160/1/16.02 .2012
103	Central	COMTERM INVEST SRL	TG. MURES, Bd. 1 Decembrie 1918, nr.243, ap.31, Jud. Mures	J26/ 677/ 1999	CUI 12341 289	0265 /253 250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450 ° C; Dmax=50Gcal /h, Pmax=40bar	DISPR/CR4/ A,B,C/4,5/2 160/14.10.2 011
104	Ploiesti	COMTERM SA	BUZAU, Str. H.P. Bengescu, nr.5, Jud. Buzau	J10/ 976/ 1993	RO 43847 61	0238 /720 242/ 4067 60	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=1035t/ h, Pmax=150bar , Tmax=560 ° C; Dmax=100Gc al/h	PL/CR4/A,B, C/4,5/0296/ 0/28.12.201 0

105	Central	CONCIVIC SRL	SLOBOZIA, Str. Closca, nr.20, Judet Ialomita	J21/790/1993	CUI 4831479	0243/230117	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h , pmax<=16bar , Tmax<=350° C ; Dmax<=25Gcal/h, pmax<=16bar	DISPR/CR4/A,B,C/4,5/1692/0/10.08.2011
106	Central	CONDITIONAL SRL	BACAU, Str. Letea, nr.38, bl.38, sc.A, ap.3, Jud. Bacau	J40/393/1998	CUI 10439381	0234/583270	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/A,B,C/4,5/3330/0/26.03.2012
107	Brasov	CONDMAG SA	BRASOV, Str. Avram Iancu, nr.52, Jud. Brasov	J08/35/1991	RO 1100008	0268/414954/477772	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q<=10t/h, p<=16bar, T<=450° C; D<=5Gcal/h, p<=16bar	BV/CR4/A,B,C/4,5/0040/0/06.09.2010

108	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/1991	CUI 1324099	0244/333160/374719; e-mail confind@confind.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; Dmax=50Gcal/h, pmax=40bar	DISPR/CR4/A,B,C/4,5/1720/0/10.06.2011
109	Central	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/1991	CUI 1324099	0244/333160/374719	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; Dmax=50Gcal/h, pmax=40bar	BV/CR4/A,B,C/4,5/1400/1/23.03.2015

110	Central	CONFORT SA	TIMISOARA, Str. Enric Baader, nr.11, Jud. Timis	J35/ 729/ 1991	CUI 18334 67	0256 /434 575/ 4340 60	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/ h, pmax<=140ba r, Tmax<=550° C ; Dmax<=100G cal/h, pmax<=140ba r, Tmax<=220° C	DISPR/CR4/ A,B,C/4,5/2 151/0/07.10 .2011
111	Bucuresti	CONFORT SRL	BUCURESTI, Str. Straduintei, nr.3, bl.A4, ap.32, et.7, sector 4	J40/ 1110 /199 3	RO 34775 60	021/ 4610 529/ 4610 921	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h , pmax=25bar, Tmax=400° C; Dmax=15Gcal /h, pmax=25bar, T>110° C	B/CR4/A,B,C /4,5/0519/1 /05.08.2013
112	Central	CONSULT MERIDIAN SRL	SAT LIPIA, Com. Marei, Jud. Buzau	J10/ 885/ 2005	CUI 17807 634	0238 /711 249; 0371 1554 37	-	-	-	Cazane abur	-	-	Qmax=40t/h, pmax=40bar, Tmax=350° C	DISPR/CR4/E /4/0316/0/2 5.03.2011

113	Central	CORSEM IMPEX SRL	GURA HUMORULUI, Str. Orizont, nr.6A, Jud. Suceava	J33/1947/1993	CUI 4973970	0230/514145	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h , pmax<=16bar , Tmax<=350°C ; Dmax<=15Gcal/h, pmax<=16bar , Tmax<=170°C	DISPR/CR4/A,B,C/4,5/1580/0/25.07.2011
114	Iasi	COSMIN COMPANY SRL	IASI, Str. Fundac Ursulea, nr.6, Jud. Iasi	J22/582/1994	RO 5317728	0232/264597	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=220°C	IS/CR4/A,B,C/4/0010/0/21.04.2010-suspendare voluntara incepand cu 23.03.2016
115	Iasi	COSMIN COMPANY SRL	IASI, Str. Fundac Ursulea, nr.6, Jud. Iasi	J22/582/1994	RO 5317728	0232/264597	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=10t/h, pmax=16bar, Tmax=220°C; Dmax=5Gcal/h, pmax=16bar	IS/CR4/E/4,5/0121/0/27.10.2010-suspendare voluntara incepand cu 23.03.2016

116	Bucuresti	CRIMAR PAMICO INDUSTRIAL MONTAJ SRL	PITESTI, Str. Zamfiresti, nr.16, camera 1, Jud. Arges	J03/ 12/2 012	RO 29515 714	0248 /615 434; 0758 0616 02	-	-	Cazane abur	-	-	-	Qmax=650t/h , pmax=225bar , Tmax=570 °C	B/CR4/C/4/ 1026/0/26.0 6.2012
117	Bacau	CRIO MEC SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/ 1339 /199 4	RO 56684 27	0236 /312 437/ 4630 59; e- mail office@c riomec sa .ro	Cazane abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=250t/h , pmax=40bar, Tmax540 °C; Dmax=100Gc al/h, pmax=22bar	BC/CR4/A,C /4,5/1118/3 /18.05.2017

118	Bacau	CRIOMECS SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/ 1339 /199 4	RO 56684 27	0236 /312 437/ 4630 59; e- mail office@ criomecsa .ro	Cazane abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h , pmax=40bar, Tmax=540°C; Dmax=100Gcal/h, pmax=22bar	BC/CR4/A,C /4,5/1118/2 /29.04.2015
119	Central	CRIOMECS SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/ 1339 /199 4	RO 56684 27	0236 /312 437/ 4630 59	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=120t/h , pmax=140bar , Tmax=400°C; Dmax=50Gcal/h, pmax=140bar	DISPR/CR4/E /4,5/3772/2 /24.06.2015

120	Central	CRIOMEK SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/ 1339 /199 4	RO 56684 27	0236 /312 437/ 4630 59	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=120t/h , pmax=140bar , Tmax=400°C; Dmax=50Gcal /h, pmax=140bar	DISPR/CR4/E /4,5/3772/1 /05.02.2013
121	Galati	CRIOMEK SA	GALATI, Str. Drumul de Centura, nr.63, Jud. Galati	J17/ 1339 /199 4	RO 56684 27	0236 /312 437/ 4630 59	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=120t/h , pmax=140bar , Tmax=400°C; Dmax=50Gcal /h, pmax=140bar	GL/CR4/E/4 ,5/0102/0/1 6.11.2010
122	Bacau	CRIOMEK SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/ 1339 /199 4	RO 56684 27	0236 /312 437/ 4630 59	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte				Qmax=120t/h , pmax=40bar, Tmax=540°C; Dmax=100Gc al/h, pmax=22bar	BC/CR4/A,C /4,5/1118/1 /09.01.2013

123	Central	CSI ENERGO ELECTRIC SRL	NAVODARI, Str. Muzicii, nr.53, et.1, Jud. Constanta	J13/611/2011	CUI 28179217	0341/488805	-	-	Cazane abur	-	-	-	Qmax<=105t/h, pmax<=40bar, Tmax<=440°C	DISPR/CR4/C/4/0626/0/21.04.2011
124	Bacau	CYCLON TECH SRL	BRAILA, Str. Scolilor, nr.28, Bl.D2, parter, Jud. Braila; BRAILA, Str. Mare, nr.55, Jud. Braila	J09/1144/1994	RO 6008500	0239/612022/612561; 0239/611870	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=220°C; Dmax=5Gcal/h, Pmax=16bar	BC/CR4/A,B,C/4,5/1082/2/28.05.2014
125	Bacau	CYCLON TECH SRL	BRAILA, Str. Scolilor, nr.28, Bl.D2, parter, Jud. Braila; BRAILA, Str. Mare, nr.55, Jud. Braila	J09/1144/1994	RO 6008500	0239/612022/612561; 0239/611870	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=220°C; Dmax=5Gcal/h, Pmax=16bar	BC/CR4/A,B,C/4,5/1082/1/01.11.2012

126	Bucuresti	D&G DYNAMIC MAINTENANCE GROUP SRL	PITESTI, Str. Transilvania, nr. 1, bl. D3, sc. D, et. 4, ap. 17, Jud. Arges; PITESTI, DN 65B, Km 4+850, Hala 1, Jud. Arges	J03/960/2006	CUI 18747999	0248/250448; 0722628597	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	B/CR4/G/4, 5/2632/1/30 .09.2015
127	Central	D&G DYNAMIC MAINTENANCE GROUP SRL	PITESTI, Str. Exercițiu, bl.D3, sc.D, et.4, ap.17, Jud. Arges	J03/960/2006	CUI 18747999	0248/250448	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmin>0.5bar, Tmin>110° C	DISPR/CR4/G/4,5/1560/0/21.07.2011
128	Timisoara	D&T INDUSTRIAL EQUIPMENT SRL	GHIRODA, Cal. Lugojudului, nr.67, Jud. Timis	J35/1290/1995	CUI 8024889	0256/288641	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Q<=10t/h, p<=16bar, T<=320° C; D<=5Gcal/h, p<=16bar	TM/CR4/A,B ,C/4,5/0038 /0/02.07.2010
129	Timisoara	DA CONSTANTIN SRL	LUGOJ, Str. Primaverii, nr.42, Jud. Timis	J35/2089/2002	CUI 15096055	0256/329338	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Q<=5t/h, p<=16bar, T<=250° C	TM/CR4/A,B ,C/4/0079/0 /04.10.2010

130	Iasi	DAS SRL	IASI, Str. Aurel Vlaicu, nr.87, Jud. Iasi	J22/589/1991	RO 1986070	0232/262800	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=350°C; Dmax=20Gcal/h, pmax=16bar,	IS/CR4/A,B, C/4,5/0097/0/19.08.2010
131	Iasi	DAS SRL	IASI, Str. Aurel Vlaicu, nr.87, Jud. Iasi	J22/589/1991	RO 1986070	0232/262800	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=350°C; Dmax=20Gcal/h, pmax=16bar,	IS/CR4/A,B, C/4,5/0097/1/06.10.2010
132	Bucuresti	DELTA TERMO CONSTRUCT SRL	PITESTI, Str. Trivale, bl. P3 Bis, sc.C,ap.1, Jud. Arges	J03/600/2004	CUI 16297707	0248/272797; 0745061558	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=40bar, tmax=440°C; Dmax=50Gcal/h, pmax=25bar	B/CR4/A,B,C /4,5/2188/0/16.06.2014

133	Ploiesti	DIPERO CONSULTING SRL	PLOIESTI, Str. Pompelor, nr.4, Corp C1, Jud. Prahova	J29/ 1803 /200 9	RO 26316 687	0745 1181 71; 0244 /514 486	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=100t/h , Pmax=50bar, Tmax=450° C; Dmax=50Gcal /h, pmax=20bar, T>110° C	PL/CR4/E/4, 5/0201/0/08 .10.2010	
134	Central	DONAU CHEM SRL	TN. MAGURELE, Str. Portului, nr.1, Jud. Teleorman	J34/ 568/ 2004	CUI 16958 124	0247 /416 438/ 4133 79	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/ G/4,5/0868/ 0/18.05.201 1	
135	Central	DONAU CHEM SRL	TN. MAGURELE, Str. Portului, nr.1, Jud. Teleorman	J34/ 568/ 2004	CUI 16958 124	0247 /416 438/ 4133 79	Cazane de abur (generatoare de abur pentru sterilizare)	Cazane de abur (generatoare de abur pentru sterilizare)	Cazane de abur (generatoare de abur pentru sterilizare)	-	-	-	Qmax=80t/h, pmax=116bar , Tmax=460° C; Dmax=50Gcal /h, pmax=22bar	DISPR/CR4/ A,B,C/4,5/1 490/0/18.07 .2011	
136	Central	DONAU CHEM SRL	TN. MAGURELE, Str. Portului, nr.1, Jud. Teleorman	J34/ 568/ 2004	CUI 16958 124	0247 /416 438/ 4133 79	-	-	-	-	-	-	Cazane abur, apa fierbinte	-	B/CR4/H/4, 5/1374/0/08 .05.2013

137	Timisoara	DOSETIMPEX SRL	TIMISOARA, Cal. Buziasului, nr.11, camera 1, Jud. Timis	J35/ 4423 /199 4	CUI 68256 35	0256 /200 368 /223 838	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q<=10t/h, p<=16bar, T<=300°C; D<=5Gcal/h, p<=16bar	TM/CR4/A,C /4/0057/0/3 0.07.2010
138	Sibiu	DUOCHIM SRL	OCNA MURES, Str. Axente Sever, bl. 49, sc.C, ap.7, Jud. Alba	J01/ 33/2 001	RO 13682 309	0258 /873 180	-	-	-	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	p>=0.5bar; T>110°C	SB/CR4/G/4 ,5/0101/0/2 8.10.2010; SB/CR4/H/4 ,5/0102/0/2 8.10.2010
139	Central	DYOMEDICA CND SRL	PLOIESTI, Intrarea Clubului, nr.3, Jud. Prahova	J29/ 1796 /200 7	CUI 22112 765	0766 6556 27; 0244 /574 287	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h , pmax=100bar , Tmax=540°C; Dmax=20Gcal /h, pmax=30bar	DISPR/CR4/E /4,5/2959/0 /09.02.2012

140	Constanta	EARRING CO SRL	CONSTANTA, Str. Verde, nr. 30, Jud. Constanta	J13/ 5530 /199 2	CUI 19089 50	0241 /635 230	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=250°C; Dmax=5Gcal/ h, pmax=40bar, Tmax=150°C	CT/CR4/C/4 ,5/0029/0/0 5.07.2010
141	Bucuresti	ECO TERM SRL	URZICENI, Str. Serelor nr.5A, Ialomita; BUCURESTI, Bd. Ferdinand I, nr. 58, sc. C, et. 1, birou 5, sector 2; DUMBRAVA ROSIE, Str. Stramutati, nr. 17, Jud. Neamt	J21/ 191/ 2002	CUI 14737 011	0243 /254 713; e- mail office@e coterma ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h , pmax=40bar, Tmax=570°C; Dmax=25Gcal /h, pmax=20bar	B/CR4/A,B,C /4,5/2092/2 /17.07.2017

142	Bucuresti	ECOTERM SRL	URZICENI, Str. Serelor, nr.5A, Jud. Ialomita	J21/191/2002	CUI 14737011	0243/254713	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=40bar, Tmax=570°C; Dmax=25Gcal/h, pmax=40bar	B/CR4/A,B,C/4,5/2092/1/04.04.2014
143	Central	ECOTERM SRL	URZICENI, Str. Serelor, nr.5A, Jud. Ialomita	J21/191/2002	CUI 14737011	0243/254713	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=40bar, Tmax=570°C; Dmax=25Gcal/h, pmax=40bar, Tmax=250°C	DISPR/CR4/A,B,C/4,5/1597/0/08.07.2011
144	Central	ELCOMEX IEA SA	CERNAVODA, Str. Medgidiei, nr.2B, Jud. Constanta	J13/5616/1994	CUI 7092273	0241/238917/237524	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=140bar, Tmax<=540°C; Dmax<=50Gcal/h, pmax<=40bar, Tmax<=150°C	DISPR/CR4/A,B,C/4,5/0924/0/25.05.2011

145	Bucuresti	ELCOS SERVICE SRL	BUCURESTI, Bd. Timisoara, nr.27, bl.E, Sc.A, ap.2, sector 6	J40/1209/1998	CUI 10185240	021/4131349	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=205°C; Dmax=50t/h, pmax=40bar, Tmax=150°C	B/CR4/A,B,C/4,5/0389/0/08.10.2010
146	Bucuresti	ELCOS SERVICE SRL	BUCURESTI, Bd. Timisoara, nr.27, bl.E, Sc.A, ap.2, sector 6	J40/1209/1998	CUI 10185240	021/4131349	-	-	-	-	Cazane abur; cazane apa fierbinte	-	Qmax=40t/h, pmax=40bar, Tmax=205°C; Dmax=50t/h, pmax=40bar, Tmax=150°C	B/CR4/G/4,5/0390/0/11.10.2010
147	Central	ELECTROCENTRALE BUCURESTI SA- Suc. ELECTROCENTRALE BUCURESTI	BUCURESTI, Splaiul Independentei, nr.227, sector 6	J40/9343/2000	CUI 13439840	021/2751108/2751181	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h, pmax=155bar, Tmax=540°C; Dmax=100Gcal/h, pmax=25bar, Tmax=160°C	DISPR/CR4/A,B,C/4,5/2898/0/13.01.2012

148	Central	ELECTROCENTRALE BUCURESTI SA- Suc. ELECTROCENTRALE MURES	IERNUT, Str. Energeticii, nr.1, Jud. Mures	J26/513/2000	CUI 1228938	0265/471333/471388	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=640t/h , pmax=140bar , Tmax=550° C; Dmax=20Gcal/h, pmax=20bar, Tmax<=150° C	DISPR/CR4/A,B,C/4,5/2324/0/03.11.2011
149	Tg. Mures	ELECTROCENTRALE BUCURESTI SA- Suc. ELECTROCENTRALE MURES	IERNUT, Str. Energeticii, nr. 1, Jud. Mures	J26/513/2000	CUI 1228938	0265/471333/471388	-	-	-	Cazane abur, apa fierbinte, supraincalzitoare si economizoare independente	-	-	Qmax=640t/h , pmax=140bar , Tmax=550° C; Dmax=20Gcal/h, pmax=20bar	MS/CR4/E/4,5/0056/0/27.10.2010
150	Bucuresti	ELECTROCENTRALE CONSTANTA SRL	CONSTANTA, Bd. Aurel Vlaicu, nr.123, Jud. Constanta	J13/23/20153	CUI 33636420	0241/585300/693916	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h , pmax=140bar , Tmax=550° C; Dmax=100Gcal/h, Pmax=20bar	B/CR4/B,C/4,5/2472/0/11.03.2015

151	Central	ELECTROCENTRALE BUCURESTI-SUCURSALA ELECTROCENTRALE CONSTANTA	CONSTANTA, Bd. Aurel Vlaicu, nr.123, Jud. Constanta	J13/1035/2003	CUI 15264655	0241/585300/693916	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=140bar, Tmax=550°C; Dmax=100Gcal/h, Pmax=20bar	DISPR/CR4/B,C/4,5/3045/0/31.01.2012
152	Central	ELECTROCENTRALE DEVA SA	MINTIA, Str. Santierului, nr. 1, Jud. Hunedoara	J20/876/2001	CUI 14348448	0254/236408/236411	-	-	Cazane abur	-	-	-	Qmax<=330t/h, pmax<=140bar, Tmax<=550°C	DISPR/CR4/C/4/0076/0/02.03.2011
153	Central	ELECTROCENTRALE SA- Suc ELECTROCENTRALE BUCURESTI	BUCURESTI, Splaiul Independentei, nr.124, sector 6	J40/9343/2000	CUI 13439840	021/2751103/2751405	-	-	-	-	Cazane abur, cazane apa fierbinte, cazane apa calda, cazane abur joasa presiune	-	-	DISPR/CR4/G/4,5/0175/0/14.03.2011

154	Bucuresti	ELECTROCENTRALE BUCURESTI SA	BUCURESTI, Splaiul Independentei, nr. 227, sector 6	J40/1696/2003	RO 15189596	021/2751108/2751181	-	-	Cazane abur, apa fierbinte	-	-	-	Qmax=525t/h , pmax=155bar , Tmax=550°C; Dmax=100Gcal/h, pmax=25bar, Tmax=160°C	B/CR4/C/4, 5/1730/1/21 .10.2014
155	Bucuresti	ELECTROCENTRALE BUCURESTI SA	BUCURESTI, Splaiul Independentei, nr. 227, sector 6	J40/1696/2003	RO 15189596	021/2751108/2751181	-	-	Cazane abur, apa fierbinte	-	-	-	Qmax=525t/h , pmax=155bar , Tmax=550°C; Dmax=100Gcal/h, pmax=25bar, Tmax=160°C	B/CR4/C/4, 5/1730/0/08 .05.2013
156	Oradea	ELECTROCENTRALE ORADEA SA	ORADEA, Str. Sos. Borsului, nr.23, Jud. Bihor	J05/723/2002	RO 14790708	0259/453345/463661	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/h , Pmax=165bar , Tmax=570°C	OR/CR4/A,B ,C/4/1223/1 /16.10.2013

157	Bucuresti	ELECTROCHIM SRL	BUCURESTI, Prelungirea Ghencea, nr.93N, parter, sector 6	J40/9344/1991	CUI 445831	021/3176009	-	-	-	-	Cazane abur; cazane apa fierbinte; cazane apa calda; cazane abur joasa presiune	Cazane abur; cazane apa fierbinte; cazane apa calda; cazane abur joasa presiune	B/CR4/H/4, 5/0657/0/01 .02.2011; B/CR4/G/4, 5/0658/0/01 .02.2011	
158	Bacau	ELSACO ELECTRONIC SRL	BOTOSANI, Str. Pacea, nr.41A, Jud. Botosani	J07/1201/1994	CUI 7464520	0231/507060/532905	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, Pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, Pmax=40bar	BC/CR4/A,B, C/4,5/1023/2/19.04.2016
159	Bacau	ELSACO ELECTRONIC SRL	BOTOSANI, Str. Pacea Ocolitor, nr.41A, Jud. Botosani	J07/1201/1994	CUI 7464520	0231/507060/532905	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, Pmax=40bar, Tmax=350°C; Dmax=50Gcal/h, Pmax=20bar, Tmax=160°C	BC/CR4/A,B, C/4,5/1023/1/25.07.2012

160	Suceava	ELSACO ELECTRONIC SRL	BOTOSANI, Str. Pacea Ocolitor, nr.41A, Jud. Botosani	J07/ 1201 /199 4	RO 74645 20	0231 /507 060/ 5329 05	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Q=120t/h, p=40bar, T=350°C; D=50Gcal/h, p=20bar, T=160°C	SV/CR4/A,B, C/4,5/0010/ 0/24.06.201 0
161	Oradea	EMC SRL	Oradea, Str. Gh. Pitut, nr.1, Jud. Bihor	J05/ 488/ 2006	RO 18457 480	0731 3380 99; 0259 /433 563	-	-	-	-	Cazane de abur, cazane abur si apa fierbinte	-	-	OR/CR4/G/4 /0016/0/01. 06.2010
162	Bacau	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201- 202, et. 2, jud. Bacau	J04/ 140/ 2000	CUI 12826 406	0234 /562 410; e- mail office@e nerg ofor .ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/ h, pmax=260bar , Tmax<=570°C ; Dmax<=100G cal/h, pmax<=16bar	BC/CR4/A,B, C/4,5/1645/ 3/11.05.201 6

163	Bacau	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201- 202, et. 2, jud. Bacau	J04/ 140/ 2000	CUI 12826 406	0234 /562 410; e- mail office@e nergofor .ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	Cazane de abur, cazane abur si apa fierbinte	-	Qmax<=420t/ h, pmax<=160ba r, Tmax<=440°C ; Dmax<=100G cal/h, pmax<=16bar	BC/CR4/A,B, C/4,5/1645/ 2/11.02.201 6; BC/CR4/G/4 ,5/1642/2/1 1.02.2016
164	Central	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201- 202, et. 2, jud. Bacau	J04/ 140/ 2000	CUI 12826 406	0234 /562 410	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax<=120t/ h, pmax<=100ba r, Tmax=540°C; Dmax<=100G cal/h, pmax<=16bar	DISPR/CR4/E /4,5/3623/2 /30.03.2016

165	Central	ENERGOFOR SRL	BACAU, Str. Arcadie Septilici, nr.7B, Jud. Bacau	J04/140/2000	CUI 12826406	0234/545683/562410	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	Qmax<=120t/h, pmax<=100bar, Tmax=540°C; Qmax<=420t/h, pmax<=160bar, Tmax=440°C; Dmax<=100Gcal/h, pmax<=16bar	DISPR/CR4/E/4,5/3623/1/24.05.2012; DISPR/CR4/A,B,C/4,5/3632/1/23.05.2012; DISPR/CR4/G/4,5/3626/1/24.05.2012
166	Bacau	ENERGOFOR SRL	BACAU, Str. I. L. Caragiale, nr.1, sc.D, ap.6, Jud. Bacau	J04/140/2000	RO 12826406	0234/545683/562410	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=100bar, Tmax=540°C	BC/CR4/E/4,5/0003/0/27.04.2010
167	Bacau	ENERGOFOR SRL	BACAU, Str. Ion Luca Caragiale, nr.1, bl.1, sc.D, ap.6, Jud. Bacau	J04/140/2000	RO 12826406	0234/545683/562410	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=440°C; Dmax=100Gcal/h, pmax=16bar	BC/CR4/A,B,C/4,5/0046/0/30.06.2010

168	Bacau	ENERGOFOR SRL	BACAU, Str. Ion Luca Caragiale, nr.1, bl.1, sc.D, ap.6, Jud. Bacau	J04/140/2000	RO 12826406	0234/545683/562410	-	-	-	-	Cazane abur; cazane apa fierbinte	-	p>0.5bar; T>110°C	BC/CR4/G/4,5/0082/0/28.09.2010
169	Bucuresti	ENERGOMONTAJ SA	BUCURESTI, Cal Dorobantilor, nr. 103-105, sector 1	J40/136/1991	CUI 1555468	021/3189304/3189327	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, pmax=40bar	B/CR4/A,B,C/4,5/0296/2/08.10.2014
170	Bucuresti	ENERGOMONTAJ SA	BUCURESTI, Cal Dorobantilor, nr. 103-105, sector 1	J40/136/1991	CUI 1555468	021/3189303/3189330	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, pmax=40bar	B/CR4/A,B,C/4,5/0296/1/08.01.2013
171	Bucuresti	ENERGOMONTAJ SA	BUCURESTI, Cal Dorobantilor, nr. 103-105, sector 1	J40/136/1991	CUI 1555468	021/3189303/3189330	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, pmax=20bar	B/CR4/A,B,C/4,5/0296/0/09.09.2010

172	Bucuresti	ENERGOMONTAJ GRUP SRL	BASCOV, Str. Serelor, nr. 14, Jud. Arges	J03/1966/1994	RO 10698807	0248/290170/290285	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	Qmax<=420t/h, pmax<=165bar, Tmax<=550°C ; Dmax<=100Gcal/h, pmax<=25bar , Tmax<=150°C	B/CR4/A,C/4,5/1241/1/06.10.2016
173	Central	ENERGOMONTAJ GRUP SRL	PITESTI, Str. Gh. Lazar, nr.19, Jud. Arges	J03/1966/1994	CUI 10698807	0248/290170	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	Qmax<=120t/h, pmax<=40bar , Tmax<=400°C ; Dmax<=50Gcal/h, pmax<=16bar , Tmax<=150°C	DISPR/CR4/A,C/4,5/1863/0/17.08.2011

174	Bucuresti	ENERGOMONTAJ GRUP SRL	PITESTI, Str. Gheorghe Lazar, nr.19, Jud. Arges	J03/1966/1994	CUI 10698807	0248/290170	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=165bar, Tmax<=550°C; Dmax<=100Gcal/h, pmax<=25bar, Tmax<=150°C	B/CR4/A,C/4,5/1241/1/13.11.2012
175	Pitesti	ENERGOMONTAJ GRUP SRL	PITESTI, Str. Gh. Lazar, nr.19, ARGES	J03/1966/1994	RO 10698807	0248/290170	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q<=120t/h, pmax<=16bar, T<=400°C; D<=50Gcal/h, pmax<=16bar, T<=150°C	PT/CR4/A,C/4,5/0061/0/21.06.2010

176	Central	ENERGOSZERVIZ KFT SRL- Sucursala Oradea	DEBRECEN, Str. Kishatar, nr.26, Jud. Hajdu-Bihar, UNGARIA; Oradea, Str.Calinului, bl.X1, Jud. Bihar	RC 09/0 9/00 2295; J5/1 195/ 2009	CUI HU111 47798 ; CUI 26042 662	0036 5245 7924 / 0036 5253 1256 ; 0259 /435 398	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax<=40bar , Tmax=250°C; Dmax<=15Gc al/h, pmax<=40bar	DISPR/CR4/ A,C/4,5/153 2/1/29.05.2 012
177	Oradea	ENERGOSZERVIZ KFT SRL- Sucursala Oradea	DEBRECEN, Str. Kishatar, nr.26, Jud. Hajdu-Bihar, UNGARIA; Oradea, Str.Calinului, bl.X1, Jud. Bihar	RC 09/0 9/00 2295; J5/1 195/ 2009	CUI HU111 47798 ; CUI 26042 662	0036 5245 7924 / 0036 5253 1256 ; 0259 /435 398	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=1035t/ h, Pmax=200bar , Tmax=570°C; Dmax=100Gc al/h, Pmax=40bar,	OR/CR4/A,C /4,5/1113/2 /05.03.2013

178	Central	ENERGOSZERVIZ SRL DEBRECEN - Suc. ORADEA	ORADEA, Al. Calinului, nr.7, bl.X1, ap.30, Jud. Bihor	J05/ 1195 /200 9	CUI 26042 662	0259 /435 398	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h , pmax<=40bar , Tmax<=250°C ; Dmax<=15t/h , pmax<=40bar	DISPR/CR4/ A,C/4,5/153 2/0/25.07.2 011
179	Central	ENERGOUTIL CONTACT SA	BUCURESTI, Str. Progresului, nr.75-77, sector 5	J40/ 997/ 1991	CUI 40366 6	021/ 4103 191/ 4106 682	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/ h, pmax=192bar , Tmax=570°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/ A,B,C/4,5/2 999/0/14.02 .2012
180	Central	ENERGY BIO CHEMICALS SA- Suc. CAROM	ONESTI, Str. Industiilor, nr.1, Pavilion Administrativ C399, Jud. Bacau	J04/ 838/ 2008	CUI 23767 569	0234 3026 00; 0234 /315 315	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=50t/h, pmax=100bar , Tmax=570°C; Dmax=25Gcal /h, pmax=16bar	DISPR/CR4/E /4,5/0747/0 /19.05.2011

181	Bucuresti	ENERGY SYSTEM CONSULT SRL	BUCURESTI, Bd. Burebista, nr. 1, bl. D15, sc. 1, ap. 31, sector 3	J40/10456/2000	RO 13529500	021/3265621/3265620; e-mail office@esc-inc.ro	-	-	Cazane abur	-	-	-	Qmax<=10t/h, pmax=100bar, Tmax=400°C	B/CR4/C/4/2489/0/02.04.2015
182	Central	ENET SA	FOCSANI, Bd. Bucuresti, nr.4, Jud. Vrancea	J39/93/1996	RO 8123890	0237/212400/214110	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h, pmax=25bar	DISPR/CR4/C/4,5/3503/1/26.04.2012
183	Galati	ENET SA	FOCSANI, Str, Bucuresti, nr.4, Jud. Vrancea	J39/93/1996	RO 8123890	0237/212400/214110	-	-	Cazane abur, apa fierbinte	-	-	-	pmax=40bar, Qmax=50t/h, tmax=450°C; pmax=25r, Dmax=50Gcal/h, tmax=150°C	GL/CR4/C/4,5/0004/0/12.04.2010

184	Central	ERG PRESTARI SERVICII SRL	TIRIMIA, nr.247, Jud. Mures	J26/ 196/ 2009	CUI 24211 0	0744 2084 41; 0264 /441 191	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=50t/h, pmax=100bar , Tmax=450° C; Dmax=25Gcal /h, Pmax=25bar	DISPR/CR4/E /4,5/2805/0 /19.01.2012
185	Pitesti	ERHAN SRL	RM. VALCEA, Str. Regina Maria, nr.7, bl.C1, tronson D, mezanin, Jud. Valcea	J38/ 19/1 992	RO 14698 63	0250 /733 919/ 7317 25; office@ erhan .ro	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	Qmax=10t/h, pmax=16bar, Tmax=180° C; Dmax=5Gcal/ h, pmax=16bar	PT/CR4/A,B, C/4,5/0150/ 0/21.12.201 0; PT/CR4/A,B, C/4,5/0154/ 0/21.12.201 0
186	Central	EST ROM SA	VALEA LUPULUI, Com. Valea Lupului, Jud. Iasi	J22/ 2259 /199 3	CUI 44887 70	0232 /226 380/ 2533 98	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h , pmax=165bar , Tmax=570° C; Dmax=100Gc al/h, Pmax=150bar	DISPR/CR4/E /4,5/2294/1 /13.09.2017

187	Central	EST ROM SA	VALEA LUPULUI, Str. Diminetii, nr.1, Jud. Iasi	J22/ 2259 /199 3	CUI 44887 70	0232 /226 380/ 2533 98/2 4820 9/24 8046	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h , pmax=165bar , Tmax=570°C; Dmax=100Gc al/h, Pmax=30bar	DISPR/CR4/E /4,5/2294/0 /02.11.2011
188	Bacau	EST ROM SA	VALEA LUPULUI, Com. Valea Lupului, Jud. Iasi	J22/ 2259 /199 3	CUI 44887 70	0232 /226 380/ 2533 98	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h , pmax=420bar , Tmax=570°C; Dmax=100Gc al/h, pmax=20bar	BC/CR4/A,B, C/4,5/1322/ 2/14.03.201 7
189	Bacau	EST ROM SA	VALEA LUPULUI, Str. Diminetii, nr.1, Jud. Iasi	J22/ 2259 /199 3	CUI 44887 70	0232 /226 380/ 2480 46	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h , pmax=420bar , Tmax=570°C; Dmax=100Gc al/h, pmax=20bar	BC/CR4/A,B, C/4,5/1322/ 1/21.10.201 3

190	Central	EST ROM SA	VALEA LUPULUI, Str. Diminetii, nr.1, Jud. Iasi	J22/2259/1993	CUI 4488770	0232/226380/248046	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h , pmax=140bar , Tmax=570°C; Dmax=100Gcal/h, pmax=20bar	DISPR/CR4/A,B,C/4,5/2753/0/10.01.2012
191	Iasi	ETNIS SRL	IASI, Cal Chisinaului, nr.98-100, Jud. Iasi	J22/1131/1991	RO 1956141	0232/230113	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350°C	IS/CR4/A,B,C/4/01600/30.12.2010
192	Bacau	ETNIS SRL	IASI, Cal Chisinaului, nr.98-100, Jud. Iasi	J22/1131/1991	RO 1956141	0232/230113	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350°C	BC/CR4/A,B,C/4/1202/23.04.2013
193	Central	EUGLOS SA	CLUJ NAPOCA, Str. Garii, nr. 19, Jud. Cluj	J12/4093/2007	RO 22435138	0264/424665/462385	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h , pmax=40bar, Tmax=350°C; Dmax=100Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/3927/0/29.02.2016

194	Sibiu	EUGLOS SA	CLUJ NAPOCA, Str. Garii, nr. 19, Jud. Cluj	J12/ 4093 /200 7	RO 22435 138	0264 /424 665/ 4623 85; e- mail offic e@c hite ch.r o	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=350°C; Dmax=50Gcal /h, pmax=16bar	SB/CR4/A,B, C/4,5/1486/ 0/29.07.201 5
195	Sibiu	EUGLOS SA	CLUJ NAPOCA, Str. Garii, nr. 19, Jud. Cluj	J12/ 4093 /200 7	RO 22435 138	0264 /424 665/ 4623 85	-	-	-	-	Cazane abur, cazane apa fierbinte	-	pmax>0.5bar; T>110°C	SB/CR4/G/4 ,5/1450/0/0 7.04.2015
196	Central	EUROBOILER SRL	DR. TN. SEVERIN, Str. Portile de Fier, nr. 2C9, Jud. Mehedinti	J25/ 191/ 2004	CUI 16325 432	0727 4350 56; 0252 /310 046/ 3297 64	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=550t/ h, pmax<=140ba r, Tmax<=540°C ; Dmax<=100G cal/h, pmax<=25bar	DISPR/CR4/ A,B,C/4,5/3 346/0/20.03 .2012- retragere incepand cu 14.04.2014 (denumire noua Macchi Romania SRL)

197	Bucuresti	EUROBOILER SRL	DR. TN. SEVERIN, Str. Portile de Fier, nr. 2C9, Jud. Mehedinti	J25/ 191/ 2004	CUI 16325 432	0352 /884 860; 0252 /329 764; 0772 0940 24	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=550t/h , pmax=140bar , Tmin=105°C; Tmax=540°C; Dmax=150Gc al/h, pmax=25bar; 110°C<Tmax= 150°C	B/CR4/A,B,C /4,5/1837/1 /11.10.2013- retragere incepand cu 14.04.2014 (denumire noua Macchi Romania SRL)
198	Oradea	EXPERT PETROLEUM SRL	BUCURESTI, Sos. Bucuresti- Ploiesti, nr. 73 81, cladirea C3, et. 3, sector 1; TIMISOARA, Str. Corolian Brediceanu, nr. 10C, cladire C, mezanin, camera M5, Jud. Timis	J26/ 1656 /200 8	CUI 17634 428	0374 2006 40, 0317 /801 093; 0356 /414 883	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=300°C; Dmax=5Gcal/ h, pmax=40ba	OR/CR4/A,B ,C/4,5/1460 /1/20.10.20 16

199	Oradea	EXPERT PETROLEUM SRL	TG. MURES, Str. Tamas Erno, nr. 1, Jud. Mures; TIMISOARA, Str. Corolian Brediceanu, nr. 10C, cladire C, Mezanin, camera M5, Jud. Timis	J26/ 1656 /200 8	CUI 17634 428	0374 2006 40; 0317 8010 93; 0356 /414 883	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=300°C; Dmax=5Gcal/ h, pmax=40ba	OR/CR4/A,B ,C/4,5/1460 /0/23.05.20 16
200	Central	FAST TECHNICAL ASSISTANCE SRL	BACAU, 9 Mai, nr.35, poz. 10, bl.35, sc.E, parter, Jud. Bacau	J04/ 696/ 1997	CUI 96264 16	0234 /513 803/ 5114 30	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=350°C; Dmax=10Gcal /h, pmax=20bar	DISPR/CR4/ A,C/4,5/355 6/0/22.05.2 012
201	Oradea	FLEXIK AUTOMATION SRL	TIMISOARA, Str. G. Cosbuc, nr.5, Jud. Timis	J35/ 2848 /199 4	CUI 63518 50	0256 /292 964/ 2929 65	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=300°C	OR/CR4/A,B , C/4/1019/1/ 17.07.2012
202	Timisoara	FLEXIK AUTOMATION SRL	TIMISOARA, Str. George Cosbuc, nr.5, Jud. Timis	J35/ 2848 /199 4	RO 63518 50	0256 /292 964/ 2929 65	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Q<=10t/h, p<=16bar, T<=300°C	TM/CR4/A,B ,C/4/0014/0 /09.06.2010

203	Central	FORPRES SRL	IASI, Sos. Nationala, nr.49, bl.C3, sc.B, et.5, ap.23, Jud. Iasi; IASI, Str. Prof. dr. doc. D. Mangeron, nr.39, imobil TCM, corp D, Jud. Iasi	J22/1258/2002	RO 15012143	0232/233390	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=200°C	DISPR/CR4/A,B,C/4/3199/0/06.03.2012
204	Central	FUTURE LINE INSTAL SRL	BUCURESTI, Sos. Mihai Bravu, nr. 75-83, bl.C17, sc.B, et.6,ap.79, sector 2	J40/23350/1992	CUI 18830	021/2011114/2011115	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=15t/h, pmax=16bar, Tmax=350°C; Dmax=10Gcal/h, pmax=16bar	DISPR/CR4/A,B,C/4,5/3168/0/28.02.2012
205	Bucuresti	FUTURE LINE INSTAL SRL	BUCURESTI, Sos. Mihai Bravu, nr. 75-83, bl.C17, sc.B, et.6,ap.79, sector 2; BUCURESTI, Str. Biharia, nr. 67-77, sector 1	J40/23350/1992	CUI 18830	021/2011114/2011115	-	-	-	-	-	-	Cazane abur; cazane apa fierbinte	B/CR4/H/4,5/1758/0/2008.2013

206	Bacau	GA PRO CO CHEMICALS SA	SAVINESTI, Str. Gheorghe Caranfil, nr. 11, Jud. Neamt	J27/ 1478 /200 5	CUI 17728 697	0233 / 2805 44/ 2814 94/ 2812 60	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=50t/h, pmax=110bar , Tmax=440° C	BC/CR4/A,B, C/4/1144/1/ 20.01.2015
207	Bacau	GA PRO CO CHEMICALS SA	Sat SAVINESTI, Com. Savinesti, Str. Uzinei, nr.2, Jud. Neamt	J27/ 1478 /200 5	CUI 17728 697	0233 /281 494/ 2812 60	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=50t/h, pmax=110bar , Tmax=440° C	BC/CR4/A,B, C/4/1144/0/ 21.01.2013
208	Bucuresti	GADAGROUP ROMANIA SRL	BUCURESTI, Cal. Floreasca, nr.169A, corp A, et.7, sector 1	J40/ 9320 /199 6	RO 89367 10	0746 2311 47; 021/ 3172 102	Cazane abur	Cazane abur	-	-	-	-	Qmax=0.4t/h , pmax=4bar, Tmax=150° C	B/CR4/A,B/ 4/2069/0/31 .03.2014

209	Constanta	GAZ SERVICES SRL	CONSTANTA, Str. Mesteru Manole, nr.1A, Jud. Constanta	J13/ 564/ 2001	CUI 13687 691	0742 1450 08; 0241 /638 980; e- mail gaz_ servi ces @ya hoo. com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=225 ° C; Dmax=5Gcal/ h, pmax=16bar, Tmax=150 ° C	CT/CR4/A,B, C/4,5/0112/ 0/20.12.201 0
210	Bucuresti	GB INDCO SRL	BUCURESTI, Bd. Dimitrie Cantemir, nr. 9, bl. 7, sc. 1, ap. 8, sector 4; POPESTI LEORDENI, Str. Fagului, nr.19 (fosta nr. 17), Jud. Ilfov	J40/ 2728 /199 8	RO 10421 821	0213 3612 12/3 3638 87; e- mail cont act @gbi ndco .ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.3t/h , pmax=5bar, Tmax=150 ° C	B/CR4/A,B,C /4/2752/1/1 0.06.2016

211	Bucuresti	GB INDCO SRL	BUCURESTI, Bd. Dimitrie Cantemir, nr. 9, bl. 7, sc. 1, ap. 8, sector 4; BUCURESTI, Str. Mixandrei, nr. 80, sector 4	J40/ 2728 /199 8	RO 10421 821	021/ 3361 212/ 3363 887; e- mail cont act @gbi ndco .ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.3t/h , pmax=5bar, Tmax=150°C	B/CR4/A,B,C /4/2752/0/0 7.04.2016
212	Bucuresti	GEMA TERM CONSULTING	BUCURESTI, Str. Emanoil Buteica, nr.10, bl.61, sc.1, ap.1, sector.3	J40/ 1544 /199 8	CUI 10276 098	021/ 3442 158, 021/ 3442 159	-	-	-	Cazane abur; cazane apa fierbinte	-	-	pmax=180bar Qmax = 600t/h Tmax = 570°C; Dmax= Gcal/h pmax=24 bar	B/CR4/E/4,5 /0114/0/29. 06.2010
213	Central	GEMA TERM CONSULTING SRL	BUCURESTI, Aleea Marius Emanoil Buteica, nr.10, bl.61, sc.1, ap.1, sector 3	J40/ 1544 /199 8	RO 10276 098	021/ 3442 158/ 3442 159	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=600t/h , pmax=180bar , Tmax=570°C; Dmax=50Gcal /h, pmax=24bar	DISPR/CR4/E /4,5/3701/1 /21.06.2012

214	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, Indicativ E1: 6b, et.1, sector 2; PLOIESTI, Str. Maramures, nr.12, et.2, Jud. Prahova	J40/ 8266 /200 6	CUI 18692 907	0344 /140 953/ 5710 01	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=40t/h, pmax=40bar, Tmax=340°C; Dmax=25Gcal /h, pmax=100bar	DISPR/CR4/E /4,5/1209/3 /30.03.2016
215	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, indicativ E1:6b, et.1, sector 2	J40/ 8266 /200 8	CUI 18692 907	0344 /140 953; 0244 /571 001	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=40t/h, pmax=40bar, Tmax=350°C; Dmax=25Gcal /h, pmax=18bar	DISPR/CR4/E /4,5/1209/0 /16.06.2011

216	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, indicativ E1:6b, et.1, sector 2; PLOIESTI, Str. Maramures, nr. 12, et.2, Jud. Prahova	J40/ 8266 /200 6	CUI 18692 907	0344 /140 953; 0244 /571 001	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=40t/h, pmax=40bar, Tmax=340° C; Dmax=25Gcal /h, pmax=18bar	DISPR/CR4/E /4,5/1209/1 /14.12.2011
217	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, Indicativ E1: 6b, et.1, sector 2; PLOIESTI, Str. Maramures, nr.12, et.2, Jud. Prahova	J40/ 8266 /200 6	CUI 18692 907	0344 /140 953/ 5710 01	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=40t/h, pmax=40bar, Tmax=340° C; Dmax=205Gcal/h, pmax=100bar	DISPR/CR4/E /4,5/1209/2 /02.05.2012

218	Central	GLEMSERV CHIM SRL	BUCURESTI, Str . Cetatea Histria, nr.9, bl.14, sc.4, et.1, ap.51, sector 6	J40/1403/2005	CUI 17165127	021/7256696	-	-	-	-	Cazane abur; cazane apa fierbinte	-	p>0.5bar, T>110°C	DISPR/CR4/G/4,5/1083/0/23.06.2011
219	Bucuresti	GLOBAL ENERGY PRODUCTION SA	GIURGIU, Sos. Sloboziei, nr. 194, Jud. Giurgiu	J52/283/2011	CUI 28423620	0769060259; 0246/216665; e-mail globalenergyproduction@gmail.com	Cazane apa fierbinte	Cazane apa fierbinte	Cazane apa fierbinte				Qmax=10Gcal/h, pmax=18bar, tmax=150°C	B/CR4/A,B,C/5/2683/0/13.01.2016

220	Sibiu	GRUP 4 INSTALATII SA	CLUJ NAPOCA, Str. Luncii, nr.5A, Jud. Cluj	J12/ 24/1 991	RO 24240 3	0264 /401 150/ 5962 66; e- mail grup 4@g rup4 cj.ro	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=40bar, Tmax=400° C; Dmax=50Gcal /h, pmax=16bar	SB/CR4/B,C /4,5/1454/1 /14.04.2015
221	Cluj	GRUP 4 INSTALATII SA	CLUJ NAPOCA, Str. Luncii, nr.5A, Jud. Cluj	J12/ 24/1 991	RO 24240 3	0264 /596 168/ 5962 66	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=40bar, Tmax=400° C; Dmax=50Gcal /h, pmax=16bar	CJ/CR4/B,C /4,5/0055/0 /01.08.2010
222	Central	GRUP ENERGOINSTAL SA	CLUJ NAPOCA, Str. Lunii, nr.8C, Jud. Cluj	J12/ 1502 /199 8	CUI 11009 951	0264 /438 352/ 4532 61	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax<=50t/h , pmax<=40bar , Tmax<=400° C ; Dmax<=25Gc al/h, pmax<=30bar	DISPR/CR4/ A,B/4,5/094 9/0/13.05.2 011

223	Sibiu	GRUP ENERGOINSTAL SA	CLUJ NAPOCA, Calea Dezmirului, nr.8, Jud. Cluj	J12/1502/1998	CUI 11009951	0264/438352/453261	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=400°C; Dmax<=25Gcal/h, pmax<=30bar	SB/CR4/A,B/4,5/1219/1/03.09.2013
224	Central	HIDRO TERM SRL	SATU MARE, Str. Cibirului, bl.CE 20, Jud. Satu Mare	J30/367/2004	CUI 16274975	0361/801950/810538	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=35t/h, pmax=40bar, Tmax=400°C; Dmax=30Gcal/h, pmax=40bar	DISPR/CR4/A,C/4,5/0687/0/11.05.2011
225	Oradea	HIDRO TERM SRL	SATU MARE, Str. Cibirului, bl.CE 20, ap.6, Jud. Satu Mare	J30/367/2004	RO 16274975	0361/801950/810538	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=35t/h, Pmax=50bar, Tmax=450°C; Dmax=30Gcal/h, pmax=50bar, T>110°C	OR/CR4/E/, 54/0046/0/25.10.2010

226	Oradea	HYDROMATIC SISTEM SRL	TIMISOARA, Calea Buziasului, nr. 11, Hala Industriala si birouri, Jud. Timis	J35/728/1998	CUI 10786429	0256/294361/246427	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h, pmax=64bar, Tmax=450° C; Dmax=25Gcal/h, pmax=16bar	OR/CR4/A,B, C/4,5/1431/1/17.05.2017
227	Oradea	HYDROMATIC SISTEM SRL	TIMISOARA, Calea Buziasului, nr. 11, Hala Industriala si birouri, Jud. Timis	J35/728/1998	CUI 10786429	0256/294361/246427	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h, pmax=64bar, Tmax=450° C; Dmax=25Gcal/h, pmax=16bar	OR/CR4/A,B, C/4,5/1431/0/18.01.2016
228	Bacau	HIDROTERM SA	ROMAN, Str. Colectorului, nr. 1, Jud. Neamt	J27/399/1996	RO 5683613	0233/742490	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h, pmax=50bar, Tmax=450° C; Dmax=25Gcal/h, pmax=50bar	BC/CR4/A,B, C/4,5/1633/0/03.02.2016

229	Bucuresti	HSB CHEMIE SRL	BUCURESTI, Str.Dimitrie Racovita nr.19, ap.1 si 2, sector 2	J40/ 1179 5/20 00	CUI 13610 671	021/ 3137 778/ 021/ 3157 864	-	-	-	-	-	Cazane abur; cazane apa fierbinte	p>0,5 bar, T>110°C	B/CR4/H/4, 5/0136/0/30 .06.2010- suspendare incepand cu 03.02.2014
230	Brasov	HYDRO X SRL	BRASOV, Str. Dealul Spirei, nr.7E, Jud. Brasov	J08/ 1265 /199 6	RO 88946 07	0268 /513 050/ 5131 57; 0744 3285 14	-	-	-	-	-	Cazane abur; cazane apa fierbinte	p>0.5bar; T>110°C	BV/CR4/H/4 ,5/0027/0/3 0.07.2010
231	Central	INSTITUTUL NATIONAL DE CERCETARE DEZVOLTARE PENTRU ENERGIE - ICEMENERG	BUCURESTI, Bd. Energeticienil or, nr.8, sector 3	J40/ 4323 /201 4	CUI 33034 838	021/ 3462 769/ 3465 310	-	-	-	Cazane de abur, apa fierbinte	-	pmax=250bar , Tmax=570°C, Qmax=1035t/ h; pmax=30bar, Dmax=100Gc al/h	DISPR/CR4/E /4,5/3866/1 /13.06.2001 6	

232	Central	INSTITUTUL NATIONAL DE CERCETARE DEZVOLTARE PENTRU ENERGIE - ICEMENERG	BUCURESTI, Bd. Energeticienilor, nr.8, sector 3	J40/4323/2014	CUI 33034838	021/3462769/3465310	-	-	-	Cazane de abur, apa fierbinte	-	-	pmax=250bar, Tmax=570°C, Qmax=1035t/h; pmax=30bar, Dmax=100Gcal/h	DISPR/CR4/E/4,5/3866/0/27.08.2014
233	Central	ICEMENERG SA	BUCURESTI, Str. Energeticienilor, nr.8, sector 3	J40/7306/2004	CUI 16397293	021/3464443/3460384	-	-	-	Cazane abur	-	-	pmax=245bar, Tmax=540°C, Qmax=1035t/h	DISPR/CR4/E/4,5/1016/0/20.06.2011
234	Bucuresti	ICMA SRL	PITESTI, Str. Petrochimistilor, nr.36, Jud. Arges	J03/1963/1991	RO 137238	0248/206011/615332	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax<=206bar, Tmax<=580°C; Dmax<=100Gcal/h, pmax<=50bar	B/CR4/A,B,C/4,5/2328/1/14.10.2014-suspendare voluntara incepand cu 12.10.2015

235	Central	ICMA SRL	PITESTI, Str. Petrochimistilor, nr.36, Jud. Arges	J03/1963/1991	RO 137238	0248/206011/206012	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax<=206bar, Tmax<=580°C; Dmax<=100Gcal/h, pmax<=50bar	DISPR/CR4/A,B,C/4,5/3123/0/28.02.2012
236	Bacau	ICMRS SA	GALATI, Str. Smardan, nr.1, Jud. Galati	J17/12/1991	RO 1633620	0236/448000/448011	-	-	Cazane abur	-	-	-	Qmax=300t/h, pmax=100bar, Tmax=400°C	BC/CR4/C/4/1363/0/17.02.2014
237	Central	ICPET GENERATOARE ABUR SA	BUCURESTI, Sos. Berceni, nr.104, sector 4	J40/18840/2004	RO 16951886	021/3194348/3149058	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/E/4,5/3750/1/02.11.2012

238	Bucuresti	ICPET GENERATOARE ABUR SA	BUCURESTI, Sos. Berceni, nr.104, sector 4	J40/ 1884 0/20 04	CUI 16951 886	021/ 4920 201	-	-	-	-	Cazane abur, apa fierbinte	-	Qmax=1035t/ h, pmax=200bar , Tmax=570° C; Dmax=100Gc al/h, pmax=25bar, T>110° C	B/CR4/G/4, 5/0408/0/14 .10.2010
239	Central	IMSP PROIECT SRL	CONSTANTA, Str. Breaza, nr. 14B, Jud. Constanta	J13/ 2445 /200 8	CUI 24178 510	0724 4601 70; 0241 /515 543	-	-	-	Cazane abur; cazane apa fierbinte	-	-	pmax=50bar, Tmax=440° C, Qmax=20t/h; Dmax=5Gcal/ h, pmax=18bar	DISPR/CR4/E /4,5/1051/1 /08.01.2015
240	Central	IMSP PROIECT SRL	CONSTANTA, Str. Frigului, nr.4, bl.FG4, ap.11, Jud. Constanta	J13/ 2445 /200 8	CUI 24178 510	0241 /553 132	-	-	-	Cazane abur; cazane apa fierbinte	-	-	pmax=50bar, Tmax=440° C, Qmax=20t/h; Dmax=5Gcal/ h, pmax=18bar	DISPR/CR4/E /4,5/1051/0 /08.06.2011

241	Bucuresti	IMUC SA	BRADU, Str. Petrochimistilor, nr. 10, Jud. Arges	J03/236/1991	CUI 128990	0248/615600/615599	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1100t/h, pmax<=225bar, Tmax<=600°C ; Dmax<=100Gcal/h, pmax<=50bar	B/CR4/A,B,C/4,5/2397/1/17.12.2014
242	Central	IMUC SA	BRADU, Str. Petrochimistilor, nr. 10, Jud. Arges	J03/236/1991	CUI 128990	0248/615600/615599	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1100t/h, pmax<=225bar, Tmax<=600°C ; Dmax<=100Gcal/h, pmax<=50bar	DISPR/CR4/A,B,C/4,5/2390/0/21.11.2011
243	Brasov	INDUSTRIAL MONTAJ SA	PLOIESTI, Str. Mihai Bravu, nr.342A, Jud. Prahova	J29/2257/1991	RO 1348195	0244/515774/595275	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, Pmax=400bar, Tmax=600°C ; Dmax=150Gcal/h, Pmax=400bar	BV/CR4/A,B,C/4,5/1502/2/18.11.2015

244	Brasov	INDUSTRIAL MONTAJ SA	PLOIESTI, Str. Mihai Bravu, nr.342A, Jud. Prahova	J29/2257/1991	RO 1348195	0244/515774/595275	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , Pmax=400bar , Tmax=440°C; Dmax=50Gcal/h, Pmax=400bar	BV/CR4/A,B, C/4,5/1009/ 1/21.06.2012
245	Ploiesti	INDUSTRIAL MONTAJ SA	PLOIESTI, Str. Mihai Bravu, nr.342A, Jud. Prahova	J29/2257/1991	RO 1348195	0244/515774/595275	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h , pmax=400bar , Tmax=440°C; Dmax=50Gcal/h, pmax=400bar	PL/CR4/A,B, C/4,5/0209/ 0/21.10.2010
246	Central	INDUSTRIAL MONTAJ GRUP SRL	DRAGANESTI OLT, Str. Capitan Draganescu, bl.PM1, sc.A,parter, ap.1, Jud. Olt; RM. VALCEA, Str. Industriilor , nr.30, Jud. Valcea	J28/48/2005	CUI 17128161	0728172325; 0250/730314/730313	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax<=196bar, Tmax<=565°C	DISPR/CR4/A,B,C/4,5/1256/0/28.06.2011

247	Central	INGET INGINERIE TERMICA SRL	CLUJ NAPOCA, Str. Maramuresului, nr.16, Jud. Cluj	J12/1251/1991	CUI 207732	0264/435274	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax<=30bar, Tmax<=400°C; Dmax<=40Gcal/h, pmax<=30bar	DISPR/CR4/A,B,C/4,5/0400/0/30.03.2011
248	Suceava	INSTAL EXPERT SRL	SUCEAVA, Str. Petru Rares, nr. 20, bl. 4, sc. B, ap. 2, Jud. Suceava	J33/47/2002	RO 14426503	0230/551392	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Q<=105t/h, p<=40bar, T<=450°C; D<=50Gcal/h, p<=25bar	SV/CR4/A,C/4,5/0023/0/04.10.2010
249	Central	INSTAL GROUP SRL	ARAD, Str. Timotei Cipariu, nr.3, Jud. Arad	J02/692/1996	CUI 8898978	0257/276466/206626	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=300°C; Dmax<=5Gcal/h, pmax<=16bar	DISPR/CR4/A,B,C/4,5/0465/1/03.01.2012

250	Bucuresti	INSTALATII ENERGO REPARATII SRL	TARGOVISTE, Str. Tineretului, nr. 3, bl. 26, sc. B, ap. 48, Dambovita	J15/279/1994	RO 5252572	0245/614946; e-mail office@reparatiionania.ro	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=440°C; Dmax=5Gcal/h, pmax=25bar	B/CR4/A,C/4,5/2769/1/20.04.2016
251	Ploiesti	INSTALATII ENERGO REPARATII SRL	TARGOVISTE, Str. T. Vladimirescu, bl.B4, sc.B, ap.1, Jud. Dambovita	J15/279/1994	RO 5252572	0245/614946	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=440°C; Dmax=5Gcal/h, pmax=25bar	PL/CR4/A,C/4,5/0008/0/19.04.2010
252	Central	INSTALATII RC SRL	IASI, Bd. N. Iorga, nr.24, bl.C1, et.2, Jud. Iasi	J22/2797/1992	CUI 2639206	0232/233775/233015	Cazane abur	Cazane abur	-	-	-	-	Qmax=4t/h, pmax=16bar, Tmax=200°C	DISPR/CR4/A,B/4/1797/0/22.08.2011

253	Central	INSTALATII RC SRL	IASI, Bd. Chimiei, nr.14F, Jud. Iasi	J22/2797/1992	CUI 2639206	0232/233775	Cazane abur	Cazane abur	-	-	-	-	Qmax=4t/h, pmax=16bar, Tmax=200°C	BC/CR4/A,B /4/1175/1/1 5.03.2013
254	Bacau	INSTALATORUL SRL	SUCEAVA, Str. Grigore Ureche, nr. 19, et. 2, camere 1-9, Jud. Suceava	J33/1875/1992	RO 3177709	0230/551719	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=25bar, Tmax=227°C	BC/CR4/A,B, C/4/1584/0/ 11.08.2015
255	Central	INSTPRO SRL	DRAGASANI, Str. Traian, nr.30, Jud. Valcea	J38/55/1999	CUI 11444947	0250/811150	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=180°C; Dmax<=5Gcal/h, pmax<=16bar	DISPR/CR4/A,B,C/4,5/0 892/0/15.04 .2011
256	Cluj	INTELTERM CONSULTING SRL	CLUJ NAPOCA, Str. Rosiori, nr.3, Jud. Cluj	J12/210/1998	RO 10196037	0264/593904/431919	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=180°C; Dmax=25Gcal/h, pmax=16bar	CJ/CR4/A,B, C/4,5/0064/0/17.08.2010

257	Brasov	INTERCAZ SA	BRASOV, Str. Carierei, nr.153, Jud. Brasov	J08/1068/1992	CUI 1091414	0268/516775	Cazane de abur	-	Cazane abur	-	-	-	Q<=100t/h, p<=16bar, T<=350°C	BV/CR4/A,C/4/0003/0/04.06.2010
258	Central	INTERCOM INSTAL SRL	HUNEDOARA, Bd. Dacia, bl. A3, ap.15, Jud. Hunedoara	J20/707/2000	CUI 13567164	0254/712123/714611	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar	DISPR/CR4/A,B,C/4,5/0283/0/24.03.2011
259	Bacau	INTERNATIONAL INSTALATII IMPEX SRL	FOCSANI, Str. Magura, nr.10, Jud. Vrancea	J39/7101994	RO 6142918	0237/625874	Cazane de abur	-	Cazane abur	-	-	-	Qmax=10t/h, p=16bar, T=250°C	BC/CR4/A,C/4/1039/0/24.08.2012
260	Central	INTERTEK INDUSTRY SERVICES ROMANIA SRL	BUCURESTI, Cal. Rahovei, nr. 266-268, cprp 63, Anexe A-B, Stalpii 0-4, camera 01, et. 8, sector 5	J40/2948/2000	RO 12841309	021/3224450/3274826	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar, Tmax=440°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/E/4,5/3966/1/02.03.2017
261	Central	INTERTEK INDUSTRY SERVICES ROMANIA SRL	BUCURESTI, Cal. Rahovei, nr. 266-268, cprp 63, Anexe A-B, Stalpii 0-4, camera 01, et. 8, sector 5	J40/2948/2000	RO 12841309	021/3224450/3274826	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar, Tmax=440°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/E/4,5/3966/0/11.11.2016

262	Bucuresti	INTREPRINDEREA MECANICA SI CHIMICA (IRMC) APROM SRL	BUCURESTI, Sos. Berceni, nr.8, Obiectiv 1, Ajustaj- Forja, et.1, sector 4	J40/ 1096 /200 2	RO 14458 483	####	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=0.1t/h , pmax=10bar, Tmax=200°C; Dmax=400Gc al/h, pmax=3bar	B/CR4/A,B,C /4,5/1957/0 /09.01.2014
263	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedinteanu , nr.7, Jud. Prahova	J29/ 556/ 2010	RO 26850 340	0727 2055 19; 0344 /140 752; 0244 /547 707	-	-	-	Cazane abur	-	-	Qmax=540t/h , pmax=250bar , Tmax=570°C	DISPR/CR4/E /4/3727/3/2 3.06.2016
264	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedinteanu , nr.7, Jud. Prahova	J29/ 556/ 2010	RO 26850 340	0344 /140 752; 0244 /547 707	-	-	-	Cazane abur	-	-	Qmax=540t/h , pmax=250bar , Tmax=570°C	DISPR/CR4/E /4/3727/2/0 9.02.2015

265	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Constructia C1, et.1, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; 0244/547707	-	-	-	Cazane abur	-	-	Qmax=540t/h, pmax=250bar, Tmax=570°C	DISPR/CR4/E/4/3727/1/0 4.11.2013
266	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Constructia C1, et.1, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; 0244/547707	-	-	-	Cazane abur	-	-	Qmax=540t/h, pmax=250bar, Tmax=570°C	DISPR/CR4/E/4/3727/0/1 1.09.2012
267	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedințeanu, nr.7, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; 0244/547707	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1000t/h, Pmax=250bar, Tmax=570°C; Dmax=21Gcal/h, Pmax=40bar	BV/CR4/A,B,C/4,5/1390/3/06.06.2016

268	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedințeanu, nr. 7, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; e-mail : office@ipm-partners.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} ≤1000t/h, P _{max} ≤40bar, T _{max} ≤570°C; D _{max} ≤21Gcal/h, P _{max} ≤40bar	BV/CR4/A,B, C/4,5/1390/2/20.02.2015
269	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Constructia C1, et.1, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; e-mail : office@ipm-partners.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q _{max} =1000t/h, P _{max} =40bar, T _{max} =570°C; D _{max} =21Gcal/h, P _{max} =40bar	BV/CR4/A,B, C/4,5/1196/1/06.11.2013

270	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; 0244/547707	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1000t/h, Pmax<=40bar , Tmax<=570°C ; Dmax<=21Gcal/h, Pmax<=40bar	BV/CR4/A,B, C/4,5/1034/ 0/10.08.2012
271	Central	IPOCHIM SA	BUCURESTI, Str. Mihai Eminescu, nr.19-21, sector 1	J40/6485/1991	CUI 457747	021/2117654	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h , pmax=150bar , Tmax=570°C; Dmax=25Gcal/h, pmax=18bar	DISPR/CR4/E/4,5/0829/1/27.04.2015
272	Central	IPOCHIM SA	BUCURESTI, Str. Mihai Eminescu, nr.19-21, sector 1	J40/6485/1991	CUI 457747	021/2117654/2102701	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h , pmax=150bar , Tmax=570°C; Dmax=25Gcal/h, pmax=18bar	DISPR/CR4/E/4,5/0829/0/01.06.2011

273	Bucuresti	IREM SERVICII SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr.3- 5, parter, spatiu comercial nr. 2, sector 6	J40/ 1196 5/20 06	CUI 18876 802	021/ 3132 904/ 3122 303	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/ h, pmax<=225ba r, Tmax<=600°C ; Dmax=100Gc al/h, pmax=50bar	B/CR4/A,B,C /4,5/1058/3 /13.08.2015
274	Bucuresti	IREM SERVICII SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr.3- 5, et.8, ap.2, sector 6	J40/ 1196 5/20 06	CUI 18876 802	021/ 3132 904/ 3132 303	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/ h, pmax<=225ba r, Tmax<=600°C ; Dmax=100Gc al/h, pmax=50bar	B/CR4/A,B,C /4,5/1058/2 /10.06.2013
275	Bucuresti	IREM SERVICII SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr.3- 5, et.8, ap.2, sector 6	J40/ 1196 5/20 06	CUI 18876 802	021/ 3132 904/ 3132 303	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/ h, pmax<=225ba r, Tmax<=600°C ; Dmax=100Gc al/h, pmax=50bar	B/CR4/A,B,C /4,5/1058/1 /21.07.2012

276	Central	IREM SERVICII SRL	BUCURESTI, Cal. Victoriei, nr.16-18-20, et.2, sector 3	J40/11965/2006	CUI 18876802	021/3132904/3132303;0722500130	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax<=225bar, Tmax=600°C; Dmax=100Gcal/h, pmax=50bar	DISPR/CR4/A,B,C/4,5/2025/0/27.09.2011
277	Bucuresti	IREM SPA SIRACUSA SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, camera 1, et. 5, sector 6; TG. JIU, Bd. Ecaterina Teodoroiu, nr. 46, Jud. Gorj	J40/11709/2014	RO 33677137	0732333411,0731312869;0253/223793	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=50bar, Tmax=300°C; Dmax=30Gcal/h, pmax=20bar	B/CR4/B,C/4,5/2699/0/18.02.2016

278	Bucuresti	IREM SPA SIRACUSA SRL- Sucursala Bucuresti	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3- 5, camera 1, et. 5, sector 6; STOINA, sectia MTN, Jud. Gorj	J40/ 1170 9/20 14	RO 33677 137	0734 3018 16; 021/ 3132 904/ 3122 303	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax<=20bar , Tmax=250°C; Dmax=30Gcal /h, pmax=16bar	B/CR4/A,B,C /4,5/2608/0 /04.09.2015
279	Bucuresti	ISAM PRODIMPEX SRL	BUCURESTI, Al. Sergent Maj. Emil Holut, nr.4, bl.161, sc.1, et.2, ap.10, sector 4	J40/ 5546 /199 5	CUI 77048 52	021/ 3324 058	Cazane abur	-	Cazane abur	-	-	-	Qmax=0.25t/ h, pmax=2.7bar, Tmax=140°C;	B/CR4/A,C/ 4/0398/0/06 .10.2010
280	Central	ISCIR CERT SRL	BUCURESTI, Str. Dr. Leonte Anastasievici, nr.4D,corp A, et.4, birou 10, sector 5	J40/ 7947 /200 5	RO 17535 289	021/ 4115 203	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/ h, pmax=192bar , Tmax=550°C; Dmax=100Gc al/h, pmax=20bar	DISPR/CR4/E /8/3887/0/0 7.11.2014
281	Central	ITM AMIRO SA	BUCURESTI, Sos. Berceni, nr.8, sector 4	J40/ 163/ 1991	CUI 38245 8	021/ 3327 565	Cazane de abur (generatoare de abur pentru sterilizare)	Cazane de abur (generatoare de abur pentru sterilizare)	Cazane de abur (generatoare de abur pentru sterilizare)	-	-	-	Qmax=100Kg /h, pmax=10bar, Tmax=200°C	DISPR/CR4/ A,B,C/4/148 6/0/19.07.2 011

282	Brasov	J. CHRISTOF E&P SERVICES SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1314/2009	CUI 21013747	0344/401027/401026; e-mail office.jc@christof.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=215bar, Tmax=850°C; Dmax=100Gcal/h, pmax=100bar	BV/CR4/A,B,C/4,5/1646/0/20.03.2017
283	Ploiesti	J. CHRISTOF E&P SERVICES SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1314/2009	RO 21013747	0344/401027/401026	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Dmax=5Gcal/h, Tmax=440°C	PL/CR4/A,B,C/4,5/0068/0/07.06.2010
284	Central	J. CHRISTOF E&P SERVICES SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1314/2009	CUI 21013747	0344/401027/401026	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=440°C; Dmax=5Gcal/h, pmax=40bar	DISPR/CR4/A,B,C/4,5/2374/1/22.07.2011

285	Brasov	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1097/2008	RO 22866980	0344/401027/401026	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax=215bar , Qmax=1035t/h, Tmax=650°C; pmax=100bar , Dmax=100Gcal/h	BV/CR4/A,B, C/4,5/1345/ 3/09.12.201 4- suspendare voluntara incepand cu 28.07.2017
286	Ploiesti	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1097/2008	RO 22866980	0344/401027/401026	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	50bar>=p>0.5bar, Qmax=200t/h , Tmax=580°C; 50>=p>0.5bar , Dmax=50Gcal/h, Tmax=150°C	PL/CR4/A,B, C/4,5/0078/ 0/09.06.201 0
287	Ploiesti	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1097/2008	RO 22866980	0344/401027/401026	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax=100bar , Qmax=200t/h , Tmax=650°C; pmax=100bar , Dmax=50Gcal/h	PL/CR4/A,B, C/4,5/0078/ 1/16.08.201 0

288	Ploiesti	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1097/2008	RO 22866980	0344/401027/401026	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax<=215bar, Qmax<=1035t/h, Tmax<=650°C; pmax<=100bar, Dmax<=100Gcal/h	DISPR/CR4/A,B,C/4,5/0078/2/14.04.2011
289	Brasov	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Bd. Bucuresti, nr. 66, camera 1A, et. 1, Jud. Prahova	J29/1153/1997	RO 9816194	0344/401995/401997	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax<=20bar, Tmax<=250°C, Qmax<=30t/h	BV/CR4/A,B,C/4,5/1364/2/10.07.2017
290	Brasov	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr. 66, camera 1A, et. 1, Jud. Prahova	J29/1153/1997	RO 9816194	0344/401995/401997	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax<=20bar, Tmax<=250°C, Qmax<=30t/h	BV/CR4/A,B,C/4,5/1364/1/27.10.2016
291	Brasov	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr. 66, camera 1A, et. 1, Jud. Prahova	J29/1153/1997	RO 9816194	0344/401995/401997	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax<=20bar, Tmax<=250°C, Qmax<=30t/h	BV/CR4/A,B,C/4,5/1364/0/28.01.2015

292	Ploiesti	KRAFTANLAGEN ROMANIA SRL	PLOIESTI, Bd. Bucuresti, nr.66, et.2, Jud. Prahova; PETROBRAZI, Com. Brazii de Sus, Str. Trandafirilor, nr.65, Jud. Prahova	J29/2805/2007	RO 21536614	0344/401994/403900/401997/403911	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	225bar>=p>0.5bar, Dmax=700t/h, Tmax=580°C; 150>=p>0.5bar, Qmax100Gcal/h, Tmax=280°C	PL/CR4/A,B, C/4,5/0148/0/16.07.2010
293	Brasov	KREMSMUELLER ROMANIA SRL	PLOIESTI, Str. Centura de Vest, nr.23, Jud. Prahova	J29/626/2007	CUI 18725133	0728291150; 0720112585	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=150bar, Tmax=560°C; Dmax=100Gcal/h, pmax=50bar	BV/CR4/A,C/4,5/1480/1/06.10.2015
294	Central	KREMSMUELLER ROMANIA SRL	PLOIESTI, Str. Centura de Vest, nr.23, Jud. Prahova	J29/626/2007	CUI 18725133	0728291150; 0720112585	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=150bar, Tmax=560°C; Dmax=100Gcal/h, pmax=50bar	DISPR/CR4/A,C/4,5/1724/0/28.06.2011

295	Central	KRONSTADT ENERGII REGENERABILE SRL	BRASOV, Str. Avram Iancu, nr.48A, sc.B, parter, ap.1, Jud. Brasov	J08/ 1090 /201 0	CUI 27457 234	0368 /416 900/ 4708 81	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=16bar, Tmax=350°C; Dmax=50Gcal /h, Pmax=16bar, Tmax=170°C	DISPR/CR4/ A,B,C/4,5/2 501/0/09.12 .2011
296	Brasov	KRONSTADT INSTALATII SERVICE SRL	BRASOV, Str. Avram Iancu, nr.48A, sc.B, parter, ap.1, birou 1, Jud. Brasov	J08/ 1108 /201 0	CUI 27476 562	0368 /416 900/ 4708 81; e-mail office@ki nstal .ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=16bar, Tmax=350°C; Dmax=50Gcal /h, Pmax=16bar	BV/CR4/A,B, C/4,5/1662/ 0/24.05.201 7
297	Brasov	LABOREX SRL	PLOIESTI, Str. Mihai Bravu, nr. 206, bl.25B, ap.3, Jud. Prahova	J29/ 109/ 1994	CUI 51220 17	0244 /518 760/ 5187 61	-	-	-	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	pmax>0.5bar; T>110°C	BV/CR4/G/4 ,5/1086/1/2 2.11.2012; BV/CR4/H/4 ,5/1087/0/2 2.11.2012

298	Ploiesti	LABOREX SRL	PLOIESTI, Str. Mihai Bravu, nr.206, Jud. Prahova	J29/109/1994	RO 5122017	0244/518760/518761	-	-	-	-	Cazane abur, apa fierbinte	-	p>0.5bar; T>110° C	PL/CR4/G/4,5/0304/0/28.12.2010
299	Central	LABSERVICE SRL	BUCURESTI, Bd . Bucurestii Noi, nr.212A, sector 1	J40/3459/2002	CUI 14607410	021/6680952/6680954	Cazane abur	-	Cazane abur	-	-	-	Qmax<=5t/h, pmax<=16bar, Tmax<=150° C	DISPR/CR4/A,C/4/1306/0/30.06.2011
300	Central	LAS PROM SRL	TG. MURES, Str. Cuza Voda, nr.25, Jud. Mures	J26/2185/2004	CUI 17057184	0265/264436/311884	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax<=40t/h, pmax<=40bar, Tmax<=440° C	DISPR/CR4/A,B,C/4/0424/0/07.04.2011
301	Central	LISSCOM SRL	BRASOV, Str. Neptun, nr.10, sc.C, ap.1, Jud. Brasov	J08/252/1998	CUI 10358473	0268/549274	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=120t/h, pmax=16bar, Tmax=300° C	DISPR/CR4/A,B,C/4/2980/0/10.02.2012

302	Bacau	LOIAL IMPEX SRL	SUCEAVA, Str. Marasesti, nr.44, bl.T1, parter, Jud. Suceava	J33/27/1993	RO 3176126	0230/526800/.526900; office@loial.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440 ° C; Dmax=100Gal/h, pmax=40bar	BC/CR4/A,B, C/4,5/1258/2/26.05.2016
303	Bacau	LOIAL IMPEX SRL	SUCEAVA, Str. Marasesti, nr.44, bl.T1, parter, Jud. Suceava; SCHEIA, Str. Agronomului, nr.445, Jud. Suceava	J33/27/1993	RO 3176126	0230/526900; office@loial.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440 ° C; Dmax=100Gal/h, pmax=40bar	BC/CR4/A,B, C/4,5/1258/1/02.07.2013

304	Central	LOIAL IMPEX SRL	SUCEAVA, Str. Marasesti, nr.44, bl.T1, Jud. Suceava; SCHEIA, Str. Agronomului, nr.445, Jud. Suceava	J33/27/1993	RO 3176126	0230/526800/526900	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440°C; Dmax=100Gcal/h, pmax=40bar	DISPR/CR4/A,B,C/4,5/3350/0/29.03.2012
305	Central	LUANA PREST SERV SRL	BRASOV, Str. Castelului, nr.40, ap.2, camera 2, Jud. Brasov	J08/2840/2008	RO 24662030	0268/477637	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	pmax>0.5bar, T>110°C	DISPR/CR4/H/4,5/3456/0/12.04.2012; DISPR/CR4/G/4,5/3457/0/12.04.2012
306	Central	LUANA PREST SERV SRL	BRASOV, Str. Castelului, nr.70, ap.2, Jud. Brasov	J08/2840/2008	RO 24662030	0268/415715	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	pmax>0.5bar, T>110°C	DISPR/CR4/G,H/4,5/3456,3457/1/23.05.2012

307	Bucuresti	MACCHI ROMANIA SRL	DR. TR. SEVERIN, Str. Portile de Fier, nr.2C9, Jud. Mehedinti	J25/191/2004	RO 16325432	0252/310046; 0352/884860 0252/329764	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	Qmax=550t/h , Pmax=140bar , Tmax=540°C; Dmax=149; Gcal/h, Pmax=25bar	B/CR4/A,B,C /4,5/2127/3 /19.02.2016
308	Bucuresti	MACCHI ROMANIA SRL	DR. TR. SEVERIN, Str. Portile de Fier, nr.2C9, Jud. Mehedinti	J25/191/2004	RO 16325432	0727435056; 0252310046; 0252/329764	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	Qmax=550t/h , Pmax=140bar , Tmax=540°C; Dmax=150Gcal/h, Pmax=25bar	B/CR4/A,B,C /4,5/2127/2 /28.04.2014

309	Oradea	MARYLAND COMEXIM SRL	Lugasu de Sus, nr. 116, Jud. Bihor	J05/981/1994	RO 5343921	0744986434; e-mail cosminbala.j@yahoo.com	-	-	-	-	-	Cazane de abur; cazane apa fierbinte	pmax>0.5bar, T>110°C	OR/CR4/H/4,5/1506/0/05.01.2017
310	Bucuresti	MED NICON SRL	BUCURESTI, Str. Jiblea, nr.34, sector 5	J40/5675/2000	RO 12820896	021/7765412	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.25t/h, pmax=5bar, Tmax=150°C	B/CR4/A,B,C/4/2350/0/28.11.2014
311	Bucuresti	MEDICARE TECHNICS SA	BUCURESTI, Str. Valea Merilor, nr.30, sector 1; TIMISOARA, Str. Iuliu Maniu, nr.3, sc.A, ap.5, Jud. Timis	J40/2238/2000	CUI 12766347	021/2286774/2286714; 0740556675	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=20bar, Tmax=250°C	B/CR4/A,C/4/1847/1/17.09.2014

312	Bucuresti	MEDICARE TECHNICS SA	BUCURESTI, Str. Valea Merilor, nr.30, sector 1	J40/ 2238 /200 0	CUI 12766 347	021/ 2286 774/ 2286 714	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=20bar, Tmax=250°C	B/CR4/A,C/ 4/1847/0/18 .10.2013
313	Sibiu	MEGA PASCAL SRL	SIBIU, Str. Independentei , nr.3A, Jud. Sibiu	J32/ 110/ 1993	CUI 32385 80	0269 /253 150	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=30t/h, pmax=50bar, Tmax=440°C; Pmax=10000k W, pmax=16bar, Tmax=150°C	SB/CR4/E/4, 5/0071/0/24 .08.2010
314	Bacau	MEGAPREX INSTAL SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/ 1145 /200 6	RO 18906 598	0234 /551 544; e- mail meg apre xinst al@y ahoo .co m	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=10t/h, Pmax=10bar, Tmax=180°C; Dmax=5Gcal/ h, Pmax=15bar	BC/CR4/A,B /4,5/0126/1 /19.05.2017

315	Bacau	MEGAPREX INSTAL SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/ 1145 /200 6	RO 18906 598	0234 /551 544	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=10t/h, Pmax=10bar, Tmax=180°C; Dmax=5Gcal/ h, Pmax=15bar	BC/CR4/A,B /4,5/0126/0 /14.12.2010
316	Central	MEGATERM SRL	BUCURESTI, Bd. Ghencea, nr.34, sector 6	J40/ 2260 2/19 94	CUI 65206 57	021/ 4132 025/ 4132 017	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=40bar, Tmax=450°C; Dmax=50Gcal /h, pmax=25bar	DISPR/CR4/ A,B,C/4,5/1 604/0/29.07 .2011
317	Central	MENTCHIM SA	RM. VALCEA, Str. Uzinei, nr.1, Jud. Valcea	J38/ 501/ 2005	CUI 17571 575	0250 /701 504; 0758 7107 70	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h , pmax<=40bar , Tmax<=440°C ; Dmax<=50Gc al/h, pmax<=40bar	DISPR/CR4/ A,C/4,5/155 3/0/26.07.2 011- retragere voluntara incepand cu 14.09.2016
318	Bacau	MERIDIAN SRL	BOTOSANI, Str. Maxim Gorki, nr.11, Jud. Botosani	J07/ 1200 /199 4	RO 68688 30	0231 /517 989	Cazane abur	-	Cazane abur	-	-	-	Qmax=15t/h, pmax=40bar, Tmax=250°C	BC/CR4/A,C /4/1334/1/1 7.08.2016

319	Suceava	MERIDIAN SRL	BOTOSANI, Str. Maxim Gorki, nr.11, Jud. Botosani	J07/ 1200 /199 4	RO 68688 30	0231 /517 989; e- mail : offic e@m eridi anbt .ro	Cazane abur	-	Cazane abur	-	-	-	Qmax=15t/h, pmax=40bar, Tmax=250°C	BC/CR4/A,C /4/1334/0/1 2.11.2013
320	Constanta	METALICA DG SRL	CONSTANTA, Str. Mihai Viteazu, nr.69A, Jud. Constanta	J13/ 2161 /199 2	CUI 19040 88	0241 /762 700	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=150bar , Tmax=450°C; Dmax=50Gcal /h, pmax=25bar	CT/CR4/C/4 ,5/0038/0/0 7.07.2010
321	Central	METALICA SA	BUCURESTI, Str. Petre Ispirescu, nr.75, sector 5	J40/ 1239 6/19 94	CUI 59500 44	021/ 4205 150/ 4204 090	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/ h, pmax=240bar , Tmax=650°C; Dmax=100Gc al/h, pmax<=25ba	DISPR/CR4/ A,B,C/4,5/1 368/0/14.07 .2011

322	Central	METALOTERM SRL	SAVINESTI, Str. Dornelor, vila 43, ap.3, Jud. Neamt; PIATRA NEAMT, Str. Stramutati, nr.74, Jud. Neamt	J27/ 330/ 2000	RO 13363 849	0233 /216 050	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350 ° C; Dmax=5Gcal/ h, pmax=16bar	DISPR/CR4/ A,C/4,5/338 2/0/30.03.2 012
323	Central	MODULAT SRL	PASCANI, Str. Cuza Voda, nr.7, bl.D3, sc.B, ap.6, Jud. Iasi	J22/ 412/ 2000	RO 13090 234	0232 /766 143	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/ G/4,5/0096/ 0/17.09.201 0
324	Central	MODULAT SRL	PASCANI, Str. Cuza Voda, nr.7, bl.D3, sc.B, ap.6, Jud. Iasi; PASCANI, Str. Vatra, nr.53, Jud. Iasi	J22/ 412/ 2000	RO 13090 234	0232 /766 143; 0744 6389 39	-	-	-	-	-	Cazane abur; cazane apa fierbinte	pmax>0.5bar, T>110 ° C	DISPR/CR4/ H/4,5/3200/ 0/05.03.201 2

325	Iasi	MOLDOCONSTRUCȚIA SA	IASI, Str. I.C. Bratianu, nr.20-22, Jud. Iasi	J22/420/1991	RO 19561 17	0232/250201/210093	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=5t/h, pmax=16bar, Tmax=200°C; Dmax=5Gcal/h, pmax=16bar,	IS/CR4/A,B, C/4,5/0040/0/07.06.2010
326	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 20462 50	0233/210660/210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540°C; Dmax=100Gcal/h, pmax=25bar	BC/CR4/A,B, C/4,5/1481/4/07.02.2017
327	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 20462 50	0233/210660/210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540°C; Dmax=100Gcal/h, pmax=25bar	BC/CR4/A,B, C/4,5/1481/3/14.09.2016

328	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h , pmax=160bar , Tmax=540°C; Dmax=100Gcal/h, pmax=25bar	BC/CR4/A,B,C/4,5/1481/2/18.01.2016
329	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h , pmax=160bar , Tmax=540°C; Dmax=100Gcal/h, pmax=25bar	BC/CR4/A,B,C/4,5/1481/1/12.09.2014
330	Central	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h , pmax=160bar , Tmax=540°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/A,B,C/4,5/3569/0/15.05.2012

331	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	RO 2046250	0233/210660/210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h , pmax=160bar , Tmax=540°C; Dmax=100Gcal/h, pmax=20bar, Tmax=200°C	BC/CR4/A,B, C/4,5/0019/ 0/14.05.2010
332	Bacau	MOLDOVULCAN	GALATI, Str. Fagului, nr.6, Jud. Galati	J17/577/1995	RO 7254219	0236/465349;0744606603;mol dovulcan@gmail.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h , pmax=155bar , Tmax=540°C; Dmax=100Gcal/h, pmax=22bar, Tmax=150°C	BC/CR4/A,B, C/4,5/1224/ 2/29.12.2015

333	Cluj	MONDOCOM SRL	CLUJ NAPOCA, Str. Artelor, nr.33, Jud. Cluj	J12/3343/1992	RO 2892518	0264/550012/414548	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=16bar, Tmax=350°C; Dmax=5Gcal/h, pmax=16bar	CJ/CR4/A,C/4,5/0032/0/01.07.2010
334	Craiova	MONTAJ SRL	CRAIOVA, Str. Drumul Apelor, nr.92, Jud. Dolj	J16/2070/1994	RO 5984209	0251/470400	Cazane abur	-	-	-	-	-	pmax<=16bar, 0.6t/h<=Q<=5t/h, Tmax<=200°C	CR/CR4/A/4/0057/0/13.07.2010
335	Brasov	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/3188/1994	CUI 6660278	0244/523758/512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150bar, Tmax<=550°C; Dmax<=50Gcal/h, Pmax<=24bar	BV/CR4/B,C/4,5/1445/4/13.06.2017

336	Brasov	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/3188/1994	CUI 6660278	0244/523758/512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150bar, Tmax<=550°C ; Dmax<=50Gcal/h, Pmax<=24bar	BV/CR4/B,C /4,5/1445/3 /23.07.2015
337	Brasov	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/3188/1994	CUI 6660278	0244/523758/512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150bar, Tmax<=550°C ; Dmax<=50Gcal/h, Pmax<=24bar	BV/CR4/B,C /4,5/1322/2 /29.10.2014
338	Brasov	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/3188/1994	CUI 6660278	0244/523758/512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150bar, Tmax<=550°C ; Dmax<=50Gcal/h, Pmax<=24bar	BV/CR4/B,C /4,5/1231/1 /21.02.2014

339	Central	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/3188/1994	CUI 6660278	0244/523758/512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150bar, Tmax<=550°C; Dmax<=50Gcal/h, Pmax<=24bar	DISPR/CR4/B,C/4,5/2950/0/30.01.2012
340	Bucuresti	NCH ROMANIA PRODUSE DE INTRETINERE SRL	BUCURESTI, Bd. Dimitrie Pompei, nr.5-7, parter, Hermes Business Campus, sector 2	J40/3563/1994	CUI 7913743	021/5295100/5295155	-	-	-	-	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	pmax>0.5bar, Tmax>110°C	B/CR4/G/4,5/2206/1/22.08.2016; B/CR4/H/4,5/2205/1/22.08.2016
341	Central	NCH ROMANIA PRODUSE DE INTRETINERE SRL	BUCURESTI, Str. Oltetului, nr.15, sector 2	J40/3563/1994	CUI 7913743	021/5295101/5295111	-	-	-	-	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	pmax>0.5bar, Tmax>110°C	DISPR/CR4/G/4,5/2206/0/19.10.2011; DISPR/CR4/H/4,5/2205/0/19.10.2011

342	Bucuresti	NEOCHIM SRL	AFUMATI, Str. Decebal, nr.2A, Jud. Ilfov	J23/1948/2004	CUI 17046401	0723723127; 0723502027; 021/3527895	-	-	-	-	-	Cazane abur, apa fierbinte	-	B/CR4/H/4, 5/0632/0/11.02.2011-suspendare incepand cu 19.02.2014
343	Bucuresti	NEOCHIM SRL	BUCURESTI, Str. Gorgan Spataru, nr.68, sector 2	J40/15403/2011	CUI 17046401	0723723127; 021/3527895	-	-	-	-	-	Cazane abur, apa fierbinte	-	B/CR4/H/4, 5/0632/1/17.03.2014
344	Bacau	NEW PREST SERVICE MCC SRL	IASI, Sos. Nicolina, nr.50, bl.971A, sc.C, et.6, ap.22, Jud. Iasi	J22/1376/2012	CUI 30554156	0332/448402	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=3t/h, pmax=10bar; Tmax=200°C	BC/CR4/A,B, C/4/1234/1/06.10.2016

345	Bacau	NEW PREST SERVICE MCC SRL	IASI, Sos. Nicolina, nr.50, bl.971A, sc.C, et.6, ap.22, Jud. Iasi	J22/1376/2012	CUI 30554156	0332/448402	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.3t/h, pmax=6bar; Tmax=185°C	BC/CR4/A,B,C/4/1234/0/22.05.2013
346	Bucuresti	NICONCONSULTING TECHNICS SRL	Sat ROSU, Com. Chiajna, Intrarea Gura Leului, nr.5, Jud. Ilfov	J23/8/2014	RO 18448164	0740571088; 0318/149735	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=10t/h, pmax=20bar; Tmax=250°C	B/CR4/A,B,C/4/2073/0/25.03.2014
347	Bucuresti	NIMB CONSMETAL SRL	CERNAVODA, Str. Valea Cismelei, nr. 5, Jud. Constanta	J13/1328/1999	CUI 9275005	0241/238488/238890	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar; Dmax=100Gcal/h, pmax=30bar	B/CR4/A,B,C/4,5/1604/3/06.02.2015
348	Central	NIMB CONSMETAL SRL	CERNAVODA, Platforma SNN CNE INVEST Cernavoda, Jud. Constanta	J13/1328/1999	CUI 9275005	0241/238488/238890	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar; Dmax<=5Gcal/h, pmax<=16bar	DISPR/CR4/A,B,C/4,5/0978/1/28.11.2011

349	Central	NIMB CONSMETAL SRL	CERNAVODA, Str. Valea Cismelei, nr.5, Jud. Constanta	J13/ 1328 /199 9	CUI 92750 05	0241 /238 488/ 2388 90	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar; Dmax=5Gcal/ h, pmax=16bar	DISPR/CR4/B ,C/4,5/1604 /2/16.05.20 13
350	Central	NIPTER CONSTRUCT SRL	BUCOV, Str. Eroilor, nr.1, Jud. Prahova	J29/ 293/ 2001	CUI 13823 122	0244 /275 012	Cazane abur	-	-	-	-	-	Qmax<=10t/h , pmax<=25bar , Tmax<=250° C	DISPR/CR4/ A/4/1954/0/ 04.08.2011
351	Central	NUCLEAR NDT RESEARCH & SERVICES SRL	BUCURESTI, Sos. Berceni, nr.104, Cladire laborator central, sector 4	J40/ 1782 /200 0	CUI 12723 915	021/ 3012 575/ 3012 652	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/ h, pmax<=300ba r, Tmax<=600° C ; Dmax=50Gcal /h, pmax<=18bar	DISPR/CR4/E /4,5/0987/1 /28.12.2016
352	Central	NUCLEAR NDT RESEARCH & SERVICES SRL	BUCURESTI, Sos. Berceni, nr.104, sector 4	J40/ 1782 /200 0	CUI 12723 915	021/ 3012 575/ 3012 652	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/ h, pmax<=196ba r, Tmax<=570° C ; Dmax=50Gcal /h, pmax<=18bar	DISPR/CR4/E /4,5/0987/0 /06.06.2011

353	Central	NUCLEARELECTRICA	BUCURESTI, Str. Polona, nr.65, sector 1; CERNAVODA, Str. Medgidiei, nr.2, Jud. Constanta	J40/7403/1998; J13/3442/2007	RO 10874881; CUI 22554619	021/2038200/3169804; 0241/239340/239266	-	-	Cazane abur	-	-	-	pmax=17bar, Tmax=260°C, Qmax=30t/h	DI/CR4/C/4/0001/0/17.03.2010
354	Central	NUCLEARMONTAJ GALATI SA	GALATI, Str. Fagului, nr.9, Jud. Galati	J17/84/1997	CUI 8922480	0236/410923/477930	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=155bar, Tmax=540°C; Dmax=100Gcal/h, pmax=22bar, Tmax=150°C	DISPR/CR4/A,B,C/4,5/1088/0/16.05.2011
355	Bucuresti	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1	J40/8302/1997	CUI 1590082	021/2125001/3155166	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250°C; Dmax=30Gcal/h, pmax=16bar	B/CR4/A,B,C/4,5/0313/0/19.08.2010

356	Bucuresti	OMV PETROM SA	BUCURESTI, sector1, Str. Coralilor, nr.22	J40/8302/1997	CUI 1590082	021/4060404/4060420	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250°C; Dmax=30Gcal/h, pmax=16bar	B/CR4/B,C/19/0316/1/12.02.2013
357	Craiova	OMV PETROM SA	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; ISALNITA, Str. M. Eminescu, nr.105, Jud. Dolj	J40/8302/1997	RO 1590082	021/2030505; 0372868544; 0251/407183/407370	-	-	Cazane abur, apa fierbinte	-	-	-	Qmax=120t/h, pmax=150bar, Tmax=400°C; Dmax=50Gcal/h, pmax=25bar	CR/CR4/E/4,5/0124/0/15.11.2010
358	Ploiesti	OPTIMATIC SOLUTIONS SRL	PLOIESTI, Str. Bobilna, nr.62B, Jud. Prahova	J29/1844/2005	RO 17907250	0735778399; 0244/585811	-	-	-	Cazane abur, apa fierbinte	-	-	pmax=50bar, Qmax=100t/h, Tmax=450°C; pmax=20bar, Dmax=50Gcal/h	PL/CR4/E/4,5/0115/0/26.07.2010

359	Central	OPTIMATIC SOLUTIONS SRL	PLOIESTI, Str. Bobilna, nr.62B, Jud. Prahova; PLOIESTI, Sos. Vestului, nr.12, Jud. Prahova	J29/1844/2005	RO 17907250	0735778399; 0244/585811	-	-	-	Cazane abur, apa fierbinte	-	-	pmax=50bar, Qmax=100t/h, Tmax=450°C; pmax=20bar, Dmax=50Gcal/h	DISPR/CR4/E/4,5/3794/1/04.04.2013
360	Sibiu	ORDEA PRODCOM SRL	TG. MURES, Str. Libertatii, nr.122A, Jud. Mures	J26/826/1997	RO 9991233	0265/269078/261678	-	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=20bar, Tmax=350°C	SB/CR4/C/4/1376/0/22.09.2014
361	Bucuresti	PARTENER CONSTRUCT GENERAL SRL	NAVODARI, Str. Muzicii, nr.53, et.M, camera 1, Jud. Constanta	J13/1837/2013	RO 32129578	0752105626; 0341/488805	-	-	Cazane abur	-	-	-	Qmax=105t/h, pmax=40bar, Tmax=440°C	B/CR4/C/4/1941/0/12.11.2013
362	Bucuresti	PAS 97 IMPEX SRL	BUCURESTI, Str. Ion Minulescu, nr.60, Unitatea Il-Corp Tab. Minerala, sector 3	J40/4778/1997	RO 9537700	031/4379247/4379248	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=100t/h, pmax=40bar, Tmax=400°C	B/CR4/A/4,5/0154/0/21.09.2012

363	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/1993	CUI 4000500	0244/513214; e-mail : sc_paulus_srl@yahoo.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q<=120t/h, P<=40bar, T<=440°C; D<=50Gcal/h, P<=40bar	BV/CR4/A,B, C/4,5/1016/2/10.06.2016
364	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/1993	CUI 4000500	0244/513214	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, Pmax=40bar, Tmax=440°C; Dmax=50Gcal/h, Pmax=40bar	BV/CR4/A,B, C/4,5/1016/1/10.07.2012

365	Central	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/1993	CUI 4000500	0244/513214	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar, Tmax<=440°C; Dmax<=50Gcal/h, pmax<=40bar	DISPR/CR4/A,B,C/4,5/1960/0/30.08.2011
366	Ploiesti	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/1993	RO 40005000	0244/513214	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Dmax=50Gcal/h, pmax=40bar, Tmax=440°C; Dmax=50Gcal/h, pmax=40bar	PL/CR4/A,B,C/4,5/0230/0/12.11.2010
367	Central	PEET ELECTROCENTRALE PAROSENI SA	VULCAN, Str. Paroseni, nr.20, Jud. Hunedoara	J20/710/2011	RO 28835451	0254/570790/570481	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=540t/h, pmax=140bar, Tmax=545°C; Dmax=103.2Gcal/h, pmax=20bar	DISPR/CR4/C/4,5/3363/0/29.03.2012

368	Central	PETROCHIM PROIECT SRL	PITESTI, Str. Exercițiu, bl.D17, sc.B, ap.4, Jud. Arges; PITESTI, Bd. Petrochimistilor, Km 5, Jud. Arges	J03/232/1991	RO 131480	0248/615210	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=50t/h, pmax=50bar, Tmax=450°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/3717/1/16.08.2012
369	Pitesti	PETROCHIM PROIECT SRL	PITESTI, Str.Exercițiu, bl.B17, sc.B,ap.4, Arges	J03/232/1991	RO 131480	0248/615210	-	-	-	Cazane de abur, apa fierbinte	-	-	Q<=50t/h, pmax<=50bar, T<=450°C; D<=50Gcal/h, pmax<=16bar, T<=180°C	PT/CR4/E/4,5/0062/0/23.06.2010
370	Central	PETROCONST SA	CONSTANTA, Bd. I.C. Bratianu, nr.45, Jud. Constanta	J13/3113/1994	CUI 6162290	0241/614356/618694	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=30t/h, pmax<=120bar, Tmax<=350°C; Dmax<=50Gcal/h, pmax<=20bar	DISPR/CR4/A,B,C/4,5/1772/0/18.08.2011

371	Central	PETROGAZ SRL	BRASOV, Str. Fanului, nr.73, Jud. Brasov 57G	J08/218/1994	RO 5225276	0268/330915	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h , Dmax=50Gcal/h, pmax=100bar , Tmax=440°C	DISPR/CR4/E/4,5/3959/1/30.08.2016
372	Brasov	PETROGAZ SA	BRASOV, Str. Hortensiei, nr.73, Jud. Brasov	J08/218/1994	RO 5225276	0268/330915; 0722760773	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h , Dmax=50Gcal/h, pmax=100bar , Tmax=440°C	BV/CR4/E/4,5/0024/0/19.07.2010
373	Bucuresti	PIFATI SA	BUCURESTI, Str. Iovita, nr. 11, et. 2, camere 4-9, sector 5	J40/1100/1991	CUI 401517	021/4104600/4100638; e-mail office@pifati.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=40bar, Tmax=450°C; pmax=40bar, Dmax=50t/h	B/CR4/A,B,C/4,5/0137/1/19.05.2016

374	Bucuresti	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/ 1100 /199 1	CUI 40151 7	021/ 4106 645/ 4100 638	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=40bar, Tmax=450° C; pmax=40bar, Dmax=50t/h	B/CR4/A,B,C /4,5/0137/0 /09.07.2010
375	Central	PIFATI SA	BUCURESTI, Str. Iovita, nr. 11, et. 2, camere 4-9, sector 5	J40/ 1100 /199 1	CUI 40151 7	021/ 4104 600/ 4100 638; e- mail office@pi fati. ro	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h , pmax=100bar , Tmax=540° C; pmax=30bar, Dmax=50Gcal /h	DISPR/CR4/E /4,5/2020/1 /23.06.2016
376	Central	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/ 1100 /199 1	CUI 40151 7	021/ 4104 600/ 4100 638	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h , pmax=100bar , Tmax=540° C; pmax=30bar, Dmax=50Gcal /h	DISPR/CR4/E /4,5/2020/0 /28.09.2011

377	Bucuresti	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/ 1100 /199 1	CUI 40151 7	021/ 4106 645/ 4100 638	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=40bar, Tmax=450° C; Dmax=50Gcal /h, pmax=40bar,	B/CR4/A,B,C /4,5/0137/0 /09.07.2010
378	Bucuresti	PIFATI SA	BUCURESTI, Str. Iovita, nr. 11, et. 2, camere 4-9, sector 5	J40/ 1100 /199 1	CUI 40151 7	021/ 4104 600/ 4100 638; e- mail office@pi fati. ro	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	B/CR4/G/4, 5/0085/1/20 .05.2016; B/CR4/H/4, 5/0086/1/19 .05.2016

379	Bucuresti	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/ 1100 /199 1	CUI 40151 7	021/ 4106 645/ 4100 638	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Qmax=120t/h , pmax=40bar, Tmax=450°C; Dmax=50t/h, pmax=40bar, Tmax=450°C	B/CR4/G/4, 5/0085/0/18 .06.2010; B/CR4/H/4, 5/0086/0/18 .06.2010
380	Central	PIPESUPPORT CONSULT SRL	BUCURESTI, Str. Barbu Vacarescu, nr.101, parter, camera A, sector 2	J40/ 1170 /200 6	CUI 51832 2009	0722 6654 52; 0723 3108 05; 021/ 3211 354	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/ h, pmax=192bar , Tmax=570°C; Dmax=50Gcal /h, pmax=16bar	DISPR/CR4/E /4,5/0381/0 /08.04.2011

381	Central	PIPESUPPORT CONSULT SRL	BUCURESTI, Str. Barbu Vacarescu, nr.101, parter, camera A, sector 2; BUCURESTI, Str. Alexandru Savulescu, nr.14, sector 2	J40/ 1170 /200 6	CUI 51832 2009	021/ 3211 354	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/ h, pmax=400bar , Tmax=650° C; Dmax=100Gcal/h, pmax=16bar	DISPR/CR4/E /4,5/0381/0 /08.04.2011
382	Central	PLUS TEST SRL	FOCSANI, AL. Echitatii, nr. 17, bl.I 14, parter, ap. 1, Jud. Vrancea	J39/ 335/ 2014	CUI 33335 452	0763 2616 41; 0337 /407 780	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h , pmax=40bar, Tmax=440° C; Dmax=5Gcal/ h, pmax=25bar	DISPR/CR4/E /4,5/3914/0 /24.06.2015

383	Bacau	PLUSSERVICE SRL	FOCSANI, Str. Bucegi, nr.13, bl.12, ap.12, Jud. Vrancea; FOCSANI, Str. 1 Decembrie 1918, nr.37, Jud. Vrancea	J39/678/2003	RO 15818661	0744635244; e-mail : verificari tehnice@yahoo.com	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=28t/h, pmax=40bar, Tmax=250°C; Dmax=25Gcal/h, pmax=16bar, Tmax=150°C	BC/CR4/A,C /4,5/1304/0 /23.09.2013
384	Bucuresti	POLYSTART IMPEX SRL	CRAIOVA, Str. Ion Mairescu, nr.4, Jud. Dolj	J16/4018/1994	RO 6847927	0251/406466; 0372/001510	Cazane de abur; cazane apa fierbinte	-	-	-	-	-	Qmax=55t/h, Pmax=16bar, Tmax=200°C; Dmax=66Gcal/h, Pmax=16bar	B/CR4/A/4,5 /2141/0/14. 05.2014- suspendare voluntara incepand cu 03.08.2016

385	Oradea	POSZET SRL	SATU MARE, Str. Bujorului, nr.52, Jud. Satu Mare	J30/ 707/ 2005	RO 17670 277	0259 /453 345/ 4636 61	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=400°C; Dmax=5Gcal/ h, pmax=16bar,	OR/CR4/A,B /4/0100/0/1 4.02.2011
386	Central	PREMIUM SA	BRAZI, Str. Trandafirilor, nr.69, Jud. Prahova	J29/ 1318 /199 7	CUI 99210 50	0244 /526 606/ 5268 85; 0372 7539 66; 0244 /526 883	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax<=540t/ h, pmax<=196ba r, Tmax<=570°C ; Dmax<=50Gc al/h, pmax<=18bar	DISPR/CR4/E /4,5/1264/0 /22.06.2011

387	Central	PREMIUM SA	BRAZI, Str. Trandafirilor, nr.69, Jud. Prahova	J29/1318/1997	CUI 9921050	0244/526606/526885; 0372753966; 0244/526883	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Q _{max} ≤540t/h, p _{max} ≤196bar, T _{max} ≤570°C; D _{max} ≤50Gal/h, p _{max} ≤18bar	DISPR/CR4/E/4,5/1264/1/09.05.2014
388	Bucuresti	PRIMASERV SRL	CRAIOVA, Calea Bucuresti, bl.A2, sc.2, ap.2, Jud. Dolj	J16/1148/2005	RO 17629570	0729046183; 0351/421841/801815	-	-	Cazane abur	-	-	-	P _{max} ≤40bar, T _{max} ≤210°C, Q _{max} ≤100t/h	B/CR4/C/4/1187/1/30.09.2015

389	Bucuresti	PRIMASERV SRL	CRAIOVA, Calea Bucuresti, bl.A2, sc.2, ap.2, Jud. Dolj	J16/ 1148 /200 5	RO 17629 570	0729 0461 83; 0351 /421 841/ 8018 15	-	-	Cazane abur	-	-	-	Pmax<=40bar , Tmax<=210°C , Qmax<=100t/ h	B/CR4/A,B,C /4/1187/0/2 2.11.2012
390	Central	PRIMEX SRL	CLUJ NAPOCA, Str. Campul Painii, nr.30A, Jud. Cluj	J12/ 4270 /199 1	CUI 23315 4	0264 /415 272/ 4031 35	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=50t/h, pmax=100bar , Tmax=530°C; Dmax=50Gcal /h, pmax=18bar	DISPR/CR4/E /4,5/1160/0 /21.06.2011
391	Central	PRISMA SERV COMPANY SRL	IASI, Str. Petru Poni, nr.13, bl. 573A, Tr.1, parter, ap.2, Jud. Iasi	J22/ 601/ 2001	CUI 13991 843	0232 /217 905; 0332 /409 775	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax<=10t/h , pmax=16bar; Tmax=300°C	DISPR/CR4/ A,B,C/4/066 5/0/22.04.2 011

392	Central	PRO TC GRUP SRL	BASCOV, Str. Serelor, nr.48A, Jud. Arges	J03/1424/2004	CUI 16698504	0248/206081/206082	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=30t/h , pmax<=16bar , Tmax<=400°C ; Dmax<=50Gcal/h, pmax<=16bar	DISPR/CR4/A,C/4,5/2369/1/15.11.2011
393	Pitesti	PRO TC GRUP SRL	BASCOV, Str. Serelor, nr.48A, Jud. Arges	J03/1424/2004	RO 16698504	0248/206081/int 118sau 122, 0248/211060/206082; 0722287365	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q<30t/h, pmax<=16bar , T<=400°C; D<=50Gcal/h, pmax<=16bar , T<=150°C	PT/CR4/A,C/4,5/0155/0/21.12.2010

394	Pitesti	PROINSAT SA	RM. VALCEA, Str. Industiilor, nr.2, Jud. Valcea	J38/ 1558 /199 2	RO298 9104	0250 /733 390/ 7302 31	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=250°C; Dmax=10Gcal /h, pmax=25bar	PT/CR4/A,B, C/4,5/0029/ 0/27.04.201 0
395	Pitesti	PROINSTAL PIPE SRL	STEFANESTI, Sos. Bucuresti- Pitesti, nr.72A, Jud. Arges	J03/ 47/1 999	RO 11433 360	0248 /212 501/ 2234 03	Cazane de abur, apa fierbinte	-	-	-	-	-	Q<=10t/h, pmax<=16bar , T<=450°C; D<=5Gcal/h, pmax<=16bar , T<=150°C	PT/CR4/A/4 ,5/0006/0/0 9.04.2010
396	Central	PROTEHNIC SRL	SLOBOZIA, Str. Matei Basarab, bl.MB5A, Jud. Ialomita; BUCURESTI, Str. Grigore C. Moisil, nr.8, bl.9, sc.D, ap.168, sector 2	J21/ 563/ 1995	CUI 80108 91	0243 /234 479; 021/ 2424 908	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax<=500t/ h, pmax<=200ba r, Tmax<=570°C ; Dmax<=15Gc al/h, pmax<=40bar	DISPR/CR4/ A/4,5/0903/ 0/23.05.201 1

397	Bucuresti	PROTEHNIC SRL	SLOBOZIA, Str. Matei Basarab, bl.MB5A, Jud. Ialomita	J21/563/1995	RO 8010891	021/2424908; 0243/234479	-	-	-	Cazane de abur	-	-	Qmax=5t/h, Pmax=50bar, Tmax=560 °C	B/CR4/E/4/0420/0/26.10.2010
398	Central	RAAN - Sucursala ROMAG TERMO	DR TN. SEVERIN, Str. Nicolae Iorga, nr.1, Jud. Mehedinti; HALANGA, Com. Izvoru Barzii, Jud. Mehedinti	J25/282/1998	CUI 10882752	0252/323848/323685; 0252/323666	-	-	Cazane abur	-	-	-	Qmax=420t/h, pmax=140bar, Tmax=550 °C	DISPR/CR4/C/4/3348/0/12.03.2012
399	Central	RAEMGAL SERVICE SRL	GALATI, Str. Energiei, nr.5, bl.10A, sc.2, et 2, ap. 27, Jud. Galati	J17/348/2002	CUI 14616672	0236/460514	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=450t/h, pmax<=250bar, Tmax<=540 °C	DISPR/CR4/B,C/4/2977/0/07.02.2012
400	Central	RAFO SA	ONESTI, Str. Industriilor, nr.3, Jud. Bacau	J04/538/1991	CUI 958772	0234/303303/315640	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=80t/h, pmax<=50bar, Tmax<=450 °C; Dmax<=25Gcal/h	DISPR/CR4/C/4,5/0661/0/03.05.2011

401	Bacau	RAFO SA	ONESTI, Str. Industriilor, nr.3, Jud. Bacau	J04/538/1991	CUI 958772	0234/303/315640	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=80t/h, pmax<=50bar, Tmax<=540°C; Dmax<=25Gcal/h, pmax=20bar	BC/CR4/C/4,5/1213/1/24.04.2013-suspendare voluntara incepand cu 25.11.2016
402	Bacau	RCA MOLDOTERM SRL	IASI, Aleea Tudor Neculai, nr.99, bl. 989A, sc.B, et.4, ap.18, Jud. Iasi	J22/1741/2004	CUI 16698164	0332/808738/808739	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; Dmax=20Gcal/h, pmax=16bar	BC/CR4/A,B,C/4,5/1666/1/17.05.2016
403	Central	RCA MOLDOTERM SRL	IASI, Aleea Tudor Neculai, nr.99, bl. 989A, sc.B, et.4, ap.18, Jud. Iasi	J22/1741/2004	CUI 16698164	0332/808738/808739	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; Dmax=20Gcal/h, pmax=16bar	DISPR/CR4/A,B,C/4,5/1781/0/16.08.2011

404	Brasov	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0244/546229/546031; e-mail: remero@yahoo.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1025t/h, pmax<=25bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=30bar	BV/CR4/A,B,C/4,5/1328/1/21.10.2014
405	Central	REMERO FIL SA	BRAZI, Sat Brazii de Sus, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0755316623; 0244/546031	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1025t/h, pmax<=25bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=30bar	DISPR/CR4/A,B,C/4,5/2875/0/23.01.2012
406	Central	REMONT SRL	CONSTANTA, Al. Garofitei, nr.11A, Jud. Constanta	J13/5695/1992	CUI 2753846	0241/558900/692260	Cazane abur	-	Cazane abur	-	-	-	Qmax<=150t/h, pmax<=40bar, Tmax<=450°C	DISPR/CR4/A,C/4/0044/1/18.05.2011

407	Constanta	REMONT SRL	CONSTANTA, Al. Garofitei, colt cu Str. Bucuresti, nr.11A, Jud. Constanta	J13/ 5695 /199 2	CUI 27538 46	0241 /692 260/ 5589 00	Cazane abur	-	Cazane abur	-	-	-	Qmax=25t/h, pmax=16bar, Tmax=200° C	CT/CR4/C/4 /0044/0/14. 07.2010
408	Brasov	REPCAZCOND SRL	BUZAU, Str. Obor, bl.12, sc.A, Jud. Buzau	J10/ 426/ 2013	CUI 31665 810	0238 /720 242/ 4067 60	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=150t/h , pmax<=40bar , Tmax=535° C	BV/CR4/A,B, C/4/1319/0/ 30.10.2014
409	Central	REVERS SRL	BRASOV, Str. Carpatilor, nr.97, Jud. Brasov	J08/ 2581 /199 2	CUI 30515 80	0268 /332 311	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax<=15t/h , pmax<=16bar , Tmax<=250° C ; Dmax<=10Gc al/h, pmax<=16bar	DISPR/CR4/ A/4,5/2469/ 0/28.11.201 1
410	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta	J13/ 2053 /200 1	CUI 14320 668	0241 /586 406/ 5864 48	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/ h, pmax<=40bar ; Dmax<=50Gc al/h, pmax<=40bar	B/CR4/A,B,C /4,5/1324/2 /03.02.2015

411	Central	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta	J13/ 2053 /200 1	CUI 14320 668	0241 /586 406/ 5864 48	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/ h, pmax<=40bar ; Dmax<=50Gc al/h, pmax<=40bar	DISPR/CR4/ A,B,C/4,5/0 717/0/02.05 .2011
412	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta	J13/ 2053 /200 1	CUI 14320 668	0241 /586 406/ 5864 48	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/ h, pmax<=40bar ; Dmax<=50Gc al/h, pmax<=40bar	B/CR4/A,B,C /4,5/1324/1 /20.03.2013
413	Central	RINA SIMTEX- ORGANISMUL DE CERTIFICARE SRL	BUCURESTI, Str. Dr. Leonte Anastasievici, nr. 4D, corp A, sector 5	J40/ 9653 /199 9	CUI 12351 790	021/ 6190 651/ 6190 353	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/ h, pmax=220bar , Tmax=440° C; Dmax=100Gc al/h, pmax=25bar	DISPR/CR4/E /4,5/3955/0 /15.07.2016

414	Brasov	RO STEAM IT SRL	BRASOV, Str. Neagoe Basarab. Nr. 37, Jud. Brasov	J08/1863/2017	RO 37880680	0368/414123; e-mail rosteamit@gmail.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=100t/h, pmax<=40bar, Tmax=250°C; Dmax<=50Gcal/h, pmax<=40bar	BV/CR4/A,B,C/4,5/1696/0/12.09.2017
415	Central	ROBERT BOSCH SRL	BUCURESTI, Str. Horia Macelariu, nr.30-34, et.1-2 si 4, sector 1	J40/7601/1994	CUI 5541546	0214057500/2331313	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=540°C; Qmax=25Gcal/h, pmax=40bar, Tmax=250°C	DISPR/CR4/A/4,5/2901/0/27.01.2012

416	Bucuresti	ROMANOR SRL	CALARASI, Str. Gh. Lazar, nr.8, Jud. Calarasi	J51/577/1992	CUI 1917665	0242/322602/331492	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=100bar , Tmax=350°C; Dmax=50Gcal/h, pmax=25bar, Tmax=150°C	B/CR4/A,B,C/4,5/0580/1/26.09.2012
417	Central	ROMCET GRUP SA	BUCURESTI, Str. Orion, nr.3, sector 5	J40/8419/1995	CUI 7815400	021/4204287	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax<=300t/h, pmax<=40bar , Tmax=570°C	DISPR/CR4/A,B,C/4/1032/0/01.06.2011
418	Central	ROMIB SA	TUNARI, Cal. Bucurestilor, nr.74, Jud. Ilfov	J23/1077/2003	CUI 6927694	021/2675028;0721266682	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=400°C; Dmax=50Gcal/h, pmax=25bar	DISPR/CR4/A,B,C/4,5/1605/0/01.08.2011

419	Bucuresti	ROMIB SA	TUNARI, Cal. Bucurestilor, nr.74, Jud. Ilfov	J23/1077/2003	CUI 6927694	021/2675028/2675237	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=400°C; Dmax=50Gcal/h, pmax=25bar	B/CR4/A,B,C/4,5/1810/1/24.09.2013
420	Central	ROMINDUSTRIAL COM SRL	DR. TN. SEVERIN, Str. Constructorilor, nr.44bis, Jud. Mehedinti	J25/1718/1993	CUI 4997057	0252/326453;0722355560	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax<=120t/h, pmax<=40bar, Tmax<=450°C; Dmax<=100Gcal, pmax<=25bar, tmax<=175°C	DISPR/CR4/B,C/4,5/2080/0/28.09.2011
421	Central	ROMINDUSTRIAL COM SRL	DR. TN. SEVERIN, Str. Constructorilor, nr.44bis, Jud. Mehedinti	J25/1718/1993	CUI 4997057	0252/326453	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax<=120t/h, pmax<=40bar, 105°C<=Tmax<=450°C; Dmax=100Gcal, pmax=25bar, 110°C<Tmax<=175°C	DISPR/CR4/B,C/4,5/1297/1/20.02.2013

422	Bucuresti	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, bl. Turnul de Nord, sector 1	J40/8331/2001	CUI 14208851	021/2723660/3140897	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h , pmax=125bar , Tmax=570°C; Dmax=25Gcal/h, pmax=25bar	B/CR4/A,B,C /4,5/1177/3 /03.11.2016
423	Bucuresti	ROMINSERV SRL	BUCURESTI, Piata Presei, nr.3-5, City Northern Tower, et.3, sector 1; PETROMIDIA NAVODARI, DJ 226Km, Km 23, Jud. Constanta	J40/8331/2001	CUI 14208851	0241/506094/506932	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h , pmax=125bar , Tmax=570°C; Dmax=25Gcal/h, pmax=25bar, Tmax=190°C	B/CR4/A,B,C /4,5/1177/2 /26.09.2012
424	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/8331/2001	CUI 14208851	####	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=40t/h, pmax=20bar, Tmax=350°C	DISPR/CR4/A,B,C/4/0227/0/21.03.2011

425	Central	ROMINSERV SRL	BUCURESTI, Piata Presei Libere, nr.3-5, Cladirea City Gate Northern Tower, et.3, sector 1	J40/ 8331 /200 1	CUI 14208 851	021/ 2723 660/ 3140 897	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h , pmax=150bar , Tmax=570° C; Dmax=25Gcal /h, pmax=16bar	DISPR/CR4/E /4,5/0914/0 /30.05.2011
426	Central	ROMINSERV SRL	BUCURESTI, P- ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/ 8331 /200 1	RO 14208 851	021/ 2723 660/ 3140 897	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h , pmax=150bar , Tmax=570° C; Dmax=25Gcal /h, pmax=16bar	DISPR/CR4/E /4,5/0914/1 /02.04.2012
427	Central	ROMINSERV SRL	BUCURESTI, P- ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/ 8331 /200 1	RO 14208 851	021/ 2723 660/ 3140 897	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h , pmax=150bar , Tmax=570° C; Dmax=25Gcal /h, pmax=16bar	DISPR/CR4/E /4,5/0914/2 /29.05.2012

428	Constanta	ROMINSERV SRL- PETROMIDIA NAVODARI	BUCURESTI, sector 1, Cal. Victoriei, nr.155, tronson 7, bl.D1, et.5; NAVODARI, DJ 226, Km 23, Jud. Constanta	J40/ 8331 /200 1	CUI 14208 851	0241 /506 094/ 5069 32	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h , pmax=125bar , Tmax=570°C; Dmax=25Gcal /h, pmax=25bar, Tmax=190°C	CT/CR4/A,B, C/4,5/0025/ 0/01.07.201 0
429	Constanta	ROMINSERV SRL- PETROMIDIA NAVODARI	BUCURESTI, sector 1, Piata Presei Libere, nr.3-5, City Northern Tower, et.3; PETROMIDIA NAVODARI, DJ 226Km, Km 23, Jud. Constanta	J40/ 8331 /200 1	CUI 14208 851	021/ 2723 660; 0241 /506 094/ 5069 32	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=100t/h , pmax=125bar , Tmax=570°C; Dmax=25Gcal /h, pmax=25bar, Tmax=190°C	CT/CR4/A,B, C/4,5/0068/ 1/12.10.201 0

430	Ploiesti	ROMPETROL QUALITY CONTROL SRL	NAVODARI, DJ 226, Km 23,, Camera 116, Jud. Constanta; VEGA PLOIESTI, Str, Valeni, nr.146, Jud. Prahova	J13/ 6775 /200 4	RO 16542 407	0241 /506 700/ 5069 16; 0244 /406 192	-	-	-	-	-	Cazane abur	p>0.5bar	PL/CR4/H/4 ,5/0259/0/0 6.12.2010
431	Central	ROMTERM SA	BUCURESTI, Str.lovita, nr.11, sector 5	J40/ 2111 /199 1	CUI 40217 2	021/ 4100 036	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h , pmax=195bar , Tmax=570°C; Dmax=100Gc al/h, Pmax=25bar	DISPR/CR4/ A,B,C/4,5/2 905/0/06.02 .2012
432	Bucuresti	ROMVEC INDUSTRIE SRL	BUCURESTI, Str. lovita, nr.7-9, sector 5	J40/ 9857 /199 8	CUI 11110 319	021/ 4107 615/ 4106 677	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h , pmax=196bar , Tmax=540°C; Dmax=100Gc al/h, pmax=25bar, Tmax=230°C	B/CR4/A,B,C /4,5/0039/0 /25.05.2010

433	Bucuresti	ROMVENT ENGINEERING SRL	BUCURESTI, Sos. Barlogeni, nr. 46, Imobil C1, et. 2, sector 1	J40/ 1122 4/20 03	RO 15671 292	0729 3305 64; 0729 3305 73; 031/ 4379 531; e- mail rom vent @gm ail.c om	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50Gcal /h, pmax=40bar, Tmax=400°C; Dmax=100t/h , pmax=40bar	B/CR4/A,B,C /4,5/2638/1 /12.12.2016
-----	-----------	-------------------------------	---	----------------------------	--------------------	---	---	---	---	---	---	---	---	---

434	Bucuresti	ROMVENT INSTAL SRL	BUCURESTI, Sos. Nicolae Titulescu, nr. 61-71, bl. 11A, et. 3, ap. 9, sector 1; BUCURESTI, Str. Barlogeni, nr. 46, Imobil C1, et. 2, sector 1	J40/11224/2003	RO 15671292	0729330564; 0729330573; 031/4379943	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=150°C; Dmax=100t/h, pmax=40bar, Tmax=400°C	B/CR4/A,B,C /4,5/2638/0 /13.10.2015
435	Central	RORA CONSING SRL	RASNOV, Str. Garii, nr.6, Jud. Brasov	J08/1245/1991	CUI 1121035	0268/231552; 0266230858	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	pmax>0.5bar; Tmax>110°C	DISPR/CR4/H/4,5/2324/0/09.01.2012; DISPR/CR4/G/4,5/2775/0/10.01.2012
436	Central	ROS SYSTEMA SRL	TG. MURES , Str. Madach Imre, nr.8, Jud. Mures	J26/1948/2007	CUI 22685444	0265/567017; 0365/430565	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h, pmax=250bar, Tmax=570°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/E/4,5/3841/0 /06.12.2013

437	Central	SANCOTERM SRL	GALATI, Str. Domneasca, nr.18, bl.E, ap.13, Jud. Galati; GALATI, Str. Basarabiei, nr.210, Jud. Galati	J17/ 381/ 1997	CUI 93929 00	0236 /494 930	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax<=40bar , Tmax<=540°C , Qmax<=120t/ h	DISPR/CR4/ A,B,C/4/104 7/0/08.06.2 011
438	Bucuresti	SELECT CHIM SERVICE SRL	BUCURESTI, Prelungirea Ghencea, nr.93N, parter, sector 6	J40/ 3824 /199 4	RO 53292 93	0722 3694 76; 021/ 3176 009; e-mail : office@electrochim.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax=40bar, Tmax=450°C, Qmax=30t/h	B/CR4/A,B,C /4/0428/1/1 5.11.2013

439	Oradea	SEPE INSTALCOM SRL	ORASTIE, Str. Unirii, nr.130, Jud. Hunedoara	J20/434/1998	RO 10655490	0254/243335/243334	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h , Pmax=25bar, Tmax=250°C; Dmax=50Gcal/h, Pmax=25bar	OR/CR4/A,B ,C/4,5/1380 /1/23.06.2015
440	Sibiu	SEPE INSTALCOM SRL	ORASTIE, Str. Unirii, nr.130, Jud. Hunedoara	J20/434/1998	RO 10655490	0254/243335/243334	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h , Pmax=25bar, Tmax=250°C; Dmax=50Gcal/h, Pmax=25bar, Tmax=150°C	SB/CR4/A,B ,C/4,5/0074/ 0/30.03.2010
441	Central	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761/1994	CUI 5420374	0244/544707/519648	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h , pmax=50bar, Tmax=450°C; Dmax=50Gcal/h, pmax=22bar	DISPR/CR4/E /4,5/1795/0 /26.06.2011

442	Central	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761/1994	CUI 5420374	0244 /544 707/ 5196 48	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h , pmax=120bar , Tmax=450° C; Dmax=50Gcal /h, pmax=22bar	DISPR/CR4/E /4,5/1795/1 /02.11.2011
443	Brasov	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761/1994	RO 5420374	0723 2769 95, 0372 /000 403	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=40t/h, Psmax=40bar , Tmax=450° C; Dmax=50Gcal /h, Psmax=40bar	BV/CR4/A,B, C/4,5/1686/ 1/02.08.201 7
444	Ploiesti	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761/1994	RO 5420374	0244 /544 707/ 5196 48	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=40t/h, Psmax=40bar , Tmax=450° C; Dmax=50Gcal /h, Psmax=40bar , Tmax=350° C	PL/CR4/A,B, C/4,5/0197/ 0/08.10.201 0

445	Craiova	SFERA SRL	CRAIOVA, Calea Severinului, nr.18D, Jud. Dolj	J16/ 161/ 2001	RO 13765 161	0251 /461 060/ 4801 65	-	-	-	Cazane abur, apa fierbinte	-	-	Qmax=1035t/ h, pmax=200bar , tmax=540°C; Dmax=100Gc al/h, pmax=20bar	CR/CR4/E/4 ,5/0086/0/0 1.09.2010
446	Ploiesti	SGS ROMANIA SA	BUCURESTI, Cal. Serban Voda, nr.38, sector 4; Sat BRAZI, Com. Brazi, Str. Trandafirilor, nr.65, Jud. Prahova	J40/ 2907 4/19 92	RO 34515 52	021/ 3354 683/ 3354 620	-	-	-	-	-	Cazane de abur, apa fierbinte	P>0.5bar; T>110°C	PL/CR4/H/4 ,5/0143/0/2 4.08.2010
447	Bucuresti	SICOM IC SRL	BUCURESTI, Bd. Basarabia, nr.177, sector 3	J40/ 3960 /199 1	CUI 34285 2	021/ 2550 073/ 2550 074	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	0.6t/h<Qmax <=10t/h, p<=16bar, Tmax<=270°C ; 0.6t/h<Dmax <=50Gcal/h, p<=20bar, Tmax<=165°C	B/CR4/A,B,C /4,5/0127/0 /06.07.2010

448	Bucuresti	SISTEMPLAST SA	RM. VALCEA, Str. Uzinei, nr.1, Jud. Valcea	J38/ 11/1 999	CUI 11438 007	0250 /701 501/ 7015 04	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h , pmax<=60bar , Tmax<=440° C ; Dmax<=50Gc al/h, pmax<=25bar	B/CR4/A,B,C /4,5/2109/0 /27.03.2014
-----	-----------	----------------	---	---------------------	---------------------	------------------------------------	---	---	---	---	---	---	---	---

449	Brasov	SMR GLOBAL SRL	ALBESTI PALEOLOGU, nr. 528, Jud. Prahova	J29/ 1580 /201 0	RO 27819 393	0748 1216 50; 0374 9523 63; 0344 /780 139/ 1140 95; e- mail : smrg loba l201 0@y ahoo .co m	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax<=450°C ; Dmax=50Gcal /h, pmax=40bar, Tmax<=450°C	BV/CR4/A,B, C/4,5/1097/ 0/20.12.201 2
-----	--------	----------------	---	---------------------------	--------------------	---	---	---	---	---	---	---	--	--

450	Bucuresti	SNAMPROGETTI ROMANIA SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.6A, Tronson II, et.3, birou 31, sector 2	J40/6633/2003	CUI 15442280	021/2322400/2322434	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=300t/h, pmax=200bar, Tmax=550°C; Dmax=100Gcal/h, pmax=25bar	B/CR4/E/4,5/0376/0/04.10.2010
451	Sibiu	SNGN ROMGAZ - Sucursala de Productie Energie Electrica Iernut	IERNUT, Str. Energeticii, nr.1, Jud. Mures	J26/194/2013	RO 14056826	0265/471333/471388	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=640t/h, pmax=140bar, Tmax=550°C; Dmax=20Gcal/h, pmax=50bar, Tmax=150°C	SB/CR4/A,B,C/4,5/1297/0/30.04.2014
452	Bucuresti	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/182/1999	CUI 11943106	0253/371678; 0723389063	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=540°C	B/CR4/A,B,C/4/2774/2/12.04.2016

453	Central	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/ 182/ 1999	CUI 11943 106	0253 /371 678; 0723 3890 63	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/ h, pmax=200bar , Tmax=540° C	DISPR/CR4/ A,B,C/4/096 4/1/02.04.2 012
454	Central	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/ 182/ 1999	CUI 11943 106	0253 /371 678; 0251 /593 455; 0723 3890 63	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/ h, pmax=200bar , Tmax=540° C;	DISPR/CR4/ A,B,C/4/096 4/0/31.05.2 012
455	Central	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/ 182/ 1999	CUI 11943 106	0253 /371 678; 0723 3890 63	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/ h, pmax=200bar , Tmax=540° C	DISPR/CR4/ A,B,C/4/096 4/1/02.04.2 012

456	Central	SOLO PROD SRL	BUZAU, Str. Orizontului, nr.206, Jud. Buzau	J10/2260/1994	CUI 6446054	0238/720038; 0338/111540	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=440°C; Dmax=50Gcal/h, Pmax=40bar	DISPR/CR4/A,B/4,5/2540/0/20.12.2011
457	Central	STASS SERV SRL	IASI, Str. Vasile Lupu, nr.99, bl.D, sc.A, parter, ap.3, Jud. Iasi	J22/285/2001	CUI 13797155	0232/270699; 0332/882838	Cazane abur	-	Cazane abur	-	-	-	Qmax=50t/h, pmax=16bar, Tmax=200°C	DISPR/CR4/A,C/4/0567/0/06.04.2011
458	Brasov	STEEL TRUST CONSTRUCTII CIVILE SI INDUSTRIALE SRL	PLOIESTI, Str. Vega, nr. 11C, Jud. Prahova	J29/1201/2014	RO 33553023	0722285498; 0244/433100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=400bar, Tmax=440°C; Dmax=50Gcal/h, pmax=24bar	BV/CR4/A,B,C/4,5/1505/2/11.07.2017

459	Brasov	STEEL TRUST CONSTRUCTII CIVILE SI INDUSTRIALE SRL	PLOIESTI, Str. Vega, nr. 11C, Jud. Prahova	J29/ 1201 /201 4	RO 33553 023	0722 2854 98; 0244 /433 100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/ h, pmax=400bar , Tmax=440° C; Dmax=50Gcal /h, pmax=24bar	BV/CR4/A,B, C/4,5/1505/ 1/24.11.201 6
460	Brasov	STEEL TRUST CONSTRUCTII CIVILE SI INDUSTRIALE SRL	PLOIESTI, Str. Vega, nr. 11C, Jud. Prahova	J29/ 1201 /201 4	RO 33553 023	0722 2854 98; 0244 /433 100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/ h, pmax=400bar , Tmax=440° C	BV/CR4/A,B, C/4,5/1505/ 0/18.11.201 5
461	Bucuresti	STERISYSTEMS SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/ 1805 3/20 05	CUI 18077 589	021/ 3227 121/ 3227 123; e- mail info @raf i.ro	Cazane abur	Cazane abur	Cazane abur	-	Cazane abur	-	pmax=7.5bar, Tmax=160° C, Qmax=120Kg /h	B/CR4/G/4/ 0693/2/28.0 5.2015; B/CR4/A,B,C /4/0694/3/2 8.05.2015

462	Bucuresti	STERISYSTEMS SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/18053/2005	CUI 18077589	021/3205659/3227123	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax=7.5bar, Tmax=160°C, Qmax=120Kg/h	B/CR4/A,B,C/4/0694/2/13.03.2014
463	Bucuresti	STERISYSTEMS SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/18053/2005	CUI 18077589	021/3260395/3260397	Cazane abur	Cazane abur	Cazane abur	-	Cazane abur	-	pmax=3bar, Tmax=150°C, Qmax=59Kg/h	B/CR4/G/4/0693/1/17.05.2013; B/CR4/A,B,C/4/0694/1/17.05.2013
464	Central	STERISYSTEMS SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/18053/2005	CUI 18077589	021/3260395/3260397	Cazane abur	Cazane abur	Cazane abur	-	Cazane abur	-	pmax=3bar, Tmax=150°C, Qmax=59Kg/h	DISPR/CR4/G/4/0693/0/18.05.2011; DISPR/CR4/A,B,C/4/0694/0/18.05.2011
465	Bacau	STRONG MONTAJ SA	PIATRA NEAMT, Str. Mihai Viteazu, nr.19, bl.C1, demisol, camera 2, Jud. Neamt	J27/2014/1994	CUI 6537071	0233/219486/230910	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, Pmax=40bar, Tmax=280°C; Dmax=100Gcal/h, Pmax=20bar	BC/CR4/A,B,C/4,5/1100/0/12.11.2012- suspendare voluntara incepind cu 13.10.2015

466	Brasov	SUDOTERM SRL	PLOIESTI, Str. Rudului, nr. 262, Jud. Prahova	J29/425/2015	RO 28241840	0344/102953	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	pmax=200bar , Qmax=500t/h , tmax=550 °C	BV/CR4/B,C /4,5/1562/0 /23.03.2016
467	Galati	SUPER A PLUS K SRL	GALATI, Str. George Cosbuc, nr.432, Jud. Galati	J17/1798/1994	RO 5933965	0236/461751	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	pmax=155bar , Qmax=420t/h , tmax=540 °C	GL/CR4/A,B, C/4/0005/0/ 12.04.2010
468	Bacau	SUPER A PLUS K SRL	GALATI, Str. George Cosbuc, nr.432, Jud. Galati	J17/1798/1994	RO 5933965	0236/461751	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	pmax=155bar , Qmax=420t/h , tmax=540 °C	BC/CR4/A,B, C/4/1238/1/ 14.06.2013
469	Bucuresti	SUPERMONT SA	NAVODARI, Platforma Parc Rece Midia, DJ226, Km20, Jud. Constanta	J13/5489/2004	CUI 16172290	0241/486053	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax<=215bar, Tmax<=600 °C ; Dmax<=100G cal/h, pmax<=25bar , Tmax<=156 °C	B/CR4/A,B,C /4,5/3026/1 /17.03.2017

470	Central	SUPERMONT SA	NAVODARI, Platforma Parc Rece Midia, DJ226, Km20, Jud. Constanta	J13/ 5489 /200 4	CUI 16172 290	0241 /486 053	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t /h, pmax=215bar , Tmax=600° C; Dmax<=100G cal/h, pmax<=25bar , Tmax<=156° C	DISPR/CR4/ A,B,C/4,5/1 521/0/12.07 .2011
471	Bucuresti	TCZ TOTAL SERVICE SRL	BUCURESTI, Str. Vidului, nr. 11A, camera 2, sector 5	J40/ 1612 6/20 05	CUI 17980 065	021/ 7764 524	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	pmax=20bar, Qmax=30t/h, tmax=250° C	B/CR4/A,B,C /4/1706/0/2 5.07.2015
472	Central	TECHNO MONTAJ SRL	BRASOV, Str. Timis Triaaj,, nr.6, Jud. Brasov	J08/ 217/ 2003	RO 15190 540	0268 /334 118/ 3341 28; 0740 0651 51	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/ h, pmax=200bar , Tmax=580° C; Dmax=100Gc al/h, pmax=35bar	DISPR/CR4/ A,B,C/4,5/3 232/1/09.03 .2012

473	Brasov	TECHNO MONTAJ SRL	BRASOV, Str. Timis Triaj, nr.6, Jud. Brasov	J08/217/2003	RO 15190540	0268/334118	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=580°C; Dmax=100Gcal/h, pmax=35bar	BV/CR4/A,B,C/4,5/1119/2/04.03.2013
474	Bucuresti	TECNOSERVICE BUCURESTI SRL	BUCURESTI, Str. Tudor Vianu, nr.42, parter, camera 1, ap.1, sector 1; BUZAU, Al. Industriilor, nr.2, Jud. Buzau	J40/1937/1996	CUI 8237968	031/4070030/3185019; 0238/717441	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, pmax=40bar	B/CR4/A,B,C/4,5/1737/0/30.07.2013
475	Bucuresti	TEHNO PROMPT SRL	COM. CHIAJNA, Str. 1 Mai, nr.12, Jud. Ilfov	J23/1751/2002	CUI 4430515	021/3055700	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=200°C,	B/CR4/A,B,C/4/0107/0/23.06.2010
476	Central	TEHNOEXPERT MANAGEMENT INDUSTRIAL SA	BUCURESTI, Str. Gheorghe Sincai, nr.11, bl.4, sc.3, ap.68, sector 4	J40/8718/2012	CUI 30484794	0372715633; 0372879090	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=540t/h, pmax=225bar, Tmax=570°C; Dmax=100Gcal/h	DISPR/CR4/E/4,5/3761/0/12.12.2012

477	Central	TEHNOPLUS MEDICAL SRL	BUCURESTI, Str. Odobesti, nr.1, sector 3	J40/ 1395 2/19 93	CUI 42619 39	021/ 3485 272/ 3485 343	Cazane abur	Cazane abur	-	-	-	-	pmax<=16bar , Qmax<=2t/h, Tmax<=200°C	DISPR/CR4/ A,B/4/1034/ 0/10.06.201 1
478	Central	TEHNOPLUS MEDICAL SRL	BUCURESTI, Str. Odobesti, nr.1, sector 3	J40/ 1395 2/19 93	CUI 42619 39	021/ 3485 272/ 3485 343	-	-	-	-	Cazane abur, cazane apa fierbinte, cazane apa calda, cazane abur joasa presiune	-	-	DISPR/CR4/ G/4,5/1037/ 0/14.06.201 1
479	Brasov	TEHNOSUD ENGINEERING SRL	PLOIESTI, Str. Rudului, nr. 262, Jud. Prahova	J29/ 1376 /200 2	RO 15056 352	0344 /102 953	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=500t/h , pmax=200bar , Tmax=550°C; Dmax=500Gc al/h, pmax=20bar	BV/CR4/A,B, C/4,5/1618/ 0/19.10.201 6
480	Central	TEHNOTERM IMPEX SRL	REGHIN, Str. Pandurilor, nr.12, Jud. Mures	J26/ 3350 /199 2	CUI 33881 29	0265 /512 564/ 5138 98	Cazane abur	-	-	-	-	-	Qmax<=10t/h , pmax<=16bar , Tmax<=250°C	DISPR/CR4/ A/4/2940/0/ 30.01.2012

481	Iasi	TEHNOTERM SRL	IASI, Bd. Chimiei, Jud. Iasi	J22/3107/1994	RO 6788022	0232/259596	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=200°C	IS/CR4/A,B, C/4/0105/0/23.09.2010
482	Bacau	TEHNOTERM SRL	IASI, Sos. Pacurari, nr.26, Jud. Iasi	J22/3107/1994	RO 6788022	0232/259596	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=200°C	BC/CR4/A,B, C/4/1387/1/11.03.2014
483	Sibiu	TEHPRO SRL	CLUJ NAPOCA, Str. Horea, nr. 3, camera 110, et. 1, Jud. Cluj	J12/2574/2004	RO 16583113	0264/456440; e-mail dan.lazar@tehpro.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=25t/h, 0.5bar<=pmax<=25bar, Tmax=450°C; Dmax=10Gcal/h, pmax=12bar, T>110°C	SB/CR4/A,B, C/4,5/1730/0/11.07.2017
484	Oradea	TELETECH SRL	ZALAU, Str. Gh. Doja, nr.28, bl. D28, ap.24, Jud. Salaj	J31/165/2003	CUI 15324536	####	-	-	-	-	-	Cazane abur; cazane apa fierbinte	P>0.5bar; T>110°C	OR/CR4/H/4,5/1418/0/20.11.2015

485	Brasov	TEODAN INSTAL SRL	PLOIESTI, Str. Maramures, nr.14-16, Jud. Prahova	J29/2587/2007	CUI 22547417	0244/546228; e-mail Teo dan_instal@yahoo.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=40t/h , pmax<=40bar , Tmax<=450°C ; Dmax<=50Gcal/h, pmax<=40bar , Tmax<=450°C	BV/CR4/A,B,C/4,5/1348/1/11.12.2014
486	Central	TEODAN INSTAL SRL	PLOIESTI, Str. Republicii, nr.108, bl.13B2, ap.6, Jud. Prahova	J29/2587/2007	CUI 22547417	0244/546228	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=40t/h , pmax<=40bar , Tmax<=450°C ; Dmax<=50Gcal/h, pmax<=40bar , Tmax<=450°C	DISPR/CR4/A,B,C/4,5/1579/0/20.07.2011

487	Bacau	TERMA SRL	BACAU, Str. Oituz, nr.78, Jud. Bacau	J04/219/1997	CUI 9234919	0234/511711/580010; e-mail office@termabacau.ro	Cazane abur	-	-	-	-	-	Qmax=<25t/h, pmax=40bar, Tmax=<=250°C	BC/CR4/A/4/1759/1/03.05.2017
488	Central	TERMA SRL	BACAU, Str. Oituz, nr.78, Jud. Bacau	J04/219/1997	CUI 9234919	0234/511711/580010	Cazane abur	-	-	-	-	-	Qmax=25t/h, pmax=40bar, Tmax=250°C	DISPR/CR4/A/4/3004/0/10.02.2012
489	Bacau	TERMAEXIM SA	GALATI, Str. Dr. Petru Groza, nr.23, Jud. Galati	J17/121/1991	RO 1631352	0236/470870/470669	Cazane apa fierbinte	Cazane apa fierbinte	Cazane apa fierbinte	-	-	-	Qmax=120t/h, Gcal, pmax=22bar, Tmax=150°C	BC/CR4/A,B,C/5/1653/0/08.04.2016
490	Bacau	TERMAEXIM SA	GALATI, Str. Dr. Petru Groza, nr.23, Jud. Galati	J17/121/1991	RO 1631352	0236/470870/470669	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/h, pmax=155bar, Tmax=540°C	BC/CR4/A,B,C/4/1287/1/09.09.2013

491	Central	TERMAR PROD COM SRL	CONSTANTA, Str. Varful cu Dor, nr.10, Jud. Constanta	J13/ 5105 /200 4	CUI 16065 111	0241 /631 350/ 6313 40	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=140bar , Tmax=540° C; Dmax=50Gcal /h, pmax=25bar	DISPR/CR4/ A,B,C/4,5/1 000/0/17.06 .2011
492	Bucuresti	TERMAR PROD COM SRL	CONSTANTA, Str. Varful cu Dor, nr.10, Jud. Constanta	J13/ 5105 /200 4	CUI 16065 111	0241 /631 350/ 6313 40	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=140bar , Tmax=540° C; Dmax=50Gcal /h, pmax=25bar	DISPR/CR4/ A,B,C/4,5/2 097/1/10.03 .2014
493	Central	TERMICA SA	SUCEAVA, Str. Energeticianul ui, nr.1, Jud. Suceava	J33/ 310/ 2002	CUI 14682 110	0230 /257 066/ 2576 63	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/ h, pmax<=137ba r, Tmax<=540° C ; Dmax<=116M w, pmax<=26bar	DISPR/CR4/ C/4,5/0855/ 0/11.05.201 1

494	Central	TERMO CONFORT SRL	BRASOV, Bd. Victoriei, nr.10, bl.43, Jud. Brasov	J08/184/1998	CUI 10253388	0268/416380	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=430t/h, pmax<=140bar, Tmax<=450°C; Dmax<=125Gcal/h, pmax<=25bar	DISPR/CR4/A,B,C/4,5/1791/0/22.08.2011
495	Sibiu	TERMO CONSTRUCT SRL	HUNEDOARA, Str. Serei, nr.17A, Jud. Hunedoara	J20/1369/1993	RO 4372015	0254/740577/716823	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=25t/h, Pmax=40bar, Tmax=300°C; Dmax=5Gcal/h, Pmax=16bar,	SB/CR4/A,B,C/4,5/0127/0/17.12.2010
496	Oradea	TERMO CONSTRUCT SRL	HUNEDOARA, Str. Serei, nr.17A, Jud. Hunedoara	J20/1369/1993	RO 4372015	####	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=25t/h, Pmax=40bar, Tmax=300°C; Dmax=5Gcal/h, Pmax=16bar,	OR/CR4/A,B,C/4,5/1193/1/06.08.2013

497	Oradea	TERMO ENERGETICA BANATUL SRL	TIMISOARA, Str. Dorobantilor, nr.63B, Jud. Timis	J35/141/1993	RO 2805376	0256/219224	Cazane de abur	-	Cazane de abur	-	-	-	Q=10t/h, pmax=16bar, Tmax=300°C	OR/CR4/A,C /4/1053/1/0 5.10.2012
498	Oradea	TERMO ENERGETICA BANATUL SRL	TIMISOARA, Str. Dorobantilor, nr.63B, Jud. Timis	J35/141/1993	RO 2805376	0256/219224	Cazane de abur	-	Cazane de abur	-	-	-	Q=10t/h, pmax=16bar, Tmax=300°C	OR/CR4/A,C /4/1053/2/1 8.10.2013
499	Bacau	TERMO INVEST SRL	BACAU, Str. Nordului, nr.38, Jud. Bacau	J04/438/1997	RO 9458924	0234/519519	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, Pmax<=16bar, Tmax<=440°C; Dmax<=10Gcal/h, Pmax<=16bar, Tmax<=150°C	BC/CR4/A,B,C/4,5/0088/0/15.09.2010
500	Oradea	TERMO MONTAJ SRL	SATU MARE, Str. Careiului, nr.162, Jud. Satu Mare	J30/2085/1994	RO 6902657	0261/839736/839735	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax<=30t/h, Pmax<=16bar, Tmax<=350°C	OR/CR4/A,B,C/4/0021/0/24.06.2010

501	Central	TERMO SISTEMS CONTROL SRL	BUCURESTI, Str. Ionita Cegan, nr. 4, b;l. P12, sc. 1, et. 1, ap. 6, sector 5	J40/977/2001	CUI 13671180	021/3148123/4440174	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=210t/h , pmax=180bar , Tmax=450°C; Dmax=100Gcal/h, pmax=16bar	DISPR/CR4/A/4,5/3089/0/17.02.2012
502	Central	TERMO VULCAN SRL	TG. MURES, Str. Depozitelor, nr.13A, Jud. Mures	J26/2335/1992	CUI 1213457	0265/227363	Cazane abur	-	Cazane abur	-	-	-	Qmax<=50t/h , pmax<=40bar , Tmax<=440°C	DISPR/CR4/A,C/4/2937/0/12.01.2012
503	Central	TERMODAV SRL	BRAGADIRU, Str. Iederei, nr.63D, Jud. Ilfov	J23/3243/2008	CUI 24619986	0740044941;031/8081274	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350°C; Dmax=10Gcal/h, pmax=16bar	DISPR/CR4/A,B,C/4,5/1615/0/01.08.2011
504	Bucuresti	TERMODAV SRL	BRAGADIRU, Str. Iederei, nr.63D, Jud. Ilfov	J23/3243/2008	CUI 24619986	031/8081274	-	-	-	-	Cazane abur, apa fierbinte	-	Qmax=220t/h , pmax=150bar , Tmax=470°C; Dmax500Gcal/h, pmax=24ba	B/CR4/E/4,5/0462/0/04.11.2010

505	Central	TERMOELECTRICA SA- Sucursala ELECTROCENTRALE BRAILA	Com. CHISCANI, Str. Principala, nr.317, Jud. Braila	J09/306/2000	CUI 13564265	0239/611550/664572	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax<=155bar, Tmax<=540°C ; Dmax<=100Gcal, pmax<=22bar	DISPR/CR4/B,C/4,5/2029/0/30.09.2011
506	Oradea	TERMOFICARE ORADEA SA	ORADEA, Str. Jean Calvin, nr. 5, Jud. Bihor	J05/1095/2013	CUI 31952982	0359/409511	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=570°C	OR/CR4/A,B,C/4/1534/0/27.04.2017
507	Central	TERMOPIF EXIM SRL	BUCURESTI, Str. Marcu Armasu, nr.11, bl.24, sc.B, ap.77, sector 2	J40/9348/2001	CUI 14279496	021/2550294	Cazane abur	-	-	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=250°C	DISPR/CR4/A/4/2867/0/27.01.2012
508	Central	TERMOPIF EXIM SRL	BUCURESTI, Str. Marcu Armasu, nr.11, bl.24, sc.B, ap.77, sector 2	J40/9348/2001	CUI 14279496	021/2550294	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/G/4,5/2868/0/27.01.2012

509	Central	TERMOPIF EXIM SRL	BUCURESTI, Str. Marcu Armasu, nr.11, bl.24, sc.B, ap.77, sector 2	J40/ 9348 /201	CUI 14279 496	021/ 2550 294	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=250° C; Dmax=30Gcal /h, pmax=15bar	DISPR/CR4/ A,B,C/4,5/2 867/1/15.03 .2012
510	Central	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, ap.6, Jud. Cluj	J12/ 3927 /199 4	CUI 65893 64	0264 /431 587	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmin>0.5bar, Tmin>110° C	DISPR/CR4/ G/4,5/07941 /0/10.05.20 11
511	Cluj	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, bl.M8, ap.6, Jud. Cluj	J12/ 3927 /199 4	RO 65893 64	0264 /431 587/ 5967 50	-	-	-	-	-	Cazane abur, apa fierbinte	-	CJ/CR4/H/4 ,5/0077/0/0 8.09.2010

512	Cluj	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, bl.M8, ap.6, Jud. Cluj; CLUJ NAPOCA, Str. Vasile Lupu, nr.20, bl.M8, ap.6, Jud. Cluj	J12/ 3927 /199 4	RO 65893 64	0264 /431 587/ 5967 50	-	-	-	Cazane abur, apa fierbinte	-	-	Qmax=25t/h, pmax=16bar, Tmax=350°; Dmax=10Gcal /h, pmax=16bar,	CJ/CR4/E/4, 5/0083/0/10 .09.2010
513	Cluj	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, bl.M8, ap.6, Jud. Cluj	J12/ 3927 /199 4	CUI 65893 64	0264 /431 587/ 5967 50	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	-	CJ/CR4/A,B, C/4,5/0190/ 0/31.12.201 0
514	Central	TERMOREP SRL	RAMNICU VALCEA, Str. Nistor Dumitrescu, nr.14/17, Jud. Valcea	J38/ 576/ 1991	RO 14693 32	0250 /737 308/ 7373 02	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/ h, pmax<=165ba r, Tmax<=565° C ; Dmax<=100G cal/h, pmax<=30bar , Tmax<=175° C	DISPR/CR4/ A,B,C/4,5/1 212/0/22.06 .2011

515	Central	TERMOREP SRL	RM. VALCEA, Str. Nistor Dumitrescu, nr. 14/17, Jud. Valcea	J38/ 576/ 1991	CUI 14693 32	0250 /737 308/ 7373 02; 0744 5494 36	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmin>0.5bar, Tmin>110° C	DISPR/CR4/ G/4,5/1559/ 0/19.07.201 1
516	Central	TERMOREP SRL	RM. VALCEA, Str. Nistor Dumitrescu, nr.14/17, Jud. Valcea	J38/ 576/ 1991	CUI 14693 32	0250 /737 308/ 7373 02	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h , pmax=165bar , Tmax=570° C; Dmax=100Gc al/h, Pmax=30bar	DISPR/CR4/E /4,5/2126/1 1.10.2011
517	Cluj	TERMOSISTEM PROD SRL	CLUJ NAPOCA, Str. Piata Abator, Bl.C3, ap.19, Jud. Cluj	J12/ 3214 /200 5	RO 17934 344	0264 /484 810	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350° C; Dmax=5Gcal/ h, pmax=16bar	CJ/CR4/A,B, C/4,5/0024/ 0/11.06.201 0

518	Brasov	TERMOSUD CONSULT SRL	BUZAU, Cart. Episcopiei, bl.C11, ap.13, Jud. Buzau	J10/237/1999	RO 11874952	0238/717802	Cazane de abur	-	-	-	-	-	Q<=10t/h, p<=40bar, T<=450° C	BV/CR4/A/4/1104/0/24.01.2013
519	Central	TEST NDT LABORATOR SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, demisol, Jud. Cluj	J12/255/2013	RO 31156809	0746106196; 0264/596750	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, Pmax=250bar, Tmax=600° C; Dmax=150Gcal/h, Pmax=160bar	DISPR/CR4/E/4,5/3939/0/23.05.2016
520	Bacau	TEST PRIMA SRL	SUCEAVA, Str. Petru Rares, nr.56, Jud. Suceava	J33/156/1992	CUI 744639	0230/523406/522773	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, Pmax=40bar, Tmax=350° C; Dmax=50Gcal/h, Pmax=40bar, Tm>110° C	BC/CR4/A,C/4,5/1113/0/14.12.2012

521	Bacau	TEST PRIMA SRL	SUCEAVA, Str. Petru Rares, nr.56, Jud. Suceava	J33/156/1992	CUI 744639	0230/523406/522773	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, Pmax=40bar, Tmax=350°C; Dmax=50Gcal/h, Pmax=40bar	BC/CR4/A,C /4,5/1113/1 /04.07.2013
522	Sibiu	TEXCO ENERGIE SRL	SIBIU, Str. Catina Ioan, nr.4, Jud. Sibiu	J32/471/2013	RO 31693632	0269/237325	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=20t/h, Pmax=20bar, Tmax=350°C; Dmax=10Gcal/h, Pmax=20bar, T>110°C	SB/CR4/A,B, C/4,5/1224/0/10.09.2013
523	Bucuresti	TMUCB SA	BUCURESTI, Str. Lujerului, nr. 26, sector 5	J40/1171/1991	CUI 2786487	021/3171060/3129542	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=215bar, Tmax=600°C; Pmax=25bar, Qmax=100Gcal/h	B/CR4/A,B,C /4,5/2786/1 /06.04.2016

524	Central	TMUCB SA	BUCURESTI, Str. T. Arghezi, nr.8- 10, et.5, sector 2	J40/ 1171 /199 1	CUI 27864 87	021/ 3165 669/ 3129 542	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/ h, pmax=215bar , Tmax=600°C; Pmax=25bar, Qmax=100Gc al/h	DISPR/CR4/ A,B,C/4,5/1 496/0/19.07 .2011
525	Central	TOTALMONTAJ SRL	Sat TATARANI, Com. Barcanesti, nr. 237A, Jud. Prahova	J29/ 187/ 1994	RO 51656 70	0372 7049 46; 0244 /276 783	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=80bar, Tmax=440°C; Dmax=50Gcal /h, pmax=80bar	DISPR/CR4/ C/4,5/3693/ 0/30.05.201 2
526	Cluj	TRUSTUL DE INSTALATII MONTAJ SI CONSTRUCTII SA	CLUJ NAPOCA, Str. Buftea, nr.1, jud. Cluj	J12/ 5159 /199 2	RO 28973 61	0264 /431 198/ 4312 02	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q<=10t/h, pmax<=20bar , Tmax=350°C; D<=5Gcal/h, pmax<=20bar	CJ/CR4/A,B, C/4,5/0042/ 0/01.08.201 0

527	Sibiu	TRUSTUL DE INSTALATII MONTAJ SI CONSTRUCTII SA	CLUJ NAPOCA, Str. Buftea,, nr.1, Jud. Cluj	J12/5159/1992	RO 2897361	0264/431198/431202	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax<=10t/h , pmax<=20bar , Tmax<=350°C ; Dmax<=5Gcal/h, Pmax<=20bar	SB/CR4/A,B, C/4,5/1106/ 1/09.11.2012
528	Bucuresti	TUBAL EXPERT SRL	BUCURESTI, Str. Dunavat, nr.9, bl.57, sc.5, ap.74, sector 5	J40/10787/2010	CUI 27681303	031/8010757	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=600t/h , pmax=180bar , Tmax=570°C; Dmax=50Gcal/h, pmax=24bar	B/CR4/E/8/ 0612/0/23.02.2010
529	Bucuresti	TURBOENERGY POWER CHISINAU SRL- Sucursala Targoviste	TARGOVISTE, Str. Cooperativei, nr. 6, Jud. Dambovita	J15/224/2015	RO 3429180	#####	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/h , pmax=200bar , Tmax=540°C	B/CR4/A,B,C /4/2777/0/29.04.2016
530	Central	TUV AUSTRIA ROMANIA SRL	BUCURESTI, Cal. Plevnei, nr.139, et.1, corp C, sector 6	J40/22370/2007	CUI 19231430	0213153294/3153296	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=196bar , Tmax=570°C; Dmax=100Gcal/h, Pmax=30bar	DISPR/CR4/E /4,5/2921/0/01.02.2012

531	Central	TUV AUSTRIA ROMANIA SRL	BUCURESTI, Cal. Plevnei, nr.139, et.1, corp C, sector 6	J40/ 2237 0/20 07	CUI 19231 430	0213 1532 94/3 1532 96	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/ h, pmax=196bar , Tmax=570° C; Dmax=100Gc al/h, Pmax=30bar	DISPR/CR4/E /4,5/2921/1 /25.03.2013
532	Central	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr. 155, bl.D1, tronson 5, et.3, sector 1	J40/ 8231 /200 2	CUI 14842 360	021/ 3134 419/ 3300 815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/ h, pmax=220bar , Tmax=550° C; Dmax=100Gc al/h, pmax=25bar	DISPR/CR4/E /4,5/3315/4 /17.02.2016
533	Central	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr. 155, bl.D1, tronson 5, et.3, sector 1	J40/ 8231 /200 2	CUI 14842 360	021/ 3134 419/ 3300 815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/ h, pmax=220bar , Tmax=550° C; Dmax=100Gc al/h, pmax=25bar	DISPR/CR4/E /4,5/3315/3 /16.10.2014

534	Central	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr. 155, Spatiile D2 si C2, bl.D1, et.2, sector 1	J40/ 8231 /200 2	CUI 14842 360	021/ 3306 600/ 3300 815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/ h, pmax=220bar , Tmax=550° C; Dmax=100Gc al/h, pmax=25bar	DISPR/CR4/E /4,5/3315/2 /23.03.2012
535	Bucuresti	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr.155, bl.D1, Tronson 5, et.2, spatiile D2 si C2, sector 1	J40/ 8231 /200 2	CUI 14842 360	021/ 3306 600 /330 0815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/ h, pmax=220bar , Tmax=550° C; Dmax=100Gc al/h, pmax=25bar	B/CR4/E/4,5 /0355/1/05. 10.2010
536	Bucuresti	TUV SUD ROMANIA SRL	BUCURESTI, Bd. Gh. Sincai, nr.9A, bl.3A, et.3, ap.7 si 9, sector 4	J40/ 8231 /200 2	CUI 14842 360	021/ 3306 600 /330 0815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax>=120t/ h, pmax=200bar , Tmax=540° C; Dmax=100Gc al/h, pmax=25bar	B/CR4/E/4,5 /0001/0/19. 03.2010

537	Ploiesti	UNIVERSAL MONTAJ DARZEU SRL	BLEJOI, Sat Blejoi, nr.929, Jud. Prahova	J29/ 587/ 1991	RO 13482 09	0244 /435 516/ 4355 19	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	100bar>=p>0. 5bar, Qmax=120t/h , Tmax=500°C; 25bar>=p>0.5 bar, Dmax=50Gcal /h, Tmax=150°C	PL/CR4/A,B, C/4,5/0032/ 0/07.05.201 0
538	Central	UNIVERSITATEA POLITEHNICA BUCURESTI- Centrul de Cercetari si Expertizari ECO Metalurgice - ECOMET	BUCURESTI, Splaiul Independentei , nr.313, corp J, sala JF 002, sector 6	-	CUI 41831 99	021/ 4029 592/ 3169 564	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/ h, pmax=400bar , Tmax=650°C; Dmax=150Gc al/h, pmax=40bar	DISPR/CR4/E /4,5/1460/0 /21.07.2011
539	Central	UNIVERSITATEA POLITEHNICA BUCURESTI- Centrul de Cercetari si Expertizari ECO Metalurgice - ECOMET	BUCURESTI, Splaiul Independentei , nr.313, corp J, sala JF 002, sector 6	-	CUI 41831 99	021/ 3169 564	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/ h, pmax=196bar , Tmax=540°C; Dmax=50Gcal /h, pmax=18bar	DISPR/CR4/E /4,5/1460/0 /21.07.2011

540	Central	URS CERTIFICARI SRL (fost ROS SYSTEMA SRL)	TG. MURES , Str. Madach Imre, nr.8, Jud. Mures	J26/1948/2007	CUI 22685444	0265/267017; 0365/430565	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h , pmax=250bar , Tmax=570° C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/E/4,5/3841/1/02.08.2017
541	Central	UZINA ELECTRICA ZALAU SA	ZALAU, Str. Valea Mitii, nr.2, Jud. Salaj	J31/13/2002	CUI 14397920	0260/662101	-	-	Cazane abur	-	-	-	Qmax=120t/h , pmax<=40bar , Tmax<=250° C	DISPR/CR4/C/4/0056/0/24.02.2011
542	Central	UZINA TERMOELECTRICA GIURGIU SA	GIURGIU, Sos. Sloboziei, nr.194, Jud. Giurgiu	J52/308/2001	CUI 14351222	0769/060322; 0246/216665	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=40bar, Tmax=280° C; Dmax=10Gcal/h, pmax=40bar, Tmax=150° C	DISPR/CR4/C/4,5/3581/0/08.05.2012

543	Central	UZINSIDER ENGINEERING SA	GALATI, Sos. Smardan, nr.2, Jud. Galati	J17/ 69/1 991	RO 16322 85	0236 /449 016/ 4483 48 /448 238/ 4485 80	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=550t/h , pmax=180bar , Tmax=570°C; Dmax=460Gc al/h, pmax=180bar	DISPR/CR4/E /4,5/3898/2 /24.07.2017
544	Central	UZINSIDER ENGINEERING SA	GALATI, Sos. Smardan, nr.2, Jud. Galati	J17/ 69/1 991	RO 16322 85	0236 /449 016/ 4483 48 /448 238/ 4485 80	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=550t/h , pmax=180bar , Tmax=570°C; Dmax=460Gc al/h, pmax=180bar	DISPR/CR4/E /4,5/3898/1 /05.02.2015
545	Galati	UZINSIDER ENGINEERING SA	GALATI, Sos. Smardan, nr.2, Jud. Galati	J17/ 69/1 991	RO 16322 85	0236 /449 016/ 4483 48 /448 238/ 4485 80	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=550t/h , pmax=180bar , Tmax=570°C; Dmax=460Gc al/h, pmax=180bar	GL/CR4/E/4 ,5/0034/0/2 5.06.2010

546	Bucuresti	VALEST TERMIC TRUST SRL	BUCURESTI, Cal. 13 Septembrie, nr. 106, bl. 50, et. 3, ap. 9, sector 5	J40/7682/2011	CUI 28671251	021/4566466	Cazane de abur, apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5/2630/0/08.10.2015
547	Craiova	VEIT AMROTEX SRL	CRAIOVA, Str. Romul, nr.2, bl.T3B, ap.3, Jud. Dolj	J16/1137/1998	RO 11190717	0251/412155	Cazane abur	-	Cazane abur	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=220°C	CR/CR4/A,C/4/0017/0/10.05.2010
548	Brasov	VISSMANN SRL	GHIMBAV, DN1 Km 174+941, nr.2, Jud. Brasov	J08/1197/1998	CUI 11075840	0268/407800/407840; e-mail : info-ro@viessmann.com	Cazane abur, apa fierbinte	-	-	-	-	-	Q<=30t/h, p<=30bar, T<=350°C; D<=25Gcal/h, p<=30bar	BV/CR4/A/4,5/1151/2/11.10.2016

549	Brasov	VISSMANN SRL	GHIMBAV, DN1 Km 174+941, nr.2, Jud. Brasov	J08/ 1197 /199 8	CUI 11075 840	0268 /407 800/ 4078 40; e- mail : info- ro@ viess man n.co m	Cazane abur, apa fierbinte	-	-	-	-	-	Q<=30t/h, p<=30bar, T<=350°C; D<=25Gcal/h. p<=30bar	BV/CR4/A/4 ,5/1151/1/2 7.06.2013
550	Central	VIROMET SA	VICTORIA, Aleea Uzinei, nr.8, Jud. Brasov	J08/ 340/ 1991	CUI 11263 50	0268 /241 120/ 2418 00	-	-	Cazane abur	-	-	-	Qmax<=120t/ h, pmax<=100ba r, Tmax<=450°C	DISPR/CR4/ C/4/1626/0/ 19.07.2011
551	Central	VLAD ALEX TERMO SRL	BUCURESTI, Bd. Ion Mihalache, nr.96, bl.44B, sc.A, et.6, ap.12, sector 1	J40/ 2792 4/19 93	CUI 50398 93	021/ 6665 306	-	-	-	-	Cazane abur; cazane apa fierbinte	-	Qmax<=5t/h, pmax<=16bar , Tmax<=150°C	DISPR/CR4/ G/4,5/1268/ 0/05.07.201 1

552	Central	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/ 239/ 1991	CUI 14548 46	0237 /640 800/ 6417 20	-	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=16bar, Tmax=250°C	DISPR/CR4/B ,C/4/2020/0 /29.09.2011
553	Bacau	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/ 239/ 1991	RO 14548 46	0337 /640 800/ 6417 20	-	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=16bar, Tmax=250°C	BC/CR4/B,C /4/1130/2/1 6.06.2014
554	Bacau	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/ 239/ 1991	RO 14548 46	0337 /640 800/ 6417 20	-	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=16bar, Tmax=250°C	BC/CR4/B,C /4/1130/1/1 7.01.2013

555	Sibiu	VTU ECHIPAMENTE SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, et. 1, Jud. Cluj	J12/ 256/ 2013	RO 31156 795	0264 /431 587/ 5967 50; e- mail vtue chip ame nte @ya hoo. com	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmax>0.5bar, T>110°C	SB/CR4/G/4 ,5/1551/0/0 9.02.2016
-----	-------	---------------------------	--	----------------------	--------------------	---	---	---	---	---	---	---	-------------------------	--

556	Sibiu	VTU ECHIPAMENTE SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, et. 1, Jud. Cluj	J12/ 256/ 2013	RO 31156 795	0264 /431 587/ 5967 50; e- mail vtue chip ame nte @ya hoo. com	-	-	-	-	-	Cazane abur; cazane apa fierbinte	pmax>0.5bar, T>110°C	SB/CR4/H/4 ,5/1545/0/2 8.01.2016
557	Bacau	WATER CHEM CONSULTING SRL	MAGURA, Com. Magura, Jud. Bacau	J4/6 82/2 016	CUI 36093 167	####	-	-	-	-	-	Cazane abur; cazane apa fierbinte	-	BC/CR4/H/4 ,5/1688/0/1 4.07.2016
558	Central	ZAUNER ROMANIA SRL	SATU MARE, Str. Aurel Vlaicu, nr.72, Jud. Satu Mare	J30/ 459/ 2003	CUI 15498 230	0361 /420 550/ 4295 38	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=400°C; Dmax=20Gcal /h, pmax=16bar	DISPR/CR4/ A,B,C/4,5/2 780/0/17.01 .2012

559	Oradea	ZAUNER ROMANIA SRL	SATU MARE, Str. Aurel Vlaicu, nr.72, Jud. Satu Mare	J30/ 459/ 2003	CUI 15498 230	0361 /420 550/ 4295 38	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=400° C; Dmax=20Gcal /h, pmax=16bar	OR/CR4/A,B ,C/4,5/1140 /1/07.05.20 13
560	Oradea	ZAUNER ROMANIA SRL	SATU MARE, Str. Aurel Vlaicu, nr.72, Jud. Satu Mare	J30/ 459/ 2003	CUI 15498 230	0361 /420 550/ 4295 38	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h , pmax=100bar , Tmax=600° C; Dmax=100Gc al/h, pmax=100bar	OR/CR4/A,B ,C/4,5/1140 /2/23.07.20 14