

Persoane juridice autorizate conform PT CR4/2009 pentru efectuarea de lucrari la Cazane de abur, Cazane apa fierbinte, Supraincalzitoare si Economizoare independente-reglementate de PT C1/2010

Nr. Crt.	IT ISCIR	Societatea Comerciala	Adresa	J	CUI	Tel/fax	Domeniu autorizat						Parametrii	Autorizatii
							Instalare	Montare	Reparare	Verificari tehnice in utilizare pt. investigatii / examinari cu caracter tehnic	Intretinere prin spalare chimica	Intretinere regim chimic		
1	Central	AB INSTAL SRL	CRAIOVA, Str. Caracal, nr.30, Jud. Dolj	J16/458/2000	CUI 13319762	0744 /572 075; 0251 /543 105	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=103 5t/h, pmax<=192 bar, Tmax<=192° C; Dmax<=100 Gcal/h, pmax<=25bar, Tmax<=175° C	DISPR/CR4/A,B,C /4,5/2133/07.10. 2011

2	Craiova	ABC SYSTEMS SRL	DR. Tn. SEVERIN, Calea Timisoarei, nr.175B, Jud. Mehedinti	J25/1 584/1 994	RO 66675 78	0252 /329 362/ 3293 63	Cazane abur, apa fierbinte	-	Cazane abur, apa fierbinte	-	-	-	Qmax=10t/h , pmax=16bar , tmax=200°C ; Dmax=5Gcal /h, pmax=16bar	CR/CR4/A,C/4,5/ 0002/0/31.03.201 0
3	Sibiu	ACI BISTRITA SA	BISTRITA, Str. Zefirului, nr.1, Jud. Bistrita Nasaud	J06/1 5/199 1	RO 56651 5	0263 /234 229/ 2342 30	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Q<=10t/h, Pmax=20bar , Tmax<=350° C; D<=5Gcal/h , Pmax<=20b ar	SB/CR4/A,B,C/4, 5/0174/0/18.02.2 011
4	Bucuresti	ACIRAM MEDICAL SRL	BUCURESTI, Str. Margeanului, nr. 26, bl.M23A, et.1, ap.32, sector 5	J40/1 0600/ 2007	RO 21849 379	0722 5317 61; 0214 2010 26	Cazane abur	-	-	-	-	-	Qmax=1t/h, pmax=8bar, tmax=175°C	B/CR4/A/4/1763/ 0/20.08.2013

5	Bucuresti	ACVATOT SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.9-9A, cladire nr.14, Iride Busines Park, parter + etaj 1; BUCURESTI, Str. Lunca Cetatii, nr. 475, lot 3, sector 3	J40/6 629/1 991	CUI 13906	021/ 2520 860/ 2520 934	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=650t/h, pmax=170bar, Tmax=480°C; Dmax=50Gcal/h, pmax=20bar, Tmax=170°C	B/CR4/A,B,C/4,5 /1385/2/25.02.2015
6	Bucuresti	ACVATOT SRL	BUCURESTI, Str. Popa Lazar, nr.5-25, et. 1+2, corp C14, sector 2	J40/6 629/1 991	CUI 13906	021/ 2520 934	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=650t/h, pmax=170bar, Tmax=480°C; Dmax=50Gcal/h, pmax=20bar, Tmax=170°C	B/CR4/A,B,C/4,5 /0277/0/04.09.2010

7	Bucuresti	ACVATOT SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.9-9A, cladire nr.14, Iride Busines Park, parter + etaj	J40/6629/1991	CUI 13906	021/3160828/3160825	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=650t/h, pmax=170bar, Tmax=480°C; Dmax=50Gcal/h, pmax=20bar, Tmax=170°C	B/CR4/A,B,C/4,5/1385/1/27.05.2013
8	Central	AFA PROD IMPEX SRL	CLUJ NAPOCA, Str. Timisului, nr.1, Jud. Cluj	J12/954/1995	CUI 7359266	0264/416365/416758	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=350°C; Dmax<=5Gcal/h, pmax<=16bar, Tmax<=150°C	DISPR/CR4/A,B,C/4,5/1344/0/15.06.2011
9	Central	AG PROIECT INTERNATIONAL SRL	BUCURESTI, Al. Cettuia, nr.10, bl.25/I, sc.A, et.3, ap. 15, sector 6	J40/18048/204	CUI 16920944	021/7715802	Cazane abur	-	-	-	-	-	Qmax=25t/h, pmax=20bar, Tmax=250°C	DISPR/CR4/A/4/2489/0/05.12.2011

10	Brasov	AG SERV CONSTRUCT SRL- Punct de lucru BRASOV	NEGRESTI OAS, Str. Victoriei, Bl.C9/20, et.2, ap.12, Jud. Satu Mare; BRASOV, Str. Timis- Triaj, nr.6, Jud. Brasov	J30/4 12/19 95	CUI 75200 51	0261 /853 322; 0268 /331 142/ 3317 52	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Q<=100t/h, p<=40bar, T<=440°C; D<=50Gcal/ h, p<=40bar, T<=440°C	BV/CR4/A,C/4,5/ 0011/0/14.06.201 0
11	Sibiu	AGRISUT PROD COM IMPEX SRL	CLUJ NAPOCA, Str. Campului, nr. 215-219, ap. 3, Jud. Cluj	J12/4 849/1 992	RO 28944 70	0264 /561 973	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	pmax<=16b ar, Qmax<=10t/ h, Tmax<=250° C; pmax<=16b ar, Dmax<=5Gc al/h	SB/CR4/A,B,C/4, 5/1353/1/24.07.2 014
12	Central	AGRISUT PROD COM IMPEX SRL	CLUJ NAPOCA, Str. Grigore Alexandrescu, nr.49, ap.2, Jud. Cluj	J12/4 849/1 992	CUI 28944 70	0264 /561 973	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/ h, pmax<=16b ar, Tmax<=250° C; Dmax<=5Gc al/h, pmax<=16b ar	DISPR/CR4/A,B,C /4,5/2582/0/14.1 1.2011

13	Bacau	AIPIFS SRL	BACAU, Str. Prieteniei, nr.7, bl.7, sc.A, ap.2, Jud. Bacau	J04/1 849/1 992	CUI 97672 8	0234 /577 165; 0744 5436 25	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	BC/CR4/G/4,5/0 051/0/30.06.2010
14	Bucuresti	ALA INSTAL COMCONSTRUCT SRL	BUCURESTI, Str. Grigore Alexandrescu, nr.7, Bl.H1, sc.2, et.4, sector 1	J40/1 9208/ 1992	CUI 33169 47	021/ 3174 424/ 3174 399	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=10t/h , pmax=16bar , Tmax=400° C; Dmax=5Gcal /h, pmax=16bar , Tmax=160° C	B/CR4/A/4,5/020 6/0/10.08.2010
15	Bucuresti	ALA INSTAL COMCONSTRUCT SRL	BUCURESTI, Str. Grigore Alexandrescu, nr.7, Bl.H1, sc.2, et.4, sector 1	J40/1 9208/ 1992	CUI 33169 47	021/ 3174 424/ 3174 399; e- mail: ala_i nstal @yah oo.co m	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=10t/h , pmax=16bar , Tmax=400° C; Dmax=5Gcal /h, pmax=16bar , Tmax=160° C	B/CR4/A/4,5/020 6/1/23.12.2013

16	Iasi	ALCOR PRO CONSULT SRL	IASI, Str. Sf. Lazar, nr.51, Jud. Iasi	J22/191/1995	RO 7048090	0232/233390	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=420t/h, pmax=120bar, Tmax=550°C; Dmax=20Gcal/h, pmax=25bar	IS/CR4/E/4,5/0073/0/03.08.2010
17	Bacau	ALPADO SRL	Com. STEFAN cel Mare, Sat. NEGOIESTI, nr.292, Jud. Bacau	J04/1535/1992	RO 977278	0234/339008	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, Pmax<=40bar, Tmax=440°C; Dmax<=50Gcal/h, Pmax=16bar , Tmax=200°C	BC/CR4/A,C/4,5/0074/0/26.08.2010

18	Central	AMICI SA	BACAU, Str. Ionita Sandu Sturza, nr.25, Jud. Bacau	J04/37/1991	CUI 945144	0334/405384; 0234/514336	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, Pmax<=16bar, Tmax<=200°C; Dmax<=5Gcal/h, pmax<=8bar, Tmax<=170°C	DISPR/CR4/A,B,C/4,5/1205/0/30.06.2011
19	Bucuresti	AMS 2000 TRADING IMPEX SRL	BUCURESTI, Str.Turturelelor, nr. 62, camere 1-16 din imobil Decebal Tower, et. 2, sector 3	J40/5527/1997	RO 9603757	021/3247050/3247679; e-mail office.ams@ams.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	Pmax=72kW, pmax=5bar, Tmax=138°C	B/CR4/A,B,C/4/2868/0/26.08.2016
20	Central	AMURCO SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/770/2005	CUI 17488233	0234/575440/575413	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax<=196bar, Tmax<=565°C	DISPR/CR4/A,B,C/4,5/1225/0/24.06.2011- retragere incepand cu 30.08.2016

21	Bacau	AMURCO SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/770/2005	RO 17488233	0234/575440/575413; e-mail: secretariat@amurco.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=105bar, Tmax=540°C; Dmax=25Gcal/h, pmax=20bar	BC/CR4/A,B,C/4,5/1298/1/03.09.2013- retragere incepand cu 30.08.2016
22	Pitesti	ANA CARPATI 2007 SRL	PITESTI, Str. Fagaras, bl.E2, sc.c, ap.10, Jud. Arges	J03/1993/2007	RO 22523698	0729022428; 0248/290025	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q<=50t/h, pmax<=50bar, T<=450°C; D<=50Gcal/h, pmax<=25bar	PT/CR4/A,C/4,5/0102/0/30.09.2010
23	Central	ANUBIS SRL	CLUJ NAPOCA, Str. Fericirii, nr.17, ap.2, Jud. Cluj	J12/269/2000	CUI 12760654	0264/484116	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	DISPR/CR4/G/4,5/1472/0/07.07.2011; DISPR/CR4/H/4,5/1471/0/07.07.2011

24	Iasi	APOPI & BLUMEN SRL	IASI, Str. Cuza Voda, nr.56, Jud. Iasi	J22/961/1993	RO 5386728	0232/212269/252413	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=20t/h , pmax=16bar , Tmax=350°C; Dmax=10Gcal/h, pmax=16bar	IS/CR4/A,B,C/4,5/0061/0/19.07.2010
25	Bacau	APOPI & BLUMEN SRL	IASI, Str. Cuza Voda, nr.56, Jud. Iasi	J22/961/1993	RO 5386728	0232/212269/252413	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=20t/h , pmax=16bar , Tmax=350°C; Dmax=10Gcal/h, pmax=16bar	BC/CR4/A,B,C/4,5/1366/1/12.02.2014
26	Bacau	AQUATERM SRL	BOTOSANI, Str. I.C. Bratianu, nr.35, Jud. Botosani	J07/26/1999	CUI 12135214	0231/511585/511518	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h , pmax=40bar , Tmax=200°C	BC/CR4/A,B,C/4/1495/0/03.10.2014
27	Central	ARCELORMITTAL GALATI SA	GALATI, Str. Smardan , nr.1, Jud. Galati	J17/21/1991	CUI 1639739	0236/801331/803883	-	-	Cazane abur	-	-	-	pmax=54bar , Qmax=255t/h, Tmax=450°C	DISPR/CR4/C/4/1250/0/10.06.2011

28	Central	ARDENT SRL	BRASOV, Str. Arinului, nr. 3, bl. 36, ap. 12, ap.9, Jud. Brasov	J08/1 035/1 991	CUI 11102 81	0368 /459 201	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=120bar, Tmax<=540°C; Dmax<=100 Gcal/h, pmax=40bar	DISPR/CR4/E/4,5 /0786/1/27.01.20 17
29	Central	ARDENT SRL	BRASOV, Str. Paraului, nr.15, bl. S25, sc.A, ap.9, Jud. Brasov	J08/1 035/1 991	CUI 11102 81	0722 2757 26; 0268 /541 682	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=120bar, Tmax<=540°C; Dmax<=100 Gcal/h	DISPR/CR4/E/4,5 /0786/0/12.05.20 11
30	Brasov	ARDENT SRL	BRASOV, Str. Paraului, nr.15, bl. S25, sc.A, ap.9, Jud. Brasov	J08/1 035/1 991	CUI 11102 81	0722 2757 26; 0268 /541 682	Cazane de abur	-	Cazane de abur	-	-	-	pmax=40bar , Qmax=120t/h, Tmax=350°C	BV/CR4/A,C/4/11 25/0/01.04.2013
31	Central	ARGENTA SRL	NAVODARI, Bd. Navodari, nr.295, Jud. Constanta	J13/2 396/1 993	CUI 39597 05	0241 /517 171/ 7668 76	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax<=1100t/h, pmax<=250bar, Tmax<=650°C	DISPR/CR4/A,B,C /4/2035/0/26.09. 2011

32	Bucuresti	ARGENTA SRL	NAVODARI, Bd. Navodari, nr.295, Jud. Constanta	J13/2 396/1 993	CUI 39597 05	0241 /517 171/ 6384 38	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax<=250 bar, Qmax<=110 0t/h, Tmax<=650° C	B/CR4/A,B,C/4/1 020/1/29.06.2012
33	Bucuresti	ARGENTA SRL	NAVODARI, Bd. Navodari, nr.295, Jud. Constanta	J13/2 396/1 993	CUI 39597 05	0241 /517 171/ 6384 38	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax=250b ar, Qmax=1100t /h, Tmax=650° C	B/CR4/A,B,C/4/1 020/2/19.05.2014
34	Central	ARGOS SA	CERNAVODA, Str. Canalului, nr.11, Jud. Constanta	J13/1 562/1 991	CUI 24218 12	0241 /238 440/ 2381 97	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=30t/ h, pmax<=25b ar, Tmax<=225° C; Dmax<=20G cal/h, pmax<=25b ar	DISPR/CR4/A,B,C /4,5/1745/0/16.0 8.2011
35	Bucuresti	ARTEGO SA	TG. JIU, Str. Ciocarlu, nr.38, Jud. Gorj	J18/1 120/1 991	CUI 21574 28	0253 /226 444	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h , pmax=40bar , Tmax=350° C; Dmax=1.4G cal/h, pmax=40bar	B/CR4/A,C/4,5/2 510/1/12.03.2015

36	Central	ARTEGO SA	TG. JIU, Str. Ciocarlau, nr.38, Jud. Gorj	J18/1120/1991	CUI 2157428	0253/226444/226045	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Pmax<=1164 kW	DISPR/CR4/A,B,C/4,5/0472/0/23.03.2011
37	Bucuresti	ARTOPROD SRL	RM. VALCEA, Al. Parteneriatului, nr. 12, Jud. Valcea	J38/227/1997	CUI 9430532	0250/736528,0740254909; e-mail artoprodsl@yahoo.com	-	-	-	-	-	Cazane abur; cazane apa fierbinte	cazane abur pmax.0.5bar; cazane apa fierbinte T>110°C	B/CR4/H/4,5/3101/0/30.08.2017
38	Tg. Mures	AZOMURES SA	TG. MURES, Str. Gh. Doja, nr.30, Jud. Mures	J26/1/1991	RO 1200490	0265/253700/252627	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=50t/h, pmax=50bar, Tmax=500°C; Dmax=50Gcal/h, pmax=22bar	MS/CR4/E/4,5/0044/0/12.10.2010

39	Tg. Mures	AZOMURES SA	TG. MURES SA, Str. Gh. Doja, nr.300, Jud. Mures	J26/0 1/199 1	CUI 12004 90	0265 /253 700/ 2526 27	-	-	Cazane de abur	-	-	-	Qmax=50t/h , pmax=40bar , Tmax=440° C	MS/CR4/C/4/007 1/0/29.11.2010
40	Sibiu	BALTUR SIB SRL	SIBIU, Str. Regele Ferdinand , nr.2, Jud. Sibiu	J32/2 97/19 98	CUI 10565 398	0269 /215 398/ 2153 76	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t /h, pmax<=150 bar, Tmax<=540° C; Dmax<=100 Gcal/h, pmax<=26b ar	SB/CR4/A,B,C/4, 5/1707/1/16.05.2 017
41	Central	BALTUR SIB SRL	SIBIU, Str. Regele Ferdinand , nr.2, Jud. Sibiu	J32/2 97/19 98	CUI 10565 398	0269 /215 398/ 2153 76	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t /h, pmax<=150 bar, Tmax<=540° C; Dmax<=100 Gcal/h, pmax<=26b ar	DISPR/CR4/A,B,C /4,5/1475/0/20.0 7.2011

42	Oradea	BIJU SRL	TIMISOARA, Str. Brandusei, nr.1, sc.B, parter, ap.4, Jud. Timis	J35/2 581/1 991	CUI 18193 57	0256 /424 868	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h , pmax=16bar , Tmax=300° C; Dmax=5Gcal/h, pmax=16bar	OR/CR4/A,C/4,5/ 1256/1/18.02.201 4
43	Central	BIJU SRL	TIMISOARA, Str. Brandusei, nr.1, sc.B, parter, ap.4, Jud. Timis	J35/2 581/1 991	CUI 18193 57	0256 /424 868	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=300° C; Dmax<=5Gcal/h, pmax<=16bar, Tmax<=150° C	DISPR/CR4/A,C/4 ,5/1267/0/17.06. 2011
44	Central	BIS NIMB SA	CERNAVODA, Platforma SNN CNE INVEST , Jud. Constanta	J13/1 328/1 999	CUI 92750 05	0241 /238 488/ 2388 90	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	pmax<=16bar, Qmax<=10t/h, Dmax<=5Gcal/h;	DISPR/CR4/B,C/4 ,5/0978/0/09.06. 2011

45	Bucuresti	BLACK SEA SUPPLIERS SRL	CONSTANTA, Bd. Aurel Vlaicu, nr.191, Jud. Constanta	J13/2 456/1 996	CUI 88770 45	0241 /697 700	Cazane abur	-	-	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax=325°C	B/CR4/A/4/2094/1/15.01.2016
46	Central	BLACK SEA SUPPLIERS SRL	CONSTANTA, Bd. Aurel Vlaicu, nr.191, Jud. Constanta	J13/2 456/1 996	CUI 88770 45	0241 /697 700	Cazane abur	-	-	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax=325°C	DISPR/CR4/A/4/2094/0/05.10.2011
47	Bucuresti	BLUE NEON SA	CRAIOVA, Str. Nicolae Titulescu, nr.46, bl.E4, sc.1, ap.9, Jud. Dolj	J16/8 68/20 06	CUI 18652 333	0744 7635 59; 0251 /592 858	-	-	-	-	-	Cazane abur; cazane apa fierbinte	p>0.5bar, T>=110°C	B/CR4/H/4,5/1382/0/27.05.2013

48	Bucuresti	BONATTI Spa PARMA - Sucursala Bucuresti	BUCURESTI, Str. Amiral Constantin Balanescu, nr. 31A, et. 1, ap. 4, sector 1; POENI, Str. General Gheorghe Radulescu, nr. 83, Jud. Teleorman; MORENI, Str. AL. I. Cuza, nr. 9, Jud. Dambovita	J40/9 115/2 014	CUI 33446 663	0725 5940 51; e- mail filipp o.scu rti@b onatt i.it; 0723 5621 19; e- mail cristi an.ch iritoi u@bo natti. it	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h , pmax=20bar , Tmax=250° C; Dmax=30Gc al/h, pmax=16bar	B/CR4/A,B,C/4,5 /2361/2/10.07.20 17
49	Bucuresti	BONATTI Spa PARMA - Sucursala Bucuresti	BUCURESTI, Str. Gheorgheni, nr.68, et.1, ap.4, sector 5	J40/9 115/2 014	CUI 33446 663	021/ 4024 100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h , pmax=20bar , Tmax=250° C; Dmax=30Gc al/h, pmax=16bar	B/CR4/A,B,C/4,5 /2361/1/06.04.20 16

50	Bucuresti	BONATTI Spa PARMA - Sucursala Bucuresti	BUCURESTI, Str. Gheorgheni, nr.68, et.1, ap.4, sector 5;	J40/9 115/2 014	CUI 33446 663	021/ 4024 100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h , pmax=20bar , Tmax=250° C; Dmax=30Gc al/h, pmax=16bar	B/CR4/A,B,C/4,5 /2361/0/28.11.20 14
51	Bacau	BRAITERM IMPEX SRL	LACU SARAT, Com. Chiscani, Jud. Braila	J09/1 529/1 994	CUI 69938 98	0239 /652 604	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h , pmax=16bar , Tmax=250° C	BC/CR4/A,C/4/14 88/2/07.05.2015
52	Bacau	BRAITERM IMPEX SRL	LACU SARAT, Com. Chiscani, Jud. Braila	J09/1 529/1 994	CUI 69938 98	0239 /652 604	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h , pmax=16bar , Tmax=250° C	BC/CR4/A,C/4/14 88/1/22.09.2014
53	Central	BRAITERM IMPEX SRL	LACU SARAT, Com. Chiscani, Str. Principala, nr.41, Jud. Braila	J09/1 529/1 994	CUI 69938 98	0239 /652 604	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h , pmax=16bar , Tmax=250° C	DISPR/CR4/A,C/4 /3026/0/16.02.20 12

54	Cluj	CALORA PROD SRL	CLUJ NAPOCA, Str. Parang, nr.6, bl.H3, ap.42, Jud. Cluj	J12/3320/1993	RO 4723388	0264/432429	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h, pmax=16bar	CJ/CR4/E/4,5/0014/0/18.05.2010
55	Bucuresti	CALOREX INTERNATIONAL TRADE SRL	BUCURESTI, Bd. Iuliu Maniu, nr. 224, sector 6	J40/27220/1994	RO 6646117	021/4303002/4305760; e-mail caloralex@calorex.ro	Cazane abur, cazane apa fierbinte	Cazane abur, cazane apa fierbinte	Cazane abur, cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=250°C; Dmax=5Gcal/h, pmax=16bar	B/CR4/A,B,C/4,5/3120/0/01.09.2017
56	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18898/2006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5/2376/6/28.02.2017

57	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/1 8898/ 2006	RO 19222 172	021/ 3345 517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h , pmax=40bar , Tmax=250° C; Dmax=50Gc al/h, pmax=40bar	B/CR4/A/4,5/237 6/5/09.08.2016
58	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/1 8898/ 2006	RO 19222 172	021/ 3345 517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h , pmax=40bar , Tmax=250° C; Dmax=50Gc al/h, pmax=40bar	B/CR4/A/4,5/237 6/4/19.02.2016
59	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/1 8898/ 2006	RO 19222 172	021/ 3345 517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h , pmax=40bar , Tmax=250° C; Dmax=50Gc al/h, pmax=40bar	B/CR4/A/4,5/237 6/3/03.12.2015

60	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/1 8898/ 2006	RO 19222 172	021/ 3345 517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h , pmax=40bar , Tmax=250° C; Dmax=50Gc al/h, pmax=40bar	B/CR4/A/4,5/237 6/2/23.06.2015
61	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/1 8898/ 2006	RO 19222 172	021/ 3345 517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h , pmax=40bar , Tmax=250° C; Dmax=50Gc al/h, pmax=40bar	B/CR4/A/4,5/237 6/1/24.04.2015
62	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/1 8898/ 2006	RO 19222 172	021/ 3345 517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h , pmax=40bar , Tmax=250° C; Dmax=50Gc al/h, pmax=40bar	B/CR4/A/4,5/237 6/0/04.12.2014

63	Oradea	CENTRALA ELECTRICA DE TERMOFICARE ARAD SA	ARAD, Calea 6 Vanatori , Jud. Arad	J02/336/2002	CUI 14593668	0257/307455/213160	-	-	Cazane abur	-	-	-	Qmax=420t/h, Pmax=150bar, Tmax=540°C	OR/CR4/C/4/1072/0/06.11.2012
64	Iasi	CENTRUL JUDETEAN DE APARATURA MEDICALA	IASI, Str. Vasile Conta, nr.2-4, Jud. Iasi	-	RO 12665636	0232/314271/263977	Cazane abur (generatoare electrice de abur)	Cazane abur (generatoare electrice de abur)	Cazane abur (generatoare electrice de abur)	-	-	-	Qmax=0.3t/h, Pmax=6bar, Tmax=185°C	IS/CR4/A,B,C/4/0055/0/23.06.2010
65	Bucuresti	CEPROAT SRL	BUCURESTI, Str. Petre Lintes, nr.22, sector 5	J40/5295/2002	CUI 14715455	0723193194;021/7813415	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, Pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, Pmax=25bar, Tmax=150°C	B/CR4/E/4,5/0177/0/02.08.2010
66	Central	CERVES SRL	BRAILA, Str. Tineretului, nr. 4, Jud. Braila	J09/525/2010	CUI 27471760	0239/683324; interventi e 0741569330	-	-	-	Cazane abur, apa fierbinte	-	-	Qmax=420t/h, pmax=150bar, Tmax=570°C; Dmax=50Gcal/h	DISPR/CR4/E/4,5/0587/1/05.08.2015

67	Central	CERVES SRL	BRAILA, Str. Poet Gr. Alexandrescu, nr.120, modul 1, et.2, Jud. Braila	J09/525/2010	CUI 27471760	0239/683324	-	-	-	Cazane abur, apa fierbinte	-	-	Qmax=420t/h, pmax=150bar, Tmax=570°C; Dmax=50Gcal/h	DISPR/CR4/E/4,5/0587/0/10.05.2011
68	Central	CET GOVORA SA	RM. VALCEA, Str. Industriilor, nr.1, Jud. Valcea	J38/683/1997	CUI 10102377	0250/733601/733603	-	-	Cazane abur	-	-	-	Qmax<=420t/h, pmax<=225bar, Tmax<=570°C	DISPR/CR4/C/4/2522/0/07.12.2011
69	Sibiu	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie 1989, nr.152, ap.18, Jud. Cluj; CLUJ NAPOCA, Str. Garii, nr.19, Jud. Cluj	J12/1453/1998	CUI 11086555	0264/424665/462385	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=250t/h, pmax<=40bar, Tmax<=400°C; Dmax<=100Gcal/h, pmax<=30bar	SB/CR4/A,B,C/4,5/1244/1/14.10.2013

70	Central	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie 1989, nr. 152, ap. 18, Jud. Cluj; CLUJ NAPOCA, Str. Garii, nr. 19, Jud. Cluj	J12/1 453/1 998	CUI 11086 555	0264 /424 665/ 4623 85	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=400°C; Dmax<=25Gcal/h, pmax<=30bar	DISPR/CR4/A,B,C /4,5/1639/0/20.0 7.2011
71	Central	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie, nr. 152, ap. 18, Jud. Cluj; CLUJ NAPOCA, Str. Garii, nr. 19, Jud. Cluj	J12/1 453/1 998	CUI 11086 555	0264 /424 665/ 4623 85	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmin>0.5bar; Tmin>110°C	DISPR/CR4/G/4,5 /1637/0/21.07.20 11
72	Central	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie 1989, nr. 152, ap. 18, Jud. Cluj	J12/1 453/1 998	CUI 11086 555	0264 /424 665/ 4623 85	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; pmax=16bar, Dmax=100Gcal/h	DISPR/CR4/E/4,5 /1840/0/07.09.20 11

73	Central	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie, nr.152, ap.18, Jud. Cluj	J12/1 453/1 998	CUI 11086 555	0264 4246 65/4 6238 5	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t /h, pmax=200b ar, Tmax=570° C; Dmax=100G cal/h, pmax=30bar	DISPR/CR4/E/4,5 /1840/1/20.06.20 12
74	Brasov	CHIMP SRL	PLOIESTI, Str. Mierlei, nr. 25, Jud. Prahova	J29/1 229/1 993	RO 40004 37	0244 /551 949	-	-	-	-	Cazane abur	-	p>0.5bar	BV/CR4/H/4/136 2/1/27.01.2015
75	Ploiesti	CHIMP SRL	PLOIESTI, Str. Mierlei, nr.25, Jud. Prahova	J29/1 229/1 993	RO 40004 37	0244 /551 949	-	-	-	-	Cazane abur	-	p>0.5bar	PL/CR4/H/4/028 9/0/23.12.2010
76	Bacau	CIBOCAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8, Jud. Botosani	J07/1 038/1 994	RO 65666 70	0231 /539 028	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=20t/h , pmax=40bar , Tmax=400° C	BC/CR4/A,B,C/4/ 1330/1/19.01.201 6
77	Bacau	CIBOCAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8, Jud. Botosani	J07/1 038/1 994	RO 65666 70	0231 /531 536/ 5390 28	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=20t/h , pmax=40bar , Tmax=400° C	BC/CR4/A,B,C/4/ 1330/0/05.11.201 3

78	Cluj	CLASIC ASOCIATIA PENTRU INDUSTRIE SI COMERT DIN CLUJ SRL	CLUJ NAPOCA, Al. Scarisoara, nr.3, ap. 11, Jud. Cluj	J12/2 915/1 991	RO 22214 7	0264 /540 465	-	-	-	-	-	Cazane abur, apa fierbinte	-	CJ/CR4/H/4,5/01 37/0/02.12.2010
79	Iasi	CLIMA THERM CENTE SRL	IASI, Sos. Pacurari, nr. 139, Jud. Iasi	J22/9 16/20 00	RO 13572 870	0232 /261 833/ 2727 00	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=5t/h, pmax=16bar , Tmax=350° C	IS/CR4/A,B,C/4/ 0134/0/25.10.201 0
80	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/1 1976/ 2010	CUI 27787 860	021/ 3167 921/ 4119 870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570° C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/E/4,5 /0165/6/09.10.20 17
81	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/1 1976/ 2010	CUI 27787 860	021/ 3167 921/ 4119 870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570° C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/E/4,5 /0165/5/11.10.20 16

82	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/1 1976/ 2010	CUI 27787 860	021/ 3167 921/ 4119 870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/E/4,5 /0165/4/19.12.20 14
83	Central	CNCIR S.A.	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/1 1976/ 2010	CUI 27787 860	021/ 3167 921/ 3166 027	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/E/4,5 /0165/2/27.07.20 12
84	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/1 1976/ 2010	CUI 27787 860	021/ 3167 921/ 3167 923/ 3166 027	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h, Pmax=16bar	DISPR/CR4/E/4,5 /0038/0/01.03.20 11

85	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/1 1976/ 2010	CUI 27787 860	021/ 3167 921/ 3166 027	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/E/4,5 /0165/1/23.04.20 12
86	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/1 1976/ 2010	CUI 27787 860	021/ 3167 921/ 4119 870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar, Tmax=570°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/E/4,5 /0165/3/22.03.20 13
87	Tg. Mures	COM TUR SRL	MIERCUREA CIUC, Str. Muller Laszlo, nr.31, Jud. Harghita	J19/4 14/19 92	CUI 51268 0	0266 /371 174/ 3237 76	Cazane de abur	-	-	-	-	-	pmax=16bar, Qmax=10t/h, Tmax=350°C	MS/CR4/A/4/001 1/0/12.05.2010

88	Bacau	COMES SA	SAVINESTI, Str. Gheorghe Caranfil, nr.3, Jud. Neamt	J27/27/1991	CUI 2662292	0233/281568/281833	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=40bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=30bar, Tmax<=180°C	BC/CR4/B,C/4,5/1280/3/08.01.2016
89	Bacau	COMES SA	SAVINESTI, Str. Uzinei, nr.1, Jud. Neamt	J27/27/1991	CUI 2662292	0233/281568/281833	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=40bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=30bar, Tmax<=180°C	BC/CR4/B,C/4,5/1280/2/08.08.2013

90	Central	COMES SA	SAVINESTI, Str. Uzinei, nr.1, Jud. Neamt	J27/27/1991	CUI 2662292	0233/281568/281833	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=40bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=30bar, Tmax<=180°C	DISPR/CR4/B,C/4,5/0695/1/06.10.2011
91	Central	COMES SA	SAVINESTI, Str. Urziceni, nr.1, Jud. Neamt	J27/27/1991	CUI 2662292	0233/281568/281833	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=40bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=30bar, Tmax<=180°C	DISPR/CR4/B,C/4,5/06951/0/11.05.2011

92	Central	COMPLEXUL ENERGETIC CRAIOVA SA	CRAIOVA, Str. Unirii, nr.147, Jud. Dolj	J16/656/2004	CUI 16299139	0351/403310/403344/449550	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h, pmax=250bar, Tmin=105°C ; Tmax=600°C; Dmax<=100 Gcal/h, pmax<=25bar, Tmax<=150°C;	DISPR/CR4/C/4,5/2538/0/02.12.2011
93	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCENTRALE CRAIOVA	CRAIOVA, Str. Unirii, nr.147, Jud. Dolj	J16/904/2012	CUI 30292810	0351/403310/303311/449550	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=525t/h, 0.5bar<=pmax<=250bar, 105°C<=Tmax<=600°C; Dmax<=100 Gcal/h, pmax<=25bar, 110°C<=Tmax<=150°C	DISPR/CR4/C/4,5/1196/0/05.11.2012

94	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCENTRALE ISALNITA	ISALNITA, Str. Mihai Viteazul, nr.101, Jud. Dolj	J16/587/2013	CUI 31454295	0251/407633/407602	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h, Tmin=105°C , tmax=600°C , pmax=250bar; Dmax=100Gcal/h, pmax=250bar, Tmin=110°C , Tmax=150°C	B/CR4/C/4,5/1844/0/01.10.2013
95	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCENTRALE ROVINARI	ROVINARI, Str. Energeticianului, nr.25, Jud. Gorj	J18/337/2012	CUI 30310461	0253/372556/371590	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, 0.5bar<=pmax<=196bar, 105°C<=Tmax<=600°C; Dmax<=100Gcal/h, pmax<=25bar, 110°C<=Tmax<=150°C	B/CR4/A,C/4,5/1220/0/14.12.2012

96	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCENTRALE TURCENI	TURCENI, Str. Uzinei, nr.1, Jud. Gorj	J18/338/2012	CUI 30310453	0253/335045/335015	-	-	Cazane abur	-	-	-	Qmax=1035t/h, p<=196bar, Tmax=540°C	B/CR4/C/4/1611/1/30.09.2016
97	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCENTRALE TURCENI	TURCENI, Str. Uzinei, nr.1, Jud. Gorj	J18/338/2012	CUI 30310453	0253/335045/335081	-	-	Cazane abur	-	-	-	Qmax=1035t/h, p<=196bar, 105°C<=Tmax<=540°C	B/CR4/C/4/1611/0/17.05.2013
98	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCENTRALE CRAIOVA II	CRAIOVA, Str. Bariera Valcii, nr.195, Jud. Dolj	J16/588/2013	CUI 31454260	0251/599480/596555; 0251/599495	-	Cazane de abur, apa fierbinte	-	-	-	-	Qmax=525t/h, pmax=250bar, 105°C<=Tmax<=600°C	B/CR4/C/4,5/1911/0/03.12.2013
99	Central	COMPLEXUL ENERGETIC TURCENI SA	TURCENI, Str. Uzinei, nr.1, Jud. Gorj	J18/257/2004	CUI 16302447	0253/335045/335081	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=15bar; Dmax=1035t/h, pmax<=195bar,	DISPR/CR4/C/4,5/0482/0/11.03.2011

100	Ploiesti	COMREP SA	PLOIESTI, Str. Gh. Grigore Cantacuzino, nr.32, Jud. Prahova	J29/127/1991	RO 1345008	0244/513145/515961	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, Pmax=120bar; Dmax=50Gcal/h, Tmax=440°C	PL/CR4/B,C/4,5/0160/0/06.09.2010
101	Brasov	COMREP SA	PLOIESTI, Str. Gh. Grigore Cantacuzino, nr.32, Jud. Prahova	J29/127/1991	RO 1345008	0244/525321/515961	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, Pmax=100bar; Dmax=50Gcal/h, Tmax=440°C	BV/CR4/B,C/4,5/1266/1/26.05.2014
102	Sibiu	COMTERM INVEST SRL	TG. MURES, Str. Rozmarinului, nr.60, corp C1, camera 3, et.1, Jud. Mures	J26/677/1999	RO 12361289	0265/253250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450°C; Dmax=100Gcal/h, pmax=40bar	SB/CR4/A,B,C/4,5/1595/3/14.06.2016

103	Central	COMTERM INVEST SRL	TG. MURES, Str. Rozmarinului, nr.60, corp C1, camera 3, et.1, Jud. Mures	J26/677/1999	RO12361289	0265/253250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h, pmax=40bar	SB/CR4/A,B,C/4,5/1471/2/27.05.2015
104	Central	COMTERM INVEST SRL	TG. MURES, Str. Rozmarinului, nr.60, corp C1, camera 3, et.1, Jud. Mures	J26/677/1999	RO12361289	0265/253250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h, pmax=40bar	DISPR/CR4/A,B,C/4,5/2160/1/16.02.2012
105	Central	COMTERM INVEST SRL	TG. MURES, Bd. 1 Decembrie 1918, nr.243, ap.31, Jud. Mures	J26/677/1999	CUI12341289	0265/253250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h, Pmax=40bar	DISPR/CR4/A,B,C/4,5/2160/14.10.2011

106	Ploiesti	COMTERM SA	BUZAU, Str. H.P. Bengescu, nr.5, Jud. Buzau	J10/976/1993	RO 4384761	0238/720242/406760	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=1035t/h, Pmax=150bar, Tmax=560°C; Dmax=100Gcal/h	PL/CR4/A,B,C/4,5/0296/0/28.12.2010
107	Central	CONCIVIC SRL	SLOBOZIA, Str. Closca, nr.20, Judet Ialomita	J21/790/1993	CUI 4831479	0243/230117	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=350°C; Dmax<=25Gcal/h, pmax<=16bar	DISPR/CR4/A,B,C/4,5/1692/0/10.08.2011
108	Central	CONDITIONAL SRL	BACAU, Str. Letea, nr.38, bl.38, sc.A, ap.3, Jud. Bacau	J40/393/1998	CUI 10439381	0234/583270	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/A,B,C/4,5/3330/0/26.03.2012
109	Brasov	CONDMAG SA	BRASOV, Str. Avram Iancu, nr.52, Jud. Brasov	J08/35/1991	RO 1100008	0268/414954/477772	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q<=10t/h, p<=16bar, T<=450°C; D<=5Gcal/h, p<=16bar	BV/CR4/A,B,C/4,5/0040/0/06.09.2010

110	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/1991	CUI 1324099	0244/333160/374719; e-mail confind@confind.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; Dmax=50Gcal/h, pmax=40bar	BV/CR4/A,B,C/4, 5/1400/2/18.09.2017
111	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/1991	CUI 1324099	0244/333160/374719; e-mail confind@confind.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; Dmax=50Gcal/h, pmax=40bar	BV/CR4/A,B,C/4, 5/1400/1/23.03.2015

112	Central	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/1991	CUI 1324099	0244/333160/374719	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; Dmax=50Gcal/h, pmax=40bar	DISPR/CR4/A,B,C/4,5/1720/0/10.06.2011
113	Central	CONFORT SA	TIMISOARA, Str. Enric Baader, nr.11, Jud. Timis	J35/729/1991	CUI 1833467	0256/434575/434060	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=140bar, Tmax<=550°C; Dmax<=100Gcal/h, pmax<=140bar, Tmax<=220°C	DISPR/CR4/A,B,C/4,5/2151/0/07.10.2011
114	Bucuresti	CONFORT SRL	BUCURESTI, Str. Straduintei, nr.3, bl.A4, ap.32, et.7, sector 4	J40/1110/1993	RO 3477560	021/4610529/4610921	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax=25bar, Tmax=400°C; Dmax=15Gcal/h, pmax=25bar, T>110°C	B/CR4/A,B,C/4,5/0519/1/05.08.2013

115	Central	CONSULT MERIDIAN SRL	SAT LIPIA, Com. Marei, Jud. Buzau	J10/8 85/20 05	CUI 17807 634	0238 /711 249; 0371 1554 37	-	-	-	Cazane abur	-	-	Qmax=40t/h , pmax=40bar , Tmax=350° C	DISPR/CR4/E/4/0 316/0/25.03.2011
116	Central	CORSEM IMPEX SRL	GURA HUMORULUI, Str. Orizont, nr.6A, Jud. Suceava	J33/1 947/1 993	CUI 49739 70	0230 /514 145	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/ h, pmax<=16b ar, Tmax<=350° C; Dmax<=15G cal/h, pmax<=16b ar, Tmax<=170° C	DISPR/CR4/A,B,C /4,5/1580/0/25.0 7.2011
117	Iasi	COSMIN COMPANY SRL	IASI, Str. Fundac Ursulea, nr.6, Jud. Iasi	J22/5 82/19 94	RO 53177 28	0232 /264 597	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h , Pmax=16bar , Tmax=220° C	IS/CR4/A,B,C/4/ 0010/0/21.04.201 0- suspendare voluntara incepand cu 23.03.2016

118	Iasi	COSMIN COMPANY SRL	IASI, Str. Fundac Ursulea, nr.6, Jud. Iasi	J22/5 82/19 94	RO 53177 28	0232 /264 597	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=10t/h , pmax=16bar , Tmax=220° C; Dmax=5Gcal /h, pmax=16bar	IS/CR4/E/4,5/012 1/0/27.10.2010- suspendare voluntara incepand cu 23.03.2016
119	Bucuresti	CRIMAR PAMICO INDUSTRIAL MONTAJ SRL	PITESTI, Str. Zamfiresti, nr.16, camera 1, Jud. Arges	J03/1 2/201 2	RO 29515 714	0248 /615 434; 0758 0616 02	-	-	Cazane abur	-	-	-	Qmax=650t/ h, pmax=225b ar, Tmax=570° C	B/CR4/C/4/1026/ 0/26.06.2012
120	Bacau	CRIO MEC SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1 339/1 994	RO 56684 27	0236 /312 437/ 4630 59; e- mail office@cri omec sa.ro	Cazane abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=250t/ h, pmax=40bar , Tmax540°C; Dmax=100G cal/h, pmax=22bar	BC/CR4/A,C/4,5/ 1118/3/18.05.201 7

121	Bacau	CRIOMEK SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236 /312 437/ 4630 59; e-mail office@criomec sa.ro	Cazane abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=540°C; Dmax=100Gcal/h, pmax=22bar	BC/CR4/A,C/4,5/1118/2/29.04.2015
122	Central	CRIOMEK SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236 /312 437/ 4630 59	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=120t/h, pmax=140bar, Tmax=400°C; Dmax=50Gcal/h, pmax=140bar	DISPR/CR4/E/4,5/3772/2/24.06.2015
123	Central	CRIOMEK SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236 /312 437/ 4630 59	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=120t/h, pmax=140bar, Tmax=400°C; Dmax=50Gcal/h, pmax=140bar	DISPR/CR4/E/4,5/3772/1/05.02.2013

124	Galati	CRIOMEK SA	GALATI, Str. Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437/463059	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=120t/h, pmax=140bar, Tmax=400°C; Dmax=50Gcal/h, pmax=140bar	GL/CR4/E/4,5/0102/0/16.11.2010
125	Bacau	CRIOMEK SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437/463059	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=540°C; Dmax=100Gcal/h, pmax=22bar	BC/CR4/A,C/4,5/1118/1/09.01.2013
126	Central	CSI ENERGO ELECTRIC SRL	NAVODARI, Str. Muzicii, nr.53, et.1, Jud. Constanta	J13/611/2011	CUI 28179217	0341/488805	-	-	Cazane abur	-	-	-	Qmax<=105t/h, pmax<=40bar, Tmax<=440°C	DISPR/CR4/C/4/0626/0/21.04.2011

127	Bacau	CYCLON TECH SRL	BRAILA, Str. Scolilor, nr.28, Bl.D2, parter, Jud. Braila; BRAILA, Str. Mare, nr.55, Jud. Braila	J09/1144/1994	RO6008500	0239/612/022/612561; 0239/611870	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=220°C; Dmax=5Gcal/h, Pmax=16bar	BC/CR4/A,B,C/4, 5/1082/2/28.05.2014
128	Bacau	CYCLON TECH SRL	BRAILA, Str. Scolilor, nr.28, Bl.D2, parter, Jud. Braila; BRAILA, Str. Mare, nr.55, Jud. Braila	J09/1144/1994	RO6008500	0239/612/022/612561; 0239/611870	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=220°C; Dmax=5Gcal/h, Pmax=16bar	BC/CR4/A,B,C/4, 5/1082/1/01.11.2012
129	Bucuresti	D&G DYNAMIC MAINTENANCE GROUP SRL	PITESTI, Str. Transilvania, nr. 1, bl. D3, sc. D, et. 4, ap. 17, Jud. Arges; PITESTI, DN 65B, Km 4+850, Hala 1, Jud. Arges	J03/960/2006	CUI18747999	0248/250448; 0722628597	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	B/CR4/G/4,5/2632/1/30.09.2015

130	Central	D&G DYNAMIC MAINTENANCE GROUP SRL	PITESTI, Str. Exercițiu, bl.D3, sc.D, et.4, ap.17, Jud. Arges	J03/960/2006	CUI 18747999	0248/250448	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmin>0.5bar, Tmin>110°C	DISPR/CR4/G/4,5/1560/0/21.07.2011
131	Timisoara	D&T INDUSTRIAL EQUIPMENT SRL	GHIRODA, Cal. Lugojului, nr.67, Jud. Timis	J35/1290/1995	CUI 8024889	0256/288641	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Q<=10t/h, p<=16bar, T<=320°C; D<=5Gcal/h, p<=16bar	TM/CR4/A,B,C/4,5/0038/0/02.07.2010
132	Timisoara	DA CONSTANTIN SRL	LUGOJ, Str. Primaverii, nr.42, Jud. Timis	J35/2089/2002	CUI 15096055	0256/329338	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Q<=5t/h, p<=16bar, T<=250°C	TM/CR4/A,B,C/4/0079/0/04.10.2010
133	Iasi	DAS SRL	IASI, Str. Aurel Vlaicu, nr.87, Jud. Iasi	J22/589/1991	RO 1986070	0232/262800	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=350°C; Dmax=20Gcal/h, pmax=16bar	IS/CR4/A,B,C/4,5/0097/0/19.08.2010

134	Iasi	DAS SRL	IASI, Str. Aurel Vlaicu, nr.87, Jud. Iasi	J22/589/1991	RO 1986070	0232/262800	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=350°C; Dmax=20Gcal/h, pmax=16bar	IS/CR4/A,B,C/4,5/0097/1/06.10.2010
135	Bucuresti	DELTA TERMO CONSTRUCT1999 SRL	PITESTI, Str. Trivale, bl. P3 Bis, sc.C,ap.1, Jud. Arges	J03/600/2004	CUI 16297707	0248/272797; 0745061558	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=40bar, tmax=440°C; Dmax=50Gcal/h, pmax=25bar	B/CR4/A,B,C/4,5/2188/0/16.06.2014
136	Ploiesti	DIPERO CONSULTING SRL	PLOIESTI, Str. Pompelor, nr.4, Corp C1, Jud. Prahova	J29/1803/2009	RO 26316687	0745118171; 0244/514486	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=100t/h, Pmax=50bar, Tmax=450°C; Dmax=50Gcal/h, pmax=20bar, T>110°C	PL/CR4/E/4,5/0201/0/08.10.2010

137	Central	DONAU CHEM SRL	TN. MAGURELE, Str. Portului, nr.1, Jud. Teleorman	J34/5 68/20 04	CUI 16958 124	0247 /416 438/ 4133 79	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/G/4,5 /0868/0/18.05.20 11
138	Central	DONAU CHEM SRL	TN. MAGURELE, Str. Portului, nr.1, Jud. Teleorman	J34/5 68/20 04	CUI 16958 124	0247 /416 438/ 4133 79	Cazane de abur (generatoa re de abur pentru sterilizare)	Cazane de abur (generatoa re de abur pentru sterilizare)	Cazane de abur (generatoa re de abur pentru sterilizare)	-	-	-	Qmax=80t/h , pmax=116b ar, Tmax=460° C; Dmax=50Gc al/h, pmax=22bar	DISPR/CR4/A,B,C /4,5/1490/0/18.0 7.2011
139	Central	DONAU CHEM SRL	TN. MAGURELE, Str. Portului, nr.1, Jud. Teleorman	J34/5 68/20 04	CUI 16958 124	0247 /416 438/ 4133 79	-	-	-	-	-	Cazane abur, apa fierbinte	-	B/CR4/H/4,5/137 4/0/08.05.2013
140	Timisoara	DOSETIMPEX SRL	TIMISOARA, Cal. Buziasului, nr.11, camera 1, Jud. Timis	J35/4 423/1 994	CUI 68256 35	0256 /200 368 /223 838	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q<=10t/h, p<=16bar, T<=300°C; D<=5Gcal/h , p<=16bar	TM/CR4/A,C/4/0 057/0/30.07.2010
141	Sibiu	DUOCHIM SRL	OCNA MURES, Str. Axente Sever, bl. 49, sc.C, ap.7, Jud. Alba	J01/3 3/200 1	RO 13682 309	0258 /873 180	-	-	-	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	p>=0.5bar; T>110°C	SB/CR4/G/4,5/01 01/0/28.10.2010; SB/CR4/H/4,5/01 02/0/28.10.2010

142	Central	DYOMEDICA CND SRL	PLOIESTI, Intrarea Clubului, nr.3, Jud. Prahova	J29/1796/2007	CUI 22112765	0766655627; 0244/574287	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=100bar, Tmax=540°C; Dmax=20Gcal/h, pmax=30bar	DISPR/CR4/E/4,5/2959/0/09.02.2012
143	Constanta	EARRING CO SRL	CONSTANTA, Str. Verde, nr. 30, Jud. Constanta	J13/5530/1992	CUI 1908950	0241/635230	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=250°C; Dmax=5Gcal/h, pmax=40bar, Tmax=150°C	CT/CR4/C/4,5/0029/0/05.07.2010
144	Bucuresti	ECO TERM SRL	URZICENI, Str. Serelor nr.5A, Ialomita; BUCURESTI, Bd. Ferdinand I, nr. 58, sc. C, et. 1, birou 5, sector 2; DUMBRAVA ROSIE, Str. Stramutati, nr. 17, Jud. Neamt	J21/191/2002	CUI 14737011	0243/254713; e-mail office@ecoter m.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=40bar, Tmax=570°C; Dmax=25Gcal/h, pmax=20bar	B/CR4/A,B,C/4,5/2092/2/17.07.2017

145	Bucuresti	ECOTERM SRL	URZICENI, Str. Serelor, nr.5A, Jud. Ialomita	J21/1 91/20 02	CUI 14737 011	0243 /254 713	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=40bar , Tmax=570° C; Dmax=25Gcal/h, pmax=40bar	B/CR4/A,B,C/4,5 /2092/1/04.04.20 14
146	Central	ECOTERM SRL	URZICENI, Str. Serelor, nr.5A, Jud. Ialomita	J21/1 91/20 02	CUI 14737 011	0243 /254 713	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=40bar , Tmax=570° C; Dmax=25Gcal/h, pmax=40bar , Tmax=250° C	DISPR/CR4/A,B,C /4,5/1597/0/08.0 7.2011

147	Central	ELCOMEX IEA SA	CERNAVODA, Str. Medgidiei, nr.2B, Jud. Constanta	J13/5616/1994	CUI 7092273	0241/238917/237524	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=140bar, Tmax<=540°C; Dmax<=50Gcal/h, pmax<=40bar, Tmax<=150°C	DISPR/CR4/A,B,C/4,5/0924/0/25.05.2011
148	Bucuresti	ELCOS SERVICE SRL	BUCURESTI, Bd. Timisoara, nr.27, bl.E, Sc.A, ap.2, sector 6	J40/1209/1998	CUI 10185240	021/4131349	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=205°C; Dmax=50t/h, pmax=40bar, Tmax=150°C	B/CR4/A,B,C/4,5/0389/0/08.10.2010

149	Bucuresti	ELCOS SERVICE SRL	BUCURESTI, Bd. Timisoara, nr.27, bl.E, Sc.A, ap.2, sector 6	J40/1 209/1 998	CUI 10185 240	021/ 4131 349	-	-	-	-	Cazane abur; cazane apa fierbinte	-	Qmax=40t/h , pmax=40bar , Tmax=205° C; Dmax=50t/h , pmax=40bar , Tmax=150° C	B/CR4/G/4,5/039 0/0/11.10.2010
150	Central	ELECTROCENTRALE BUCURESTI SA-Suc. ELECTROCENTRALE BUCURESTI	BUCURESTI, Splaiul Independentei, nr.227, sector 6	J40/9 343/2 000	CUI 13439 840	021/ 2751 108/ 2751 181	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h, pmax=155bar, Tmax=540° C; Dmax=100Gcal/h, pmax=25bar , Tmax=160° C	DISPR/CR4/A,B,C /4,5/2898/0/13.0 1.2012

151	Central	ELECTROCENTRALE BUCURESTI SA-Suc. ELECTROCENTRALE MURES	IERNUT, Str. Energeticii, nr.1, Jud. Mures	J26/513/2000	CUI 1228938	0265/471333/471388	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=640t/h, pmax=140bar, Tmax=550°C; Dmax=20Gcal/h, pmax=20bar, Tmax<=150°C	DISPR/CR4/A,B,C/4,5/2324/0/03.11.2011
152	Tg. Mures	ELECTROCENTRALE BUCURESTI SA-Suc. ELECTROCENTRALE MURES	IERNUT, Str. Energeticii, nr. 1, Jud. Mures	J26/513/2000	CUI 1228938	0265/471333/471388	-	-	-	Cazane abur, apa fierbinte, supraincalzitoare si economizoare independente	-	-	Qmax=640t/h, pmax=140bar, Tmax=550°C; Dmax=20Gcal/h, pmax=20bar	MS/CR4/E/4,5/0056/0/27.10.2010
153	Bucuresti	ELECTROCENTRALE CONSTANTA SRL	CONSTANTA, Bd. Aurel Vlaicu, nr.123, Jud. Constanta	J13/23/20153	CUI 33636420	0241/585300/693916	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=140bar, Tmax=550°C; Dmax=100Gcal/h, Pmax=20bar	B/CR4/B,C/4,5/2472/0/11.03.2015

154	Central	ELECTROCENTRALE BUCURESTI-SUCURSALA ELECTROCENTRALE CONSTANTA	CONSTANTA, Bd. Aurel Vlaicu, nr.123, Jud. Constanta	J13/1035/2003	CUI 15264655	0241/585300/693916	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=140bar, Tmax=550°C; Dmax=100Gcal/h, Pmax=20bar	DISPR/CR4/B,C/4,5/3045/0/31.01.2012
155	Central	ELECTROCENTRALE DEVA SA	MINTIA, Str. Santierului, nr.1, Jud. Hunedoara	J20/876/2001	CUI 14348448	0254/236408/236411	-	-	Cazane abur	-	-	-	Qmax<=330t/h, pmax<=140bar, Tmax<=550°C	DISPR/CR4/C/4/0076/0/02.03.2011
156	Central	ELECTROCENTRALE SA- Suc ELECTROCENTRALE BUCURESTI	BUCURESTI, Splaiul Independentei, nr.124, sector 6	J40/9343/2000	CUI 13439840	021/2751103/2751405	-	-	-	-	Cazane abur, cazane apa fierbinte, cazane apa calda, cazane abur joasa presiune	-	-	DISPR/CR4/G/4,5/0175/0/14.03.2011

157	Bucuresti	ELECTROCENTRALE BUCURESTI SA	BUCURESTI, Splaiul Independentei, nr. 227, sector 6	J40/1696/2003	RO15189596	021/2751108/2751181	-	-	Cazane abur, apa fierbinte	-	-	-	Qmax=525t/h, pmax=155bar, Tmax=550°C; Dmax=100Gcal/h, pmax=25bar, Tmax=160°C	B/CR4/C/4,5/1730/1/21.10.2014
158	Bucuresti	ELECTROCENTRALE BUCURESTI SA	BUCURESTI, Splaiul Independentei, nr. 227, sector 6	J40/1696/2003	RO15189596	021/2751108/2751181	-	-	Cazane abur, apa fierbinte	-	-	-	Qmax=525t/h, pmax=155bar, Tmax=550°C; Dmax=100Gcal/h, pmax=25bar, Tmax=160°C	B/CR4/C/4,5/1730/0/08.05.2013
159	Oradea	ELECTROCENTRALE ORADEA SA	ORADEA, Str. Sos. Borsului, nr.23, Jud. Bihor	J05/723/2002	RO14790708	0259/453345/463661	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/h, Pmax=165bar, Tmax=570°C	OR/CR4/A,B,C/4/1223/1/16.10.2013

160	Bucuresti	ELECTROCHIM SRL	BUCURESTI, Prelungirea Ghencea, nr.93N, parter, sector 6	J40/9344/1991	CUI 445831	021/3176009	-	-	-	-	Cazane abur; cazane apa fierbinte; cazane apa calda; cazane abur joasa presiune	Cazane abur; cazane apa fierbinte; cazane apa calda; cazane abur joasa presiune	B/CR4/H/4,5/0657/0/01.02.2011; B/CR4/G/4,5/0658/0/01.02.2011	
161	Bacau	ELSACO ELECTRONIC SRL	BOTOSANI, Str. Pacea, nr.41A, Jud. Botosani	J07/1201/1994	CUI 7464520	0231/507060/532905	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, Pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, Pmax=40bar	BC/CR4/A,B,C/4,5/1023/2/19.04.2016

162	Bacau	ELSACO ELECTRONIC SRL	BOTOSANI, Str. Pacea Ocolitor, nr.41A, Jud. Botosani	J07/1 201/1 994	CUI 74645 20	0231 /507 060/ 5329 05	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/ h, Pmax=40bar , Tmax=350° C; Dmax=50Gc al/h, Pmax=20bar , Tmax=160° C	BC/CR4/A,B,C/4, 5/1023/1/25.07.2 012
163	Suceava	ELSACO ELECTRONIC SRL	BOTOSANI, Str. Pacea Ocolitor, nr.41A, Jud. Botosani	J07/1 201/1 994	RO 74645 20	0231 /507 060/ 5329 05	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Q=120t/h, p=40bar, T=350°C; D=50Gcal/h , p=20bar, T=160°C	SV/CR4/A,B,C/4, 5/0010/0/24.06.2 010
164	Oradea	EMC SRL	Oradea, Str. Gh. Pitut, nr.1, Jud. Bihor	J05/4 88/20 06	RO 18457 480	0731 3380 99; 0259 /433 563	-	-	-	-	Cazane de abur, cazane abur si apa fierbinte	-	-	OR/CR4/G/4/001 6/0/01.06.2010

165	Bacau	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201-202, et. 2, jud. Bacau	J04/140/2000	CUI 12826406	0234/562410; e-mail office@energofor.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=260bar, Tmax<=570°C; Dmax<=100Gcal/h, pmax<=16bar	BC/CR4/A,B,C/4,5/1645/3/11.05.2016
166	Bacau	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201-202, et. 2, jud. Bacau	J04/140/2000	CUI 12826406	0234/562410; e-mail office@energofor.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	Cazane de abur, cazane abur si apa fierbinte	-	Qmax<=420t/h, pmax<=160bar, Tmax<=440°C; Dmax<=100Gcal/h, pmax<=16bar	BC/CR4/A,B,C/4,5/1645/2/11.02.2016; BC/CR4/G/4,5/1642/2/11.02.2016
167	Central	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201-202, et. 2, jud. Bacau	J04/140/2000	CUI 12826406	0234/562410	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax<=120t/h, pmax<=100bar, Tmax=540°C; Dmax<=100Gcal/h, pmax<=16bar	DISPR/CR4/E/4,5/3623/2/30.03.2016

168	Central	ENERGOFOR SRL	BACAU, Str. Arcadie Septilici, nr.7B, Jud. Bacau	J04/140/2000	CUI 12826406	0234/545683/562410	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	Qmax<=120t/h, pmax<=100 bar, Tmax=540°C; Qmax<=420t/h, pmax<=160 bar, Tmax=440°C; Dmax<=100 Gcal/h, pmax<=16bar	DISPR/CR4/E/4,5/3623/1/24.05.2012; DISPR/CR4/A,B,C/4,5/3632/1/23.05.2012; DISPR/CR4/G/4,5/3626/1/24.05.2012
169	Bacau	ENERGOFOR SRL	BACAU, Str. I. L. Caragiale, nr.1, sc.D, ap.6, Jud. Bacau	J04/140/2000	RO 12826406	0234/545683/562410	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=100bar, Tmax=540°C	BC/CR4/E/4,5/003/0/27.04.2010
170	Bacau	ENERGOFOR SRL	BACAU, Str. Ion Luca Caragiale, nr.1, bl.1, sc.D, ap.6, Jud. Bacau	J04/140/2000	RO 12826406	0234/545683/562410	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=440°C; Dmax=100Gcal/h, pmax=16bar	BC/CR4/A,B,C/4,5/0046/0/30.06.2010

171	Bacau	ENERGOFOR SRL	BACAU, Str. Ion Luca Caragiale, nr.1, bl.1, sc.D, ap.6, Jud. Bacau	J04/140/2000	RO 12826406	0234/545683/562410	-	-	-	-	Cazane abur; cazane apa fierbinte	-	p>0.5bar; T>110°C	BC/CR4/G/4,5/0082/0/28.09.2010
172	Bucuresti	ENERGOMONTAJ SA	BUCURESTI, Cal Dorobantilor, nr. 103-105, sector 1	J40/136/1991	CUI 1555468	021/3189304/3189327	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, pmax=40bar	B/CR4/A,B,C/4,5/0296/2/08.10.2014
173	Bucuresti	ENERGOMONTAJ SA	BUCURESTI, Cal. Dorobantilor, nr. 103-105, sector 1	J40/136/1991	CUI 1555468	021/3189303/3189330	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, pmax=40bar	B/CR4/A,B,C/4,5/0296/1/08.01.2013

174	Bucuresti	ENERGOMONTAJ SA	BUCURESTI, Cal Dorobantilor, nr. 103-105, sector 1	J40/136/1991	CUI 1555468	021/3189303/3189330	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, pmax=20bar	B/CR4/A,B,C/4,5/0296/0/09.09.2010
175	Bucuresti	ENERGOMONTAJ GRUP SRL	BASCOV, Str. Serelor, nr. 14, Jud. Arges	J03/1966/1994	RO 10698807	0248/290170/290285	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=165bar, Tmax<=550°C; Dmax<=100Gcal/h, pmax<=25bar, Tmax<=150°C	B/CR4/A,C/4,5/1241/1/06.10.2016

176	Central	ENERGOMONTAJ GRUP SRL	PITESTI, Str. Gh. Lazar, nr.19, Jud. Arges	J03/1966/1994	CUI 10698807	0248/290170	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar, Tmax<=400°C; Dmax<=50Gcal/h, pmax<=16bar, Tmax<=150°C	DISPR/CR4/A,C/4,5/1863/0/17.08.2011
177	Bucuresti	ENERGOMONTAJ GRUP SRL	PITESTI, Str. Gheorghe Lazar, nr.19, Jud. Arges	J03/1966/1994	CUI 10698807	0248/290170	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=165bar, Tmax<=550°C; Dmax<=100Gcal/h, pmax<=25bar, Tmax<=150°C	B/CR4/A,C/4,5/1241/1/13.11.2012

178	Pitesti	ENERGOMONTAJ GRUP SRL	PITESTI, Str. Gh. Lazar, nr.19, ARGES	J03/1966/1994	RO 10698807	0248/290170	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q<=120t/h, pmax<=16bar, T<=400°C; D<=50Gcal/h, pmax<=16bar, T<=150°C	PT/CR4/A,C/4,5/0061/0/21.06.2010
179	Central	ENERGOSZERVIZ KFT SRL- Sucursala Oradea	DEBRECEN, Str. Kishatar, nr.26, Jud. Hajdu-Bihar, UNGARIA; Oradea, Str.Calinului, bl.X1, Jud. Bihor	RC 09/09/002295; J5/1195/2009	CUI HU11147798; CUI 26042662	003652457924/003652531256; 0259/435398	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax<=40bar, Tmax=250°C; Dmax<=15Gcal/h, pmax<=40bar	DISPR/CR4/A,C/4,5/1532/1/29.05.2012
180	Oradea	ENERGOSZERVIZ KFT SRL- Sucursala Oradea	DEBRECEN, Str. Kishatar, nr.26, Jud. Hajdu-Bihar, UNGARIA; Oradea, Str.Calinului, bl.X1, Jud. Bihor	RC 09/09/002295; J5/1195/2009	CUI HU11147798; CUI 26042662	003652457924/003652531256; 0259/435398	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=1035t/h, Pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, Pmax=40bar	OR/CR4/A,C/4,5/1113/2/05.03.2013

181	Central	ENERGOSZERVIZ SRL DEBRECEN - Suc. ORADEA	ORADEA, Al. Calinului, nr.7, bl.X1, ap.30, Jud. Bihor	J05/1195/2009	CUI 26042662	0259/435398	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=250°C; Dmax<=15t/h, pmax<=40bar	DISPR/CR4/A,C/4,5/1532/0/25.07.2011
182	Central	ENERGOUTIL CONTACT SA	BUCURESTI, Str. Progresului, nr.7577, sector 5	J40/997/1991	CUI 403666	021/4103191/4106682	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=192bar, Tmax=570°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/A,B,C/4,5/2999/0/14.02.2012
183	Central	ENERGY BIO CHEMICALS SA- Suc. CAROM	ONESTI, Str. Industriilor, nr.1, Pavilion Administrativ C399, Jud. Bacau	J04/838/2008	CUI 23767569	0234302600; 0234/315315	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=50t/h, pmax=100bar, Tmax=570°C; Dmax=25Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0747/0/19.05.2011

184	Bucuresti	ENERGY SYSTEM CONSULT SRL	BUCURESTI, Bd. Burebista, nr. 1, bl. D15, sc. 1, ap. 31, sector 3	J40/10456/2000	RO 13529500	021/3265621/3265620; e-mail office@esc-inc.ro	-	-	Cazane abur	-	-	-	Qmax<=10t/h, pmax=100bar, Tmax=400°C	B/CR4/C/4/2489/0/02.04.2015
185	Central	ENET SA	FOCSANI, Bd. Bucuresti, nr.4, Jud. Vrancea	J39/93/1996	RO 8123890	0237/212400/214110	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h, pmax=25bar	DISPR/CR4/C/4,5/3503/1/26.04.2012
186	Galati	ENET SA	FOCSANI, Str, Bucuresti, nr.4, Jud. Vrancea	J39/93/1996	RO 8123890	0237/212400/214110	-	-	Cazane abur, apa fierbinte	-	-	-	pmax=40bar, Qmax=50t/h, tmax=450°C; pmax=25r, Dmax=50Gcal/h, tmax=150°C	GL/CR4/C/4,5/0004/0/12.04.2010

187	Central	ERG PRESTARI SERVICII SRL	TIRIMIA, nr.247, Jud. Mures	J26/1 96/20 09	CUI 24211 0	0744 2084 41; 0264 /441 191	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=50t/h , pmax=100b ar, Tmax=450° C; Dmax=25Gc al/h, Pmax=25bar	DISPR/CR4/E/4,5 /2805/0/19.01.20 12
188	Pitesti	ERHAN SRL	RM. VALCEA, Str. Regina Maria, nr.7, bl.C1, tronsion D, mezanin, Jud. Valcea	J38/1 9/199 2	RO 14698 63	0250 /733 919/ 7317 25; office@er han.ro	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	Qmax=10t/h , pmax=16bar , Tmax=180° C; Dmax=5Gcal /h, pmax=16bar	PT/CR4/A,B,C/4, 5/0150/0/21.12.2 010; PT/CR4/A,B,C/4, 5/0154/0/21.12.2 010
189	Central	EST ROM SA	VALEA LUPULUI, Com. Valea Lupului, Jud. Iasi	J22/2 259/1 993	CUI 44887 70	0232 /226 380/ 2533 98	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/ h, pmax=165b ar, Tmax=570° C; Dmax=100G cal/h, Pmax=150b ar	DISPR/CR4/E/4,5 /2294/1/13.09.20 17

190	Central	EST ROM SA	VALEA LUPULUI, Str. Diminetii, nr.1, Jud. Iasi	J22/2 259/1 993	CUI 44887 70	0232 /226 380/ 2533 98/2 4820 9/24 8046	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/ h, pmax=165b ar, Tmax=570° C; Dmax=100G cal/h, Pmax=30bar	DISPR/CR4/E/4,5 /2294/0/02.11.20 11
191	Bacau	EST ROM SA	VALEA LUPULUI, Com. Valea Lupului, Jud. Iasi	J22/2 259/1 993	CUI 44887 70	0232 /226 380/ 2533 98	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/ h, pmax=420b ar, Tmax=570° C; Dmax=100G cal/h, pmax=20bar	BC/CR4/A,B,C/4, 5/1322/2/14.03.2 017
192	Bacau	EST ROM SA	VALEA LUPULUI, Str. Diminetii, nr.1, Jud. Iasi	J22/2 259/1 993	CUI 44887 70	0232 /226 380/ 2480 46	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/ h, pmax=420b ar, Tmax=570° C; Dmax=100G cal/h, pmax=20bar	BC/CR4/A,B,C/4, 5/1322/1/21.10.2 013

193	Central	EST ROM SA	VALEA LUPULUI, Str. Diminetii, nr.1, Jud. Iasi	J22/2 259/1 993	CUI 44887 70	0232 /226 380/ 2480 46	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=140bar, Tmax=570°C; Dmax=100Gcal/h, pmax=20bar	DISPR/CR4/A,B,C /4,5/2753/0/10.0 1.2012
194	Iasi	ETNIS SRL	IASI, Cal Chisinaului, nr.98-100, Jud. Iasi	J22/1 131/1 991	RO 19561 41	0232 /230 113	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h , pmax=16bar , Tmax=350°C	IS/CR4/A,B,C/4/ 01600/30.12.2010
195	Bacau	ETNIS SRL	IASI, Cal Chisinaului, nr.98-100, Jud. Iasi	J22/1 131/1 991	RO 19561 41	0232 /230 113	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h , pmax=16bar , Tmax=350°C	BC/CR4/A,B,C/4/ 1202/23.04.2013
196	Central	EUGLOS SA	CLUJ NAPOCA, Str. Garii, nr. 19, Jud. Cluj	J12/4 093/2 007	RO 22435 138	0264 /424 665/ 4623 85	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar , Tmax=350°C; Dmax=100Gcal/h, pmax=16bar	DISPR/CR4/E/4,5 /3927/0/29.02.20 16

197	Sibiu	EUGLOS SA	CLUJ NAPOCA, Str. Garii, nr. 19, Jud. Cluj	J12/4 093/2 007	RO 22435 138	0264 /424 665/ 4623 85; e- mail office@ch itech .ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h , pmax=40bar , Tmax=350° C; Dmax=50Gc al/h, pmax=16bar	SB/CR4/A,B,C/4, 5/1486/0/29.07.2 015
198	Sibiu	EUGLOS SA	CLUJ NAPOCA, Str. Garii, nr. 19, Jud. Cluj	J12/4 093/2 007	RO 22435 138	0264 /424 665/ 4623 85	-	-	-	-	Cazane abur, cazane apa fierbinte	-	pmax>0.5ba r; T>110°C	SB/CR4/G/4,5/14 50/0/07.04.2015
199	Central	EUROBOILER SRL	DR. TN. SEVERIN, Str. Portile de Fier, nr. 2C9, Jud. Mehedinti	J25/1 91/20 04	CUI 16325 432	0727 4350 56; 0252 /310 046/ 3297 64	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=550t /h, pmax<=140 bar, Tmax<=540° C; Dmax<=100 Gcal/h, pmax<=25b ar	DISPR/CR4/A,B,C /4,5/3346/0/20.0 3.2012- retragere incepand cu 14.04.2014 (denumire noua Macchi Romania SRL)

200	Bucuresti	EUROBOILER SRL	DR. TN. SEVERIN, Str. Portile de Fier, nr. 2C9, Jud. Mehedinti	J25/1 91/20 04	CUI 16325 432	0352 /884 860; 0252 /329 764; 0772 0940 24	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=550t/ h, pmax=140b ar, Tmin=105° C ; Tmax=540° C; Dmax=150G cal/h, pmax=25bar ; 110° C<Tma x=150° C	B/CR4/A,B,C/4,5 /1837/1/11.10.20 13- retragere incepand cu 14.04.2014 (denumire noua Macchi Romania SRL)
201	Oradea	EXPERT PETROLEUM SRL	BUCURESTI, Sos. Bucuresti- Ploiesti, nr. 73- 81, cladirea C3, et. 3, sector 1; TIMISOARA, Str. Corolian Brediceanu, nr. 10C, cladire C, mezanin, camera M5, Jud. Timis	J26/1 656/2 008	CUI 17634 428	0374 2006 40, 0317 /801 093; 0356 /414 883	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h , pmax=40bar , Tmax=300° C; Dmax=5Gcal /h, pmax=40ba	OR/CR4/A,B,C/4, 5/1460/1/20.10.2 016

202	Oradea	EXPERT PETROLEUM SRL	TG. MURES, Str. Tamas Erno, nr. 1, Jud. Mures; TIMISOARA, Str. Corolian Brediceanu, nr. 10C, cladire C, Mezanin, camera M5, Jud. Timis	J26/1 656/2 008	CUI 17634 428	0374 2006 40; 0317 8010 93; 0356 /414 883	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h , pmax=40bar , Tmax=300° C; Dmax=5Gcal /h, pmax=40ba	OR/CR4/A,B,C/4, 5/1460/0/23.05.2 016
203	Central	FAST TECHNICAL ASSISTANCE SRL	BACAU, 9 Mai, nr.35, poz. 10, bl.35, sc.E, parter, Jud. Bacau	J04/6 96/19 97	CUI 96264 16	0234 /513 803/ 5114 30	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h , pmax=40bar , Tmax=350° C; Dmax=10Gc al/h, pmax=20bar	DISPR/CR4/A,C/4 ,5/3556/0/22.05. 2012
204	Oradea	FLEXIK AUTOMATION SRL	TIMISOARA, Str. G. Cosbuc, nr.5, Jud. Timis	J35/2 848/1 994	CUI 63518 50	0256 /292 964/ 2929 65	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=10t/h , Pmax=16bar , Tmax=300° C	OR/CR4/A,B, C/4/1019/1/17.0 7.2012
205	Timisoara	FLEXIK AUTOMATION SRL	TIMISOARA, Str. George Cosbuc, nr.5, Jud. Timis	J35/2 848/1 994	RO 63518 50	0256 /292 964/ 2929 65	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Q<=10t/h, p<=16bar, T<=300° C	TM/CR4/A,B,C/4 /0014/0/09.06.20 10

206	Central	FORPRES SRL	IASI, Sos. Nationala, nr.49, bl.C3, sc.B, et.5, ap.23, Jud. Iasi; IASI, Str. Prof. dr. doc. D. Mangeron, nr.39, imobil TCM, corp D, Jud. Iasi	J22/1 258/2 002	RO 15012 143	0232 /233 390	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=20t/h , pmax=16bar , Tmax=200° C	DISPR/CR4/A,B,C /4/3199/0/06.03. 2012
207	Central	FUTURE LINE INSTAL SRL	BUCURESTI, Sos. Mihai Bravu, nr. 75-83, bl.C17, sc.B, et.6,ap.79, sector 2	J40/2 3350/ 1992	CUI 18830	021/ 2011 114/ 2011 115	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=15t/h , pmax=16bar , Tmax=350° C; Dmax=10Gc al/h, pmax=16bar	DISPR/CR4/A,B,C /4,5/3168/0/28.0 2.2012
208	Bucuresti	FUTURE LINE INSTAL SRL	BUCURESTI, Sos. Mihai Bravu, nr. 75-83, bl.C17, sc.B, et.6,ap.79, sector 2; BUCURESTI, Str. Biharia, nr. 67-77, sector 1	J40/2 3350/ 1992	CUI 18830	021/ 2011 114/ 2011 115	-	-	-	-	-	Cazane abur; cazane apa fierbinte	-	B/CR4/H/4,5/175 8/0/20.08.2013

209	Bacau	GA PRO CO CHEMICALS SA	SAVINESTI, Str. Gheorghe Caranfil, nr. 11, Jud. Neamt	J27/1 478/2 005	CUI 17728 697	0233 / 2805 44/ 2814 94/ 2812 60	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=50t/h , pmax=110bar, Tmax=440° C	BC/CR4/A,B,C/4/ 1144/1/20.01.201 5
210	Bacau	GA PRO CO CHEMICALS SA	Sat SAVINESTI, Com. Savinesti, Str. Uzinei, nr.2, Jud. Neamt	J27/1 478/2 005	CUI 17728 697	0233 /281 494/ 2812 60	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=50t/h , pmax=110bar, Tmax=440° C	BC/CR4/A,B,C/4/ 1144/0/21.01.201 3
211	Bucuresti	GADAGROUP ROMANIA SRL	BUCURESTI, Cal. Floreasca, nr.169A, corp A, et.7, sector 1	J40/9 320/1 996	RO 89367 10	0746 2311 47; 021/ 3172 102	Cazane abur	Cazane abur	-	-	-	-	Qmax=0.4t/ h, pmax=4bar, Tmax=150° C	B/CR4/A,B/4/206 9/0/31.03.2014

212	Constanta	GAZ SERVICES SRL	CONSTANTA, Str. Mesteru Manole, nr.1A, Jud. Constanta	J13/564/2001	CUI 13687691	0742145008; 0241/638980; e-mail gaz_services@yahoo.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=225°C; Dmax=5Gcal/h, pmax=16bar, Tmax=150°C	CT/CR4/A,B,C/4, 5/0112/0/20.12.2010
213	Bucuresti	GB INDCO SRL	BUCURESTI, Bd. Dimitrie Cantemir, nr. 9, bl. 7, sc. 1, ap. 8, sector 4; POPESTI LEORDENI, Str. Fagului, nr.19 (fosta nr. 17), Jud. Ilfov	J40/2728/1998	RO 10421821	0213361212/3363887; e-mail contact@bindco.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.3t/h, pmax=5bar, Tmax=150°C	B/CR4/A,B,C/4/2752/1/10.06.2016

214	Bucuresti	GB INDCO SRL	BUCURESTI, Bd. Dimitrie Cantemir, nr. 9, bl. 7, sc. 1, ap. 8, sector 4; BUCURESTI, Str. Mixandrei, nr. 80, sector 4	J40/2728/1998	RO10421821	021/3361212/3363887; e-mail contact@bindco.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.3t/h, pmax=5bar, Tmax=150°C	B/CR4/A,B,C/4/2752/0/07.04.2016
215	Bucuresti	GEMA TERM CONSULTING	BUCURESTI, Str. Emanoil Buteica, nr.10, bl.61, sc.1, ap.1, sector.3	J40/1544/1998	CUI10276098	021/3442158,021/3442159	-	-	-	Cazane abur; cazane apa fierbinte	-	-	pmax=180bar Qmax = 600t/h Tmax = 570°C; Dmax= Gcal/h pmax=24 bar	B/CR4/E/4,5/0114/0/29.06.2010
216	Central	GEMA TERM CONSULTING SRL	BUCURESTI, Aleea Marius Emanoil Buteica, nr.10, bl.61, sc.1, ap.1, sector 3	J40/1544/1998	RO10276098	021/3442158/3442159	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=600t/h, pmax=180bar, Tmax=570°C; Dmax=50Gcal/h, pmax=24bar	DISPR/CR4/E/4,5/3701/1/21.06.2012

217	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, Indicativ E1: 6b, et.1, sector 2; PLOIESTI, Str. Maramures, nr.12, et.2, Jud. Prahova	J40/8 266/2 006	CUI 18692 907	0344 /140 953/ 5710 01	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=40t/h , pmax=40bar , Tmax=340° C; Dmax=25Gcal/h, pmax=100bar	DISPR/CR4/E/4,5 /1209/3/30.03.20 16
218	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, indicativ E1:6b, et.1, sector 2	J40/8 266/2 008	CUI 18692 907	0344 /140 953; 0244 /571 001	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=40t/h , pmax=40bar , Tmax=350° C; Dmax=25Gcal/h, pmax=18bar	DISPR/CR4/E/4,5 /1209/0/16.06.20 11

219	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, indicativ E1:6b, et.1, sector 2; PLOIESTI, Str. Maramures, nr. 12, et.2, Jud. Prahova	J40/8266/2006	CUI 18692907	0344/140953;0244/571001	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=40t/h, pmax=40bar, Tmax=340°C; Dmax=25Gcal/h, pmax=18bar	DISPR/CR4/E/4,5/1209/1/14.12.2011
220	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, Indicativ E1: 6b, et.1, sector 2; PLOIESTI, Str. Maramures, nr.12, et.2, Jud. Prahova	J40/8266/2006	CUI 18692907	0344/140953/571001	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=40t/h, pmax=40bar, Tmax=340°C; Dmax=205Gcal/h, pmax=100bar	DISPR/CR4/E/4,5/1209/2/02.05.2012
221	Central	GLEM SERV CHIM SRL	BUCURESTI, Str. Cetatea Histria, nr.9, bl.14, sc.4, et.1, ap.51, sector 6	J40/1403/2005	CUI 17165127	021/7256696	-	-	-	Cazane abur; cazane apa fierbinte	-	-	p>0.5bar, T>110°C	DISPR/CR4/G/4,5/1083/0/23.06.2011

222	Bucuresti	GLOBAL ENERGY PRODUCTION SA	GIURGIU, Sos. Sloboziei, nr. 194, Jud. Giurgiu	J52/283/2011	CUI 28423620	0769060259; 0246/216665; e-mail globalenergyproduction@gmail.com	Cazane apa fierbinte	Cazane apa fierbinte	Cazane apa fierbinte				Qmax=10Gcal/h, pmax=18bar, tmax=150°C	B/CR4/A,B,C/5/2683/0/13.01.2016
223	Sibiu	GRUP 4 INSTALATII SA	CLUJ NAPOCA, Str. Luncii, nr.5A, Jud. Cluj	J12/24/1991	RO 242403	0264/401150/596266; e-mail grup4@grup4cj.ro	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte				Qmax=120t/h, pmax=40bar, Tmax=400°C; Dmax=50Gcal/h, pmax=16bar	SB/CR4/B,C/4,5/1454/1/14.04.2015

224	Cluj	GRUP 4 INSTALATII SA	CLUJ NAPOCA, Str. Luncii, nr.5A, Jud. Cluj	J12/2 4/199 1	RO 24240 3	0264 /596 168/ 5962 66	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/ h, pmax=40bar , Tmax=400° C; Dmax=50Gc al/h, pmax=16bar	CJ/CR4/B,C/4,5/ 0055/0/01.08.201 0
225	Central	GRUP ENERGOINSTAL SA	CLUJ NAPOCA, Str. Lunii, nr.8C, Jud. Cluj	J12/1 502/1 998	CUI 11009 951	0264 /438 352/ 4532 61	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax<=50t/ h, pmax<=40b ar, Tmax<=400° C; Dmax<=25G cal/h, pmax<=30b ar	DISPR/CR4/A,B/4 ,5/0949/0/13.05. 2011
226	Sibiu	GRUP ENERGOINSTAL SA	CLUJ NAPOCA, Calea Dezmirului, nr.8, Jud. Cluj	J12/1 502/1 998	CUI 11009 951	0264 /438 352/ 4532 61	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax<=50t/ h, pmax<=40b ar, Tmax<=400° C; Dmax<=25G cal/h, pmax<=30b ar	SB/CR4/A,B/4,5/ 1219/1/03.09.201 3

227	Central	HIDRO TERM SRL	SATU MARE, Str. Cibirului, bl.CE 20, Jud. Satu Mare	J30/367/2004	CUI 16274975	0361/801950/810538	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=35t/h , pmax=40bar , Tmax=400° C; Dmax=30Gcal/h, pmax=40bar	DISPR/CR4/A,C/4,5/0687/0/11.05.2011
228	Oradea	HIDRO TERM SRL	SATU MARE, Str. Cibirului, bl.CE 20, ap.6, Jud. Satu Mare	J30/367/2004	RO 16274975	0361/801950/810538	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=35t/h , Pmax=50bar , Tmax=450° C; Dmax=30Gcal/h, pmax=50bar , T>110° C	OR/CR4/E/,54/0046/0/25.10.2010
229	Oradea	HYDROMATIC SISTEM SRL	TIMISOARA, Calea Buziasului, nr. 11, Hala Industriala si birouri, Jud. Timis	J35/728/1998	CUI 10786429	0256/294361/246427	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h , pmax=64bar , Tmax=450° C; Dmax=25Gcal/h, pmax=16bar	OR/CR4/A,B,C/4,5/1431/1/17.05.2017

230	Oradea	HYDROMATIC SISTEM SRL	TIMISOARA, Calea Buziasului, nr. 11, Hala Industriala si birouri, Jud. Timis	J35/728/1998	CUI 10786429	0256/294361/246427	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h , pmax=64bar , Tmax=450°C; Dmax=25Gcal/h, pmax=16bar	OR/CR4/A,B,C/4, 5/1431/0/18.01.2016
231	Bacau	HIDROTERM SA	ROMAN, Str. Colectorului, nr. 1, Jud. Neamt	J27/399/1996	RO 5683613	0233/742490	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h , pmax=50bar , Tmax=450°C; Dmax=25Gcal/h, pmax=50bar	BC/CR4/A,B,C/4, 5/1633/0/03.02.2016
232	Bucuresti	HSH CHEMIE SRL	BUCURESTI, Str.Dimitrie Racovita nr.19, ap.1 si 2, sector 2	J40/11795/2000	CUI 13610671	021/3137778/021/3157864	-	-	-	-	-	Cazane abur; cazane apa fierbinte	p>0,5 bar, T>110°C	B/CR4/H/4,5/0136/0/30.06.2010-suspendare incepand cu 03.02.2014

233	Brasov	HYDRO X SRL	BRASOV, Str. Dealul Spirei, nr.7E, Jud. Brasov	J08/1 265/1 996	RO 88946 07	0268 /513 050/ 5131 57; 0744 3285 14	-	-	-	-	-	Cazane abur; cazane apa fierbinte	p>0.5bar; T>110°C	BV/CR4/H/4,5/00 27/0/30.07.2010
234	Central	INSTITUTUL NATIONAL DE CERCETARE DEZVOLTARE PENTRU ENERGIE - ICEMENERG	BUCURESTI, Bd. Energeticienilor, nr.8, sector 3	J40/4 323/2 014	CUI 33034 838	021/ 3462 769/ 3465 310	-	-	-	Cazane de abur, apa fierbinte	-	pmax=250bar, Tmax=570°C, Qmax=1035t/h; pmax=30bar , Dmax=100G cal/h	DISPR/CR4/E/4,5 /3866/1/13.06.20 016	
235	Central	INSTITUTUL NATIONAL DE CERCETARE DEZVOLTARE PENTRU ENERGIE - ICEMENERG	BUCURESTI, Bd. Energeticienilor, nr.8, sector 3	J40/4 323/2 014	CUI 33034 838	021/ 3462 769/ 3465 310	-	-	-	Cazane de abur, apa fierbinte	-	pmax=250bar, Tmax=570°C, Qmax=1035t/h; pmax=30bar , Dmax=100G cal/h	DISPR/CR4/E/4,5 /3866/0/27.08.20 14	

236	Central	ICEMENERG SA	BUCURESTI, Str. Energeticienilor, nr.8, sector 3	J40/7306/2004	CUI 16397293	021/346443/3460384	-	-	-	Cazane abur	-	-	pmax=245bar, Tmax=540°C, Qmax=1035t/h	DISPR/CR4/E/4,5/1016/0/20.06.2011
237	Bucuresti	ICMA SRL	PITESTI, Str. Petrochimistilor, nr.36, Jud. Arges	J03/1963/1991	RO 137238	0248/206011/615332	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax<=206bar, Tmax<=580°C; Dmax<=100Gcal/h, pmax<=50bar	B/CR4/A,B,C/4,5/2328/1/14.10.2014- suspendare voluntara incepand cu 12.10.2015
238	Central	ICMA SRL	PITESTI, Str. Petrochimistilor, nr.36, Jud. Arges	J03/1963/1991	RO 137238	0248/206011/206012	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1035t/h, pmax<=206bar, Tmax<=580°C; Dmax<=100Gcal/h, pmax<=50bar	DISPR/CR4/A,B,C/4,5/3123/0/28.02.2012
239	Bacau	ICMRS SA	GALATI, Str. Smardan , nr.1, Jud. Galati	J17/12/1991	RO 1633620	0236/448000/448011	-	-	Cazane abur	-	-	-	Qmax=300t/h, pmax=100bar, Tmax=400°C	BC/CR4/C/4/1363/0/17.02.2014

240	Central	ICPET GENERATOARE ABUR SA	BUCURESTI, Sos. Berceni, nr.104, sector 4	J40/1 8840/ 2004	RO 16951 886	021/ 3194 348/ 3149 058	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t /h, pmax=200b ar, Tmax=570° C; Dmax=100G cal/h, pmax=25bar	DISPR/CR4/E/4,5 /3750/1/02.11.20 12
241	Bucuresti	ICPET GENERATOARE ABUR SA	BUCURESTI, Sos. Berceni, nr.104, sector 4	J40/1 8840/ 2004	CUI 16951 886	021/ 4920 201	-	-	-	-	Cazane abur, apa fierbinte	-	Qmax=1035t /h, pmax=200b ar, Tmax=570° C; Dmax=100G cal/h, pmax=25bar , T>110° C	B/CR4/G/4,5/040 8/0/14.10.2010
242	Central	IMSP PROIECT SRL	CONSTANTA, Str. Breaza, nr. 14B, Jud. Constanta	J13/2 445/2 008	CUI 24178 510	0724 4601 70; 0241 /515 543	-	-	-	Cazane abur; cazane apa fierbinte	-	-	pmax=50bar , Tmax=440° C, Qmax=20t/h ; Dmax=5Gcal /h, pmax=18bar	DISPR/CR4/E/4,5 /1051/1/08.01.20 15

243	Central	IMSP PROIECT SRL	CONSTANTA, Str. Frigului, nr.4, bl.FG4, ap.11, Jud. Constanta	J13/2445/2008	CUI 24178510	0241/553132	-	-	-	Cazane abur; cazane apa fierbinte	-	-	pmax=50bar , Tmax=440° C, Qmax=20t/h ; Dmax=5Gcal/h, pmax=18bar	DISPR/CR4/E/4,5/1051/0/08.06.2011
244	Bucuresti	IMUC SA	BRADU, Str. Petrochimistilor, nr. 10, Jud. Arges	J03/236/1991	CUI 128990	0248/615600/615599	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1100t/h, pmax<=225bar, Tmax<=600° C; Dmax<=100Gcal/h, pmax<=50bar	B/CR4/A,B,C/4,5/2397/1/17.12.2014
245	Central	IMUC SA	BRADU, Str. Petrochimistilor, nr. 10, Jud. Arges	J03/236/1991	CUI 128990	0248/615600/615599	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1100t/h, pmax<=225bar, Tmax<=600° C; Dmax<=100Gcal/h, pmax<=50bar	DISPR/CR4/A,B,C/4,5/2390/0/21.11.2011

246	Brasov	INDUSTRIAL MONTAJ SA	PLOIESTI, Str. Mihai Bravu, nr.342A, Jud. Prahova	J29/2 257/1 991	RO 13481 95	0244 /515 774/ 5952 75	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, Pmax=400bar, Tmax=600°C; Dmax=150Gcal/h, Pmax=400bar	BV/CR4/A,B,C/4, 5/1502/2/18.11.2 015
247	Brasov	INDUSTRIAL MONTAJ SA	PLOIESTI, Str. Mihai Bravu, nr.342A, Jud. Prahova	J29/2 257/1 991	RO 13481 95	0244 /515 774/ 5952 75	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, Pmax=400bar, Tmax=440°C; Dmax=50Gcal/h, Pmax=400bar	BV/CR4/A,B,C/4, 5/1009/1/21.06.2 012
248	Ploiesti	INDUSTRIAL MONTAJ SA	PLOIESTI, Str. Mihai Bravu, nr.342A, Jud. Prahova	J29/2 257/1 991	RO 13481 95	0244 /515 774/ 5952 75	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, pmax=400bar, Tmax=440°C; Dmax=50Gcal/h, pmax=400bar	PL/CR4/A,B,C/4, 5/0209/0/21.10.2 010

249	Central	INDUSTRIAL MONTAJ GRUP SRL	DRAGANESTI OLT, Str. Capitan Draganescu, bl.PM1, sc.A,parter, ap.1, Jud. Olt; RM. VALCEA, Str. Industiilor , nr.30, Jud. Valcea	J28/4 8/200 5	CUI 17128 161	0728 1723 25; 0250 /730 314/ 7303 13	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=103 5t/h, pmax<=196 bar, Tmax<=565° C	DISPR/CR4/A,B,C /4,5/1256/0/28.0 6.2011
250	Central	INGET INGINERIE TERMICA SRL	CLUJ NAPOCA, Str. Maramuresului, nr.16, Jud. Cluj	J12/1 251/1 991	CUI 20773 2	0264 /435 274	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/ h, pmax<=30b ar, Tmax<=400° C; Dmax<=40G cal/h, pmax<=30b ar	DISPR/CR4/A,B,C /4,5/0400/0/30.0 3.2011
251	Suceava	INSTAL EXPERT SRL	SUCEAVA, Str. Petru Rares, nr. 20, bl. 4, sc. B, ap. 2, Jud. Suceava	J33/4 7/200 2	RO 14426 503	0230 /551 392	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Q<=105t/h, p<=40bar, T<=450°C; D<=50Gcal/ h, p<=25bar	SV/CR4/A,C/4,5/ 0023/0/04.10.201 0

252	Central	INSTAL GROUP SRL	ARAD, Str. Timotei Cipariu, nr.3, Jud. Arad	J02/692/1996	CUI 8898978	0257/276466/206626	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=300°C; Dmax<=5Gcal/h, pmax<=16bar	DISPR/CR4/A,B,C/4,5/0465/1/03.01.2012
253	Bucuresti	INSTALATII ENERGO REPARATII SRL	TARGOVISTE, Str. Tineretului, nr. 3, bl. 26, sc. B, ap. 48, Dambovita	J15/279/1994	RO 5252572	0245/614946; e-mail office@reparatiiromania.ro	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=440°C; Dmax=5Gcal/h, pmax=25bar	B/CR4/A,C/4,5/2769/1/20.04.2016
254	Ploiesti	INSTALATII ENERGO REPARATII SRL	TARGOVISTE, Str. T. Vladimirescu, bl.B4, sc.B, ap.1, Jud. Dambovita	J15/279/1994	RO 5252572	0245/614946	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=440°C; Dmax=5Gcal/h, pmax=25bar	PL/CR4/A,C/4,5/0008/0/19.04.2010

255	Central	INSTALATII RC SRL	IASI, Bd. N. Iorga, nr.24, bl.C1, et.2, Jud. Iasi	J22/2797/1992	CUI 2639206	0232/233775/233015	Cazane abur	Cazane abur	-	-	-	-	Qmax=4t/h, pmax=16bar, Tmax=200°C	DISPR/CR4/A,B/4/1797/0/22.08.2011
256	Central	INSTALATII RC SRL	IASI, Bd. Chimiei, nr.14F, Jud. Iasi	J22/2797/1992	CUI 2639206	0232/233775	Cazane abur	Cazane abur	-	-	-	-	Qmax=4t/h, pmax=16bar, Tmax=200°C	BC/CR4/A,B/4/1175/1/15.03.2013
257	Bacau	INSTALATORUL SRL	SUCEAVA, Str. Grigore Ureche, nr. 19, et. 2, camere 1-9, Jud. Suceava	J33/1875/1992	RO 3177709	0230/551719	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=25bar, Tmax=227°C	BC/CR4/A,B,C/4/1584/0/11.08.2015
258	Central	INSTPRO SRL	DRAGASANI, Str. Traian, nr.30, Jud. Valcea	J38/55/1999	CUI 11444947	0250/811150	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar, Tmax<=180°C; Dmax<=5Gcal/h, pmax<=16bar	DISPR/CR4/A,B,C/4,5/0892/0/15.04.2011

259	Cluj	INTELTERM CONSULTING SRL	CLUJ NAPOCA, Str. Rosiori, nr.3, Jud. Cluj	J12/2 10/19 98	RO 10196 037	0264 /593 904/ 4319 19	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h , pmax=16bar , Tmax=180° C; Dmax=25Gcal/h, pmax=16bar	CJ/CR4/A,B,C/4, 5/0064/0/17.08.2 010
260	Brasov	INTERCAZ SA	BRASOV, Str. Carierei, nr.153, Jud. Brasov	J08/1 068/1 992	CUI 10914 14	0268 /516 775	Cazane de abur	-	Cazane abur	-	-	-	Q<=100t/h, p<=16bar, T<=350° C	BV/CR4/A,C/4/00 03/0/04.06.2010
261	Central	INTERCOM INSTAL SRL	HUNEDOARA, Bd. Dacia, bl. A3, ap.15, Jud. Hunedoara	J20/7 07/20 00	CUI 13567 164	0254 /712 123/ 7146 11	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar	DISPR/CR4/A,B,C /4,5/0283/0/24.0 3.2011
262	Bacau	INTERNATIONAL INSTALATII IMPEX SRL	FOCSANI, Str. Magura, nr.10, Jud. Vrancea	J39/7 10199 4	RO 61429 18	0237 /625 874	Cazane de abur	-	Cazane abur	-	-	-	Qmax=10t/h , p=16bar, T=250° C	BC/CR4/A,C/4/10 39/0/24.08.2012
263	Central	INTERTEK INDUSTRY SERVICES ROMANIA SRL	BUCURESTI, Cal. Rahovei, nr. 266-268, cprp 63, Anexe A-B, Stalpii 0-4, camera 01, et. 8, sector 5	J40/2 948/2 000	RO 12841 309	021/ 3224 450/ 3274 826	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar , Tmax=440° C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/E/4,5 /3966/1/02.03.20 17

264	Central	INTERTEK INDUSTRY SERVICES ROMANIA SRL	BUCURESTI, Cal. Rahovei, nr. 266- 268, cprp 63, Anexe A-B, Stalpii 0-4, camera 01, et. 8, sector 5	J40/2 948/2 000	RO 12841 309	021/ 3224 450/ 3274 826	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/ h, pmax=40bar , Tmax=440° C; Dmax=100G cal/h, pmax=25bar	DISPR/CR4/E/4,5 /3966/0/11.11.20 16
265	Bucuresti	INTREPRINDEREA MECANICA SI CHIMICA (IRMC) APROM SRL	BUCURESTI, Sos. Berceni, nr.8, Obiectiv 1, Ajustaj-Forja, et.1, sector 4	J40/1 096/2 002	RO 14458 483	####	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=0.1t/ h, pmax=10bar , Tmax=200° C; Dmax=400G cal/h, pmax=3bar	B/CR4/A,B,C/4,5 /1957/0/09.01.20 14
266	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedinteanu, nr.7, Jud. Prahova	J29/5 56/20 10	RO 26850 340	0727 2055 19; 0344 /140 752; 0244 /547 707	-	-	-	Cazane abur	-	-	Qmax=540t/ h, pmax=250b ar, Tmax=570° C	DISPR/CR4/E/4/3 727/3/23.06.2016

267	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedințeanu, nr.7, Jud. Prahova	J29/56/2010	RO 26850340	0344/140752; 0244/547707	-	-	-	Cazane abur	-	-	Qmax=540t/h, pmax=250bar, Tmax=570°C	DISPR/CR4/E/4/3727/2/09.02.2015
268	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Constructia C1, et.1, Jud. Prahova	J29/56/2010	RO 26850340	0344/140752; 0244/547707	-	-	-	Cazane abur	-	-	Qmax=540t/h, pmax=250bar, Tmax=570°C	DISPR/CR4/E/4/3727/1/04.11.2013
269	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Constructia C1, et.1, Jud. Prahova	J29/56/2010	RO 26850340	0344/140752; 0244/547707	-	-	-	Cazane abur	-	-	Qmax=540t/h, pmax=250bar, Tmax=570°C	DISPR/CR4/E/4/3727/0/11.09.2012
270	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedințeanu, nr.7, Jud. Prahova	J29/56/2010	RO 26850340	0344/140752; 0244/547707	Cazane abur; cazane apă fierbinte	Cazane abur; cazane apă fierbinte	Cazane abur; cazane apă fierbinte	-	-	-	Qmax=1000t/h, Pmax=250bar, Tmax=570°C; Dmax=21Gcal/h, Pmax=40bar	BV/CR4/A,B,C/4,5/1390/3/06.06.2016

271	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedințeanu, nr. 7, Jud. Prahova	J29/556/2010	RO 26850340	0344 /140 752; e-mail: office@ipm-partners.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1000t/h, Pmax<=40bar, Tmax<=570°C; Dmax<=21Gcal/h, Pmax<=40bar	BV/CR4/A,B,C/4, 5/1390/2/20.02.2015
272	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Constructia C1, et.1, Jud. Prahova	J29/556/2010	RO 26850340	0344 /140 752; e-mail: office@ipm-partners.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1000t/h, Pmax=40bar, Tmax=570°C; Dmax=21Gcal/h, Pmax=40bar	BV/CR4/A,B,C/4, 5/1196/1/06.11.2013

273	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; 0244/547707	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1000t/h, Pmax<=40bar, Tmax<=570°C; Dmax<=21Gcal/h, Pmax<=40bar	BV/CR4/A,B,C/4,5/1034/0/10.08.2012
274	Central	IPOCHIM SA	BUCURESTI, Str. Mihai Eminescu, nr.19-21, sector 1	J40/6485/1991	CUI 457747	021/2117654/2102701	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570°C; Dmax=25Gcal/h, pmax=18bar	DISPR/CR4/E/4,5/0829/2/27.09.2017
275	Central	IPOCHIM SA	BUCURESTI, Str. Mihai Eminescu, nr.19-21, sector 1	J40/6485/1991	CUI 457747	021/2117654	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570°C; Dmax=25Gcal/h, pmax=18bar	DISPR/CR4/E/4,5/0829/1/27.04.2015

276	Central	IPOCHIM SA	BUCURESTI, Str. Mihai Eminescu, nr.19-21, sector 1	J40/6 485/1 991	CUI 45774 7	021/ 2117 654/ 2102 701	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/ h, pmax=150bar, Tmax=570°C; Dmax=25Gcal/h, pmax=18bar	DISPR/CR4/E/4,5 /0829/0/01.06.20 11
277	Bucuresti	IREM SERVICII SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr.3-5, parter, spatiu comercial nr. 2, sector 6	J40/1 1965/ 2006	CUI 18876 802	021/ 3132 904/ 3122 303	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t /h, pmax<=225 bar, Tmax<=600°C; Dmax=100G cal/h, pmax=50bar	B/CR4/A,B,C/4,5 /1058/3/13.08.20 15
278	Bucuresti	IREM SERVICII SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr.3-5, et.8, ap.2, sector 6	J40/1 1965/ 2006	CUI 18876 802	021/ 3132 904/ 3132 303	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t /h, pmax<=225 bar, Tmax<=600°C; Dmax=100G cal/h, pmax=50bar	B/CR4/A,B,C/4,5 /1058/2/10.06.20 13

279	Bucuresti	IREM SERVICII SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr.3-5, et.8, ap.2, sector 6	J40/1 1965/ 2006	CUI 18876 802	021/ 3132 904/ 3132 303	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax<=225 bar, Tmax<=600°C; Dmax=100G cal/h, pmax=50bar	B/CR4/A,B,C/4,5 /1058/1/21.07.20 12
280	Central	IREM SERVICII SRL	BUCURESTI, Cal. Victoriei, nr.16-18-20, et.2, sector 3	J40/1 1965/ 2006	CUI 18876 802	021/ 3132 904/ 3132 303; 0722 5001 30	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax<=225 bar, Tmax=600°C; Dmax=100G cal/h, pmax=50bar	DISPR/CR4/A,B,C /4,5/2025/0/27.0 9.2011
281	Bucuresti	IREM SPA SIRACUSA SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, camera 1, et. 5, sector 6; TG. JIU, Bd. Ecaterina Teodoroiu, nr. 46, Jud. Gorj	J40/1 1709/ 2014	RO 33677 137	0732 3334 11, 0731 3128 69; 0253 /223 793	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=50bar, Tmax=300°C; Dmax=30Gcal/h, pmax=20bar	B/CR4/B,C/4,5/2 699/0/18.02.2016

282	Bucuresti	IREM SPA SIRACUSA SRL- Sucursala Bucuresti	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, camera 1, et. 5, sector 6; STOINA, sectia MTN, Jud. Gorj	J40/1 1709/ 2014	RO 33677 137	0734 3018 16; 021/ 3132 904/ 3122 303	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h , pmax<=20b ar, Tmax=250° C; Dmax=30Gc al/h, pmax=16bar	B/CR4/A,B,C/4,5 /2608/0/04.09.20 15
283	Bucuresti	ISAM PRODIMPEX SRL	BUCURESTI, Al. Sergent Maj. Emil Holut, nr.4, bl.161, sc.1, et.2, ap.10, sector 4	J40/5 546/1 995	CUI 77048 52	021/ 3324 058	Cazane abur	-	Cazane abur	-	-	-	Qmax=0.25t /h, pmax=2.7ba r, Tmax=140° C;	B/CR4/A,C/4/039 8/0/06.10.2010
284	Central	ISCIR CERT SRL	BUCURESTI, Str. Dr. Leonte Anastasievici, nr.4D,corp A, et.4, birou 10, sector 5	J40/7 947/2 005	RO 17535 289	021/ 4115 203	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t /h, pmax=192b ar, Tmax=550° C; Dmax=100G cal/h, pmax=20bar	DISPR/CR4/E/8/3 887/0/07.11.2014

285	Central	ITM AMIRO SA	BUCURESTI, Sos. Berceni, nr.8, sector 4	J40/163/1991	CUI 382458	021/3327565	Cazane de abur (generatoare de abur pentru sterilizare)	Cazane de abur (generatoare de abur pentru sterilizare)	Cazane de abur (generatoare de abur pentru sterilizare)	-	-	-	Qmax=100Kg/h, pmax=10bar, Tmax=200°C	DISPR/CR4/A,B,C/4/1486/0/19.07.2011
286	Brasov	J. CHRISTOF E&P SERVICES SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1314/2009	CUI 21013747	0344/401027/401026; e-mail office.jce@christof.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=215bar, Tmax=850°C; Dmax=100Gcal/h, pmax=100bar	BV/CR4/A,B,C/4,5/1646/0/20.03.2017
287	Ploiesti	J. CHRISTOF E&P SERVICES SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1314/2009	RO 21013747	0344/401027/401026	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Dmax=5Gcal/h, Tmax=440°C	PL/CR4/A,B,C/4,5/0068/0/07.06.2010

288	Central	J. CHRISTOF E&P SERVICES SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1314/2009	CUI 21013747	0344/401027/401026	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=440°C; Dmax=5Gcal/h, pmax=40bar	DISPR/CR4/A,B,C/4,5/2374/1/22.07.2011
289	Brasov	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1097/2008	RO 22866980	0344/401027/401026	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax=215bar, Qmax=1035t/h, Tmax=650°C; pmax=100bar, Dmax=100Gcal/h	BV/CR4/A,B,C/4,5/1345/3/09.12.2014- suspendare voluntara incepand cu 28.07.2017
290	Ploiesti	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1097/2008	RO 22866980	0344/401027/401026	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	50bar>=p>0.5bar, Qmax=200t/h, Tmax=580°C; 50>=p>0.5bar, Dmax=50Gcal/h, Tmax=150°C	PL/CR4/A,B,C/4,5/0078/0/09.06.2010

291	Ploiesti	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1097/2008	RO22866980	0344/401027/401026	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax=100bar, Qmax=200t/h, Tmax=650°C; pmax=100bar, Dmax=50Gcal/h	PL/CR4/A,B,C/4,5/0078/1/16.08.2010
292	Ploiesti	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1097/2008	RO22866980	0344/401027/401026	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax<=215bar, Qmax<=1035t/h, Tmax<=650°C; pmax<=100bar, Dmax<=100Gcal/h	DISPR/CR4/A,B,C/4,5/0078/2/14.04.2011
293	Brasov	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Bd. Bucuresti, nr. 66, camera 1A, et. 1, Jud. Prahova	J29/1153/1997	RO9816194	0344/401995/401997	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax<=20bar, Tmax<=250°C, Qmax<=30t/h	BV/CR4/A,B,C/4,5/1364/2/10.07.2017
294	Brasov	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr. 66, camera 1A, et. 1, Jud. Prahova	J29/1153/1997	RO9816194	0344/401995/401997	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax<=20bar, Tmax<=250°C, Qmax<=30t/h	BV/CR4/A,B,C/4,5/1364/1/27.10.2016

295	Brasov	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr. 66, camera 1A, et. 1, Jud. Prahova	J29/1 153/1 997	RO 98161 94	0344 /401 995/ 4019 97	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax<=20bar, Tmax<=250° C, Qmax<=30t/h	BV/CR4/A,B,C/4, 5/1364/0/28.01.2 015
296	Ploiesti	KRAFTANLAGEN ROMANIA SRL	PLOIESTI, Bd. Bucuresti, nr.66, et.2, Jud. Prahova; PETROBRAZI, Com. Brazii de Sus, Str. Trandafirilor, nr.65, Jud. Prahova	J29/2 805/2 007	RO 21536 614	0344 /401 994/ 4039 00/4 0199 7/40 3911	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	225bar>=p> 0.5bar, Dmax=700t/h, Tmax=580° C; 150>=p>0.5 bar, Qmax100Gcal/h, Tmax=280° C	PL/CR4/A,B,C/4, 5/0148/0/16.07.2 010
297	Brasov	KREMSMUELLER ROMANIA SRL	PLOIESTI, Str. Centura de Vest, nr.23, Jud. Prahova	J29/6 26/20 07	CUI 18725 133	0728 2911 50; 0720 1125 85	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=150bar, Tmax=560° C; Dmax=100Gcal/h, pmax=50bar	BV/CR4/A,C/4,5/ 1480/1/06.10.201 5

298	Central	KREMSMUELLER ROMANIA SRL	PLOIESTI, Str. Centura de Vest, nr.23, Jud. Prahova	J29/626/2007	CUI 18725133	0728291150; 0720112585	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=150bar, Tmax=560°C; Dmax=100Gcal/h, pmax=50bar	DISPR/CR4/A,C/4,5/1724/0/28.06.2011
299	Central	KRONSTADT ENERGII REGENERABILE SRL	BRASOV, Str. Avram Iancu, nr.48A, sc.B, parter, ap.1, Jud. Brasov	J08/1090/2010	CUI 27457234	0368/416900/470881	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=16bar, Tmax=350°C; Dmax=50Gcal/h, Pmax=16bar, Tmax=170°C	DISPR/CR4/A,B,C/4,5/2501/0/09.12.2011
300	Brasov	KRONSTADT INSTALATII SERVICE SRL	BRASOV, Str. Avram Iancu, nr.48A, sc.B, parter, ap.1, birou 1, Jud. Brasov	J08/1108/2010	CUI 27476562	0368/416900/470881; e-mail office@kinstal.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=16bar, Tmax=350°C; Dmax=50Gcal/h, Pmax=16bar	BV/CR4/A,B,C/4,5/1662/0/24.05.2017

301	Brasov	LABOREX SRL	PLOIESTI, Str. Mihai Bravu, nr. 206, bl.25B, ap.3, Jud. Prahova	J29/109/1994	CUI 5122017	0244/518760/518761	-	-	-	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	p _{max} >0.5bar; T>110°C	BV/CR4/G/4,5/1086/1/22.11.2012; BV/CR4/H/4,5/1087/0/22.11.2012
302	Ploiesti	LABOREX SRL	PLOIESTI, Str. Mihai Bravu, nr.206, Jud. Prahova	J29/109/1994	RO 5122017	0244/518760/518761	-	-	-	-	Cazane abur, apa fierbinte	-	p>0.5bar; T>110°C	PL/CR4/G/4,5/0304/0/28.12.2010
303	Central	LABSERVICE SRL	BUCURESTI, Bd. Bucurestii Noi, nr.212A, sector 1	J40/3459/2002	CUI 14607410	021/6680952/6680954	Cazane abur	-	Cazane abur	-	-	-	Q _{max} <=5t/h, p _{max} <=16bar, T _{max} <=150°C	DISPR/CR4/A,C/4/1306/0/30.06.2011
304	Central	LAS PROM SRL	TG. MURES, Str. Cuza Voda, nr.25, Jud. Mures	J26/2185/2004	CUI 17057184	0265/264436/311884	Cazane abur	Cazane abur	Cazane abur	-	-	-	Q _{max} <=40t/h, p _{max} <=40bar, T _{max} <=440°C	DISPR/CR4/A,B,C/4/0424/0/07.04.2011
305	Central	LISSCOM SRL	BRASOV, Str. Neptun, nr.10, sc.C, ap.1, Jud. Brasov	J08/252/1998	CUI 10358473	0268/549274	Cazane abur	Cazane abur	Cazane abur	-	-	-	Q _{max} =120t/h, p _{max} =16bar, T _{max} =300°C	DISPR/CR4/A,B,C/4/2980/0/10.02.2012

306	Bacau	LOIAL IMPEX SRL	SUCEAVA, Str. Marasesti, nr.44, bl.T1, parter, Jud. Suceava	J33/27/1993	RO 3176126	0230/526800/.526900; office@loial.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440°C; Dmax=100Gcal/h, pmax=40bar	BC/CR4/A,B,C/4, 5/1258/2/26.05.2016
307	Bacau	LOIAL IMPEX SRL	SUCEAVA, Str. Marasesti, nr.44, bl.T1, parter, Jud. Suceava; SCHEIA, Str. Agronomului, nr.445, Jud. Suceava	J33/27/1993	RO 3176126	0230/526900; office@loial.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440°C; Dmax=100Gcal/h, pmax=40bar	BC/CR4/A,B,C/4, 5/1258/1/02.07.2013
308	Central	LOIAL IMPEX SRL	SUCEAVA, Str. Marasesti, nr.44, bl.T1, Jud. Suceava; SCHEIA, Str. Agronomului, nr.445, Jud. Suceava	J33/27/1993	RO 3176126	0230/526800/.526900	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440°C; Dmax=100Gcal/h, pmax=40bar	DISPR/CR4/A,B,C /4,5/3350/0/29.03.2012

309	Central	LUANA PREST SERV SRL	BRASOV, Str. Castelului, nr.40, ap.2, camera 2, Jud. Brasov	J08/2 840/2 008	RO 24662 030	0268 /477 637	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	pmax>0.5ba r, T>110°C	DISPR/CR4/H/4,5 /3456/0/12.04.20 12; DISPR/CR4/G/4,5 /3457/0/12.04.20 12
310	Central	LUANA PREST SERV SRL	BRASOV, Str. Castelului, nr.70, ap.2, Jud. Brasov	J08/2 840/2 008	RO 24662 030	0268 /415 715	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	pmax>0.5ba r, T>110°C	DISPR/CR4/G,H/4 ,5/3456, 3457/1/23.05.201 2
311	Bucuresti	MACCHI ROMANIA SRL	DR. TR. SEVERIN, Str. Portile de Fier, nr.2C9, Jud. Mehedinti	J25/1 91/20 04	RO 16325 432	0252 /310 046; 0352 /884 860 0252 /329 764	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	Qmax=550t/ h, Pmax=140b ar, Tmax=540° C; Dmax=149; Gcal/h, Pmax=25bar	B/CR4/A,B,C/4,5 /2127/3/19.02.20 16
312	Bucuresti	MACCHI ROMANIA SRL	DR. TR. SEVERIN, Str. Portile de Fier, nr.2C9, Jud. Mehedinti	J25/1 91/20 04	RO 16325 432	0727 4350 56; 0252 3100 46; 0252 /329 764	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	Qmax=550t/ h, Pmax=140b ar, Tmax=540° C; Dmax=150G cal/h, Pmax=25bar	B/CR4/A,B,C/4,5 /2127/2/28.04.20 14

313	Oradea	MARYLAND COMEXIM SRL	Lugasu de Sus, nr. 116, Jud. Bihor	J05/981/1994	RO 5343921	0744986434; e-mail cosminalbalaj@yahoo.com	-	-	-	-	-	Cazane de abur; cazane apa fierbinte	pmax>0.5bar, T>110°C	OR/CR4/H/4,5/1506/0/05.01.2017
314	Bucuresti	MED NICON SRL	BUCURESTI, Str. Jiblea, nr.34, sector 5	J40/5675/2000	RO 12820896	021/7765412	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.25t/h, pmax=5bar, Tmax=150°C	B/CR4/A,B,C/4/2350/0/28.11.2014
315	Bucuresti	MEDICARE TECHNICS SA	BUCURESTI, Str. Valea Merilor, nr.30, sector 1; TIMISOARA, Str. Iuliu Maniu, nr.3, sc.A, ap.5, Jud. Timis	J40/2238/2000	CUI 12766347	021/2286774/2286714; 0740556675	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=20bar, Tmax=250°C	B/CR4/A,C/4/1847/1/17.09.2014
316	Bucuresti	MEDICARE TECHNICS SA	BUCURESTI, Str. Valea Merilor, nr.30, sector 1	J40/2238/2000	CUI 12766347	021/2286774/2286714	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=20bar, Tmax=250°C	B/CR4/A,C/4/1847/0/18.10.2013

317	Sibiu	MEGA PASCAL SRL	SIBIU, Str. Independentei, nr.3A, Jud. Sibiu	J32/1 10/19 93	CUI 32385 80	0269 /253 150	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=30t/h , pmax=50bar , Tmax=440° C; Pmax=10000 kW, pmax=16bar , Tmax=150° C	SB/CR4/E/4,5/00 71/0/24.08.2010
318	Bacau	MEGAPREX INSTAL SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/1 145/2 006	RO 18906 598	0234 /551 544; e- mail mega prexi nstal @yah oo.co m	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=10t/h , Pmax=10bar , Tmax=180° C; Dmax=5Gcal /h, Pmax=15bar	BC/CR4/A,B/4,5/ 0126/1/19.05.201 7

319	Bacau	MEGAPREX INSTAL SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/1 145/2 006	RO 18906 598	0234 /551 544	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=10t/h , Pmax=10bar , Tmax=180° C; Dmax=5Gcal /h, Pmax=15bar	BC/CR4/A,B/4,5/ 0126/0/14.12.201 0
320	Central	MEGATERM SRL	BUCURESTI, Bd. Ghencea, nr.34, sector 6	J40/2 2602/ 1994	CUI 65206 57	021/ 4132 025/ 4132 017	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/ h, pmax=40bar , Tmax=450° C; Dmax=50Gc al/h, pmax=25bar	DISPR/CR4/A,B,C /4,5/1604/0/29.0 7.2011
321	Central	MENTCHIM SA	RM. VALCEA, Str. Uzinei, nr.1, Jud. Valcea	J38/5 01/20 05	CUI 17571 575	0250 /701 504; 0758 7107 70	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/ h, pmax<=40b ar, Tmax<=440° C; Dmax<=50G cal/h, pmax<=40b ar	DISPR/CR4/A,C/4 ,5/1553/0/26.07. 2011- retragere voluntara incepand cu 14.09.2016

322	Bacau	MERIDIAN SRL	BOTOSANI, Str. Maxim Gorki, nr.11, Jud. Botosani	J07/1200/1994	RO 6868830	0231/517989	Cazane abur	-	Cazane abur	-	-	-	Qmax=15t/h , pmax=40bar , Tmax=250° C	BC/CR4/A,C/4/1334/1/17.08.2016
323	Suceava	MERIDIAN SRL	BOTOSANI, Str. Maxim Gorki, nr.11, Jud. Botosani	J07/1200/1994	RO 6868830	0231/517989; e-mail: office@meridianbt.ro	Cazane abur	-	Cazane abur	-	-	-	Qmax=15t/h , pmax=40bar , Tmax=250° C	BC/CR4/A,C/4/1334/0/12.11.2013
324	Constanta	METALICA DG SRL	CONSTANTA, Str. Mihai Viteazu, nr.69A, Jud. Constanta	J13/2161/1992	CUI 1904088	0241/762700	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h , pmax=150bar, Tmax=450° C; Dmax=50Gcal/h, pmax=25bar	CT/CR4/C/4,5/0038/0/07.07.2010

325	Central	METALICA SA	BUCURESTI, Str. Petre Ispirescu, nr.75, sector 5	J40/1 2396/ 1994	CUI 59500 44	021/ 4205 150/ 4204 090	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=240bar, Tmax=650°C; Dmax=100Gcal/h, pmax<=25bar	DISPR/CR4/A,B,C /4,5/1368/0/14.0 7.2011
326	Central	METALOTERM SRL	SAVINESTI, Str. Dornelor, vila 43, ap.3, Jud. Neamt; PIATRA NEAMT, Str. Stramutati, nr.74, Jud. Neamt	J27/3 30/20 00	RO 13363 849	0233 /216 050	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350°C; Dmax=5Gcal/h, pmax=16bar	DISPR/CR4/A,C/4 5/3382/0/30.03. 2012
327	Central	MODULAT SRL	PASCANI, Str. Cuza Voda, nr.7, bl.D3, sc.B, ap.6, Jud. Iasi	J22/4 12/20 00	RO 13090 234	0232 /766 143	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/G/4,5 /0096/0/17.09.20 10
328	Central	MODULAT SRL	PASCANI, Str. Cuza Voda, nr.7, bl.D3, sc.B, ap.6, Jud. Iasi; PASCANI, Str. Vatra, nr.53, Jud. Iasi	J22/4 12/20 00	RO 13090 234	0232 /766 143; 0744 6389 39	-	-	-	-	-	Cazane abur; cazane apa fierbinte	pmax>0.5bar, T>110°C	DISPR/CR4/H/4,5 /3200/0/05.03.20 12

329	Iasi	MOLDOCONSTRUCȚIA SA	IASI, Str. I.C. Bratianu, nr.20-22, Jud. Iasi	J22/420/1991	RO 1956117	0232/250201/210093	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=5t/h, pmax=16bar, Tmax=200°C; Dmax=5Gcal/h, pmax=16bar	IS/CR4/A,B,C/4,5/0040/0/07.06.2010
330	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540°C; Dmax=100Gcal/h, pmax=25bar	BC/CR4/A,B,C/4,5/1481/4/07.02.2017
331	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540°C; Dmax=100Gcal/h, pmax=25bar	BC/CR4/A,B,C/4,5/1481/3/14.09.2016

332	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2 /1990	CUI 20462 50	0233 /210 660/ 2105 89	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/ h, pmax=160b ar, Tmax=540° C; Dmax=100G cal/h, pmax=25bar	BC/CR4/A,B,C/4, 5/1481/2/18.01.2 016
333	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2 /1990	CUI 20462 50	0233 /210 660/ 2105 89	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/ h, pmax=160b ar, Tmax=540° C; Dmax=100G cal/h, pmax=25bar	BC/CR4/A,B,C/4, 5/1481/1/12.09.2 014
334	Central	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2 /1990	CUI 20462 50	0233 /210 660/ 2105 89	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/ h, pmax=160b ar, Tmax=540° C; Dmax=100G cal/h, pmax=25bar	DISPR/CR4/A,B,C /4,5/3569/0/15.0 5.2012

335	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2 /1990	RO 20462 50	0233 /210 660/ 2105 89	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/ h, pmax=160b ar, Tmax=540° C; Dmax=100G cal/h, pmax=20bar , Tmax=200° C	BC/CR4/A,B,C/4, 5/0019/0/14.05.2 010
336	Bacau	MOLDOVULCAN	GALATI, Str. Fagului, nr.6, Jud. Galati	J17/5 77/19 95	RO 72542 19	0236 /465 349; 0744 6066 03; mold ovulc an@g mail. ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/ h, pmax=155b ar, Tmax=540° C; Dmax=100G cal/h, pmax=22bar , Tmax=150° C	BC/CR4/A,B,C/4, 5/1224/2/29.12.2 015

337	Cluj	MONDOCOM SRL	CLUJ NAPOCA, Str. Artelor, nr.33, Jud. Cluj	J12/3 343/1 992	RO 28925 18	0264 /550 012/ 4145 48	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/ h, pmax=16bar , Tmax=350° C; Dmax=5Gcal /h, pmax=16bar	CJ/CR4/A,C/4,5/ 0032/0/01.07.201 0
338	Craiova	MONTAJ SRL	CRAIOVA, Str. Drumul Apelor, nr.92, Jud. Dolj	J16/2 070/1 994	RO 59842 09	0251 /470 400	Cazane abur	-	-	-	-	-	pmax<=16b ar, 0.6t/h<=Q< =5t/h, Tmax<=200° C	CR/CR4/A/4/005 7/0/13.07.2010
339	Brasov	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/3 188/1 994	CUI 66602 78	0244 /523 758/ 5128 49	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t /h, pmax<=150 bar, Tmax<=550° C; Dmax<=50G cal/h, Pmax<=24b ar	BV/CR4/B,C/4,5/ 1445/4/13.06.201 7

340	Brasov	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/3188/1994	CUI 6660278	0244/523758/512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150 bar, Tmax<=550°C; Dmax<=50G cal/h, Pmax<=24bar	BV/CR4/B,C/4,5/1445/3/23.07.2015
341	Brasov	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/3188/1994	CUI 6660278	0244/523758/512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150 bar, Tmax<=550°C; Dmax<=50G cal/h, Pmax<=24bar	BV/CR4/B,C/4,5/1322/2/29.10.2014
342	Brasov	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/3188/1994	CUI 6660278	0244/523758/512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150 bar, Tmax<=550°C; Dmax<=50G cal/h, Pmax<=24bar	BV/CR4/B,C/4,5/1231/1/21.02.2014

343	Central	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/3188/1994	CUI 6660278	0244/523758/512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=150 bar, Tmax<=550°C; Dmax<=50G cal/h, Pmax<=24bar	DISPR/CR4/B,C/4,5/2950/0/30.01.2012
344	Bucuresti	NCH ROMANIA PRODUSE DE INTRETINERE SRL	BUCURESTI, Bd. Dimitrie Pompei, nr.5-7, parter, Hermes Business Campus, sector 2	J40/3563/1994	CUI 7913743	021/5295100/5295155	-	-	-	-	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	pmax>0.5bar, Tmax>110°C	B/CR4/G/4,5/2206/1/22.08.2016; B/CR4/H/4,5/2205/1/22.08.2016
345	Central	NCH ROMANIA PRODUSE DE INTRETINERE SRL	BUCURESTI, Str. Oltetului, nr.15, sector 2	J40/3563/1994	CUI 7913743	021/5295101/5295111	-	-	-	-	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	pmax>0.5bar, Tmax>110°C	DISPR/CR4/G/4,5/2206/0/19.10.2011; DISPR/CR4/H/4,5/2205/0/19.10.2011
346	Bucuresti	NEOCHIM SRL	AFUMATI, Str. Decebal, nr.2A, Jud. Ilfov	J23/1948/2004	CUI 17046401	0723723127; 0723502027; 021/3527895	-	-	-	-	-	Cazane abur, apa fierbinte	-	B/CR4/H/4,5/0632/0/11.02.2011-suspendare incepand cu 19.02.2014

347	Bucuresti	NEOCHIM SRL	BUCURESTI, Str. Gorgan Spataru, nr.68, sector 2	J40/1 5403/ 2011	CUI 17046 401	0723 7231 27; 021/ 3527 895	-	-	-	-	-	Cazane abur, apa fierbinte	-	B/CR4/H/4,5/063 2/1/17.03.2014
348	Bacau	NEW PREST SERVICE MCC SRL	IASI, Sos. Nicolina, nr.50, bl.971A, sc.C, et.6, ap.22, Jud. Iasi	J22/1 376/2 012	CUI 30554 156	0332 /448 402	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=3t/h, pmax=10bar ; Tmax=200° C	BC/CR4/A,B,C/4/ 1234/1/06.10.201 6
349	Bacau	NEW PREST SERVICE MCC SRL	IASI, Sos. Nicolina, nr.50, bl.971A, sc.C, et.6, ap.22, Jud. Iasi	J22/1 376/2 012	CUI 30554 156	0332 /448 402	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.3t/ h, pmax=6bar; Tmax=185° C	BC/CR4/A,B,C/4/ 1234/0/22.05.201 3
350	Bucuresti	NICONSULTING TECHNICS SRL	Sat ROSU, Com. Chiajna, Intrarea Gura Leului, nr.5, Jud. Ilfov	J23/8 /2014	RO 18448 164	0740 5710 88; 0318 /149 735	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=10t/h , pmax=20bar ; Tmax=250° C	B/CR4/A,B,C/4/2 073/0/25.03.2014
351	Bucuresti	NIMB CONSMETAL SRL	CERNAVODA, Str. Valea Cismelei, nr. 5, Jud. Constanta	J13/1 328/1 999	CUI 92750 05	0241 /238 488/ 2388 90	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h , pmax=16bar ; Dmax=100G cal/h, pmax=30bar	B/CR4/A,B,C/4,5 /1604/3/06.02.20 15

352	Central	NIMB CONSMETAL SRL	CERNAVODA, Platforma SNN CNE INVEST Cernavoda, Jud. Constanta	J13/1328/1999	CUI 9275005	0241/238488/238890	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=16bar; Dmax<=5Gcal/h, pmax<=16bar	DISPR/CR4/A,B,C/4,5/0978/1/28.11.2011
353	Central	NIMB CONSMETAL SRL	CERNAVODA, Str. Valea Cismelei, nr.5, Jud. Constanta	J13/1328/1999	CUI 9275005	0241/238488/238890	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar; Dmax=5Gcal/h, pmax=16bar	DISPR/CR4/B,C/4,5/1604/2/16.05.2013
354	Central	NIPTER CONSTRUCT SRL	BUCOV, Str. Eroilor, nr.1, Jud. Prahova	J29/293/2001	CUI 13823122	0244/275012	Cazane abur	-	-	-	-	-	Qmax<=10t/h, pmax<=25bar, Tmax<=250°C	DISPR/CR4/A/4/1954/0/04.08.2011
355	Central	NUCLEAR NDT RESEARCH & SERVICES SRL	BUCURESTI, Sos. Berceni, nr.104, Cladire laborator central, sector 4	J40/1782/2000	CUI 12723915	021/3012575/3012652	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax<=300bar, Tmax<=600°C; Dmax=50Gcal/h, pmax<=18bar	DISPR/CR4/E/4,5/0987/1/28.12.2016

356	Central	NUCLEAR NDT RESEARCH & SERVICES SRL	BUCURESTI, Sos. Berceni, nr.104, sector 4	J40/1782/2000	CUI 12723915	021/3012575/3012652	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax<=196 bar, Tmax<=570°C; Dmax=50Gcal/h, pmax<=18bar	DISPR/CR4/E/4,5/0987/0/06.06.2011
357	Central	NUCLEARELECTRICA	BUCURESTI, Str. Polona, nr.65, sector 1; CERNAVODA, Str. Medgidiei, nr.2, Jud. Constanta	J40/7403/1998; J13/3442/2007	RO 10874881; CUI 22554619	021/2038200/3169804; 0241/239340/239266	-	-	Cazane abur	-	-	-	pmax=17bar, Tmax=260°C, Qmax=30t/h	DI/CR4/C/4/0001/0/17.03.2010
358	Central	NUCLEAR MONTAJ GALATI SA	GALATI, Str. Fagului, nr.9, Jud. Galati	J17/84/1997	CUI 8922480	0236/410923/477930	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=155bar, Tmax=540°C; Dmax=100Gcal/h, pmax=22bar, Tmax=150°C	DISPR/CR4/A,B,C/4,5/1088/0/16.05.2011

359	Bucuresti	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1	J40/8 302/1 997	CUI 15900 82	021/ 2125 001/ 3155 166	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h , pmax=20bar , Tmax=250° C; Dmax=30Gcal/h, pmax=16bar	B/CR4/A,B,C/4,5 /0313/0/19.08.20 10
360	Bucuresti	OMV PETROM SA	BUCURESTI, sector1, Str. Coralilor, nr.22	J40/8 302/1 997	CUI 15900 82	021/ 4060 040/ 4060 420	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h , pmax=20bar , Tmax=250° C; Dmax=30Gcal/h, pmax=16bar	B/CR4/B,C/19/03 16/1/12.02.2013
361	Craiova	OMV PETROM SA	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; ISALNITA, Str. M. Eminescu, nr.105, Jud. Dolj	J40/8 302/1 997	RO 15900 82	021/ 2030 505; 0372 8685 44; 0251 /407 183/ 4073 70	-	-	Cazane abur, apa fierbinte	-	-	-	Qmax=120t/h, pmax=150bar, tmax=400°C ; Dmax=50Gcal/h, pmax=25bar	CR/CR4/E/4,5/01 24/0/15.11.2010

362	Ploiesti	OPTIMATIC SOLUTIONS SRL	PLOIESTI, Str. Bobilna, nr.62B, Jud. Prahova	J29/1844/2005	RO 17907250	0735778399;0244/585811	-	-	-	Cazane abur, apa fierbinte	-	-	pmax=50bar , Qmax=100t/h, Tmax=450°C; pmax=20bar , Dmax=50Gcal/h	PL/CR4/E/4,5/0115/0/26.07.2010
363	Central	OPTIMATIC SOLUTIONS SRL	PLOIESTI, Str. Bobilna, nr.62B, Jud. Prahova; PLOIESTI, Sos. Vestului, nr.12, Jud. Prahova	J29/1844/2005	RO 17907250	0735778399;0244/585811	-	-	-	Cazane abur, apa fierbinte	-	-	pmax=50bar , Qmax=100t/h, Tmax=450°C; pmax=20bar , Dmax=50Gcal/h	DISPR/CR4/E/4,5/3794/1/04.04.2013
364	Sibiu	ORDEA PRODCOM SRL	TG. MURES, Str. Libertatii, nr.122A, Jud. Mures	J26/826/1997	RO 9991233	0265/269078/261678	-	-	Cazane abur	-	-	-	Qmax=10t/h , pmax=20bar , Tmax=350°C	SB/CR4/C/4/1376/0/22.09.2014
365	Bucuresti	PARTENER CONSTRUCT GENERAL SRL	NAVODARI, Str. Muzicii, nr.53, et.M, camera 1, Jud. Constanta	J13/1837/2013	RO 32129578	0752105626;0341/488805	-	-	Cazane abur	-	-	-	Qmax=105t/h, pmax=40bar , Tmax=440°C	B/CR4/C/4/1941/0/12.11.2013

366	Bucuresti	PAS 97 IMPEX SRL	BUCURESTI, Str. Ion Minulescu, nr.60, Unitatea II-Corp Tab. Minerala, sector 3	J40/4778/1997	RO 9537700	031/4379247/4379248	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=100t/h, pmax=40bar, Tmax=400°C	B/CR4/A/4,5/0154/0/21.09.2012
367	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/1993	CUI 4000500	0244/513214; e-mail: sc_pa ulus_srl@yahoo.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q<=120t/h, P<=40bar, T<=440°C; D<=50Gcal/h, P<=40bar	BV/CR4/A,B,C/4,5/1016/2/10.06.2016
368	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/1993	CUI 4000500	0244/513214	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, Pmax=40bar, Tmax=440°C; Dmax=50Gcal/h, Pmax=40bar	BV/CR4/A,B,C/4,5/1016/1/10.07.2012

369	Central	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/1993	CUI 4000500	0244/513214	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar, Tmax<=440°C; Dmax<=50Gcal/h, pmax<=40bar	DISPR/CR4/A,B,C/4,5/1960/0/30.08.2011
370	Ploiesti	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/1993	RO 40005000	0244/513214	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Dmax=50Gcal/h, pmax=40bar, Tmax=440°C; Dmax=50Gcal/h, pmax=40bar	PL/CR4/A,B,C/4,5/0230/0/12.11.2010
371	Central	PEET ELECTROCENTRALE PAROSEN SA	VULCAN, Str. Paroseni, nr.20, Jud. Hunedoara	J20/710/2011	RO 28835451	0254/570790/570481	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=540t/h, pmax=140bar, Tmax=545°C; Dmax=103.2Gcal/h, pmax=20bar	DISPR/CR4/C/4,5/3363/0/29.03.2012

372	Central	PETROCHIM PROIECT SRL	PITESTI, Str. Exercițiu, bl.D17, sc.B, ap.4, Jud. Arges; PITESTI, Bd. Petrochimistilor, Km 5, Jud. Arges	J03/232/1991	RO131480	0248/615210	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=50t/h, pmax=50bar, Tmax=450°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/3717/1/16.08.2012
373	Pitesti	PETROCHIM PROIECT SRL	PITESTI, Str.Exercițiu, bl.B17, sc.B,ap.4, Arges	J03/232/1991	RO131480	0248/615210	-	-	-	Cazane de abur, apa fierbinte	-	-	Q<=50t/h, pmax<=50bar, T<=450°C; D<=50Gcal/h, pmax<=16bar, T<=180°C	PT/CR4/E/4,5/0062/0/23.06.2010
374	Central	PETROCONST SA	CONSTANTA, Bd. I.C. Bratianu, nr.45, Jud. Constanta	J13/3113/1994	CUI6162290	0241/614356/618694	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=30t/h, pmax<=120bar, Tmax<=350°C; Dmax<=50Gcal/h, pmax<=20bar	DISPR/CR4/A,B,C/4,5/1772/0/18.08.2011

375	Central	PETROGAZ SRL	BRASOV, Str. Fanului, nr.73, Jud. Brasov 57G	J08/218/1994	RO 5225276	0268/330915	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, Dmax=50Gcal/h, pmax=100bar, Tmax=440°C	DISPR/CR4/E/4,5/3959/1/30.08.2016
376	Brasov	PETROGAZ SA	BRASOV, Str. Hortensiei, nr.73, Jud. Brasov	J08/218/1994	RO 5225276	0268/330915; 0722760773	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, Dmax=50Gcal/h, pmax=100bar, Tmax=440°C	BV/CR4/E/4,5/0024/0/19.07.2010
377	Bucuresti	PIFATI SA	BUCURESTI, Str. Iovita, nr. 11, et. 2, camere 4-9, sector 5	J40/1100/1991	CUI 401517	021/4104600/4100638; e-mail office@pifati.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=450°C; pmax=40bar, Dmax=50t/h	B/CR4/A,B,C/4,5/0137/1/19.05.2016

378	Bucuresti	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/1 100/1 991	CUI 40151 7	021/ 4106 645/ 4100 638	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/ h, pmax=40bar , Tmax=450° C; pmax=40bar , Dmax=50t/h	B/CR4/A,B,C/4,5 /0137/0/09.07.20 10
379	Central	PIFATI SA	BUCURESTI, Str. Iovita, nr. 11, et. 2, camere 4-9, sector 5	J40/1 100/1 991	CUI 40151 7	021/ 4104 600/ 4100 638; e- mail office@pi fati.ro	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/ h, pmax=100bar, Tmax=540° C; pmax=30bar , Dmax=50Gcal/h	DISPR/CR4/E/4,5 /2020/1/23.06.20 16
380	Central	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/1 100/1 991	CUI 40151 7	021/ 4104 600/ 4100 638	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/ h, pmax=100bar, Tmax=540° C; pmax=30bar , Dmax=50Gcal/h	DISPR/CR4/E/4,5 /2020/0/28.09.20 11

381	Bucuresti	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/1 100/1 991	CUI 40151 7	021/ 4106 645/ 4100 638	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/ h, pmax=40bar , Tmax=450° C; Dmax=50Gc al/h, pmax=40bar ,	B/CR4/A,B,C/4,5 /0137/0/09.07.20 10
382	Bucuresti	PIFATI SA	BUCURESTI, Str. Iovita, nr. 11, et. 2, camere 4-9, sector 5	J40/1 100/1 991	CUI 40151 7	021/ 4104 600/ 4100 638; e- mail office@pi fati.ro	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	B/CR4/G/4,5/008 5/1/20.05.2016; B/CR4/H/4,5/008 6/1/19.05.2016
383	Bucuresti	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/1 100/1 991	CUI 40151 7	021/ 4106 645/ 4100 638	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Qmax=120t/ h, pmax=40bar , Tmax=450° C; Dmax=50t/h , pmax=40bar , Tmax=450° C	B/CR4/G/4,5/008 5/0/18.06.2010; B/CR4/H/4,5/008 6/0/18.06.2010

384	Central	PIPESUPPORT CONSULT SRL	BUCURESTI, Str. Barbu Vacarescu, nr.101, parter, camera A, sector 2	J40/1170/2006	CUI 518322009	0722665452; 0723310805; 021/3211354	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=192bar, Tmax=570°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0381/0/08.04.2011
385	Central	PIPESUPPORT CONSULT SRL	BUCURESTI, Str. Barbu Vacarescu, nr.101, parter, camera A, sector 2; BUCURESTI, Str. Alexandru Savulescu, nr.14, sector 2	J40/1170/2006	CUI 518322009	021/3211354	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=400bar, Tmax=650°C; Dmax=100Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0381/0/08.04.2011
386	Central	PLUS TEST SRL	FOCSANI, Al. Echitatii, nr. 17, bl.I 14, parter, ap. 1, Jud. Vrancea	J39/335/2014	CUI 33335452	0763261641; 0337/407780	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=40bar, Tmax=440°C; Dmax=5Gcal/h, pmax=25bar	DISPR/CR4/E/4,5/3914/0/24.06.2015

387	Bacau	PLUSSERVICE SRL	FOCSANI, Str. Bucegi, nr.13, bl.12, ap.12, Jud. Vrancea; FOCSANI, Str. 1 Decembrie 1918, nr.37, Jud. Vrancea	J39/678/2003	RO 15818661	0744635244; e-mail: verificarietehnic@yahoo.com	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	-	Qmax=28t/h , pmax=40bar , Tmax=250°C; Dmax=25Gcal/h, pmax=16bar , Tmax=150°C	BC/CR4/A,C/4,5/1304/0/23.09.2013
388	Bucuresti	POLYSTART IMPEX SRL	CRAIOVA, Str. Ion Maiorescu, nr.4, Jud. Dolj	J16/4018/1994	RO 6847927	0251/406466; 0372/001510	Cazane de abur; cazane apa fierbinte	-	-	-	-	-	-	Qmax=55t/h , Pmax=16bar , Tmax=200°C; Dmax=66Gcal/h, Pmax=16bar	B/CR4/A/4,5/2141/0/14.05.2014-suspendare voluntara incepand cu 03.08.2016
389	Oradea	POSZET SRL	SATU MARE, Str. Bujorului, nr.52, Jud. Satu Mare	J30/707/2005	RO 17670277	0259/453345/463661	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	-	-	Qmax=10t/h , Pmax=16bar , Tmax=400°C; Dmax=5Gcal/h, pmax=16bar ,	OR/CR4/A,B/4/0100/0/14.02.2011

390	Central	PREMIUM SA	BRAZI, Str. Trandafirilor, nr.69, Jud. Prahova	J29/1 318/1 997	CUI 99210 50	0244 /526 606/ 5268 85; 0372 7539 66; 0244 /526 883	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax<=540t /h, pmax<=196 bar, Tmax<=570° C; Dmax<=50G cal/h, pmax<=18b ar	DISPR/CR4/E/4,5 /1264/0/22.06.20 11
391	Central	PREMIUM SA	BRAZI, Str. Trandafirilor, nr.69, Jud. Prahova	J29/1 318/1 997	CUI 99210 50	0244 /526 606/ 5268 85; 0372 7539 66; 0244 /526 883	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax<=540t /h, pmax<=196 bar, Tmax<=570° C; Dmax<=50G cal/h, pmax<=18b ar	DISPR/CR4/E/4,5 /1264/1/09.05.20 14
392	Bucuresti	PRIMASERV SRL	CRAIOVA, Calea Bucuresti, bl.A2, sc.2, ap.2, Jud. Dolj	J16/1 148/2 005	RO 17629 570	0729 0461 83; 0351 /421 841/ 8018 15	-	-	Cazane abur	-	-	-	Pmax<=40b ar, Tmax<=210° C, Qmax<=100t /h	B/CR4/C/4/1187/ 1/30.09.2015- suspendare voluntara incepand cu 26.10.2017

393	Bucuresti	PRIMASERV SRL	CRAIOVA, Calea Bucuresti, bl.A2, sc.2, ap.2, Jud. Dolj	J16/1148/2005	RO 17629570	0729046183; 0351/421841/801815	-	-	Cazane abur	-	-	-	Pmax<=40bar, Tmax<=210°C, Qmax<=100t/h	B/CR4/A,B,C/4/1187/0/22.11.2012
394	Central	PRIMEX SRL	CLUJ NAPOCA, Str. Campul Painii, nr.30A, Jud. Cluj	J12/4270/1991	CUI 233154	0264/415272/403135	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=50t/h, pmax=100bar, Tmax=530°C; Dmax=50Gcal/h, pmax=18bar	DISPR/CR4/E/4,5/1160/0/21.06.2011
395	Central	PRISMA SERV COMPANY SRL	IASI, Str. Petru Poni, nr.13, bl. 573A, Tr.1, parter, ap.2, Jud. Iasi	J22/601/2001	CUI 13991843	0232/217905; 0332/409775	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax<=10t/h, pmax=16bar; Tmax=300°C	DISPR/CR4/A,B,C/4/0665/0/22.04.2011

396	Central	PRO TC GRUP SRL	BASCOV, Str. Serelor, nr.48A, Jud. Arges	J03/1424/2004	CUI 16698504	0248/206081/206082	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=30t/h, pmax<=16bar, Tmax<=400°C; Dmax<=50Gcal/h, pmax<=16bar	DISPR/CR4/A,C/4,5/2369/1/15.11.2011
397	Pitesti	PRO TC GRUP SRL	BASCOV, Str. Serelor, nr.48A, Jud. Arges	J03/1424/2004	RO 16698504	0248/206081/int 118sau 122, 0248/211060/206082; 0722287365	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q<30t/h, pmax<=16bar, T<=400°C; D<=50Gcal/h, pmax<=16bar, T<=150°C	PT/CR4/A,C/4,5/0155/0/21.12.2010

398	Pitesti	PROINSAT SA	RM. VALCEA, Str. Industriilor, nr.2, Jud. Valcea	J38/1558/1992	RO2989104	0250/733390/730231	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=250°C; Dmax=10Gcal/h, pmax=25bar	PT/CR4/A,B,C/4,5/0029/0/27.04.2010
399	Pitesti	PROINSTAL PIPE SRL	STEFANESTI, Sos. Bucuresti-Pitesti, nr.72A, Jud. Arges	J03/47/1999	RO11433360	0248/212501/223403	Cazane de abur, apa fierbinte	-	-	-	-	-	Q<=10t/h, pmax<=16bar, T<=450°C; D<=5Gcal/h, pmax<=16bar, T<=150°C	PT/CR4/A/4,5/0006/0/09.04.2010
400	Central	PROTEHNIC SRL	SLOBOZIA, Str. Matei Basarab, bl.MB5A, Jud. Ialomita; BUCURESTI, Str. Grigore C. Moisil, nr.8, bl.9, sc.D, ap.168, sector 2	J21/563/1995	CUI8010891	0243/234479;021/2424908	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax<=500t/h, pmax<=200bar, Tmax<=570°C; Dmax<=15Gcal/h, pmax<=40bar	DISPR/CR4/A/4,5/0903/0/23.05.2011

401	Bucuresti	PROTEHNIC SRL	SLOBOZIA, Str. Matei Basarab, bl.MB5A, Jud. Ialomita	J21/563/1995	RO 8010891	021/2424908; 0243/234479	-	-	-	Cazane de abur	-	-	Qmax=5t/h, Pmax=50bar, Tmax=560°C	B/CR4/E/4/0420/0/26.10.2010
402	Central	RAAN - Sucursala ROMAG TERMO	DR TN. SEVERIN, Str. Nicolae Iorga, nr.1, Jud. Mehedinti; HALANGA, Com. Izvoru Barzii, Jud. Mehedinti	J25/282/1998	CUI 10882752	0252/323848/323685; 0252/323666	-	-	Cazane abur	-	-	-	Qmax=420t/h, pmax=140bar, Tmax=550°C	DISPR/CR4/C/4/3348/0/12.03.2012
403	Central	RAEMGAL SERVICE SRL	GALATI, Str. Energiei , nr.5, bl.10A, sc.2, et 2, ap. 27, Jud. Galati	J17/348/2002	CUI 14616672	0236/460514	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=450t/h, pmax<=250bar, Tmax<=540°C	DISPR/CR4/B,C/4/2977/0/07.02.2012
404	Central	RAFO SA	ONESTI, Str. Industriilor, nr.3, Jud. Bacau	J04/538/1991	CUI 958772	0234/303303/315640	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=80t/h, pmax<=50bar, Tmax<=450°C; Dmax<=25Gcal/h	DISPR/CR4/C/4,5/0661/0/03.05.2011

405	Bacau	RAFO SA	ONESTI, Str. Industriilor, nr.3, Jud. Bacau	J04/538/1991	CUI 958772	0234/303/315640	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=80t/h, pmax<=50bar, Tmax<=540°C; Dmax<=25Gcal/h, pmax=20bar	BC/CR4/C/4,5/1213/1/24.04.2013-suspendare voluntara incepand cu 25.11.2016
406	Bacau	RCA MOLDOTERM SRL	IASI, Aleea Tudor Neculai, nr.99, bl. 989A, sc.B, et.4, ap.18, Jud. Iasi	J22/1741/2004	CUI 16698164	0332/808738/808739	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; Dmax=20Gcal/h, pmax=16bar	BC/CR4/A,B,C/4,5/1666/1/17.05.2016
407	Central	RCA MOLDOTERM SRL	IASI, Aleea Tudor Neculai, nr.99, bl. 989A, sc.B, et.4, ap.18, Jud. Iasi	J22/1741/2004	CUI 16698164	0332/808738/808739	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; Dmax=20Gcal/h, pmax=16bar	DISPR/CR4/A,B,C/4,5/1781/0/16.08.2011

408	Brasov	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0244/546229/546031; e-mail: remero@yahoo.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1025t/h, pmax<=250bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=30bar	BV/CR4/A,B,C/4,5/1328/1/21.10.2014
409	Central	REMERO FIL SA	BRAZI, Sat Brazii de Sus, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0755316623; 0244/546031	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=1025t/h, pmax<=25bar, Tmax<=600°C; Dmax<=100Gcal/h, pmax<=30bar	DISPR/CR4/A,B,C/4,5/2875/0/23.01.2012
410	Central	REMONT SRL	CONSTANTA, Al. Garofitei, nr.11A, Jud. Constanta	J13/5695/1992	CUI 2753846	0241/558900/692260	Cazane abur	-	Cazane abur	-	-	-	Qmax<=150t/h, pmax<=40bar, Tmax<=450°C	DISPR/CR4/A,C/4/0044/1/18.05.2011

411	Constanta	REMONT SRL	CONSTANTA, Al. Garofitei, colt cu Str. Bucuresti, nr.11A, Jud. Constanta	J13/5695/1992	CUI 2753846	0241/692260/558900	Cazane abur	-	Cazane abur	-	-	-	Qmax=25t/h, pmax=16bar, Tmax=200°C	CT/CR4/C/4/0044/0/14.07.2010
412	Brasov	REPCAZCOND SRL	BUZAU, Str. Obor, bl.12, sc.A, Jud. Buzau	J10/426/2013	CUI 31665810	0238/720242/406760	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=150t/h, pmax<=40bar, Tmax=535°C	BV/CR4/A,B,C/4/1319/0/30.10.2014
413	Central	REVERS SRL	BRASOV, Str. Carpatilor, nr.97, Jud. Brasov	J08/2581/1992	CUI 3051580	0268/332311	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax<=15t/h, pmax<=16bar, Tmax<=250°C; Dmax<=10Gcal/h, pmax<=16bar	DISPR/CR4/A/4,5/2469/0/28.11.2011
414	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta	J13/2053/2001	CUI 14320668	0241/586406/586448	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar; Dmax<=50Gcal/h, pmax<=40bar	B/CR4/A,B,C/4,5/1324/2/03.02.2015

415	Central	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta	J13/2053/2001	CUI 14320668	0241/586406/586448	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar; Dmax<=50Gcal/h, pmax<=40bar	DISPR/CR4/A,B,C/4,5/0717/0/02.05.2011
416	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta	J13/2053/2001	CUI 14320668	0241/586406/586448	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=120t/h, pmax<=40bar; Dmax<=50Gcal/h, pmax<=40bar	B/CR4/A,B,C/4,5/1324/1/20.03.2013
417	Central	RINA SIMTEX-ORGANISMUL DE CERTIFICARE SRL	BUCURESTI, Str. Dr. Leonte Anastasievici, nr. 4D, corp A, sector 5	J40/9653/1999	CUI 12351790	021/6190651/6190353	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=440°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/E/4,5/3955/0/15.07.2016

418	Brasov	RO STEAM IT SRL	BRASOV, Str. Neagoie Basarab. Nr. 37, Jud. Brasov	J08/1863/2017	RO37880680	0368/414123; e-mail rosteamit@gmail.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=100t/h, pmax<=40bar, Tmax=250°C; Dmax<=50Gcal/h, pmax<=40bar	BV/CR4/A,B,C/4,5/1696/0/12.09.2017
419	Central	ROBERT BOSCH SRL	BUCURESTI, Str. Horia Macelariu, nr.30-34, et.1-2 si 4, sector 1	J40/7601/1994	CUI5541546	0214057500/2331313	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=540°C; Qmax=25Gcal/h, pmax=40bar, Tmax=250°C	DISPR/CR4/A/4,5/2901/0/27.01.2012

420	Bucuresti	ROMANOR SRL	CALARASI, Str. Gh. Lazar, nr.8, Jud. Calarasi	J51/577/1992	CUI 1917665	0242/322602/331492	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=100bar, Tmax=350°C; Dmax=50Gcal/h, pmax=25bar, Tmax=150°C	B/CR4/A,B,C/4,5/0580/1/26.09.2012
421	Central	ROMCET GRUP SA	BUCURESTI, Str. Orion, nr.3, sector 5	J40/8419/1995	CUI 7815400	021/4204287	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax<=300t/h, pmax<=40bar, Tmax=570°C	DISPR/CR4/A,B,C/4/1032/0/01.06.2011
422	Central	ROMIB SA	TUNARI, Cal. Bucurestilor, nr.74, Jud. Ilfov	J23/1077/2003	CUI 6927694	021/2675028; 0721266682	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=400°C; Dmax=50Gcal/h, pmax=25bar	DISPR/CR4/A,B,C/4,5/1605/0/01.08.2011

423	Bucuresti	ROMIB SA	TUNARI, Cal. Bucurestilor, nr.74, Jud. Ilfov	J23/1077/2003	CUI 6927694	021/2675028/2675237	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=400°C; Dmax=50Gcal/h, pmax=25bar	B/CR4/A,B,C/4,5/1810/1/24.09.2013
424	Central	ROMINDUSTRIAL COM SRL	DR. TN. SEVERIN, Str. Constructorilor, nr.44bis, Jud. Mehedinti	J25/1718/1993	CUI 4997057	0252/326453;0722355560	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax<=120t/h, pmax<=40bar, Tmax<=450°C; Dmax<=100Gcal, pmax<=25bar, tmax<=175°C	DISPR/CR4/B,C/4,5/2080/0/28.09.2011

425	Central	ROMINDUSTRIAL COM SRL	DR. TN. SEVERIN, Str. Constructorilor, nr.44bis, Jud. Mehedinti	J25/1 718/1 993	CUI 49970 57	0252 /326 453	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax<=120t/h, pmax<=40bar, 105°C<=Tmax<=450°C; Dmax=100Gcal, pmax=25bar , 110°C<Tmax<=175°C	DISPR/CR4/B,C/4 ,5/1297/1/20.02. 2013
426	Bucuresti	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, bl. Turnul de Nord, sector 1	J40/8 331/2 001	CUI 14208 851	021/ 2723 660/ 3140 897	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=125bar, Tmax=570°C; Dmax=25Gcal/h, pmax=25bar	B/CR4/A,B,C/4,5 /1177/3/03.11.20 16

427	Bucuresti	ROMINSERV SRL	BUCURESTI, Piata Presei, nr.3-5, City Northern Tower, et.3, sector 1; PETROMIDIA NAVODARI, DJ 226Km, Km 23, Jud. Constanta	J40/8331/2001	CUI 14208851	0241/506094/506932	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=125bar, Tmax=570°C; Dmax=25Gcal/h, pmax=25bar, Tmax=190°C	B/CR4/A,B,C/4,5/1177/2/26.09.2012
428	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/8331/2001	CUI 14208851	####	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=40t/h, pmax=20bar, Tmax=350°C	DISPR/CR4/A,B,C/4/0227/0/21.03.2011
429	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/8331/2001	RO 14208851	021/2723660/3140897	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570°C; Dmax=25Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/0914/3/13.12.2017

430	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/8 331/2 001	RO 14208 851	021/ 2723 660/ 3140 897	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570°C; Dmax=25Gcal/h, pmax=16bar	DISPR/CR4/E/4,5 /0914/2/29.05.20 12
431	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/8 331/2 001	RO 14208 851	021/ 2723 660/ 3140 897	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570°C; Dmax=25Gcal/h, pmax=16bar	DISPR/CR4/E/4,5 /0914/1/02.04.20 12
432	Central	ROMINSERV SRL	BUCURESTI, Piata Presei Libere, nr.3-5, Cladirea City Gate Northern Tower, et.3, sector 1	J40/8 331/2 001	CUI 14208 851	021/ 2723 660/ 3140 897	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=150bar, Tmax=570°C; Dmax=25Gcal/h, pmax=16bar	DISPR/CR4/E/4,5 /0914/0/30.05.20 11

433	Constanta	ROMINSERV SRL- PETROMIDIA NAVODARI	BUCURESTI, sector 1, Cal. Victoriei, nr.155, tronson 7, bl.D1, et.5; NAVODARI, DJ 226, Km 23, Jud. Constanta	J40/8 331/2 001	CUI 14208 851	0241 /506 094/ 5069 32	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/ h, pmax=125b ar, Tmax=570° C; Dmax=25Gc al/h, pmax=25bar , Tmax=190° C	CT/CR4/A,B,C/4, 5/0025/0/01.07.2 010
434	Constanta	ROMINSERV SRL- PETROMIDIA NAVODARI	BUCURESTI, sector 1, Piata Presei Libere, nr.3-5, City Northern Tower, et.3; PETROMIDIA NAVODARI, DJ 226Km, Km 23, Jud. Constanta	J40/8 331/2 001	CUI 14208 851	021/ 2723 660; 0241 /506 094/ 5069 32	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=100t/ h, pmax=125b ar, Tmax=570° C; Dmax=25Gc al/h, pmax=25bar , Tmax=190° C	CT/CR4/A,B,C/4, 5/0068/1/12.10.2 010
435	Ploiesti	ROMPETROL QUALITY CONTROL SRL	NAVODARI, DJ 226, Km 23,, Camera 116, Jud. Constanta; VEGA PLOIESTI, Str, Valeni, nr.146, Jud. Prahova	J13/6 775/2 004	RO 16542 407	0241 /506 700/ 5069 16; 0244 /406 192	-	-	-	-	-	Cazane abur	p>0.5bar	PL/CR4/H/4,5/02 59/0/06.12.2010

436	Central	ROMTERM SA	BUCURESTI, Str.Iovita, nr.11, sector 5	J40/2 111/1 991	CUI 40217 2	021/ 4100 036	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/ h, pmax=195b ar, Tmax=570° C; Dmax=100G cal/h, Pmax=25bar	DISPR/CR4/A,B,C /4,5/2905/0/06.0 2.2012
437	Bucuresti	ROMVEC INDUSTRIE SRL	BUCURESTI, Str. lovita, nr.7-9, sector 5	J40/9 857/1 998	CUI 11110 319	021/ 4107 615/ 4106 677	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/ h, pmax=196b ar, Tmax=540° C; Dmax=100G cal/h, pmax=25bar , Tmax=230° C	B/CR4/A,B,C/4,5 /0039/0/25.05.20 10

438	Bucuresti	ROMVENT ENGINEERING SRL	BUCURESTI, Sos. Barlogeni, nr. 46, Imobil C1, et. 2, sector 1	J40/1 1224/ 2003	RO 15671 292	0729 3305 64; 0729 3305 73; 031/ 4379 531; e- mail romv ent@ gmail .com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50Gcal/h, pmax=40bar , Tmax=400° C; Dmax=100t/h, pmax=40bar	B/CR4/A,B,C/4,5 /2638/1/12.12.20 16
439	Bucuresti	ROMVENT INSTAL SRL	BUCURESTI, Sos. Nicolae Titulescu, nr. 61-71, bl. 11A, et. 3, ap. 9, sector 1; BUCURESTI, Str. Barlogeni, nr. 46, Imobil C1, et. 2, sector 1	J40/1 1224/ 2003	RO 15671 292	0729 3305 64; 0729 3305 73; 031/ 4379 943	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h , pmax=40bar , Tmax=150° C; Dmax=100t/h, pmax=40bar , Tmax=400° C	B/CR4/A,B,C/4,5 /2638/0/13.10.20 15

440	Central	RORA CONSING SRL	RASNOV, Str. Garii, nr.6, Jud. Brasov	J08/1245/1991	CUI 1121035	0268/231552; 0266230858	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	pmax>0.5bar; Tmax>110°C	DISPR/CR4/H/4,5/2324/0/09.01.2012; DISPR/CR4/G/4,5/2775/0/10.01.2012
441	Central	ROS SYSTEMA SRL	TG. MURES , Str. Madach Imre, nr.8, Jud. Mures	J26/1948/2007	CUI 22685444	0265/567017; 0365/430565	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h, pmax=250bar, Tmax=570°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/E/4,5/3841/0/06.12.2013
442	Central	SANCOTERM SRL	GALATI, Str. Domneasca, nr.18, bl.E, ap.13, Jud. Galati; GALATI, Str. Basarabiei, nr.210, Jud. Galati	J17/381/1997	CUI 9392900	0236/494930	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax<=40bar, Tmax<=540°C, Qmax<=120t/h	DISPR/CR4/A,B,C/4/1047/0/08.06.2011

443	Bucuresti	SELECT CHIM SERVICE SRL	BUCURESTI, Prelungirea Ghencea, nr.93N, parter, sector 6	J40/3824/1994	RO 5329293	0722369476; 021/3176009; e-mail: office@electrochim.ro	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	pmax=40bar, Tmax=450°C, Qmax=30t/h	B/CR4/A,B,C/4,5/0428/2/12.09.2017
444	Bucuresti	SELECT CHIM SERVICE SRL	BUCURESTI, Prelungirea Ghencea, nr.93N, parter, sector 6	J40/3824/1994	RO 5329293	0722369476; 021/3176009; e-mail: office@electrochim.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax=40bar, Tmax=450°C, Qmax=30t/h	B/CR4/A,B,C/4/0428/1/15.11.2013

445	Oradea	SEPE INSTALCOM SRL	ORASTIE, Str. Unirii, nr.130, Jud. Hunedoara	J20/434/1998	RO 10655490	0254/243335/243334	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, Pmax=25bar, Tmax=250°C; Dmax=50Gcal/h, Pmax=25bar	OR/CR4/A,B,C/4,5/1380/1/23.06.2015
446	Sibiu	SEPE INSTALCOM SRL	ORASTIE, Str. Unirii, nr.130, Jud. Hunedoara	J20/434/1998	RO 10655490	0254/243335/243334	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h, Pmax=25bar, Tmax=250°C; Dmax=50Gcal/h, Pmax=25bar, Tmax=150°C	SB/CR4/A,B,C/4,5/0074/0/30.03.2010
447	Central	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761/1994	CUI 5420374	0244/544707/519648	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=50bar, Tmax=450°C; Dmax=50Gcal/h, pmax=22bar	DISPR/CR4/E/4,5/1795/0/26.06.2011

448	Central	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761/1994	CUI 5420374	0244/544707/519648	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=120bar, Tmax=450°C; Dmax=50Gcal/h, pmax=22bar	DISPR/CR4/E/4,5/1795/1/02.11.2011
449	Brasov	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761/1994	RO 5420374	0723276995,0372/000403	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=40t/h, Psmax=40bar, Tmax=450°C; Dmax=50Gcal/h, Psmax=40bar	BV/CR4/A,B,C/4,5/1686/1/02.08.2017
450	Ploiesti	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761/1994	RO 5420374	0244/544707/519648	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=40t/h, Psmax=40bar, Tmax=450°C; Dmax=50Gcal/h, Psmax=40bar, Tmax=350°C	PL/CR4/A,B,C/4,5/0197/0/08.10.2010

451	Craiova	SFERA SRL	CRAIOVA, Calea Severinului, nr.18D, Jud. Dolj	J16/161/2001	RO 13765161	0251/461060/480165	-	-	-	Cazane abur, apa fierbinte	-	-	Qmax=1035t/h, pmax=200bar, tmax=540°C; Dmax=100Gcal/h, pmax=20bar	CR/CR4/E/4,5/0086/0/01.09.2010
452	Ploiesti	SGS ROMANIA SA	BUCURESTI, Cal. Serban Voda, nr.38, sector 4; Sat BRAZI, Com. Brazi, Str. Trandafirilor, nr.65, Jud. Prahova	J40/29074/1992	RO 345152	021/3354683/3354620	-	-	-	-	-	Cazane de abur, apa fierbinte	P>0.5bar; T>110°C	PL/CR4/H/4,5/0143/0/24.08.2010
453	Bucuresti	SICOM IC SRL	BUCURESTI, Bd. Basarabia, nr.177, sector 3	J40/3960/1991	CUI 342852	021/2550073/2550074	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	0.6t/h<Qmax<=10t/h, p<=16bar, Tmax<=270°C; 0.6t/h<Dmax<=50Gcal/h, p<=20bar, Tmax<=165°C	B/CR4/A,B,C/4,5/0127/0/06.07.2010

454	Bucuresti	SISTEMPLAST SA	RM. VALCEA, Str. Uzinei, nr.1, Jud. Valcea	J38/11/1999	CUI 11438007	0250/701501/701504	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=50t/h, pmax<=60bar, Tmax<=440°C; Dmax<=50Gcal/h, pmax<=25bar	B/CR4/A,B,C/4,5/2109/0/27.03.2014
455	Brasov	SMR GLOBAL SRL	ALBESTI PALEOLOGU, nr. 528, Jud. Prahova	J29/1580/2010	RO 27819393	0748121650; 0374952363; 0344/780139/114095; e-mail: smrglobal2010@yahoo.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax<=450°C; Dmax=50Gcal/h, pmax=40bar, Tmax<=450°C	BV/CR4/A,B,C/4,5/1097/0/20.12.2012

456	Bucuresti	SNAMPROGETTI ROMANIA SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.6A, Tronson II, et.3, birou 31, sector 2	J40/6633/2003	CUI 15442280	021/2322400/2322434	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=300t/h, pmax=200bar, Tmax=550°C; Dmax=100Gcal/h, pmax=25bar	B/CR4/E/4,5/0376/0/04.10.2010
457	Sibiu	SNGN ROMGAZ - Sucursala de Productie Energie Electrica Iernut	IERNUT, Str. Energeticii, nr.1, Jud. Mures	J26/194/2013	RO 14056826	0265/471333/471388	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=640t/h, pmax=140bar, Tmax=550°C; Dmax=20Gcal/h, pmax=50bar, Tmax=150°C	SB/CR4/A,B,C/4,5/1297/0/30.04.2014
458	Bucuresti	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/182/1999	CUI 11943106	0253/371678; 0723389063	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=540°C	B/CR4/A,B,C/4/2774/2/12.04.2016

459	Central	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/182/1999	CUI 11943106	0253/371678;0723389063	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=540°C	DISPR/CR4/A,B,C/4/0964/1/02.04.2012
460	Central	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/182/1999	CUI 11943106	0253/371678;0251/593455;0723389063	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=540°C;	DISPR/CR4/A,B,C/4/0964/0/31.05.2012
461	Central	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/182/1999	CUI 11943106	0253/371678;0723389063	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=540°C	DISPR/CR4/A,B,C/4/0964/1/02.04.2012
462	Central	SOLO PROD SRL	BUZAU, Str. Orizontului, nr.206, Jud. Buzau	J10/2260/1994	CUI 6446054	0238/720038;0338/111540	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=440°C; Dmax=50Gcal/h, Pmax=40bar	DISPR/CR4/A,B/C/5/2540/0/20.12.2011

463	Central	STASS SERV SRL	IASI, Str. Vasile Lupu, nr.99, bl.D, sc.A, parter, ap.3, Jud. Iasi	J22/285/2001	CUI 13797155	0232/270699; 0332/882838	Cazane abur	-	Cazane abur	-	-	-	Qmax=50t/h , pmax=16bar , Tmax=200° C	DISPR/CR4/A,C/4/0567/0/06.04.2011
464	Brasov	STEEL TRUST CONSTRUCTII CIVILE SI INDUSTRIALE SRL	PLOIESTI, Str. Vega, nr. 11C, Jud. Prahova	J29/1201/2014	RO 33553023	0722285498; 0244/433100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=400bar, Tmax=440° C; Dmax=50Gcal/h, pmax=24bar	BV/CR4/A,B,C/4,5/1505/2/11.07.2017
465	Brasov	STEEL TRUST CONSTRUCTII CIVILE SI INDUSTRIALE SRL	PLOIESTI, Str. Vega, nr. 11C, Jud. Prahova	J29/1201/2014	RO 33553023	0722285498; 0244/433100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=400bar, Tmax=440° C; Dmax=50Gcal/h, pmax=24bar	BV/CR4/A,B,C/4,5/1505/1/24.11.2016
466	Brasov	STEEL TRUST CONSTRUCTII CIVILE SI INDUSTRIALE SRL	PLOIESTI, Str. Vega, nr. 11C, Jud. Prahova	J29/1201/2014	RO 33553023	0722285498; 0244/433100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=400bar, Tmax=440° C	BV/CR4/A,B,C/4,5/1505/0/18.11.2015

467	Bucuresti	STERISYSTEMS SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/1 8053/ 2005	CUI 18077 589	021/ 3227 121/ 3227 123; e- mail info@ rafi.r o	Cazane abur	Cazane abur	Cazane abur	-	Cazane abur	-	pmax=7.5bar, Tmax=160° C, Qmax=120Kg/h	B/CR4/G/4/0693 /2/28.05.2015; B/CR4/A,B,C/4/0 694/3/28.05.2015
468	Bucuresti	STERISYSTEMS SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/1 8053/ 2005	CUI 18077 589	021/ 3205 659/ 3227 123	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax=7.5bar, Tmax=160° C, Qmax=120Kg/h	B/CR4/A,B,C/4/0 694/2/13.03.2014
469	Bucuresti	STERISYSTEMS SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/1 8053/ 2005	CUI 18077 589	021/ 3260 395/ 3260 397	Cazane abur	Cazane abur	Cazane abur	-	Cazane abur	-	pmax=3bar, Tmax=150° C, Qmax=59Kg/h	B/CR4/G/4/0693 /1/17.05.2013; B/CR4/A,B,C/4/0 694/1/17.05.2013
470	Central	STERISYSTEMS SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/1 8053/ 2005	CUI 18077 589	021/ 3260 395/ 3260 397	Cazane abur	Cazane abur	Cazane abur	-	Cazane abur	-	pmax=3bar, Tmax=150° C, Qmax=59Kg/h	DISPR/CR4/G/4/0 693/0/18.05.2011 ; DISPR/CR4/A,B,C /4/0694/0/18.05. 2011

471	Bacau	STRONG MONTAJ SA	PIATRA NEAMT, Str. Mihai Viteazu, nr.19, bl.C1, demisol, camera 2, Jud. Neamt	J27/2014/1994	CUI 6537071	0233/219486/230910	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h , Pmax=40bar , Tmax=280°C; Dmax=100Gcal/h, Pmax=20bar	BC/CR4/A,B,C/4,5/1100/0/12.11.2012- suspendare voluntara incepind cu 13.10.2015
472	Brasov	SUDOTERM SRL	PLOIESTI, Str. Rudului, nr. 262, Jud. Prahova	J29/425/2015	RO 28241840	0344/102953	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	pmax=200bar, Qmax=500t/h, tmax=550°C	BV/CR4/B,C/4,5/1562/0/23.03.2016
473	Galati	SUPER A PLUS K SRL	GALATI, Str. George Cosbuc, nr.432, Jud. Galati	J17/1798/1994	RO 5933965	0236/461751	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	pmax=155bar, Qmax=420t/h, tmax=540°C	GL/CR4/A,B,C/4/0005/0/12.04.2010
474	Bacau	SUPER A PLUS K SRL	GALATI, Str. George Cosbuc, nr.432, Jud. Galati	J17/1798/1994	RO 5933965	0236/461751	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	pmax=155bar, Qmax=420t/h, tmax=540°C	BC/CR4/A,B,C/4/1238/1/14.06.2013

475	Bucuresti	SUPERMONT SA	NAVODARI, Platforma Parc Rece Midia, DJ226, Km20, Jud. Constanta	J13/5 489/2 004	CUI 16172 290	0241 /486 053	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=103 5t/h, pmax<=215 bar, Tmax<=600° C; Dmax<=100 Gcal/h, pmax<=25b ar, Tmax<=156° C	B/CR4/A,B,C/4,5 /3026/1/17.03.20 17
476	Central	SUPERMONT SA	NAVODARI, Platforma Parc Rece Midia, DJ226, Km20, Jud. Constanta	J13/5 489/2 004	CUI 16172 290	0241 /486 053	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=103 5t/h, pmax=215b ar, Tmax=600° C; Dmax<=100 Gcal/h, pmax<=25b ar, Tmax<=156° C	DISPR/CR4/A,B,C /4,5/1521/0/12.0 7.2011
477	Bucuresti	TCZ TOTAL SERVICE SRL	BUCURESTI, Str. Vidului, nr. 11A, camera 2, sector 5	J40/1 6126/ 2005	CUI 17980 065	021/ 7764 524	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	pmax=20bar , Qmax=30t/h , tmax=250°C	B/CR4/A,B,C/4/1 706/0/25.07.2015

478	Central	TECHNO MONTAJ SRL	BRASOV, Str. Timis Triaj,, nr.6, Jud. Brasov	J08/217/2003	RO15190540	0268/334118/334128;0740065151	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=580°C; Dmax=100Gcal/h, pmax=35bar	DISPR/CR4/A,B,C/4,5/3232/1/09.03.2012
479	Brasov	TECHNO MONTAJ SRL	BRASOV, Str. Timis Triaj, nr.6, Jud. Brasov	J08/217/2003	RO15190540	0268/334118	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=580°C; Dmax=100Gcal/h, pmax=35bar	BV/CR4/A,B,C/4,5/1119/2/04.03.2013
480	Bucuresti	TECNOSERVICE BUCURESTI SRL	BUCURESTI, Str. Tudor Vianu, nr.42, parter, camera 1, ap.1, sector 1; BUZAU, Al. Industriilor, nr.2, Jud. Buzau	J40/1937/1996	CUI8237968	031/4070030/3185019;0238/717441	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax=200bar, Tmax=570°C; Dmax=100Gcal/h, pmax=40bar	B/CR4/A,B,C/4,5/1737/0/30.07.2013

481	Bucuresti	TEHNO PROMPT SRL	COM. CHIAJNA, Str. 1 Mai, nr.12, Jud. Ilfov	J23/1751/2002	CUI 4430515	021/3055700	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=10t/h pmax=16bar , Tmax=200° C,	B/CR4/A,B,C/4/0107/0/23.06.2010
482	Central	TEHNOEXPERT MANAGEMENT INDUSTRIAL SA	BUCURESTI, Str. Gheorghe Sincai, nr.11, bl.4, sc.3, ap.68, sector 4	J40/8718/2012	CUI 30484794	0372715633; 0372879090	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=540t/h, pmax=225bar, Tmax=570° C; Dmax=100Gcal/h	DISPR/CR4/E/4,5/3761/0/12.12.2012
483	Central	TEHNOPLUS MEDICAL SRL	BUCURESTI, Str. Odobesti, nr.1, sector 3	J40/13952/1993	CUI 4261939	021/3485272/3485343	Cazane abur	Cazane abur	-	-	-	-	pmax<=16bar, Qmax<=2t/h , Tmax<=200° C	DISPR/CR4/A,B/4/1034/0/10.06.2011
484	Central	TEHNOPLUS MEDICAL SRL	BUCURESTI, Str. Odobesti, nr.1, sector 3	J40/13952/1993	CUI 4261939	021/3485272/3485343	-	-	-	-	Cazane abur, cazane apa fierbinte, cazane apa calda, cazane abur joasa presiune	-	-	DISPR/CR4/G/4,5/1037/0/14.06.2011

485	Brasov	TEHNOSUD ENGINEERING SRL	PLOIESTI, Str. Rudului, nr. 262, Jud. Prahova	J29/1 376/2 002	RO 15056 352	0344 /102 953	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=500t/ h, pmax=200b ar, Tmax=550° C; Dmax=500G cal/h, pmax=20bar	BV/CR4/A,B,C/4, 5/1618/0/19.10.2 016
486	Central	TEHNOTERM IMPEX SRL	REGHIN, Str. Pandurilor, nr.12, Jud. Mures	J26/3 350/1 992	CUI 33881 29	0265 /512 564/ 5138 98	Cazane abur	-	-	-	-	-	Qmax<=10t/ h, pmax<=16b ar, Tmax<=250° C	DISPR/CR4/A/4/2 940/0/30.01.2012
487	Iasi	TEHNOTERM SRL	IASI, Bd. Chimiei, Jud. Iasi	J22/3 107/1 994	RO 67880 22	0232 /259 596	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h , pmax=16bar , Tmax=200° C	IS/CR4/A,B,C/4/ 0105/0/23.09.201 0
488	Bacau	TEHNOTERM SRL	IASI, Sos. Pacurari, nr.26, Jud. Iasi	J22/3 107/1 994	RO 67880 22	0232 /259 596	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h , pmax=16bar , Tmax=200° C	BC/CR4/A,B,C/4/ 1387/1/11.03.201 4

489	Sibiu	TEHPRO SRL	CLUJ NAPOCA, Str. Horea, nr. 3, camera 110, et. 1, Jud. Cluj	J12/2 574/2 004	RO 16583 113	0264 /456 440; e- mail dan.l azar @teh pro.r o	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=25t/h , 0.5bar<=pm ax<=25bar, Tmax=450° C; Dmax=10Gc al/h, pmax=12bar , T>110° C	SB/CR4/A,B,C/4, 5/1730/0/11.07.2 017
490	Oradea	TELETECH SRL	ZALAU, Str. Gh. Doja, nr.28, bl. D28, ap.24, Jud. Salaj	J31/1 65/20 03	CUI 15324 536	####	-	-	-	-	-	Cazane abur; cazane apa fierbinte	P>0.5bar; T>110° C	OR/CR4/H/4,5/1 418/0/20.11.2015
491	Brasov	TEODAN INSTAL SRL	PLOIESTI, Str. Maramures, nr.14- 16, Jud. Prahova	J29/2 587/2 007	CUI 22547 417	0244 /546 228; e- mail Teod an_in stal@ yaho o.co m	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=40t/ h, pmax<=40b ar, Tmax<=450° C; Dmax<=50G cal/h, pmax<=40b ar, Tmax<=450° C	BV/CR4/A,B,C/4, 5/1348/1/11.12.2 014

492	Central	TEODAN INSTAL SRL	PLOIESTI, Str. Republicii, nr.108, bl.13B2, ap.6, Jud. Prahova	J29/2 587/2 007	CUI 22547 417	0244 /546 228	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=40t/h, pmax<=40bar, Tmax<=450°C; Dmax<=50Gcal/h, pmax<=40bar, Tmax<=450°C	DISPR/CR4/A,B,C /4,5/1579/0/20.0 7.2011
493	Bacau	TERMA SRL	BACAU, Str. Oituz, nr.78, Jud. Bacau	J04/2 19/19 97	CUI 92349 19	0234 /511 711/ 5800 10; e-mail office@terma bacau.ro	Cazane abur	-	-	-	-	-	Qmax=<25t/h, pmax=40bar, Tmax<=250°C	BC/CR4/A/4/175 9/1/03.05.2017
494	Central	TERMA SRL	BACAU, Str. Oituz, nr.78, Jud. Bacau	J04/2 19/19 97	CUI 92349 19	0234 /511 711/ 5800 10	Cazane abur	-	-	-	-	-	Qmax=25t/h, pmax=40bar, Tmax=250°C	DISPR/CR4/A/4/3 004/0/10.02.2012

495	Bacau	TERMAEXIM SA	GALATI, Str. Dr. Petru Groza, nr.23, Jud. Galati	J17/121/1991	RO 1631352	0236/470870/470669	Cazane apa fierbinte	Cazane apa fierbinte	Cazane apa fierbinte	-	-	-	Qmax=120t/h, Gcal, pmax=22bar, Tmax=150°C	BC/CR4/A,B,C/5/1653/0/08.04.2016
496	Bacau	TERMAEXIM SA	GALATI, Str. Dr. Petru Groza, nr.23, Jud. Galati	J17/121/1991	RO 1631352	0236/470870/470669	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/h, pmax=155bar, Tmax=540°C	BC/CR4/A,B,C/4/1287/1/09.09.2013
497	Central	TERMAR PROD COM SRL	CONSTANTA, Str. Varful cu Dor, nr.10, Jud. Constanta	J13/5105/2004	CUI 16065111	0241/631350/631340	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=140bar, Tmax=540°C; Dmax=50Gcal/h, pmax=25bar	DISPR/CR4/A,B,C/4,5/1000/0/17.06.2011
498	Bucuresti	TERMAR PROD COM SRL	CONSTANTA, Str. Varful cu Dor, nr.10, Jud. Constanta	J13/5105/2004	CUI 16065111	0241/631350/631340	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=140bar, Tmax=540°C; Dmax=50Gcal/h, pmax=25bar	DISPR/CR4/A,B,C/4,5/2097/1/10.03.2014

499	Central	TERMICA SA	SUCEAVA, Str. Energeticianului, nr.1, Jud. Suceava	J33/310/2002	CUI 14682110	0230/257066/257663	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t/h, pmax<=137bar, Tmax<=540°C; Dmax<=116Mw, pmax<=26bar	DISPR/CR4/C/4,5/0855/0/11.05.2011
500	Central	TERMO CONFORT SRL	BRASOV, Bd. Victoriei, nr.10, bl.43, Jud. Brasov	J08/184/1998	CUI 10253388	0268/416380	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=430t/h, pmax<=140bar, Tmax<=450°C; Dmax<=125Gcal/h, pmax<=25bar	DISPR/CR4/A,B,C/4,5/1791/0/22.08.2011
501	Sibiu	TERMO CONSTRUCT SRL	HUNEDOARA, Str. Serei, nr.17A, Jud. Hunedoara	J20/1369/1993	RO 4372015	0254/740577/716823	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=25t/h, Pmax=40bar, Tmax=300°C; Dmax=5Gcal/h, Pmax=16bar	SB/CR4/A,B,C/4,5/0127/0/17.12.2010

502	Oradea	TERMO CONSTRUCT SRL	HUNEDOARA, Str. Serei, nr.17A, Jud. Hunedoara	J20/1 369/1 993	RO 43720 15	####	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=25t/h , Pmax=40bar , Tmax=300° C; Dmax=5Gcal /h, Pmax=16bar ,	OR/CR4/A,B,C/4, 5/1193/1/06.08.2 013
503	Oradea	TERMO ENERGETICA BANATUL SRL	TIMISOARA, Str. Dorobantilor, nr.63B, Jud. Timis	J35/1 41/19 93	RO 28053 76	0256 /219 224	Cazane de abur	-	Cazane de abur	-	-	-	Q=10t/h, pmax=16bar , Tmax=300° C	OR/CR4/A,C/4/1 053/1/05.10.2012
504	Oradea	TERMO ENERGETICA BANATUL SRL	TIMISOARA, Str. Dorobantilor, nr.63B, Jud. Timis	J35/1 41/19 93	RO 28053 76	0256 /219 224	Cazane de abur	-	Cazane de abur	-	-	-	Q=10t/h, pmax=16bar , Tmax=300° C	OR/CR4/A,C/4/1 053/2/18.10.2013
505	Bacau	TERMO INVEST SRL	BACAU, Str. Nordului, nr.38, Jud. Bacau	J04/4 38/19 97	RO 94589 24	0234 /519 519	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=10t/ h, Pmax<=16b ar, Tmax<=440° C; Dmax<=10G cal/h, Pmax<=16b ar, Tmax<=150° C	BC/CR4/A,B,C/4, 5/0088/0/15.09.2 010

506	Oradea	TERMO MONTAJ SRL	SATU MARE, Str. Careiului, nr.162, Jud. Satu Mare	J30/2085/1994	RO 6902657	0261/839736/839735	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax<=30t/h, Pmax<=16bar, Tmax<=350°C	OR/CR4/A,B,C/4/0021/0/24.06.2010
507	Central	TERMO SYSTEMS CONTROL SRL	BUCURESTI, Str. Ionita Cegan, nr. 4, b;l. P12, sc. 1, et. 1, ap. 6, sector 5	J40/977/2001	CUI 13671180	021/3148123/4440174	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=210t/h, pmax=180bar, Tmax=450°C; Dmax=100Gcal/h, pmax=16bar	DISPR/CR4/A/4,5/3089/0/17.02.2012
508	Central	TERMO VULCAN SRL	TG. MURES, Str. Depozitelor, nr.13A, Jud. Mures	J26/2335/1992	CUI 1213457	0265/227363	Cazane abur	-	Cazane abur	-	-	-	Qmax<=50t/h, pmax<=40bar, Tmax<=440°C	DISPR/CR4/A,C/4/2937/0/12.01.2012
509	Central	TERMODAV SRL	BRAGADIRU, Str. Iederej, nr.63D, Jud. Ilfov	J23/3243/2008	CUI 24619986	0740044941; 031/8081274	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350°C; Dmax=10Gcal/h, pmax=16bar	DISPR/CR4/A,B,C/4,5/1615/0/01.08.2011

510	Bucuresti	TERMODAV SRL	BRAGADIRU, Str. Iederei, nr.63D, Jud. Ilfov	J23/3 243/2 008	CUI 24619 986	031/ 8081 274	-	-	-	-	Cazane abur, apa fierbinte	-	Qmax=220t/ h, pmax=150b ar, Tmax=470° C; Dmax500Gc al/h, pmax=24ba	B/CR4/E/4,5/046 2/0/04.11.2010
511	Central	TERMOELECTRICA SA- Sucursala ELECTROCENTRALE BRAILA	Com. CHISCANI, Str. Principala, nr.317, Jud. Braila	J09/3 06/20 00	CUI 13564 265	0239 /611 550/ 6645 72	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=103 5t/h, pmax<=155 bar, Tmax<=540° C; Dmax<=100 Gcal, pmax<=22b ar	DISPR/CR4/B,C/4 ,5/2029/0/30.09. 2011
512	Oradea	TERMOFICARE ORADEA SA	ORADEA, Str. Jean Calvin, nr. 5, Jud. Bihor	J05/1 095/2 013	CUI 31952 982	0359 /409 511	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/ h, pmax=160b ar, Tmax=570° C	OR/CR4/A,B,C/4/ 1534/0/27.04.201 7
513	Central	TERMOPIF EXIM SRL	BUCURESTI, Str. Marcu Armasu, nr.11, bl.24, sc.B, ap.77, sector 2	J40/9 348/2 001	CUI 14279 496	021/ 2550 294	Cazane abur	-	-	-	-	-	Qmax=30t/h , pmax=40bar , Tmax=250° C	DISPR/CR4/A/4/2 867/0/27.01.2012

514	Central	TERMOPIF EXIM SRL	BUCURESTI, Str. Marcu Armasu, nr.11, bl.24, sc.B, ap.77, sector 2	J40/9348/2001	CUI 14279496	021/2550294	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/G/4,5/2868/0/27.01.2012
515	Central	TERMOPIF EXIM SRL	BUCURESTI, Str. Marcu Armasu, nr.11, bl.24, sc.B, ap.77, sector 2	J40/9348/201	CUI 14279496	021/2550294	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=250°C; Dmax=30Gcal/h, pmax=15bar	DISPR/CR4/A,B,C/4,5/2867/1/15.03.2012
516	Central	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, ap.6, Jud. Cluj	J12/3927/1994	CUI 6589364	0264/431587	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmin>0.5bar, Tmin>110°C	DISPR/CR4/G/4,5/07941/0/10.05.2011
517	Cluj	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, bl.M8, ap.6, Jud. Cluj	J12/3927/1994	RO 6589364	0264/431587/596750	-	-	-	-	-	Cazane abur, apa fierbinte	-	CJ/CR4/H/4,5/0077/0/08.09.2010

518	Cluj	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, bl.M8, ap.6, Jud. Cluj; CLUJ NAPOCA, Str. Vasile Lupu, nr.20, bl.M8, ap.6, Jud. Cluj	J12/3 927/1 994	RO 65893 64	0264 /431 587/ 5967 50	-	-	-	Cazane abur, apa fierbinte	-	-	Qmax=25t/h , pmax=16bar , Tmax=350°; Dmax=10Gc al/h, pmax=16bar ,	CJ/CR4/E/4,5/00 83/0/10.09.2010
519	Cluj	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, bl.M8, ap.6, Jud. Cluj	J12/3 927/1 994	CUI 65893 64	0264 /431 587/ 5967 50	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	-	CJ/CR4/A,B,C/4, 5/0190/0/31.12.2 010
520	Central	TERMOREP SRL	RAMNICU VALCEA, Str. Nistor Dumitrescu, nr.14/17, Jud. Valcea	J38/5 76/19 91	RO 14693 32	0250 /737 308/ 7373 02	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax<=420t /h, pmax<=165 bar, Tmax<=565° C; Dmax<=100 Gcal/h, pmax<=30b ar, Tmax<=175° C	DISPR/CR4/A,B,C /4,5/1212/0/22.0 6.2011

521	Central	TERMOREP SRL	RM. VALCEA, Str. Nistor Dumitrescu, nr. 14/17, Jud. Valcea	J38/576/1991	CUI 1469332	0250/737308/737302; 0744549436	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmin>0.5bar, Tmin>110°C	DISPR/CR4/G/4,5/1559/0/19.07.2011
522	Central	TERMOREP SRL	RM. VALCEA, Str. Nistor Dumitrescu, nr.14/17, Jud. Valcea	J38/576/1991	CUI 1469332	0250/737308/737302	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h, pmax=165bar, Tmax=570°C; Dmax=100Gcal/h, Pmax=30bar	DISPR/CR4/E/4,5/2126/11.10.2011
523	Cluj	TERMOSISTEM PROD SRL	CLUJ NAPOCA, Str. Piata Abator, Bl.C3, ap.19, Jud. Cluj	J12/3214/2005	RO 17934344	0264/484810	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350°C; Dmax=5Gcal/h, pmax=16bar	CJ/CR4/A,B,C/4,5/0024/0/11.06.2010
524	Brasov	TERMOSUD CONSULT SRL	BUZAU, Cart. Episcopiei, bl.C11, ap.13, Jud. Buzau	J10/237/1999	RO 11874952	0238/717802	Cazane de abur	-	-	-	-	-	Q<=10t/h, p<=40bar, T<=450°C	BV/CR4/A/4/1104/0/24.01.2013

525	Central	TEST NDT LABORATOR SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, demisol, Jud. Cluj	J12/2 55/20 13	RO 31156 809	0746 1061 96; 0264 /596 750	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t /h, Pmax=250b ar, Tmax=600° C; Dmax=150G cal/h, Pmax=160b ar	DISPR/CR4/E/4,5 /3939/0/23.05.20 16
526	Bacau	TEST PRIMA SRL	SUCEAVA, Str. Petru Rares, nr.56, Jud. Suceava	J33/1 56/19 92	CUI 74463 9	0230 /523 406/ 5227 73	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h , Pmax=40bar , Tmax=350° C; Dmax=50Gc al/h, Pmax=40bar , Tm>110°C	BC/CR4/A,C/4,5/ 1113/0/14.12.201 2
527	Bacau	TEST PRIMA SRL	SUCEAVA, Str. Petru Rares, nr.56, Jud. Suceava	J33/1 56/19 92	CUI 74463 9	0230 /523 406/ 5227 73	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h , Pmax=40bar , Tmax=350° C; Dmax=50Gc al/h, Pmax=40bar	BC/CR4/A,C/4,5/ 1113/1/04.07.201 3

528	Sibiu	TEXCO ENERGIE SRL	SIBIU, Str. Catina Ioan, nr.4, Jud. Sibiu	J32/471/2013	RO 31693632	0269/237325	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=20t/h, Pmax=20bar, Tmax=350°C; Dmax=10Gcal/h, Pmax=20bar, T>110°C	SB/CR4/A,B,C/4,5/1224/0/10.09.2013
529	Bucuresti	TMUCB SA	BUCURESTI, Str. Lujerului, nr. 26, sector 5	J40/1171/1991	CUI 2786487	021/3171060/3129542	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=215bar, Tmax=600°C; Pmax=25bar, Qmax=100Gcal/h	B/CR4/A,B,C/4,5/2786/1/06.04.2016
530	Central	TMUCB SA	BUCURESTI, Str. T. Arghezi, nr.8-10, et.5, sector 2	J40/1171/1991	CUI 2786487	021/3165669/3129542	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=215bar, Tmax=600°C; Pmax=25bar, Qmax=100Gcal/h	DISPR/CR4/A,B,C/4,5/1496/0/19.07.2011

531	Central	TOTALMONTAJ SRL	Sat TATARANI, Com. Barcanesti, nr. 237A, Jud. Prahova	J29/187/1994	RO 5165670	0372704946; 0244/276783	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=80bar, Tmax=440°C; Dmax=50Gcal/h, pmax=80bar	DISPR/CR4/C/4,5/3693/0/30.05.2012
532	Cluj	TRUSTUL DE INSTALATII MONTAJ SI CONSTRUCTII SA	CLUJ NAPOCA, Str. Buftea, nr.1, jud. Cluj	J12/5159/1992	RO 2897361	0264/431198/431202	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q<=10t/h, pmax<=20bar, Tmax=350°C; D<=5Gcal/h, pmax<=20bar	CJ/CR4/A,B,C/4,5/0042/0/01.08.2010
533	Sibiu	TRUSTUL DE INSTALATII MONTAJ SI CONSTRUCTII SA	CLUJ NAPOCA, Str. Buftea,, nr.1, Jud. Cluj	J12/5159/1992	RO 2897361	0264/431198/431202	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax<=10t/h, pmax<=20bar, Tmax<=350°C; Dmax<=5Gcal/h, Pmax<=20bar	SB/CR4/A,B,C/4,5/1106/1/09.11.2012

534	Bucuresti	TUBAL EXPERT SRL	BUCURESTI, Str. Dunavat, nr.9, bl.57, sc.5, ap.74, sector 5	J40/1 0787/ 2010	CUI 27681 303	031/ 8010 757	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=600t/h, pmax=180bar, Tmax=570°C; Dmax=50Gcal/h, pmax=24bar	B/CR4/E/8/0612/ 0/23.02.2010
535	Bucuresti	TURBOENERGY POWER CHISINAU SRL- Sucursala Targoviste	TARGOVISTE, Str. Cooperativei, nr. 6, Jud. Dambovita	J15/2 24/20 15	RO 34291 80	####	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/h, pmax=200bar, Tmax=540°C	B/CR4/A,B,C/4/2 777/0/29.04.2016
536	Central	TUV AUSTRIA ROMANIA SRL	BUCURESTI, Cal. Plevnei, nr.139, et.1, corp C, sector 6	J40/2 2370/ 2007	CUI 19231 430	0213 1532 94/3 1532 96	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=196bar, Tmax=570°C; Dmax=100Gcal/h, Pmax=30bar	DISPR/CR4/E/4,5 /2921/0/01.02.20 12

537	Central	TUV AUSTRIA ROMANIA SRL	BUCURESTI, Cal. Plevnei, nr.139, et.1, corp C, sector 6	J40/2 2370/ 2007	CUI 19231 430	0213 1532 94/3 1532 96	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=196bar, Tmax=570°C; Dmax=100Gcal/h, Pmax=30bar	DISPR/CR4/E/4,5 /2921/1/25.03.20 13
538	Central	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr. 155, bl.D1, tronson 5, et.3, sector 1	J40/8 231/2 002	CUI 14842 360	021/ 3134 419/ 3300 815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=550°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/E/4,5 /3315/4/17.02.20 16
539	Central	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr. 155, bl.D1, tronson 5, et.3, sector 1	J40/8 231/2 002	CUI 14842 360	021/ 3134 419/ 3300 815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=550°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/E/4,5 /3315/3/16.10.20 14

540	Central	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr. 155, Spatiile D2 si C2, bl.D1, et.2, sector 1	J40/8 231/2 002	CUI 14842 360	021/ 3306 600/ 3300 815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=550°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/E/4,5 /3315/2/23.03.20 12
541	Bucuresti	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr.155, bl.D1, Tronson 5, et.2, spatiile D2 si C2, sector 1	J40/8 231/2 002	CUI 14842 360	021/ 3306 600 /330 0815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=550°C; Dmax=100Gcal/h, pmax=25bar	B/CR4/E/4,5/035 5/1/05.10.2010
542	Bucuresti	TUV SUD ROMANIA SRL	BUCURESTI, Bd. Gh. Sincai, nr.9A, bl.3A, et.3, ap.7 si 9, sector 4	J40/8 231/2 002	CUI 14842 360	021/ 3306 600 /330 0815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax>=120t/h, pmax=200bar, Tmax=540°C; Dmax=100Gcal/h, pmax=25bar	B/CR4/E/4,5/000 1/0/19.03.2010

543	Ploiesti	UNIVERSAL MONTAJ DARZEU SRL	BLEJOI, Sat Blejoi, nr.929, Jud. Prahova	J29/5 87/19 91	RO 13482 09	0244 /435 516/ 4355 19	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	100bar>=p> 0.5bar, Qmax=120t/ h, Tmax=500° C; 25bar>=p>0. 5bar, Dmax=50Gc al/h, Tmax=150° C	PL/CR4/A,B,C/4, 5/0032/0/07.05.2 010
544	Central	UNIVERSITATEA POLITEHNICA BUCURESTI- Centrul de Cercetari si Expertizari ECO Metalurgice - ECOMET	BUCURESTI, Splaiul Independentei, nr.313, corp J, sala JF 002, sector 6	-	CUI 41831 99	021/ 4029 592/ 3169 564	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t /h, pmax=400b ar, Tmax=650° C; Dmax=150G cal/h, pmax=40bar	DISPR/CR4/E/4,5 /1460/0/21.07.20 11
545	Central	UNIVERSITATEA POLITEHNICA BUCURESTI- Centrul de Cercetari si Expertizari ECO Metalurgice - ECOMET	BUCURESTI, Splaiul Independentei, nr.313, corp J, sala JF 002, sector 6	-	CUI 41831 99	021/ 3169 564	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t /h, pmax=196b ar, Tmax=540° C; Dmax=50Gc al/h, pmax=18bar	DISPR/CR4/E/4,5 /1460/0/21.07.20 11

546	Central	URS CERTIFICARI SRL (fost ROS SYSTEMA SRL)	TG. MURES , Str. Madach Imre, nr.8, Jud. Mures	J26/1948/2007	CUI 22685444	0265 /267 017; 0365 /430 565	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h, pmax=250bar, Tmax=570°C; Dmax=100Gcal/h, pmax=25bar	DISPR/CR4/E/4,5 /3841/1/02.08.2017
547	Central	UZINA ELECTRICA ZALAU SA	ZALAU, Str. Valea Mitii, nr.2, Jud. Salaj	J31/13/2002	CUI 14397920	0260 /662 101	-	-	Cazane abur	-	-	-	Qmax=120t/h, pmax<=40bar, Tmax<=250°C	DISPR/CR4/C/4/0056/0/24.02.2011
548	Central	UZINA TERMOELECTRICA GIURGIU SA	GIURGIU, Sos. Sloboziei, nr.194, Jud. Giurgiu	J52/308/2001	CUI 14351222	0769 /060 322; 0246 /216 665	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=280°C; Dmax=10Gcal/h, pmax=40bar, Tmax=150°C	DISPR/CR4/C/4,5 /3581/0/08.05.2012

549	Central	UZINSIDER ENGINEERING SA	GALATI, Sos. Smardan, nr.2, Jud. Galati	J17/6 9/199 1	RO 16322 85	0236 /449 016/ 4483 48 /448 238/ 4485 80	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=550t/ h, pmax=180b ar, Tmax=570° C; Dmax=460G cal/h, pmax=180b ar	DISPR/CR4/E/4,5 /3898/2/24.07.20 17
550	Central	UZINSIDER ENGINEERING SA	GALATI, Sos. Smardan, nr.2, Jud. Galati	J17/6 9/199 1	RO 16322 85	0236 /449 016/ 4483 48 /448 238/ 4485 80	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=550t/ h, pmax=180b ar, Tmax=570° C; Dmax=460G cal/h, pmax=180b ar	DISPR/CR4/E/4,5 /3898/1/05.02.20 15
551	Galati	UZINSIDER ENGINEERING SA	GALATI, Sos. Smardan, nr.2, Jud. Galati	J17/6 9/199 1	RO 16322 85	0236 /449 016/ 4483 48 /448 238/ 4485 80	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=550t/ h, pmax=180b ar, Tmax=570° C; Dmax=460G cal/h, pmax=180b ar	GL/CR4/E/4,5/00 34/0/25.06.2010

552	Bucuresti	VALEST TERMIC TRUST SRL	BUCURESTI, Cal. 13 Septembrie, nr. 106, bl. 50, et. 3, ap. 9, sector 5	J40/7682/2011	CUI 28671251	021/4566466	Cazane de abur, apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5/2630/0/08.10.2015
553	Craiova	VEIT AMROTEX SRL	CRAIOVA, Str. Romul, nr.2, bl.T3B, ap.3, Jud. Dolj	J16/1137/1998	RO 11190717	0251/412155	Cazane abur	-	Cazane abur	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=220°C	CR/CR4/A,C/4/0017/0/10.05.2010
554	Brasov	VIESSMANN SRL	GHIMBAV, DN1-Km 174+941, nr.2, Jud. Brasov	J08/1197/1998	CUI 11075840	0268/407800/407840; e-mail: info-ro@viessmann.com	Cazane abur, apa fierbinte	-	-	-	-	-	Q<=30t/h, p<=30bar, T<=350°C; D<=25Gcal/h, p<=30bar	BV/CR4/A/4,5/1151/2/11.10.2016

555	Brasov	VIESSMANN SRL	GHIMBAV, DN1-Km 174+941, nr.2, Jud. Brasov	J08/1197/1998	CUI 11075840	0268/407800/407840; e-mail: info-ro@viessmann.com	Cazane abur, apa fierbinte	-	-	-	-	-	Q<=30t/h, p<=30bar, T<=350°C; D<=25Gcal/h. p<=30bar	BV/CR4/A/4,5/1151/1/27.06.2013
556	Central	VIROMET SA	VICTORIA, Aleea Uzinei, nr.8, Jud. Brasov	J08/340/1991	CUI 1126350	0268/24120/241800	-	-	Cazane abur	-	-	-	Qmax<=120t/h, pmax<=100bar, Tmax<=450°C	DISPR/CR4/C/4/1626/0/19.07.2011
557	Central	VLAD ALEX TERMO SRL	BUCURESTI, Bd. Ion Mihalache, nr.96, bl.44B, sc.A, et.6, ap.12, sector 1	J40/27924/1993	CUI 5039893	021/6665306	-	-	-	-	Cazane abur; cazane apa fierbinte	-	Qmax<=5t/h, pmax<=16bar, Tmax<=150°C	DISPR/CR4/G/4,5/1268/0/05.07.2011
558	Central	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239/1991	CUI 1454846	0237/640800/641720	-	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=16bar, Tmax=250°C	DISPR/CR4/B,C/4/2020/0/29.09.2011

559	Bacau	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239/1991	RO1454846	0337/640800/641720	-	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h , pmax=16bar , Tmax=250° C	BC/CR4/B,C/4/1130/2/16.06.2014
560	Bacau	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239/1991	RO1454846	0337/640800/641720	-	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h , pmax=16bar , Tmax=250° C	BC/CR4/B,C/4/1130/1/17.01.2013
561	Sibiu	VTU ECHIPAMENTE SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, et. 1, Jud. Cluj	J12/256/2013	RO31156795	0264/431587/596750; e-mail vtuec hipa ment e@yahoo.com	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmax>0.5bar, T>110°C	SB/CR4/G/4,5/1551/0/09.02.2016

562	Sibiu	VTU ECHIPAMENTE SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, et. 1, Jud. Cluj	J12/2 56/20 13	RO 31156 795	0264 /431 587/ 5967 50; e- mail vtuec hipa ment e@ya hoo.c om	-	-	-	-	-	Cazane abur; cazane apa fierbinte	pmax>0.5ba r, T>110°C	SB/CR4/H/4,5/15 45/0/28.01.2016
563	Bacau	WATER CHEM CONSULTING SRL	MAGURA, Com. Magura, Jud. Bacau	J4/68 2/201 6	CUI 36093 167	####	-	-	-	-	-	Cazane abur; cazane apa fierbinte	-	BC/CR4/H/4,5/16 88/0/14.07.2016
564	Central	ZAUNER ROMANIA SRL	SATU MARE, Str. Aurel Vlaicu, nr.72, Jud. Satu Mare	J30/4 59/20 03	CUI 15498 230	0361 /420 550/ 4295 38	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h , pmax=40bar , Tmax=400° C; Dmax=20Gc al/h, pmax=16bar	DISPR/CR4/A,B,C /4,5/2780/0/17.0 1.2012

565	Oradea	ZAUNER ROMANIA SRL	SATU MARE, Str. Aurel Vlaicu, nr.72, Jud. Satu Mare	J30/4 59/20 03	CUI 15498 230	0361 /420 550/ 4295 38	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h , pmax=40bar , Tmax=400° C; Dmax=20Gc al/h, pmax=16bar	OR/CR4/A,B,C/4, 5/1140/1/07.05.2 013
566	Oradea	ZAUNER ROMANIA SRL	SATU MARE, Str. Aurel Vlaicu, nr.72, Jud. Satu Mare	J30/4 59/20 03	CUI 15498 230	0361 /420 550/ 4295 38	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/ h, pmax=100b ar, Tmax=600° C; Dmax=100G cal/h, pmax=100b ar	OR/CR4/A,B,C/4, 5/1140/2/23.07.2 014