

Persoane juridice autorizate conform PT CR4-2010 pentru efectuarea de lucrari la Dispozitive de siguranta- reglementate de PT C7/2010

Nr. Crt.	IT ISCIR	Societatea Comerciala	Adresa	J	CUI	Tel/fax	Domeniu autorizat	Parametrii	Autorizatii
1	Bacau	A5 INVEST SRL	ONESTI, Str. Industriilor, nr. 3, Jud. Bacau	J04/1096/2012	RO 17701390	0234/302340	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=40bar	BC/CR4/K,L/14/1687/0/2 9.06.2016
2	Central	AB INSTAL SRL	CRAIOVA, Str. Caracal, nr.30, Jud. Dolj	J16/458/2000	CUI 13319762	0251/543105/5 21266; 0744572075	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=16bar	DISPR/CR4/K,L/14/3254/0 /14.03.2012
3	Bucuresti	AB INSTAL SRL	CRAIOVA, Str. Caracal, nr.30, Jud. Dolj	J16/458/2000	CUI 13319762	0251/543105/5 21266; 0744572075	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=450bar	B/CR4/K,L/14/1932/1/23. 12.2013
4	Bucuresti	ABC CONTROL SRL	BUCURESTI, Str. Drumul Binelui, nr. 12, parter, sc. 2, ap. 18, sector 4	J40/8786/2015	CUI 29686854	0729113637, 031/8149718; e-mail abcontrol@yahoo.com	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=50bar	B/CR4/K,L/14/2740/0/16. 03.2016

5	Bucuresti	ABC SYSTEMS SRL	DR. TN. SEVERIN, Calea Timisoarei, nr.175B. Jud. Mehedinti	J25/1584/ 1994	RO 6667578	0252/329362/ 329363	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=50bar	B/CR4/K,L/14/1672/0/02. 07.2013
6	Bacau	AEROSTAR SA	BACAU, Str. Condorilor, nr.9, Jud. Bacau	J04/1137/ 1991	CUI 950531	0234/572023/ 572259	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=410bar, Dn=150mm	BC/CR4/K,L/14/1058/0/0 3.10.2012- retragere voluntara incepand cu 10.08.2016
7	Central	AIR SERVICE DELTA SRL	PITESTI, Str. Eremia Grigorescu, bl.R1bis, sc.B, ap.5, Jud. Arges	J03/440/1 998	CUI 10868600	0248/213163	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=100bar	DISPR/CR4/K,L/14/2346/0 /02.11.2011
8	Sibiu	ALFATRONIC SRL	CLUJ NAPOCA, Str. Rasinari, nr. 1/19, Jud. Cluj; CLUJ NAPOCA, Str. Caragiale, nr. 2-8/21, Jud. Cluj	J12/2664/ 2007	RO 21914302	0723670380; 0264/403399; e-mail tudorbalacescu @yahoo.com	Verificare( la deschidere- inchidere) dispozitive de siguranta	Dnmax=100mm, pmax=15bar	SB/CR4/K/14/1475/0/01. 07.2015
9	Bacau	AMURCO SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/770/2 005	RO 17488233	0234/575440/ 575413	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=200bar, Dnmax=500mm	BC/CR4/K,L/14/0080/0/2 3.09.2010- retragere incepand cu 30.08.2016

10	Central	ANTIBIOTICE SA	IASI, Str. Valea Lupului, nr.1, Jud. Iasi	J22/285/1 991	CUI 1973096	0232/209000/2 09633	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=160bar	DISPR/CR4/K,L/14/0837/0 /23.05.2011
11	Bacau	AQUASERV SRL	BARLAD, Str. 1 Decembrie, nr. 22, Jud. Vaslui	J37/464/1 991	RO 832242	0235/411306; e-mail office@aquaser vbarlad.ro	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=10bar	BC/CR4/K,L/14/1589/0/2 6.08.2015
12	Central	ARDENT SRL	BRASOV, Str. Paraului, nr.15, bl.S25, sc.A, ap.9, Jud. Brasov	J08/1035/ 1991	CUI 1110281	0722275726; 0268/541682	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=200mm, pmax<=50bar	DISPR/CR4/K,L/14/1796/0 /26.08.2011
13	Sibiu	ARHICAD INSTAL SRL	CLUJ NAPOCA, Str. Barc 1, nr. 55, ap. 6, Jud. Cluj	J12/1421/ 2013	CUI 31595995	0264/437106; 0744270309	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=150mm, pmax<=60bar	SB/CR4/K,L/14/1569/0/2 5.01.2016
14	Central	ARMAX GAZ SA	MEDIAS, Str. Aurel Vlaicu, nr.35A, Jud. Sibiu	J32/127/1 991	CUI 803727	0269/845864/8 45956	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=100mm, pmax<=60bar	DISPR/CR4/K,L/14/1713/0 /10.08.2011

15	Bucuresti	ARTEGO SA	TG. JIU, Str. Ciocarlau, nr.38, Jud. Gorj	J18/1120/1991	CUI 2157428	0253/226444/226445; 0253/226140/226045	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax<=100bar	B/CR4/K,L/14/2861/1/25. 08.2016
16	Central	ARTEGO SA	TG. JIU, Str. Ciocarlau, nr.38, Jud. Gorj	J18/1120/1991	CUI 2157428	0253/226443/226114	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax<=100bar	DISPR/CR4/K,L/14/2696/0 /21.12.2011
17	Pitesti	AUTOMOBILE DACIA SA	MIOVENI, Str. Uzinei, nr.1, Jud. Arges	J03/81/1991	RO 160796	0248/342507/342001	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax<=40bar	PT/CR4/K,L/14/0148/0/2 1.12.2010
18	Sibiu	AZOMURES SA	TG. MURES, Str. Gheorghe Doja, nr.300, Jud. Mures	J26/1/1991	RO 1200490	0265/253700/252627	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, p=250bar	SB/CR4/K,L/14/0168/0/2 8.02.2011
19	Sibiu	AZOMURES SA	TG. MURES, Str. Gheorghe Doja, nr.300, Jud. Mures	J26/1/1991	RO 1200490	0265/253700/252627	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN<=250mm, p<=250bar	SB/CR4/K,L/14/1001/1/0 5.06.2012

20	Bucuresti	A&G ROTERM SERVICE SRL	CONSTANTA, Str. Atelierelelor, nr. 31, camera 1, Jud. Constanta	J13/332/2006	RO 18361300	0741258008; 0241/520976; e-mail rotermervice@yahoo.com	Verificare( la deschidere-inchidere)	DNmax=150mm, Pmax=20bar	B/CR4/K/14/2666/0/28.10.2015
21	Central	B B VERIF SRL	MIERCUREA CIUC, Str. Ion Caianu, nr.76, Jud. Harghita	J19/1128/2005	CUI 18207298	0744130704; 0266/310642	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=50bar	DISPR/CR4/K,L/14/2922/0/01.02.2012
22	Tg. Mures	BEN COM MIXT SRL	GHEORGHENI, Str. Gabor Aron, nr.5, Jud. Harghita	J19/747/1992	RO 530309	0266/364801/ 364094	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=150mm, Pn=25bar	MS/CR4/K,L/14/0009/0/12.05.2010
23	Central	BEST FOR YOU SRL	SUCEAVA, Str. Amurgului, nr.10, bl.106, sc.C, ap.8, Jud. Suceava	J33/19/2006	CUI 18267400	0330/881561; 0741031318	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=64bar	DISPR/CR4/K,L/14/2975/0/06.02.2012
24	Brasov	BETATEC SYSTEMS SRL	BUCURESTI, Calea Mosilor, nr. 255, bl. 55, sc. 1, et. 2, ap. 9, sector 2; BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr. 33G, Jud. Prahova	J40/2687/2016	CUI 35703771	0728967762; 021/2111839; e-mail info@betatec.n et	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400mm, pmax=200bar	BV/CR4/K,L/14/1627/0/23.12.2016

25	Oradea	BLESSING CONAR SRL	NEGRESTI OAS, Bd. Unirii, nr.64, Jud. Satu Mare	J30/313/2 009	CUI 25414849	0261/854677	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=35bar Dn<=100mm	OR/CR4/K,L/14/1070/0/2 9.10.2012
26	Bucuresti	BONATTI Spa PARMA- Sucursala Bucuresti	BUCURESTI, sector 5, Str. Gheorghieni, nr. 68, et. 1, ap. 4; Assett 5, POIENI, Str. General Gheorghe Radulescu, nr. 83, Jud. Teleorman	J40/9115/ 2014	CUI 33446663	021/4024100	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, pmax=140bar	B/CR4/K,L/14/2564/1/12. 10.2015
27	Bucuresti	BONATTI Spa PARMA- Sucursala Bucuresti	BUCURESTI, sector 5, Str. Gheorghieni, nr. 68, et. 1, ap. 4; Assett 5, POIENI, Str. General Gheorghe Radulescu, nr. 83, Jud. Teleorman	J40/9115/ 2014	CUI 33446663	021/4024100	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, pmax=140bar	B/CR4/K,L/14/2564/0/02. 07.2015
28	Bucuresti	BONATTI Spa PARMA- Sucursala Bucuresti	BUCURESTI, sector 5, Str. Gheorghieni, nr. 68, et. 1, ap. 4; Assett 6, MORENI, Str. Alexandru Ioan Cuza	J40/9115/ 2014	CUI 33446663	021/4024100	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, PN=200bar	B/CR4/K,L/14/2528/0/18. 05.2015

29	Brasov	BOPP & REUTHER ZIKESCH MAINTENANCE GROUP SRL	BUCURESTI, Cal. Mosilor, nr.255, bl.55, sc.1, et.2, ap.9, sector 2; PETROBRAZI, BRAZI, Jud. Prahova	J40/2776/2006	RO 18403561	0344/4228822/4228823	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=400mm, pmax=200bar	BV/CR4/K,L/14/1517/1/2 3.12.2015- suspendare voluntara incepand cu 14.03.2016
30	Ploiesti	BOPP & REUTHER ZIKESCH MAINTENANCE GROUP SRL	BUCURESTI, Cal. Mosilor, nr.255, bl.55, sc.1, et.2, ap.9, sector 2; PETROBRAZI, BRAZI, Jud. Prahova	J40/2776/2006	RO 18403561	021/2111838/2111839	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=400mm, PN=200bar	PL/CR4/K,L/14/0071/0/2 7.05.2010
31	Pitesti	BOPP & REUTHER ZIKESCH MAINTENANCE SRL	BUCURESTI, Cal. Mosilor, nr.255, bl.55, sc.1, et.2, ap.9, sector 2; PITESTI, Str. Petrochimistilor, nr.127, Jud. Arges	J40/2776/2006	RO 18403561	021/2111838/2111839; 0248/615491	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=200bar, DN<=200mm	PT/CR4/K,L/14/0047/0/0 8.06.2010
32	Bucuresti	BRALLCON PROIECT SRL	TG. JIU, Componenta Romanesti, nr. 66, Jud. Gorj	J18/205/2010	RO 26831097	0724246240	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=200bar	B/CR4/K,L/14/2653/0/20. 11.2015
33	Central	BRICHET GROLUP SRL	CAREI, Str. Duzilor, nr.96A, Jud. Satu Mare	J30/305/2005	CUI 17322230	0723195305; 0361/862846	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=20bar	DISPR/CR4/K,L/14/3195/0/06.03.2012

34	Bacau	BURNER SERVICE SRL	IASI, Aleea Tudor Neculai, nr. 99, bl. 989A, sc. B, et. 4, ap. 18, camera 1, Jud. Iasi	J22/317/2014	CUI 32851307	0332/433505; 0744707150	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=1500mm, pmax=40bar	BC/CR4/K,L/14/1531/0/2 3.02.2015
35	Bucuresti	BUTANGAS ROMANIA SA	BUCURESTI, Int. Murmurului, nr. 2-4, sector 1	J40/2603/1996	CUI 8297854	021/4087300/4087329	Verificare( la deschidere-inchidere) dispozitive de siguranta	Dmax<=65mm, pmax<=25bar	B/CR4/K/14/0286/1/23.1 2.2014
36	Central	BUTANGAS ROMANIA SA	BUCURESTI, Str. Coralilor, nr.18, sector 6	J40/2603/1996	CUI 8297854	021/4087333/4087330	Verificare( la deschidere-inchidere) dispozitive de siguranta	Dmax<=65mm, pmax<=25bar	DISPR/CR4/K/14/0286/0/ 28.03.2011
37	Iasi	C&A CONSULTING SRL	VASLUI, Str. 1 Decembrie, nr.1, Jud. Vaslui	J37/398/1996	RO 8967466	0235/312725	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=25bar, Dn max=200mm	IS/CR4/K,L/14/0153/0/21 .12.2010
38	Ploiesti	CALIBRA STIL 2005 SRL	BUZAU, Str. Caraiman, nr.21A, jud. Buzau	J10/473/2005	RO 17453480	0238/718366	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=100mm, PNmax=20bar	PL/CR4/K,L/14/0091/0/2 8.06.2010



39	Bacau	CALORGAL SA	GALATI, Str. Crizantemelor, nr. 6, corpul A, Jud. Galati	J17/1354/2012	RO 30925017	0236/473100/465550	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=200mm, pmax<=50bar	BC/CR4/K,L/14/1717/0/1 7.11.2016
40	Central	CARBOETALON SRL	CLUJ NAPOCA, Str. Ravasului, nr.1, ap.17, Jud. Cluj	J12/611/1999	CUI 11759236	0264/437034	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=60bar	DISPR/CR4/K,L/14/1668/0 /26.07.2011
41	Bucuresti	CARION SRL	BUCURESTI, Str. Busteni, nr.40, sector 2	J40/7678/2002	RO 14821677	0722402944; 021/2422704; e-mail carionsrl@msn.com	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	B/CR4/K,L/14/1147/1/04. 02.2016
42	Bucuresti	CARION SRL	BUCURESTI, Str. Busteni, nr.40, sector 2	J40/7678/2002	RO 14821677	021/2422704	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar	B/CR4/K,L/14/1147/0/09. 10.2012
43	Bacau	CAROMET SA	CARANSEBES, Drumul DN 68, Km 3.2, Jud. Caras Severin	J11/6/1991	RO 1066631	0234/302240/302340	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm; pmax=40bar	BC/CR4/K,L/14/0028/0/2 5.05.2010

44	Sibiu	CBS EASTERN EUROPE SRL	SELIMBAR, Str. Sibiuului, nr.2, et.4, camere 401/402/403, Jud. Sibiu	J32/1103/2008	RO 16962540	0369/408917/408918	Verificare( la deschidere- inchidere) dispozitive de siguranta	Dnmax=80mm, pmax=70bar	SB/CR4/K/14/1489/2/23.07.2015
45	Sibiu	CAVERION BUILDING SERVICES SRL	SELIMBAR, Str. Sibiuului, nr.2, et.4, camera 403, Jud. Sibiu	J32/1103/2008	RO 16962540	0369/408917/408918	Verificare( la deschidere- inchidere) dispozitive de siguranta	Dnmax=80mm, pmax=70bar	SB/CR4/K/14/1274/1/12.02.2014
46	Bucuresti	CENTRAL INSTAL IMPEX SRL	BUCURESTI, Str. Liviu Rebreanu, nr. 23, bl.M10, sc. 2, et. 1, ap. 28, sector 3; BUCURESTI, Str. Sabinelor, nr. 87, sector 5	J40/1002/2003	RO 15159137	021/6441323; e-mail central_instal@yahoo.com	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	-	B/CR4/K,L/14/2520/0/20.04.2015
47	Central	CENTRALA ELECTRICA DE TERMOFICARE ARAD SA	ARAD, Str. 6 Vanatori, Jud. Arad	J02/336/2002	CUI 14593668	0257307455/213160	Verificare( la deschidere- inchidere) dispozitive de siguranta	Dnmax<=150mm, pmax<=16bar, fluid incercare apa; Dnmax<=50mm, pmax<=16bar, fluid incercareazot	DISPR/CR4/K/14/2509/0/24.11.2011
48	Bacau	CERVES SRL	BRAILA, Str. Tineretului, nr. 4, constructia C2, Jud. Braila	J09/525/2010	CUI 26471760	0239/683324; e-mail cerves_33@yahoo.com	Verificarea( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=120bar	BC/CR4/K,L/14/1570/1/21.07.2015

49	Central	CERVES SRL	BRAILA, Str. Poet Grigore Alexandrescu, nr.120, modul 1, et.2, Jud. Braila	J09/525/2010	CUI 26471760	0239/683324	Verificarea( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=120bar	DISPR/CR4/K,L/14/2702/0/05.01.2012
50	Central	CET GOVORA SA	RM. VALCEA, Str. Industriilor, nr.1, Jud. Valcea	J38/683/1997	CUI 10102377	0250/733601/733603; 0726818592	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=300mm, pmax<=160bar	DISPR/CR4/K,L/14/2254/0/26.10.2011
51	Central	CET SA	BRASOV, Str. Timis Triaaj, nr.6, Jud. Brasov	J08/799/2002	CUI 14716787	0268/333192/331129	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, pmax<=64bar	DISPR/CR4/K,L/14/0044/0/25.02.2011
52	Central	CHEMGAS HOLDING CORPORATION SRL	SLOBOZIA, Sos. Calarasi, Km4, Pavilion Administrativ, Camera Protocol si Camera Consilier, et.2, Jud. Ialomita	J21/21/2009	CUI 24978785	0243/365108	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=360bar	DISPR/CR4/K,L/14/0904/0/18.05.2011
53	Bacau	CIBOCAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8, Jud. Botosani	J07/1038/1994	CUI 6566670	0231/531536/539028	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=16bar, Dn<=50mm	BC/CR4/K,L/14/1006/0/06.07.2012

54	Suceava	CIBOGAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8-10, Jud. Botosani	J07/1038/1994	RO 6566670	0231/531536/539028	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=50mm PN=16bar	SV/CR4/K,L/14/0048/0/1 3.12.2010
55	Bacau	CIBOCAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8, Jud. Botosani	J07/1038/1994	CUI 6566670	0231/531536/539028	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=16bar, Dn<=50mm	BC/CR4/K,L/14/1006/1/1 0.03.2014
56	Oradea	CLIMA SERV CONSTRUCT SRL	Sat VALARI, Com. Toplita, nr.17, Jud. Hunedoara	J20/177/2006	CUI 18352425	0354/402871/405054	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar Dnmax=150mm	OR/CR4/K,L/14/1041/0/2 2.08.2012
57	Oradea	CLIMAROL PREST SRL	ORADEA, Str. Grigore Ureche, nr.15, ap.48, Jud. Bihor	J05/3172/1993	RO 4738249	0259/418270; 0788315422	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=30bar Dnmax=100mm	OR/CR4/K/14/0014/0/28. 05.2010
58	Bucuresti	CLIMATERM 2000 SRL	BUCURESTI, Str. Semicercului, nr.12, subsol, sector 1	J40/2868/1998	CUI 10547316	021/2221297/2233602; e-mail office@cliterm2000.ro	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=100bar	B/CR4/K,L/14/2938/1/24. 11.2016

59	Central	CLIMATERM 2000 SRL	BUCURESTI, Str. Lugoj, nr.25, sector 1	J40/2868/ 1998	CUI 10547316	021/2233602/2 221397	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=100bar	DISPR/CR4/K,L/14/2627/0 /21.12.2011
60	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCENTR ALE ROVINARI	ROVINARI, Str. Energeticianului, nr.25, Jud. Gorj	J18/337/2 012	CUI 30310461	0253/372556/ 371590	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dn<=150mm, Pn<=160bar	B/CR4/K,L/14/1226/0/14. 12.2012
61	Oradea	COMPLEXUL ENERGETIC HUNEDOARA SA- Sucursala ELECTROCENTR ALE DEVA	PETROSANI, Str. Timisoara, nr.2, Jud. Hunedoara; MINTIA, Str. Santierului, nr.1, Jud. Hunedoara	J20/994/2 012	CUI 30855230	0254/570790/ 236407/ 570481/ 236404; 0254/236403/ 236550	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=250bar	OR/CR4/K,L/14/1279/0/1 0.04.2014
62	Central	COMTERM PROTECT INSTAL SRL	CIULNITA, Sat Ciulnita, Str. Stanjenei, nr.7, Jud. Ialomita	J21/72/20 12	CUI 29900507	0766668811	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=50bar	DISPR/CR4/K/14/3471/0/ 17.04.2012
63	Brasov	CNCIR SA	BUCURESTI, Str. Promoroaca, nr.9-11, sector 1; PLOIESTI, Str. Radu Stanian, nr.12, Jud. Prahova	J40/11976 /2010	CUI 27787860	021/3167921/ 4119870; 0244/545240/ 545350	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=66bar	BV/CR4/K,L/14/1192/0/2 4.10.2013

64	Bucuresti	CNCIR SA	BUCURESTI, Str. Promoroaca, nr.9-11, sector 1; PITESTI, Str. Cozia, nr.1, Jud. Arges	J40/11976 /2010	CUI 27787860	021/3167921/4119870; 0248/250882/220194	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=66bar	B/CR4/K,L/14/1852/0/23.10.2013
65	Bucuresti	CNCIR SA	BUCURESTI, Str. Promoroaca, nr.9-11, sector 1; CONSTANTA, Str. Razboieni, nr.13, Jud. Constanta	J40/11976 /2010	CUI 27787860	021/3167921/4119870; 0241/611754/673323	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=46bar	B/CR4/K,L/14/1851/0/23.10.2013
66	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/1991	RO 1324099	0244/333160/374719; e-mail: confind@confind.ro	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=100bar	BV/CR4/K,L/14/1398/2/23.03.2015
67	Central	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/1991	RO 1324099	0244/333160/374719	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=100bar	DISPR/CR4/K,L/14/3453/0/19.04.2012
68	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/1991	RO 1324099	0244/333160/374719; e-mail: confind@confind.ro	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=100bar	BV/CR4/K,L/14/1274/1/23.06.2014

69	Central	CONFORT THERM SRL	ALEXANDRU CEL BUN, Sat Bistrita, Jud. Neamt; PIATRA NEAMT, Str. Florilor, nr.25, Jud. Neamt	J27/228/1999	CUI 12078925	0233/234332; 0233/234721	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=50mm, pmax<=6bar	DISPR/CR4/K,L/14/1251/0/23.06.2011
70	Sibiu	CONSTRUCT INSTAL SRL	TURDA, Str. Lutus, nr.2, Jud. Cluj	J12/941/2003	CUI 15352609	0264/320694; e-mail constructinstal@yahoo.com	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=80mm, pmax=70bar	SB/CR4/K,L/14/1414/1/13.11.2014
71	Central	CONSTRUCT INSTAL SRL	TURDA, Str. Lutus, nr.2, Jud. Cluj	J12/941/2003	CUI 15352609	0264/320694	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=80mm, pmax=70bar	DISPR/CR4/K,L/14/2065/0/28.09.2011
72	Central	CONSULT MERIDIAN SRL	MEREI, Sat LIPIA, Jud. Buzau	J10/885/2005	CUI 17807634	0238/711249	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=175bar	DISPR/CR4/K,L/14/2224/0/20.10.2011
73	Brasov	CONSULT MERIDIAN SRL	MEREI, Sat LIPIA, Jud. Buzau	J10/885/2005	CUI 17807634	0726718894; 0238/711249	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=175bar	BV/CR4/K,L/14/1148/1/20.06.2013

74	Central	CORSEM IMPEX SRL	GURA HUMORULUI, Str. Orizont, nr.6A, Jud. Suceava	J33/1947/1993	CUI 4973970	0230/514145	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=25bar	DISPR/CR4/K,L/14/3109/0/28.02.2012
75	Pitesti	CRIMAR PAMICO SRL	NEGRASI, Sat Birlogu, Jud. Arges	J03/499/1995	RO 7396558	0248/615434	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=160bar, DN<=350mm	PT/CR4/K,L/14/0075/0/16.07.2010
76	Central	CRIMBO GAS 2000 SRL	PANTELIMON, Bd. Biruintei, nr.4, bl.A1, parter, Jud. Ilfov	J23/1074/2001	CUI 12404878	021/3520239	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=40bar	DISPR/CR4/K/14/1923/0/16.09.2011
77	Bacau	CRIO MEC SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437/463059; e-mail office@criomecsa.ro	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=400bar, Dnmax=450mm	BC/CR4/K,L/14/1121/2/29.04.2015
78	Bacau	CRIO MEC SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437/463059	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=400bar, Dnmax=450mm	BC/CR4/K,L/14/1121/1/09.01.2013



79	Galati	CRIO MEC SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437/463059	Verificarea( la deschidere- inchidere) dispozitive de siguranta	DNmax4500mm, Pmax=400bar	GL/CR4/K,L/14/0099/0/0 8.11.2010
80	Central	CRYOGENICA SRL	BUCURESTI, Str. Ispravnicului, nr.41, sector 2	J40/10813/1991	CUI 1572477	021/2110859/2102972	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=200bar	DISPR/CR4/K,L/14/0817/0/02.06.2011
81	Central	CSC SRL	CONSTANTA, Str. I. C. Bratianu, nr.28, Jud. Constanta	J13/4540/1994	CUI 6741062	0241/506730	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=220bar	DISPR/CR4/K,L/14/1617/0/28.07.2011
82	Bacau	DALKIA TERMO IASI SA	IASI, Sos. Nationala, nr.43, et.1, camera 19, Jud. Iasi; Iasi, Cal. Chisinaului, nr.25, Jud. Iasi	J22/1399/2012	RO 30570461	0232/232360/233918	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=400bar, Dnmax=400mm	BC/CR4/K,L/14/1122/0/1 0.01.2013
83	Iasi	DAS SRL	IASI, Str. Aurel Vlaicu, nr.87, Jud. Iasi	J22/589/1991	RO 1986070	0232/262800	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=16bar, Dn max=800mm	IS/CR4/K,L/14/0102/0/13 .09.2010

84	Oradea	DIA TERMO INSTAL VEST SRL	RESITA, Bd. Republicii, nr. 8, sc. 6, et. 10, ap. 41, Jud. Caras Severin	J11/20/20 10	CUI 26432126	0355/429209	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar, Dn max=150mm	OR/CR4/K,L/14/1396/0/0 3.09.2015
85	Brasov	DINAFIT SRL	Sat BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Corp C1-C8, Jud. Prahova	J29/2639/ 2006	CUI 19285057	0244/524369/ 571671; e- mail: office.dinafit@ christof- group.com	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar, Dnmax=200mm	BV/CR4/K,L/14/1372/4/1 9.02.2015- suspendare voluntara 6 luni incepand cu 01.04.2015
86	Brasov	DINAFIT SRL	Sat BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Corp C1-C8, Jud. Prahova	J29/2639/ 2006	CUI 19285057	0244/524369/ 571671; e- mail: office.dinafit@ christof- group.com	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar, Dnmax=200mm	BV/CR4/K,L/14/1251/3/0 5.05.2014
87	Central	DINAFIT SRL	BRAZI, Incinta PETROM SA, Suc. Brazi, Jud. Prahova	J29/2639/ 2006	CUI 19285057	0244/504682/5 24369/571671	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=450mm, pmax=225bar	DISPR/CR4/K,L/14/1733/0 /29.07.2011
88	Brasov	DINAFIT SRL	Sat BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Corp C1-C8, Jud. Prahova	J29/2639/ 2006	CUI 19285057	0244/594369/ 571671	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar, Dnmax=200mm	BV/CR4/K,L/14/1101/1/1 0.01.2013

89	Ploiesti	DINAFIT SRL	Com. BRAZI, Sat BRAZII de JOS, incinta PETROM SA, Suc. Petrobrazi, caroul 15, Jud. Prahova	J29/2639/2006	RO 19285057	0244/594369/571671	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=200bar, DNmax<=200mm	PL/CR4/K,L/14/0286/0/2 2.12.2010
90	Brasov	DINAFIT SRL	Sat BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Corp C1-C8, Jud. Prahova; PLOIESTI, Str. Mihai Bravu, nr.235, Jud. Prahova	J29/2639/2006	CUI 19285057	0724288700; 0344/401027; 0244/571671; e-mail: office.dinafit@ cristof- group.com	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=225bar, Dnmax=450mm	BV/CR4/K,L/14/1184/2/2 1.10.2013
91	Bucuresti	DOLCHIMEX SRL	CARACAL, Aleea 1 Decembrie 1918, nr.17, Jud. Olt	J28/192/2001	RO 14015531	0249/517866; 07280072928; 0249/517666	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=80mm, Pmax<=40bar	B/CR4/K,L/14/1249/0/18. 01.2013
92	Central	DONAU CHEM SRL	TN. MAGURELE, Str. Portului, nr.1, Jud. Teleorman	J34/568/2004	CUI 16958124	0247/416438/413379	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	DISPR/CR4/K,L/14/0867/0 /18.05.2011
93	Bucuresti	DONAU TERMO SRL	CALARASI, Str. Pompieri, nr.41, camera 3, et.1, Jud. Calarasi	J51/90/2010	CUI 26594209	0242/316945/334190	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=40bar	B/CR4/K,L/14/2136/0/09. 05.2014

94	Bucuresti	ECO CLIMA INDUSTRIAL SRL	BUCURESTI, Str. Torentului, nr.2-4, sector 2	J40/22694 /1994	CUI 6558864	021/2502902/2504258	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	B/CR4/K,L/14/0327/0/21.09.2010
95	Bucuresti	ECO CLIMA INDUSTRIAL SRL	BUCURESTI, Str. Torentului, nr.2, biroul nr.39, sector 2	J40/22694 /1994	RO 6553864	021/2502902/2504258	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, Pmax=120bar	B/CR4/K,L/14/0327/1/22.11.2012
96	Sibiu	ELECTROCENTRALE BUCURESTI SA - Sucursala Electrocentrale Mures	IERNUT, Str. Energeticii, nr. 1, Jud. Mures	J26/513/2000	CUI 1228938	0265/471333/471388	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN<=250mm, p<=150bar	SB/CR4/K,L/14/1030/0/23.07.2012
97	Bucuresti	ELECTROCENTRALE BUCURESTI SA	BUCURESTI, Splaiul Independentei, nr.227, sector 6	J40/1696/2003	RO 15189596	021/2751108/2751181	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=250bar	B/CR4/K,L/14/1734/1/21.10.2014
98	Bucuresti	ELECTROCENTRALE BUCURESTI SA	BUCURESTI, Splaiul Independentei, nr.227, sector 6	J40/1696/2003	RO 15189596	021/2751108/2751181	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=250bar	B/CR4/K,L/14/1734/0/03.07.2013

99	Central	ELECTROCENTR ALE BUCURESTI- SUCURSALA ELECTROCENTR ALE BUCURESTI	BUCURESTI, Splaiul Independentei, nr.227, sector 6	J40/9343/ 2000	CUI 13439840	021/2751108/2 751181	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=200bar	DISPR/CR4/K,L/14/2998/0 /07.02.2012
100	Bucuresti	ELECTROCENTR ALE CONSTANTA SRL	CONSTANTA, Bd. Aurel Vlaicu, nr.123, Jud. Constanta	J13/23/20 153	CUI 33636420	0241/585300	Verificare( la deschidere- inchidere) dispozitive de siguranta	Dmax=300mm, pmax=200bar	B/CR4/K/14/2484/0/17.0 3.2015
101	Central	ELECTROCENTR ALE BUCURESTI- SUCURSALA ELECTROCENTR ALE CONSTANTA	CONSTANTA, Bd. Aurel Vlaicu, nr.123, Jud. Constanta	J13/1035/ 2003	CUI 15264655	0241/585300/6 93916	Verificare( la deschidere- inchidere) dispozitive de siguranta	Dmax=150mm, pmax=250bar	DISPR/CR4/K/14/3050/0/ 08.02.2012
102	Sibiu	ELECTROCENTR ALE DEVA SA	MINTIA, Str. Santierului, nr.1, Jud. Hunedoara	J20/876/2 001	CUI 14348448	0254/236550	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=250mm, p<=250bar	SB/CR4/K,L/14/0091/0/1 3.10.2010
103	Brasov	ELECTROFARM SRLK	Brasov, Str. Razboieni, nr.18, Jud. Brasov; BRASOV, Calea Feldioarei, nr.24A, Jud. Brasov	J8/699/19 98	RO 10660799	0268/440028/ 440029	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=25bar, Dnmax<=50mm	BV/CR4/K,L/14/1049/0/1 0.09.2012

104	Bucuresti	ELECTROPUTER E SA	CRAIOVA, Calea Bucuresti, nr.80, Jud. Dolj	J16/12/19 91	CUI 6312800	0251437700/ 437698/ 437730	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=100bar	B/CR4/K,L/14/1818/0/09. 09.2013
105	Bucuresti	ELECTROPUTER E AIT SRL	CRAIOVA, Str. Tehnicii, nr.1, Constructia 11C-C1, Jud. Dolj	J16/64/20 13	CUI 31098937	0251/437441/ 438740	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=45mm, pmax=450bar	B/CR4/K,L/14/1363/1/28. 08.2014
106	Bucuresti	ELECTROPUTER E AIT SRL	CRAIOVA, Calea Bucuresti, nr.80, Hala Pavilion STM C299, et.3, Jud. Dolj	J16/64/20 13	CUI 31098937	0251/437441/ 438740	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=45mm, pmax=450bar	B/CR4/K,L/14/1363/0/09. 05.2013
107	Central	ELECTROPUTER E SA Divizia Aparataj Electric	CRAIOVA, Cal. Bucuresti, nr.80, Jud. Dolj	J16/12/19 91	CUI 6312800	0724342848; 0251/438100	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=45mm, pmax=450bar	DISPR/CR4/K,L/14/1193/0 /17.06.2011
108	Central	ELECTROTERM PRODSERV SRL	TURDA, Str. Traian, nr.41A, Jud. Cluj	J12/673/1 994	CUI 5337857	0722230147; 0368/414123	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=60bar	DISPR/CR4/K,L/14/2624/0 /20.12.2011

109	Bacau	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201-202, et. 2, jud. Bacau	J04/140/2000	CUI 12826406	0234/562410; e-mail office@energofor.ro	Verificare( la deschidere-inchidere) dispozitive de siguranta	Dnmax=100mm, pmax=260bar	BC/CR4/K/14/1643/2/11. 02.2016
110	Central	ENERGOFOR SRL	BACAU, Str. Arcadie Septilici, nr.7B, Jud. Bacau	J04/140/2000	CUI 12826406	0234/545683/562410	Verificare( la deschidere-inchidere) dispozitive de siguranta	Dnmax=100mm, pmax=260bar	DISPR/CR4/K/14/3627/0/ 23.05.2012
111	Bacau	ENERGOFOR SRL	BACAU, Str. I. L. Caragiale, nr.1, sc.D, ap.6, Jud. Bacau	J04/140/2000	RO 12826406	0234/545683/562410	Verificare( la deschidere-inchidere) dispozitive de siguranta	Dnmax=100mm, pmax=260bar	BC/CR4/K/14/0009/0/28. 04.2010
112	Bucuresti	ENERGOMONTAJ GRUP SRL	BASCOV, Str. Serelor, nr. 14, Jud. Arges	J03/1966/1994	RO 10698807	0248/290170/290285	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=280bar, DN<=350mm	B/CR4/K,L/14/2916/1/06. 10.2016
113	Pitesti	ENERGOMONTAJ GRUP SRL	PITESTI, str.Gh.Lazar, nr.19, Jud.Arges	J03/1966/1994	RO 10698807	0248/290170	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=280bar, DN<=350mm	PT/CR4/K,L/14/0055/0/1 8.06.2010
114	Central	ENERGY BIO CHEMICALS SA	ONESTI, Str. Industriilor, nr.1, Pavilion Administrativ C399, Jud. Bacau	J04/838/2008	CUI 23767569	0234/302600/315510	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=250mm, pmax<=64bar	DISPR/CR4/K,L/14/0511/0 /07.03.2011

115	Central	ENET SA	FOCSANI, Bd. Bucuresti, nr.4, Jud. Vrancea	J39/93/19 96	CUI 8123890	0237/214110	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax<=64bar	DISPR/CR4/K,L/14/2042/0 /22.09.2011
116	Central	ENET SA	FOCSANI, Bd. Bucuresti,nr.4, Jud. Vrancea	J39/93/19 96	RO 8123890	0237/212400/2 14110	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=64bar	DISPR/CR4/K,L/14/2042/1 /26.04.2012
117	Iasi	EST ROM SA	VALEA LUPULUI, Str. Diminetii, nr.1, Jud. Iasi	J22/2259/ 1993	RO 4488770	0232/226380/2 53398	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, Dn max=200mm	IS/CR4/K,L/14/0118/0/08 .10.2010
118	Central	ETNIS SRL	IASI, Cal. Chisinaului, nr.98-100, Jud. Iasi	J22/1131/ 1991	CUI 1956141	0232/236341	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=160bar, Dmax=100mm	DISPR/CR4/K,L/14/0273/0 /30.03.2010
119	Bucuresti	EU RO INSTALATII SA	BUCURESTI, Intr. Hotarului, nr.1, sector 6	J40/3473/ 1995	CUI 7306342	021/3172768/ 4300515	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=100mm, pmax<=40bar	B/CR4/K,L/14/0291/0/06. 09.2010



120	Sibiu	EURO SYSTEM SRL	MEDIAS, Sos. Sibiului, nr.48, bl.9, Jud. Sibiu	J32/456/2006	RO 18529021	0269/843545	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax<=100mm; pmax<=40bar	SB/CR4/K,L/14/1036/0/1 4.08.2012
121	Oradea	EURO TREND SERVICE SRL	PAULESTI, Str. Principala, nr.29, Jud. Satu Mare	J30/384/2004	RO 16294379	0261/757506	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=20bar, Dnmax<=75l	OR/CR4/K/14/0015/0/28. 05.2010
122	Oradea	EXPERT PETROLEUM SRL	BUCURESTI, Sos. Bucuresti-Ploiesti, nr. 73-81, cladirea C3, et. 3, sector 1; TIMISOARA, Str. Corolian Brediceanu, nr. 10C, cladire C, mezanin, camera M5, Jud. Timis	J26/1656/2008	CUI 17634428	0374200640, 0317/801093; 0356/414883	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, Dnmax=150mm	OR/CR4/K,L/14/1174/2/2 0.10.2016
123	Oradea	EXPERT PETROLEUM SRL	TG. MURES, Str. Tamas Erno, nr.1, Jud. Mures; TIMISOARA, Str. Corolian Brediceanu, nr. 10C, Cladire C, Mezanin, Camera M5, Jud. Timis	J26/1656/2008	CUI 17634428	0374200640, 0317/801093	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, Dnmax=150mm	OR/CR4/K,L/14/1174/1/2 3.05.2016

124	Oradea	EXPERT PETROLEUM SRL	TG. MURES, Str. Tamas Erno, nr.1, Jud. Mures	J26/1656/ 2008	CUI 17634428	0730769794	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, Dnmax=150mm	OR/CR4/K,L/14/1174/0/1 8.06.2013
125	Central	FAST TECHNICAL ASSISTANCE SRL	BACAU, Str. Vadu Bistritei, nr.2A, Jud. Bacau	J04/696/1 997	CUI 9626416	0234/513803/5 11430	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, pmax<=45bar	DISPR/CR4/K,L/14/0354/0 /06.04.2011
126	Central	FAST TECHNICAL ASSISTANCE SRL	BACAU, 9 Mai, nr.35, poz. 10, bl.35, sc.E, parter, Jud. Bacau	J04/696/1 997	CUI 9626416	0234/513803/5 11430	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=150mm, pmax<=45bar	DISPR/CR4/K,L/14/0354/0 /08.05.2012
127	Brasov	FAURAR SRL	TARGOVISTE, Str. Constantin Brancoveanu, bl. B3, ap. 12, Jud. Dambovita; SINAIA, Str. Ferdinand, nr. 2, et. 3, ap. 10, Jud. Prahova	J15/114/1 994	RO 5114685	0245/221002	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dn=300mm, pmax=140bar	BV/CR4/K,L/14/1412/0/1 6.04.2015
128	Pitesti	FILIALA PENTRU REPARATII SI SERVICII HIDROSERV CURTEA DE ARGES SA	CURTEA DE ARGES, Str. Barajului, nr.1, Jud. Arges	J03/742/2 002	RO 14932616	0248/721701/7 21716; www.hidroserv arges.ro	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=90mm, pmax<=100bar	PT/CR4/K,L/14/0143/0/1 5.12.2010

129	Pitesti	FILIALA PENTRU REPARATII SI SERVICII HIDROSERV RAMNICU VALCEA SA	RM. VALCEA, Calea Bucuresti, nr.269, Jud. Valcea	J38/477/2002	CUI 14949669	0250/746984/732147	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax<=100mm, pmax<=64bar	PT/CR4/K,L/14/1641/1/1 2.06.2013
130	Brasov	FISE ELECTRICA SERV SRL	BUCURESTI, Str. Stefan cel Mare, nr. 1A, sector 1; PLOIESTI, Str. Mihai Bravu, nr. 19, Jud. Prahova	J40/4454/200	RO 17329505	021/3065002/3065004; 0372440441; 0244/334652	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=16bar, Dn=20mm	BV/CR4/K,L/14/1588/1/2 2.06.2016
131	Ploiesti	FISE ELECTRICA SERV SA BUCURESTI SISE- ELECTRICA MUNTENIA NORD AISE	PLOIESTI, Str. Andrei Muresanu, nr.58, Jud. Prahova; PLOIESTI, Str. Mihai Bravu, nr.19, Jud. Prahova	J29/904/2005	RO 17492080	0244/405650/405564; 0244/405637	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=16bar, Dnmax=20mm	PL/CR4/K,L/14/0119/0/2 7.07.2010
132	Oradea	FLANGA GPL ROMANIA SRL	SALONTA, Str. Ghestului, Jud. Bihor	J05/522/1998	RO 10433729	0259/411780/412967	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=20bar	OR/CR4/K/14/0010/0/18. 05.2010
133	Bucuresti	FLI INSTAL SERVICE SRL	BUCURESTI, Str. Elev Stefanescu Stefan, nr.2, sector 2	J40/3308/2013	CUI 31557969	021/2011114/2011115	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=20bar, Dnmax=65mm	B/CR4/K,L/14/1337/0/25. 03.2013

134	Central	FORCE SAT IMPEX SRL	BRANESTI, Sat Branesti, Str. Violetelor, nr.22, Constructia C1, camera 1, Jud. Ilfov	J23/307/2 010	CUI 26458355	0374007809	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax<=300bar	DISPR/CR4/K,L/14/1983/0 /19.09.2011
135	Bucuresti	FORCE SAT IMPEX SRL	BRANESTI, Sat Branesti, Str. Violetelor, nr.22, Constructia C1, camera 1, Jud. Ilfov	J23/307/2 010	CUI 26458355	0374007809	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=300bar	B/CR4/K,L/14/1861/0/03. 10.2013
136	Iasi	FORPRES SRL	IASI, Str. Strapungerii Silvestru, nr.52, Jud. Iasi	J22/1258/ 2002	RO 15012143	0232/246135	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar, Dnmax=200mm	IS/CR4/K,L/14/0080/0/04 .08.2010
137	Brasov	FULGER SISTEM SRL	FAGARAS, Str. Negoiu, nr. 71, bl. B, sc. A, ap. 12, Jud. Brasov	J08/109/2 011	CUI 27967659	0766351431; e- mail fulger.sistem@ yahoo.com	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar, Dnmax=50mm	BV/CR4/K,L/14/1593/0/0 7.07.2016
138	Bucuresti	FUTURE LINE INSTAL SRL	BUCURESTI, Sos. MIHAI Bravu, nr. 75-83, bl.C17, sc.B, ap.79, sector 2; BUCURESTI, Str. Biharia, nr.67-77, sector 1	J40/23350 /1992	RO 18830	021/2011114/ 2011115	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=20bar, Dnmax=65mm	B/CR4/K,L/14/1757/0/19. 08.2013

139	Central	GA PRO CO CHEMICALS SA	SAVINESTI, Sytr. Uzinei, nr.2, Jud. Neamt	J27/1478/ 2005	CUI 17728697	0233/280544/2 81494/281260	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=250bar	DISPR/CR4/K,L/14/1577/0 /18.07.2011
140	Bucuresti	GAS CONTROL SRL	SEGARCEA, Str. Bujorului, nr.5, Jud. Dolj	J16/1266/ 2009	CUI 26065968	0743123828	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=64bar	B/CR4/K,L/14/2967/1/06. 02.2017
141	Central	GAS CONTROL SRL	SEGARCEA, Str. Bujorului, nr.5, Jud. Dolj	J16/1266/ 2009	CUI 26065968	0743123828; 0351/454475	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=64bar	DISPR/CR4/K,L/14/2354/0 /03.11.2011
142	Brasov	GASPECO L&D SA	OTOPENI, Str. Aurel Vlaicu, nr.31A, Jud. Ilfov; Sat NEGOIESTI, Com. Brazi, Jud. Prahova	J23/232/2 011	CUI 8037897	021/2035100/ 2035105; e- mail: clientigpl@gas peco.ro; 0244/401055/ 401080	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pnmax=25bar, Dnmax=32mm	BV/CR4/K,L/14/1109/2/3 1.01.2013
143	Brasov	GASPECO L&D SA	BUCURESTI, Cal. Floreasca, nr.28-30, sector 1; Sat NEGOIESTI, Com. Brazi, Jud. Prahova	J40/8731/ 2013	CUI 8037897	021/2035100/ 2035105; 0244/401083; 0318/280345	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pnmax=25bar, Dnmax=32mm	BV/CR4/K,L/14/1175/3/2 1.08.2013

144	Brasov	GAVAL CONSULTING EXPERT SRL	PLOIESTI, Str. Mircea Cel Batrin, nr.119, cladirea C46, camera 8, parter, Jud. Prahova	J29/1638/ 2010	CUI 27856804	0721710420; 0244/573298; e-mail: gaval.expert@ yahoo.com	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=25bar, DNmax=150mm	BV/CR4/K,L/14/1334/1/0 4.11.2014
145	Brasov	GAVAL CONSULTING EXPERT SRL	PLOIESTI, Str. Mircea Cel Batrin, nr.119, cladirea C46, camera 8, parter, Jud. Prahova	J29/1638/ 2010	CUI 27856804	0721710420	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	p<=25bar, D<=150mm	BV/CR4/K,L/14/1304/0/2 5.08.2014
146	Sibiu	GAZ CONTOR NORD SRL	MEDIAS, Str. Sondorilor, nr.5, Jud. Sibiu	J32/171/2 010	RO 26642993	0269/831974	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	8<=DN<=80mm, P<=40bar	SB/CR4/K,L/14/0048/0/0 9.07.2010- sudspendare voluntara incepand cu 06.03.2015
147	Central	GRUP TERMLOC SA	BACAU, Str. George Bacovia, nr.41-43, Jud. Bacau	J04/9570/ 2002	CUI 14828446	0234/576442/5 76438	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=60mm, pmax=25bar	DISPR/CR4/K,L/14/1702/0 /05.08.2011
148	Bucuresti	HEAT MAINTENANCE SRL	BUCURESTI, Str. Scortan Ion, nr. 36, sector 2	J40/5605/ 2015	CUI 34485601	0733683763; 0724196733	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=25bar	B/CR4/K,L/14/2602/0/09. 09.2015

149	Pitesti	HIDROSERV RAMNICU VALCEA SA	RAMNICU VALCEA, Calea Bucuresti, nr.269, Jud. Valcea	J38/477/2 002	RO 14969669	0250/746984/7 46987/ 732147	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, DN=100mm	PT/CR4/K,L/14/0007/0/1 0.04.2010
150	Central	HIDROSERV SLATINA SA	SLATINA, Str. T. Vladimirescu, nr.153B, Jud. Olt	J28/379/2 002	CUI 14949758	0249/418608/4 23667	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=70bar	DISPR/CR4/K,L/14/1965/0 /19.09.2011
151	Oradea	HITECH AUTOMATIZARI SRL	ORADEA, Bd. Decebal, nr.5, bl.P187, ap.47, Jud. Bihor	J05/2680/ 2006	RO 19671457	0730118691	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dn<=100mm, pmax<=40bar	OR/CR4/K,L/14/1148/13. 05.2013
152	Brasov	HORVATH SERVICE SRL	SF. GHEORGHE, Str. Ciucului, nr. 130, Jud. Covasna	J14/88/19 94	RO 5228299	0267/316208; 0372895823	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=12bar	BV/CR4/K,L/14/1528/0/2 9.01.2016
153	Bucuresti	HUNGARORING SRL	BUCURESTI, Bd. Camil Ressu, nr.57A, bl. Y2B, sc.4, et.8, ap.165, sector 3	J40/6818/ 2012	CUI 30311599	0742609762; 021/2407191	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	B/CR4/K/14/1744/0/25.0 3.2013

154	Central	IASITEX SA	IASI, Str. Primaverii, nr.2, Jud. Iasi	J22/255/1991	CUI 1957058	0232/436760/246063	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=20bar	DISPR/CR4/K,L/14/1567/0/18.07.2011-suspendare voluntara incepand cu 04.07.2014
155	Central	IDMS CENTRAL SRL	BRASOV, Str. General Leonard Mociulschi, nr.18-20, bl.21, sc.B, ap.11, Jud. Brasov	J08/1447/2009	CUI 26117960	0368/809167	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=350bar	DISPR/CR4/K,L/14/2692/1/29.12.2011
156	Central	IDMS CENTRAL SRL	BRASOV, Str. General Leonard Mociulschi, nr.18-20, bl.21, sc.B, ap.11, Jud. Brasov	J08/1447/2009	CUI 26117960	0368/809167; 0744671652; e-mail: idmscentral@yahoo.com	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=350bar	DISPR/CR4/K,L/14/1142/2/11.06.2013
157	Brasov	IDMS CENTRAL SRL	BRASOV, Str. G-ral Leonard Mociulschi, nr.18-20, bl.21, sc. B, ap. 11, Jud. Brasov	J08/1447/2009	RO 26117960	0368/809167	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	-	BV/CR4/K,L/14/0075/0/02.12.2010
158	Bucuresti	IMSP PROIECT SRL	CONSTANTA, Str. Frigului, nr.4, bl.FG4, ap.11, Jud. Constanta	J13/2445/2008	CUI 24178510	0241/535543	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=150mm pmax<=50bar	B/CR4/K/14/1015/0/29.06.2012



159	Central	INCON SRL	BUCURESTI, Str. Alba, nr.14A, sector 4	J40/5704/1991	CUI 3006245	021/3355646/3373540	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=32bar	DISPR/CR4/K,L/14/2447/0/04.10.2011
160	Bacau	INDRA PROJECT SRL	CATAMARESTI DEAL, Com. Mihai Eminescu, nr. 42, Jud. Botosani	J7/125/2011`	CUI 28251525	0747850794	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=20bar	BC/CR4/K,L/14/1547/0/22.04.2015
161	Oradea	INSPECT MC SRL	BAIA MARE, Bd. Unirii, bl.7, sc.A, ap.1, Jud. Maramures	J24/1989/2008	CUI 24688935	Tel/fax 0723592204	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50.8mm, pmax=25bar	OR/CR4/K,L/14/1119/1/08.02.2016
162	Oradea	INSPECT MC SRL	BAIA MARE, Bd. Unirii, bl.7, sc.A, ap.1, Jud. Maramures	J24/1989/2008	CUI 24688935	Tel/fax 0723592204	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=25bar Dn=50.8mm	OR/CR4/K,L/14/1119/0/29.03.2013
163	Central	INSTALATORUL SRL	SUCEAVA, Str. Grigore Ureche, nr.19, et.2, cam. 1-9, Jud. Suceava	J33/1875/1992	RO 3177709	0230/551719	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=25bar	DISPR/CR4/K,L/14/0684/0/04.05.2011

164	Central	INSTANT INTERNATIONAL SRL	SIMERIA, Str. Avram Iancu, bl.7, parter, Jud. Hunedoara; SIMERIA, Str. 1 Decembrie, nr.29, Jud. Hunedoara	J20/1183/1994	CUI 6325370	0254/263216/263215	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=200mm, pmax<=250bar, fluid incercare apa; pmax<=60bar, Dnmax<=150mm, fluid incercare aer sau azot	DISPR/CR4/K,L/14/0796/0/12.05.2011
165	Central	INSTAROM SRL	TG. MURES, Str. Pandurilor, nr.56/6, Jud. Mures	J26/630/2002	CUI 14811584	0365/407193	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=150bar	DISPR/CR4/K,L/14/3140/0/21.02.2012
166	Central	INSTPRO SRL	DRAGASANI, Str. Traian, nr.30, Jud. Valcea	J38/55/1999	CUI 11444947	0250/811150	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=60bar	DISPR/CR4/K,L/14/0891/0/13.04.2011
167	Bacau	INTER SERV SRL	BACAU, Str. Chimiei, nr.1bis, Jud. Bacau	J04/63/2002	RO 14426880	0234/575406/575415	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=160bar	BC/CR4/K/14/0079/0/30.08.2010
168	Bucuresti	INVEST CONSTRUCT SRL	GIURGIU, Str. Ancorei, nr.2-2A, camera 1, Jud. Giurgiu; GIURGIU, Sos. Sloboziei, Km 4, corp C10, Jud. Giurgiu	J52/849/2019	CUI 24570424	0723407604; e-mail caldararucristina@yahoo.com	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=125mm, pmax=64bar	B/CR4/K,L/14/2813/0/02.06.2016

169	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedinteanu, nr. 7, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; 0244/547707	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=400bar, Dnmax<=273mm	BV/CR4/K,L/14/1388/3/0 6.06.2016
170	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedinteanu, nr. 7, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; e-mail: office@ipm-partners.com	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=400bar, Dnmax<=273mm	BV/CR4/K,L/14/1388/2/2 0.02.2015
171	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; 0244/547707	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=400bar, Dnmax<=273mm	BV/CR4/K,L/14/1037/0/1 0.08.2012
172	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Constructia C1, et.1, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; e-mail: office@ipm-partners.com	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=400bar, Dnmax=273mm	BV/CR4/K,L/14/1194/1/0 6.11.2013
173	Sibiu	I PROEB SA	BISTRITA, Str. Drumul Cetatii, nr.19, Jud. Bistrita Nasaud	J06/55/1991	RO 566930	0263/238164/ 234701	Verificare( la deschidere-inchidere) dispozitive de siguranta	pmax<=25bar, Dnmax<=100mm	SB/CR4/K/14/1145/0/15. 02.2013

174	Sibiu	I PROEB SA	BISTRITA, Str. Drumul Cetatii, nr.19, Jud. Bistrita Nasaud	J06/55/1991	RO 566930	0263/238164/234701	Verificare( la deschidere-inchidere) dispozitive de siguranta	pmax<=25bar, Dnmax<=100mm	SB/CR4/K/14/1205/1/01.07.2013
175	Bacau	IREM SPA SIRACUSA-Sucursala Bucuresti; Punct Moinesti	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, camera 1, et.5, sector 6; MOINESTI, Str. Capitan Zaganescu, nr. 2, Jud. Bacau	J40/11709/2014	CUI 33677137	021/3132904/3122303; e-mail roberto.sapori@iremservicii.ro; 0732660591; e-mail Gheorghe.Babeanu@gsts-asset8.ro	Verificare( la deschidere-inchidere) dispozitive de siguranta	pmax=150bar, Dnmax=150mm	BC/CR4/K,L/14/1511/1/16.03.2016
176	Bacau	IREM SPA SIRACUSA-Sucursala Bucuresti; Punct Moinesti	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, camera 1, et. 7, sector 6; MOINESTI, Str. Capitan Zaganescu, nr. 2, Jud. Bacau	J40/11709/2014	RO 33677137	021/3132904/3122303; e-mail roberto.sapori@iremservicii.ro; 0732660591; e-mail gheorghe.babeanu@gsts-asset8.ro	Verificare( la deschidere-inchidere) dispozitive de siguranta	pmax=49bar, Dnmax=150mm	BC/CR4/K,L/14/1511/0/04.12.2014
177	Bucuresti	IREM SPA SIRACUSA-Sucursala Bucuresti; Punct Bustuchini	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, camera 1, et.5, sector 6; BUSTUCHINI, Sectia MTN, Jud. Gorj	J40/11709/2014	CUI 33677137	021/3132904/3122303	Verificare( la deschidere-inchidere) dispozitive de siguranta	pmax=250bar, Dnmax=250mm	B/CR4/K,L/14/2570/0/12.06.2015

178	Bucuresti	IREM SPA SIRACUSA- Sucursala Bucuresti, Atelier Central TG. JIU	TG. JIU, Bd. Ecaterina Teodoroiu, nr. 46, Jud. Gorj	J40/11709 /2014	CUI 33677137	0732333411; 0253/223793	Verificare( la deschidere- inchidere) dispozitive de siguranta	pmax=140bar, Dnmax=300mm	B/CR4/K,L/14/2388/0/15. 12.2014
179	Oradea	IVPROD ST SM PI SRL	TIMISOARA, Bd. 16. Decembrie 1989, nr. 7, et. 1, ap. 7, Jud. Timis	J35/860/2 007	CUI 21245305	0356/269748; 0745232593	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax<=40bar	OR/CR4/K,L/14/1469/1/1 4.06.2016
180	Central	IVPROD ST SM PI SRL	TIMISOARA, Str. Stefan cel Mare, nr.47, Jud. Timis	J35/860/2 007	CUI 21245305	0256/224150	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=150mm, pmax<=40bar, fluid incercare apa; DN<=50mm, pmax<=32bar, fluid incercare aer sau azot	DISPR/CR4/K,L/14/0213/0 /16.03.2011
181	Bucuresti	JCR CRISTOF CONSULTING SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr. 49A, Jud. Prahova; POIANA LACULUI, Str. Dragasani, nr. 587, Jud. Arges	J29/1097/ 2008	RO 22866980	0344/401027/ 401026	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar, Dn=250mm	B/CR4/K,L/14/1812/0/06. 06.2016

182	Brasov	JCR CRISTOF CONSULTING SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr. 49A, Jud. Prahova; VIDELE, Str. Petrolului, nr. 10, Jud. Teleorman	J29/1097/2008	RO 22866980	0344/401027/401026	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar, Dn=200mm	BV/CR4/K,L/14/1378/1/1 9.02.2015
183	Brasov	JCR CRISTOF CONSULTING SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr. 49A, Jud. Prahova	J29/1097/2008	RO 22866980	0344/401027/401026	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=100bar, Dn=200mm	BV/CR4/K,L/14/1116/0/1 9.02.2013
184	Bacau	KADATA PREST SRL	HORIA, Str. Campului, nr. 67, Jud. Neamt	J27/2229/1994	RO 6683727	0233/740744	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=30bar, Dn=65mm	BC/CR4/K,L/14/1491/0/2 6.09.2014
185	Ploiesti	KARBOREX SA	PLOIESTI, Str. Caraiman, nr.7, Jud. Prahova	J29/76/1991	RO 1348152	0244/512212/517577	Reglarea si repararea supapelor de siguranta	Pmax=100bar, Dnmax=200mm	PL/CR4/L/14/0196/0/07. 10.2010
186	Oradea	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr.66, Jud. Prahova; SUPLACU DE BARCAU, Str. Crinului, nr.72, Jud. Bihor; ABRAMUT, Cladirea Petrom, Jud. Bihor	J29/1153/1997	RO 9816194	0732300819	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=64bar, Dn<=100mm	OR/CR4/K,L/14/1339/1/0 6.04.2015

187	Oradea	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr.66, Jud. Prahova; SUPLACU DE BARCAU, Str. Crinului, nr.72, Jud. Bihor	J29/1153/1997	RO 9816194	0732300819	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=64bar, Dn<=100mm	OR/CR4/K,L/14/1339/0/0 5.12.2014
188	Brasov	KAROM SPI SRL	PLOIESTI, Str. Bucuresti, nr.66, Jud. Prahova	J29/1153/1997	RO 9816194	0344401995/ 401997	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=100bar, Dn=100mm	BV/CR4/K,L/14/1338/1/1 1.01.2017
189	Brasov	KAROM SPI SRL	PLOIESTI, Str. Bucuresti, nr.66, Jud. Prahova	J29/1153/1997	RO 9816194	0344/401995/ 401997	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=100bar, Dn=100mm	BV/CR4/K,L/14/1338/0/1 9.11.2014
190	Brasov	KREMSMULLER ROMANIA SRL	PLOIESTI, Str. Centura de Vest, nr. 23, Jud. Prahova	J29/626/2007	RO 18725133	0728291150; 0720112585	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=300bar, Dnmax=400mm	BV/CR4/K,L/14/1512/0/2 1.12.2015
191	Central	LAS PROM SRL	TG. MURES, Str. Cuza Voda, nr.25, Jud. Mures	J26/2185/2004	CUI 17057184	0265/264436/3 11884	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=150bar	DISPR/CR4/K,L/14/2553/0 /14.12.2011

192	Central	LICTECH SRL	IASI, Str. Mihai Voda, nr.7, bl.P1, sc.TR2, et.4, ap.20, Jud. Iasi	J22/2469/2006	CUI 19079995	0232/235060	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=160bar, Dmax=100mm	DISPR/CR4/K,L/14/0209/0 /22.03.2010
193	Oradea	LINDE GAZ ROMANIA SRL	TIMISOARA, Str. Avram Imbroane, nr. 9, Jud. Timis	J35/1149/1996	CUI 8721959	0256/300700/2 25608	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=100bar, Dmax=50mm	OR/CR4/K,L/14/1515/0/2 7.02.2017
194	Central	LISSCOM SRL	BRASOV, Str. Neptun, nr.10, sc.C, ap.1, Jud. Brasov	J08/252/1 998	RO 10358473	0268/549274	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=200bar	DISPR/CR4/K,L/14/3515/0 /02.05.2012
195	Bacau	LOCATIVSERV SRL	PIATRA NEAMT, Str. Cuiejdi, nr. 1B, et. 3, Jud. Neamt	J27/1550/ 2008	RO 24607639	0233/220430/ 220431	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=10bar	BC/CR4/K,L/14/1515/0/1 1.12.2014
196	Central	LOCATO SA	PIATRA NEAMT, Str. Lt. Draganescu, nr.20, et.2, Jud. Neamt	J27/8/200 1	RO 13649035	0233/222832/2 22834	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=10bar	DISPR/CR4/K,L/14/0823/0 /17.05.2011- insolventa- retragere incepand cu 06.01.2015



197	Bacau	LOCATO SA	PIATRA NEAMT, Str. Privighetorii, nr.12, bl.B9, demisol, Jud. Neamt	J27/82001	CUI 13649035	0233/222832	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=10bar, Dnmax<=50mm	BC/CR4/K,L/14/1167/1/1 9.02.2013- insolventa- retragere incepand cu 06.01.2015
198	Central	LONIC SERV SRL	PUCIOASA, Str. Fantanilor, bl.B, et.2, ap.8, Jud. Dambovita	J15/510/2 004	CUI 16514660	0722524688; 0245/232310	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=100bar	DISPR/CR4/K,L/14/3613/0 /21.05.2012
199	Bucuresti	LONIC SERV SRL	PUCIOASA, Str. Fantanilor, bl.B, et.2, ap.8, Jud. Dambovita	J15/510/2 004	CUI 16514660	0722524688; 0245/232310	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=100bar	B/CR4/K,L/14/1762/1/20. 08.2013
200	Bucuresti	LPV PROIECT CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr.3, sector 4	J40/16179 /1991	CUI 393996	021/3306200/ 3316620	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/0134/3/18. 03.2016
201	Bucuresti	LPV PROIECT CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr.3, sector 4	J40/16179 /1991	CUI 393996	021/3306200/ 3316620	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/0134/2/05. 02.2015

202	Bucuresti	LPV PROIECT CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr.3, sector 4	J40/16179 /1991	CUI 393996	021/3306200/3316620	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/0134/1/01.09.2014
203	Bucuresti	LPV PROIECT CONSULT SRL	BUCURESTI, Str.Dimbovicului nr.30, sector 4	J40/16179 /1991	CUI 393996	021/3316620,021/3301852	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=2 1/2", pmax=15bar	B/CR4/K,L/14/0134/0/26.06.2010
204	Bucuresti	LPV FACILITY & PROPERTY MANAGEMENT SRL	BUCURESTI, Str. Aurel Persu, nr. 119D, parter, camera 3, sector 4	J40/20112 /2008	RO 24812099	0724288126; 021/3316620	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/2663/0/19.11.2015
205	Bucuresti	LPV SERVICE CONSULT SRL	BUCURESTI, Str. Aurel Persu, nr. 119D, parter, camera 3, sector 4	J40/20112 /2008	RO 24812099	021/3306200/3316620	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/2663/1/01.08.2016
206	Central	LUANA PREST SERV SRL	BRASOV, Str. Matei Basarab, nr.30A, Jud. Brasov	J08/2840/2008	CUI 24662030	0268/415715	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=350bar	DISPR/CR4/K,L/14/2688/0/05.01.2012

207	Central	LUANA PREST SERV SRL	BRASOV, Str. Castelului, nr.70, ap.2, cam. 2, Jud. Brasov	J08/2840/ 2008	RO 24662030	0268/415715	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=350bar	DISPR/CR4/K,L/14/2688/1 /21.05.2012
208	Central	LUCMAN SRL	SIBIU, Str. W.I. Gheothe, nr.16A, Jud. Sibiu; SIBIU, Str. Gorjului, nr.16A, Jud. Sibiu	J32/996/2 002	CUI 15091554	0269/225791	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=60bar	DISPR/CR4/K,L/14/0429/0 /18.04.2011
209	Central	MACARALE SRL	SIBIU, Str. Hategului, nr.1, ap.6, Jud. Sibiu	J32/1096/ 2005	CUI 17825851	0269/225051	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=120mm, pmax<=60bar	DISPR/CR4/K,L/14/1702/0 /05.08.2011
210	Brasov	MADASOR CONSULTING SRL	BRASOV, Bd. Victoriei, nr.6, bl.42, sc. C, ap. 3, Jud. Brasov	J8/63/201 4	CUI 32676265	0368/819523	Verificare( la deschidere- inchidere) dispozitive de siguranta	D<=50mm, p<=30bar	BV/CR4/K/14/1429/0/17. 06.2015
211	Bucuresti	MAIRA MONTAJ SRL	BUCURESTI, Str. Stirbei Voda, nr.166, bl.20C, sc.A, et.1, ap.3, sector 1; BUCURESTI, Str. Inovatorilor, nr.38A, sector 1	J40/3784/ 1997	RO 6661834	0722259865; 021/4137690	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=500bar	B/CR4/K,L/14/1787/0/13. 08.2013

212	Bucuresti	MAIRA MONTAJ SRL	BUCURESTI, Str. Stirbei Voda, nr.166, bl.20C, sc.A, et.1, ap.3, sector 1; BUCURESTI, Str. Inovatorilor, nr.38A, sector 1	J40/3784/1997	RO 6661834	021/4137690/ 4139159	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=500mm, pmax=500bar	B/CR4/K,L/14/1787/1/21. 02.2014
213	Central	MARAL SRL	POPESTI LEORDENI, Str. Leordeni, nr.161S, Jud. Ilfov	J23/1343/ 2010	CUI 13404361	021/4673006	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=65mm, pmax=48bar	DISPR/CR4/K,L/14/1269/0 /05.07.2011
214	Bucuresti	MARAL SRL	POPESTI LEORDENI, Str. Leordeni, nr.161S, Jud. Ilfov	J23/1343/ 2010	CUI 13404361	021/4673006/ 4673008	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=65mm, pmax=48bar	B/CR4/K,L/14/1269/1/22. 11.2012
215	Bacau	MECANIC GRUP SRL	ONESTI, Str. Avantului, nr.21A, Jud. Bacau	J04/961/1 998	CUI 11111020	0234/312815/ 302041	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=350mm, pmax=150bar	BC/CR4/K,L/14/1503/1/0 7.11.2014
216	Central	MECANIC GRUP SRL	ONESTI, Bd. Republicii, nr.1, bl.1, sc.D, et.3, ap.49, Jud. Bacau	J04/961/1 998	CUI 11111020	0374091815; 0234/312815	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=350mm, pmax=150bar	DISPR/CR4/K,L/14/0553/0 /18.04.2011

217	Sibiu	MEDIA RINGER SRL	SIBIU, Aleea Biruintei, nr.6, ap.5, Jud. Sibiu; SIBIU, Cal. Dumbravii, nr.105, Jud. Sibiu	J32/372/1998	RO 10668237	0269/443401	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, Pmax<=60bar	SB/CR4/K,L/14/1574/0/2 3.03.2016
218	Sibiu	MEDIA RINGER SRL	SIBIU, Aleea Biruintei, nr.6, ap.5, Jud. Sibiu; SIBIU, Cal. Dumbravii, nr.105, Jud. Sibiu	J32/372/1998	RO 10668237	0269/443401	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, Pmax<=60bar	SB/CR4/K,L/14/1334/0/3 0.06.2014
219	Central	MEGA NET SRL	CONSTANTA, Sos. Mangaliei, nr.61, bl.SM3, sc.B, et.9, ap.82, Jud. Constanta; Constanta, Sos. Mangaliei, nr.74, Jud. Constanta	J13/1190/2000	CUI 13111698	0241/588868	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Supape de siguranta cu arc 15mm<=Dnmax<=150mm, pmax<=16bar; Supape de siguranta cu greutate axiala 50mm<=Dnmax<=250mm, pmax<=40bar,; Supape de siguranta cu parghie si contragreutate 40mm<=Dnmax<=200mm, pmax<=60bar	DISPR/CR4/K/14/2460/0/ 24.11.2011

220	Central	MEGA PASCAL SRL	SIBIU, Str. Independentei, nr.3A, Jud. Sibiu	J32/110/1993	RO 3238580	0269/253150	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=100mm, pmax<=100bar	DISPR/CR4/K,L/14/1588/0/26.07.2011
221	Central	MEGATERM SRL	BUCURESTI, Bd. Ghencea, nr.34, sector 6	J40/22602/1994	CUI 6520657	021/4132025/4132017	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=64bar	DISPR/CR4/K,L/14/0859/0/18.05.2011
222	Bucuresti	MEGATERM SERVICII SRL	BUCURESTI, Prelungirea Ghencea, nr.95K, camera 1, sector 6	J40/6828/2014	RO 33255515	0744326773; 021/4132017	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, DN max=125mm	B/CR4/K/14/2382/0/10.12.2014
223	Pitesti	MENTCHIM SA	RAMNICU VALCEA, Str. Uzinei, nr.1, Jud. Valcea	J38/501/2005	RO 17571575	0250/701501/701504	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=160bar, DN<=100mm	PT/CR4/K,L/14/0043/0/08.06.2010- retragere voluntara incepand cu 14.09.2016
224	Suceava	MERIDIAN SRL	BOTOSANI, Str. Maxim Gorki, nr.11, Jud. Botosani	J07/1200/1994	RO 6868830	0231/517989	Verificari tehnice la inchidere -deschidere , repararea si reglarea supapelor de sigurana cu actiune directa cu arc si cu parghie si contragreutate	DN=100mm PN=16bar	SV/CR4/K,L/14/0002/0/26.04.2010

225	Oradea	MESSER ROMANIA GAZ SRL	BUCURESTI, Str. Delea Veche, nr.24, cladirea de birouri A, et. 2-3, sector 2; MINTIA, Com. Vetel, Str. Santierului, nr.1A, Jud. Hunedoara	J40/4298/1998	CUI 10547308	021/3273624/3273626; 0254/236451/236453	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=25mm, Pmax=420bar	OR/CR4/K,L/14/1334/0/1 9.11.2014
226	Central	MESSER ROMANIA GAZ SRL	BUCURESTI, Str. Delea Veche, nr.24, sector 3	J40/4298/1998	CUI 10547308	021/3273624/3273625/3273626	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=50mm, pmax<=50bar	DISPR/CR4/K,L/14/0291/0 /25.03.2011
227	Central	MESSER ROMANIA GAZ SRL	BUCURESTI, Cal. Calarasi, nr.177, bl.45, et.3, ap.7,8,9, sector 3	J40/4298/1998	CUI 10547308	021/3273624/3273626	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=50bar	DISPR/CR4/K,L/14/1115/1 /24.06.2011
228	Bucuresti	MESSER ROMANIA GAZ SRL	BUCURESTI, Str. Delea Veche, nr.24, Cladire de birouri A, et. 2,3, sector 2	J40/4298/1998	CUI 10547308	021/3273624/3273626	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=50bar	B/CR4/K,L/14/1379/1/21. 05.2013
229	Bucuresti	METROINSTAL SRL	CALAFAT, Sat Basarabi, Cal. Craiovei, nr. 165, Jud. Dolj	J16/230/2011	RO 28042332	0740055200	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=200bar	B/CR4/K,L/14/2580/0/06. 08.2015

230	Central	MEVA SA	DR. TN. SEVERIN, Str. Dunarii, nr.3, Jud. Mehedinti	J25/135/1 991	CUI 1605779	0252/308439/3 15139	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=10bar	DISPR/CR4/K,L/14/2412/0 /15.11.2011
231	Central	MEXGAZ SERVICE SRL	SLATIOARA, Str. Rasritului, nr.5, Jud. Olt	J28/592/2 009	CUI 26136244	0249/416717; 0729019996; 0729019997; 0349/816233; 0249416717	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=18bar	DISPR/CR4/K,L/14/3252/0 /15.03.2012
232	Bucuresti	MIR ADI SERVICE SRL	TULCEA, Str. Obor, nr.2, bl.B1, sc.A, ap.14, Jud. Tulcea; TULCEA, Str. Urzicii, nr.48A, Jud. Tulcea	J36/79/20 07	CUI 21062162	0745644904	Verificare( la deschidere- inchidere) dispozitive de siguranta	Dnmax=250mm, pmax=40bar	B/CR4/K/14/2101/2/07.1 1.2014
233	Bucuresti	MIR ADI SERVICE SRL	TULCEA, Str. Obor, nr.2, bl.B1, sc.A, ap.14, Jud. Tulcea; TULCEA, Str. Isaccei, nr.4, Km 3, Jud. Tulcea	J36/79/20 07	CUI 21062162	0745644904	Verificare( la deschidere- inchidere) dispozitive de siguranta	Dnmax<=250mm, pmax<=40bar	B/CR4/K/14/2101/1/15.0 4.2014
234	Central	MIR ADI SERVICE SRL	TULCEA, Str. Obor, nr.2, bl.B1, sc.A, ap.14, Jud. Tulcea	J36/79/20 07	CUI 21062162	0745644904	Verificarea( la deschidere- inchidere) dispozitive de siguranta	Dnmax=250mm, pmax=40bar	DISPR/CR4/K/14/1619/0/ 03.08.2011



235	Bacau	MODERN CALOR SA	BOTOSANI, Str. Pacea, nr. 43, Jud. Botosani	J07/05/2010	RO 26892574	0231/537100/516446	Verificarea( la deschidere- inchidere) dispozitive de siguranta	Dnmax=150mm, pmax=25bar	BC/CR4/K/14/1537/0/30.03.2015
236	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/210589	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=160bar	BC/CR4/K,L/14/1485/1/12.09.2014
237	Central	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/210589	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=160bar	DISPR/CR4/K,L/14/3572/0/16.05.2012
238	Central	MT ALWAYS PREMIUM SRL	ARAD, Str. Mircea Stanescu, nr.2, ap.12, Jud. Arad	J02/1075/2008	CUI 24051818	0257/212102	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=150mm, pmax<=64bar, fluid incercare apa; Dnmax<=50mm, pmax<=32bar, fluid incercare Gaz neutru	DISPR/CR4/K,L/14/2349/0/10.11.2011
239	Sibiu	MULTIPRACTIC SRL	TG. MURES, Str. Transilvania, nr.11/7, Jud. Mures	J26/540/2006	CUI 18546820	0265/260333	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400mm, pmax=350bar	SB/CR4/K,L/14/1423/2/17.12.2014

240	Central	MULTIPRACTIC SRL	TG. MURES, Str. Transilvania, nr.11/7, Jud. Mures	J26/540/2006	CUI 18546820	0265/260333	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=250bar	DISPR/CR4/K,L/14/1820/0/31.08.2011
241	Central	MULTIPRACTIC SRL	TG. MURES, Str. Transilvania, nr.11/7, Jud. Mures	J26/540/2006	CUI 18546820	0265/260333	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400mm, pmax=350bar	DISPR/CR4/K,L/14/1177/1/24.05.2013
242	Bacau	MURANIS SERV INSTAL SRL	BRAILA, Str. Ghiocelilor, nr. 14, bl. A57, sc. 2, et. 1, ap. 25, Jud. Braila	J09/636/2010	RO 27794531	0729070715; e-mail muranisserv@yahoo.com	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=150mm, pmax<=40bar	BC/CR4/K,L/14/1599/0/29.09.2015
243	Central	NIPOSERV SRL	BRAILA, Cartier Hipodrom, Str. Pietatii, nr.20, bl.C1, sc.2, et.2, ap.24, Jud. Braila	J09/1031/2005	CUI 18103602	0239/670201	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=150bar	DISPR/CR4/K,L/14/2249/0/25.10.2011
244	Central	NITROPOROS SRL	FAGARAS, Sos. Combinatului, nr.14, Jud. Brasov	J08/574/2008	CUI 23415082	0268/206501/216111	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=200bar	DISPR/CR4/K,L/14/3086/0/20.02.2012

245	Sibiu	NM & C SRL	CLUJ NAPOCA, Str. Muresului, nr.46, ap. 5, Jud. Cluj	J12/269/2005	RO 17170697	0364/806878	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax<=100mm; pmax<=25bar	SB/CR4/K/14/1058/0/18.09.2012
246	Central	NUCLEAR ELECTRICA SA-FCN PITESTI	BUCURESTI, Str. Polona, nr.65, sector 1; MIOVENI, Str. Cimpului, nr.1, Jud. Arges	J40/7403/1998	CUI 10874881	0248/207700/262499	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=200mm, pmax<=40bar	DISPR/CR4/K,L/14/1860/0/19.08.2011
247	Central	NUCLEARELECTRICA	BUCURESTI, Str. Polona, nr.65, sector 1; CERNAVODA, Str. Medgidiei, nr.2, Jud. Constanta	J40/7403/1998; J13/3442/2007	RO 10874881 ; CUI 22554619	021/2038200/3169804; 0241/239340/239266	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=420bar, Dmax=600mm	DISPR/CR4/K,L/14/0006/0/17.03.2010
248	Central	OK TEHNIC CONSULT SRL	ARAD, Bd. General Vasile Milea, nr.1, sc.3, et.2, ap.11, Jud. Arad	J02/199/2007	RO 20872640	0257/227084	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=50mm, pmax<=20bar	DISPR/CR4/K,L/14/3353/0/20.03.2012
249	Central	OLDT EXPERT SRL	GALATI, Str. Avram Iancu, nr.20, camera1, Jud. Galati	J17/1133/2010	CUI 27782898	0236/450863	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=60bar	DISPR/CR4/K,L/14/2989/0/13.02.2012

250	Central	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1	J40/8302/1997	CUI 1590082	732130747	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=64bar	DISPR/CR4/K,L/14/0438/0/19.04.2011
251	Central	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr.239, sector 1; EPS ASSET 5 MOESIA NORD DEPARTAMENT MANTENANTA POENI, Str. Gh. Radulescu, nr.83, Jud. Teleorman	J40/8302/1997	CUI 1590082	021/4060104; 0372868544	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=49bar	DISPR/CR4/K,L/14/1837/1/06.09.2011
252	Bucuresti	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1; CALACEA, Jud. Timis	J40/8302/1997	CUI 1590082	021/2125001/3155166; 0256/379617	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=64bar	B/CR4/K,L/14/0319/0/02.08.2010
253	Bucuresti	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1; PECICA, Jud. Arad	J40/8302/1997	CUI 1590082	021/2125001/3155166; 0372/428455	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=64bar	B/CR4/K,L/14/0320/0/03.08.2010

254	Bucuresti	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1; SUPLACU DE BARCAU, Str. Crinului, nr.72, Jud. Bihor	J40/8302/1997	CUI 1590082	021/2125001/3155166	Verificare( la deschidere-inchidere) dispozitive de siguranta	Dnmax=100mm, pmax=64bar	B/CR4/K/14/0321/0/09.09.2010
255	Bucuresti	OMV PETROM SA	BUCURESTI, sector1, Str. Coralilor, nr.22	J40/8302/1997	CUI 1590082	021/4060040/4060420	Verificare( la deschidere-inchidere) dispozitive de siguranta	Dmax=100mm, pmax=64bar	B/CR4/K/14/0321/1/12.02.2013
256	Ploiesti	OMV PETROM SA	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; BOLDESTI SCAIENI, Cal. Unirii, nr.52, Jud. Prahova	J40/8302/1997	RO 1590082	021/2125001/3155166	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=100bar, Dnmax=100mm	PL/CR4/K,L/14/0198/1/06.12.2010
257	Pitesti	OMV PETROM SA	BUCURESTI, Calea Dorobantilor, nr.239, sector 1; POIANA LACULUI	J40/8302/1997	RO 1590082	0372160737; 0372868544; 0732410654	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN<=200mm, pmax<=140bar	PT/CR4/K,L/14/0089/0/16.09.2010
258	Ploiesti	OMV PETROM SA- ASSET IX Moldova Sud	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; MOLDOVA SIUD, Service Center BERCA, Jud. Buzau	J40/8302/1997	RO 1590082	021/2647467	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, Pmax=80bar	PL/CR4/K,L/14/0159/0/06.09.2010

259	Ploiesti	OMV PETROM SA BOLDESTI SCAIENI	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; BOLDESTI SCAIENI, Cal. Unirii, nr.52, Jud. Prahova	J40/8302/ 1997	RO 1590082	021/2125001; 021/3155166	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=100mm, Pmax=64bar	PL/CR4/K,L/14/0198/0/0 8.09.2010
260	Bucuresti	OMV PETROM SA E&P, MTN&LOG ASSET 2 OLTENIA - PL BUSTUCHINI	CRAIOVA, Str. Ion Maiorescu, nr.4, Jud. Dolj	J40/8302/ 1997	RO 1590082	0249/414040	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, Pmax<=250bar	B/CR4/K,L/14/1161/0/09. 10.2012
261	Bucuresti	OMV PETROM SA- EP - ASSET 5 - MOESIA NORD DEPARTAMENT MENTENANTA	BUCURESTI, sector1, Str. Coralilor, nr.22; POENI, Str. Gh. Radulescu, nr.83, Jud. Teleorman	J40/8302/ 1997	CUI 1590082	021/4060040/ 4060420	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=49bar	B/CR4/K/14/0469/1/12.0 2.2013
262	Central	OMV PETROM SA- EP MENTENANTA & LOGISTICA ASSET 10 GAP TG. JIU	BUCURESTI, Str. Coralilor, nr.22, sector 1; TG. JIU, Str. Ecaterina Teodoroiu, nr.46, Jud. Gorj	J40/8302/ 1997	CUI 1590082	0732333411; 0253/223793	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=140bar	DISPR/CR4/K,L/14/1437/0 /26.07.2011

263	Central	OMV PETROM SA- EPS	BUCURESTI, Cal. Dorobantilor, nr.239,, sector 1; Departament Mentenanata Asset 6 Muntenia- Central Atelier Toolmen- MORENI, Str. A. I. Cuza, nr.9, Jud. Dambovita	J40/8302/ 1997	CUI 1590082	03721600737; 0372868544	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=64bar	DISPR/CR4/K,L/14/0519/0 /08.04.2011
264	Bucuresti	OMV PETROM SA	BUCURESTI, Str. Coralilor, nr.22, sector 1; Asset 6 UA MTN & LOG, MORENI, Str. A. I. Cuza, nr.7, Jud. Dambovita	J40/8302/ 1997	CUI 1590082	021/4060040/ 4060420	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=140bar	B/CR4/K,L/14/0519/1/25. 02.2014
265	Central	OMV PETROM SA- EPS DEPARTAMENTU L MENTENANTA ASSET VIII MOLDOVA NORD	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; MOINESTI, Str, Schelei, , nr. Cadastral 1992, sectia 1, Jud. Bacau	J40/8302/ 1997	CUI 1590082	0732410517; 0372428353, 0372484552	Verificare( la deschidere- inchidere) dispozitive de siguranta	Dmax<=150mm, pmax<=49bar	DISPR/CR4/K,L/14/0210/0 /24.03.2010
266	Central	OMV PETROM SA- EPS MENTENANTA & LOGISTICA ASSET 2 OLTENIA	BUCURESTI, Str. Coralilor, nr.22, sector 1; STATIE COMPRESOARE, BULBUCENI, CAPRENI, Str. Bratesti, Jud. Gorj	J40/8302/ 1997	CUI 1590082	03721600737; 0372868544	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=400bar	DISPR/CR4/K,L/14/1195/0 /20.06.2011

267	Bucuresti	OMV PETROM SA UNITATEA DE AFACERI MENTENANTA SI LOGISTICA GAP TARGU JIU	TG. JIU, Bd. Ecaterina Teodoroiu, nr.60, Jud. Gorj	J40/8302/ 1997	RO 1590082	0253/223793; 0732333411	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, Pmax<=140bar	B/CR4/K,L/14/1163/1/24. 10.2012
268	Central	OPTIM SIG INSTAL SRL	DEVA, Str. Al. Patriei, nr.2, bl.D1, et.3, ap.39, Jud. Hunedoara	J20/5/200 0	CUI 12550113	0254/220020	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=80mm, pmax<=30bar	DISPR/CR4/K,L/14/0278/0 /31.03.2011
269	Central	ORDEA PRODCOM SRL	TG. MURES, Str. Mioritei, nr.15, Jud. Mures	J26/826/1 997	CUI 9991233	0265/269256/2 61678	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=50bar	DISPR/CR4/K,L/14/0754/0 /04.05.2011
270	Central	OVITIN CND AG SRL	PITESTI, Str. Depozitelor, nr.27, Corp C1, camera BP1, Jud. Arges	J03/711/2 011	CUI 28472224	0744124082; 0248/217965	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=280bar	DISPR/CR4/K,L/14/2006/0 /20.09.2011
271	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/ 1993	CUI 4000500	0244/513214; e-mail: sc_paulus_srl@ yahoo.com	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=25bar, Dnmax=100mm	BV/CR4/K,L/14/1020/2/1 0.06.2016



272	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/1993	CUI 4000500	0244/513214	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=25bar, Dnmax=100mm	BV/CR4/K,L/14/1020/1/1 0.07.2012
273	Ploiesti	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, Jud. Prahova	J29/1233/1993	RO 4000500	0244/513214/595763	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=100mm, Pmax=25bar	PL/CR4/K,L/14/0123/0/0 2.08.2010
274	Central	PENAIVIPROD SRL	VASLUI, Str. Bucuresti, bl.400, sc.B, ap.6, Jud. Vaslui	J37/352/2011	CUI 29128378	0335/401565; 0235/319076	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=60bar	DISPR/CR4/K,L/14/3096/0/21.02.2012
275	Central	PETINSTAL SRL	MARGHITA, Calea Republicii, nr.82A, ap.4, Jud. Bihor	J05/1661/2007	RO 22004062	0728881382; 0359/448197	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=20bar	DISPR/CR4/K/14/3498/0/01.03.2012
276	Brasov	PETROGAZ SA	BRASOV, Str. Fanului, nr. 57G, Jud. Brasov	J08/218/1994	CUI 5225276	0268/330915	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=350bar	BV/CR4/K,L/14/1596/1/0 8.08.2016

277	Central	PETROGAZ SA	BRASOV, Str. Hortensiei, nr.73, Jud. Brasov	J08/218/1994	CUI 5225276	0268/330915	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=350bar	DISPR/CR4/K,L/14/0690/0 /10.05.2011
278	Brasov	PETROGAZ INSPECT SRL	BRASOV, Str. Fanului, nr.57D, Jud. Brasov	J08/489/2009	RO 25294734	0368/459043; e-mail ionita.rsvti.petrogaz@gmail.com	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=60bar	BV/CR4/K,L/14/1575/0/1 6.05.2016
279	Central	PETROM LPG SA	OTOPENI, Str. Aurel Vlaicu, nr.31A, et.2, Jud. Ilfov; Com. BRAZI, Sat NEGOIESTI, Jud. Prahova	J23/232/2011	CUI 8037897	021/2035100/2035105	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=32mm, pmax=25bar	DISPR/CR4/K,L/14/0026/1 /16.03.2011
280	Ploiesti	PETROM LPG SA	BUCURESTI, Bd. Ion Ionescu de la Brad, nr.2B, parter, et.4, sector 1; BRAZI, Sat Negoiesti, Jud. Prahova	J40/272/1996	RO 8037897	021/2035100/2035105; 0244/401055/401080	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=25bar, Dnmax=32mm	PL/CR4/K,L/14/0026/0/0 5.05.2010
281	Central	PETROSANTANDER ROMANIA SRL	ARAD, Str. Academia Teologica, nr.14, Jud. Arad	J02/825/2010	RO 26889099	0372572425; 0257/252315	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=64bar	DISPR/CR4/K,L/14/1177/0 /20.06.2011

282	Oradea	PETROSANTAND ER ROMANIA SRL	ARAD, Str. Academia Teologica, nr.14, Jud. Arad	J02/825/2 010	RO 26889099	0372572425; 0257/252315	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=64bar	OR/CR4/K,L/14/1218/1/1 6.10.2013
283	Bucuresti	PIFATI SA	BUCURESTI, Str. Iovita, nr. 11, et. 2, camere 4-9, sector 5	J40/1100/ 1991	CUI 401517	021/4104600/ 4100638; e- mail office@pifati.r o	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=64bar	B/CR4/K,L/14/0138/1/20. 05.2016
284	Bucuresti	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/1100/ 1991	CUI 401517	021/4106645/ 4100638	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=64bar	B/CR4/K,L/14/0138/0/09. 07.2010
285	Oradea	PITYU TERMOSERVICE S.R.L.	PETROSANI, Str. Aviatorilor, bl. 54A, sc. 3, parter, ap. 30, Jud. Hunedoara	J20/123/2 007	CUI 20744536	0254/541510	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	OR/CR4/K,L/14/1149/1/1 4.09.2015
286	Oradea	PITYU TERMOSERVICE S.R.L.	PETROSANI, Str. 1 Decembrie 1918, bl.101, sc.1, et.3, ap.22, Jud. Hunedoara	J20/123/2 007	CUI 20744536	0254/541510	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	OR/CR4/K,L/14/1149/0/2 3.05.2013

287	Bacau	PLUSSERVICE SRL	FOCSANI, Str. Bucegi, nr.13, bl.13, ap.12, Jud. Vrancea; FOCSANI, Str. 1 Decembrie 1918, nr.37, Jud. Vrancea	J39/678/2003	RO 15818661	0744635244; e-mail: verificartehnic@yahoo.com	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Verificari tehnice , reglare : pmax=100bar, Dnmax=250mm; Reparare : pmax=50bar, Dnmax=250mm	BC/CR4/K,L/14/1049/2/2 3.09.2013
288	Bacau	PLUSSERVICE SRL	FOCSANI, Str. Bucegi, nr.13, bl.13, ap.12, Jud. Vrancea	J39/678/2003	RO 15818661	0744635244	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=50bar, Dnmax=250mm	BC/CR4/K,L/14/1049/1/2 0.09.2012
289	Galati	PLUSSERVICE SRL	FOCSANI, Str. Bucegi, nr.13, Jud. Vrancea	J39/678/2003	RO 15818661	0237/225019	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=250mm, pmax=50bar	GL/CR4/K,L/14/0125/0/1 7.12.2010
290	Central	POLTISAN SRL	BRASOV, Str. Anghel Saligny, nr.3, Jud. Brasov	J08/1145/2004	CUI 16446841	0268/416440	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, pmax<=40bar	DISPR/CR4/K,L/14/0648/0/08.04.2011
291	Cluj	PRESTAREA SCM	SIMLEU SILVANIEI, Str. Gradinilor, nr.2, Jud. Salaj	C31/38/2005	RO 687541	0260/678934	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=100mm, Pmax=25bar	CJ/CR4/K/14/0069/0/26. 08.2010

292	Cluj	PROGAZ INSTAL SRL	BISTRITA, Str. N. Titulescu, nr.21, ap.4, Jud. Bistrita Nasaud	J06/263/2000	RO 13374422	0263/233713	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=150mm, Pmax=60bar	CJ/CR4/K,L/14/0121/0/1 8.11.2010
293	Central	PROIMSAT SA	RM. VALCEA, Str. Industriilor, nr.2, Jud. Valcea	J38/1558/1992	CUI 2989104	0250/733390; 0250/730231; 0350/401697	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=50mm, pmax=16bar	DISPR/CR4/K,L/14/2166/0 /12.10.2011
294	Central	RAAN - Suc. ROMAG PROD	DR. TN. SEVERIN, Cal. Tg. Jiului, Km 7, Jud. Mehedinti	J25/282/1998	CUI 10882725	0252/311250/317908	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	DISPR/CR4/K,L/14/1094/0 /09.06.2011
295	Bucuresti	RAAN - Suc. ROMAG PROD	DR. TN. SEVERIN, Str. Nicolae Iorga, nr.1, Jud. Mehedinti; Com. Izvoru Barzii, Sat Rascolesti, Cal. Tg. Jiu, Km 7, Jud. Mehedinti	J25/282/1998; J25/300/1998	CUI 10882752 ; CUI 12611350	0252/323666/ 323066; 0252/311250/ 317908	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=64bar	B/CR4/K,L/14/1975/1/20. 01.2014
296	Ploiesti	RAFINARIA STEAUA ROMANA SA	CIMPINA, Cal. Doftanei, nr.15, Jud. Prahova	J29/148/1991	RO 1322632	0244/336151/337341	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=100bar, Dnmax=200mm	PL/CR4/K,L/14/0233/0/1 8.11.2010

297	Bacau	RAFO SA	ONESTI, Str. Industriilor, nr.3, Jud. Bacau	J04/538/1991	CUI 958772	0234/303303/315640	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=200bar, Dnmax=250mm	BC/CR4/K,L/14/0077/1/2 5.04.2013
298	Brasov	RAIL LOGISTIC SRL	BUCURESTI, Sos. Mihai Bravu, nr. 296, sc. B, et. 8, ap. 68, sector 3; BRAZI, Sat Negoiesti, Str. Piatra Craiului, nr. 13, Jud. Prahova	J40/11417/2014	CUI 18647191	0373550080; 0373550073; e-mail office@rail-logistic.ro	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=40bar, Dnmax=219mm	BV/CR4/K,L/14/1628/0/2 2.12.2016
299	Bacau	RCA MOLDOTERM SRL	IASI, Aleea Tudor Neculai, nr.99, bl. 989A, sc.B, et.4, ap.18, Jud. Iasi	J22/1741/2004	CUI 16698164	0332/808738/808739	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax=40bar	BC/CR4/K,L/14/1669/1/1 8.05.2016
300	Central	RCA MOLDOTERM SRL	IASI, Aleea Tudor Neculai, nr.99, Jud. Iasi	J22/1741/2004	CUI 16698164	0332/808739	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax=40bar	DISPR/CR4/K,L/14/0681/0/05.05.2011
301	Central	REAL INSTAL SRL	JILAVA, Sos. Giurgiului, nr.169, camera 2, Jud. Ilfov	J23/2900/2007	CUI 22664298	0746255688; 0318/167308	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=50bar	DISPR/CR4/K,L/14/0801/0/18.05.2011

302	Sibiu	REGIA AUTONOMA DE TERMOFICARE	CLUJ NAPOCA, Str. 21 Decembrie 1989, nr.79, Jud. Cluj; CLUJ NAPOCA, Str. Plevnei, nr.66-68, Jud. Cluj	J12/338/1 991	CUI 201330	0264/503703/5 03722; e-mail rat@ratcj.ro	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=16bar	SB/CR4/K,L/14/1482/1/2 3.07.2015
303	Central	REGIA AUTONOMA DE TERMOFICARE	CLUJ NAPOCA, Str. 21 Decembrie 1989, nr.79, Jud. Cluj; CLUJ NAPOCA, Str. Plevnei, nr.66-68, Jud. Cluj	J12/338/1 991	CUI 201330	0264/503703/5 03722	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=16bar	DISPR/CR4/K,L/14/0740/0 /20.04.2011
304	Bucuresti	REGIO IMPEX SRL	BUCURESTI, Str. Gradistea Florestilor, nr.14, sector 2	J40/8215/ 1991	CUI 1594483	021/2246634; 021/2029285	Verificare (la deschidere- inchidere) la dispozitive de siguranta	DNmax=32mm, pmax=40bar	B/CR4/K/14/0425/1/16.0 6.2014
305	Brasov	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322/2 000	CUI 12911480	0244/546229; 0244/546031; e-mail: remero@yahoo .com	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=350mm, pmax<=200bar	BV/CR4/K,L/14/1327/3/2 1.10.2014
306	Central	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322/2 000	CUI 12911480	0244/546224; interior 310; 315; 0244/546031	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=350mm, pmax<=200bar	DISPR/CR4/K,L/14/2008/0 /24.04.2012

307	Central	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0244/546221/546031	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=200bar	DISPR/CR4/K,L/14/2008/1 /12.12.2011
308	Central	REMERO FIL SA	Com. BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0244/546221/546031	Verificare ( la deschidere- inchidere) dispozitive de siguranta	Dnmax=200mm, pmax=200bar	DISPR/CR4/K/14/2008/0/ 23.09.2011
309	Brasov	REVAG SRL	PLOIESTI, Str. Industriei, nr.4, Jud. Prahova	J29/687/2001	CUI 14071494	0244/572777	Verificari tehnice la inchidere -deschidere , reglarea si repararea supapelor de siguranta	pmax=100bar, Dn=200mm	BV/CR4/K,L/14/1115/0/2 8.02.2013
310	Bucuresti	REVICOM OIL SRL	BUCURESTI, Str. Vistiernicul Stavrinov, nr.21, sector 6	J40/25661/1994	RO 6645189	021/2503074/2508870; e-mail office@revicomoil.ro	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=150bar, Dn=40mm	B/CR4/K,L/14/2288/1/04. 11.2016
311	Bucuresti	REVICOM OIL SRL	BUCURESTI, Str. Vistiernicul Stavrinov, nr.21, sector 6; BUCURESTI, Str. Fantanica, nr.41, sector 2	J40/25661/1994	RO 6645189	021/2503074/2508870	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=150bar, Dn=40mm	B/CR4/K,L/14/2288/0/16. 09.2014



312	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta;Constanta, Bd. Aurel Vlaicu, nr.125, Jud. Constanta	J13/2053/2001	RO 14320668	0241/586406/586448	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<1500mm, pmax<=150bar	B/CR4/K,L/14/2425/1/04.02.2015
313	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta;Constanta, Bd. Aurel Vlaicu, nr.125, Jud. Constanta	J13/2053/2001	RO 14320668	0241/586406/586448	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	B/CR4/K/14/1426/1/04.02.2015
314	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta;Constanta, Bd. Aurel Vlaicu, nr.125, Jud. Constanta	J13/2053/2001	RO 14320668	0241/586406/586448	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=200bar	B/CR4/K,L/14/1770/2/04.02.2015
315	Central	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta;Constanta, Bd. Aurel Vlaicu, nr.4-6, Jud. Constanta	J13/2053/2001	CUI 14320668	0241/5586406/586448	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	DISPR/CR4/K/14/2657/0/04.01.2012

316	Central	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta;Constanta, Bd. Aurel Vlaicu, nr.125, Jud. Constanta	J13/2053/2001	RO 14320668	0241/586406/5 86448; 0722681690	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, pmax<=150bar	DISPR/CR4/K,L/14/2989/0 /13.02.2012
317	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta;Constanta, Bd. Aurel Vlaicu, nr.125, Jud. Constanta	J13/2053/2001	RO 14320668	0241/586406/5 86448	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=200bar	B/CR4/K,L/14/1770/1/27. 08.2013
318	Iasi	RIGAB SRL	IASI, Bd. T. Vladimirescu, nr.105, sc.A, ap.4, Jud. Iasi	J22/758/2004	RO 16333338	0332/800709/8 00708	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=420bar, Dn max=600mm	IS/CR4/K,L/14/0151/0/08 .12.2010
319	Bacau	RIGAB SERVICE SRL	IASI, B-dul Tudor Vladimirescu , nr. 105, sc. A, parter, ap. 4, Jud. Iasi	J22/1054/2012	CUI 30361449	0332/800709, 800708	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=600bar, Dn max=600mm	BC/CR4/K,L/14/1456/0/1 3.06.2014
320	Oradea	ROAMBRA COMPANY SRL	TIMISOARA, Str. Simion Barnutiu, bl.81, et.1, ap.2, Jud. Timis	J35/1120/1999	CUI 12493930	0356/179990	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=250bar, Dn max3600mm	OR/CR4/K,L/14/1225/0/0 1.11.2013

321	Central	ROBERT BOSCH SRL	BUCURESTI, Str. Horia Macelariu, subsol+parter+1,2, nr. 30-34, et.4, sector 1	J40/7601/1994	CUI 5541546	021/4057500/2331313	Verificare ( la deschidere- inchidere) dispozitive de siguranta	Dmax<=150mm, pmax<=16bar	DISPR/CR4/K/14/0711/0/06.05.2011
322	Ploiesti	ROC ROMANIAN OIL COMPANY SRL	PLOIESTI, Str. Carpati, bl.33H, ap.21, Jud. Prahova	J29/2721/1993	RO 4891861	0244/591811	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=40bar, Dnmax=150mm	PL/CR4/K,L/14/0223/0/02.11.2010
323	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/8331/2001	CUI 14208851	744686811	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=64bar, Dmax=150mm	DISPR/CR4/K,L/14/0223/0/22.03.2010
324	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1; PETROMIDIA NAVODARI, Bd. Navodari, Km 23, Jud. Constanta	J40/8331/2001	RO 14208851	021/2723660/3140897	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=400mm, pmax<=3500bar	DISPR/CR4/K,L/14/3482/0/19.04.2012
325	Bacau	ROTHERM GRUP SRL	IASI, Bd. C.A. Rosetti, nr. 1, bl. 304, sc. II, parter, Jud. Iasi	J22/825/2000	CUI 13499191	0232/276655/276666	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=30bar	BC/CR4/K,L/14/1597/1/14.12.2016

326	Bacau	ROTHERM GRUP SRL	IASI, Bd. C.A. Rosetti, nr. 1, bl. 304, sc. II, parter, Jud. Iasi	J22/825/2000	CUI 13499191	0232/276655	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=100mm, pmax<=30bar	BC/CR4/K,L/14/1597/0/2 2.09.2015
327	Central	RSVTI CONCEPT SRL	BUCURESTI, Str. Ioan Caragea Voda, nr.14, camere 1,2, sector 1	J40/8448/2009	CUI 25835180	031/1078370	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax<=40bar	DISPR/CR4/K,L/14/0177/0 /14.03.2011
328	Central	RUS MIRS SRL	TIMISOARA, Str. Ana Ipatescu, nr.6, sc.C, ap.1, Jud. Timis	J35/403/2008	RO 23222006	0356/426045	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=64bar	DISPR/CR4/K,L/14/1012/0 /01.06.2011
329	Ploiesti	SAFETYPRO VALVE SRL	TARGOVISTE, Str. Capitan Constantinescu Ion, nr.3A, Jud. Dambovita	J15/424/2009	RO 25670839	0245/206114/206115	Verificare la inchidere -deschidere a supapelor de siguranta	P<=700bar, DN<=500mm	PL/CR4/K/14/0003/0/13. 04.2010
330	Bucuresti	SAFETYPRO VALVE SRL	TARGOVISTE, Str. Capitan Constantinescu Ion, nr.3A, Jud. Dambovita	J15/424/2009	RO 25670839	0245/206114/206115	Verificare la inchidere -deschidere a supapelor de siguranta	P<=700bar, DN<=500mm	B/CR4/K,L/14/1723/1/30. 07.2013

331	Central	SAGIO IMPEX SRL	PIATRA NEAMT, Aleea Margaretelor, nr.17, sc.A, et.2, ap.10, Jud. Neamt	J27/578/1995	RO 7539356	0233/211142; 0744697050	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=65mm, pmax=10bar	DISPR/CR4/K,L/14/3322/0/21.03.2012
332	Sibiu	SAGUNTO IMPEX SRL	CLUJ NAPOCA, Str. Streiului, nr. 1, bl. A14, ap. 24, Jud. Cluj; CLUJ NAPOCA, Str. Nirajului, nr. 9, bl. P5, Garaj nr. 2, Jud. Cluj	J12/230/2002	RO 14434979	0744706585; 0264/412409; e-mail saguntocluj@yahoo.com	Verificare la inchidere -deschidere a supapelor de siguranta	Pmax=15bar, DNmax=100mm	SB/CR4/K/14/1476/0/02.07.2015
333	Central	SAMGEC SRL	SATU MARE, Str. Petru Maior, nr.32, Jud. Satu Mare; SATU MARE, Str. Lucian Blaga, nr.85A, Jud. Satu Mare	J30/1757/1994	CUI 6593861	746237920; 0261/760080	Verificare ( la deschidere- inchidere) dispozitive de siguranta	Dmax<=250mm, pmax<=25bar	DISPR/CR4/K/14/0485/0/07.04.2011
334	Ploiesti	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761/1994	RO 5420374	0244/544707/519648	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=25bar, Dn<=200mm	PL/CR4/K,L/14/0260/0/06.12.2010
335	Central	SERCOP AND SRL	CAMPULUNG , Str. Fratii Golesti, nr.72, Jud. Arges	J03/2132/1994	RO 6749864	0248/510628	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=200mm, pmax<=100bar	DISPR/CR4/K,L/14/0994/0/16.06.2011

336	Central	SERVICII ELECTROMECHANICE SRL	CRAIOVA, Cal. Bucuresti, nr.166, Jud. Dolj	J16/1427/2005	CUI 17762109	0251/437033; 0745378660	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=100bar	DISPR/CR4/K,L/14/1527/0 /08.07.2011
337	Bucuresti	SERVICII ELECTROMECHANICE SRL	GHERCESTI, Str. Aviatorilor, nr.10, Jud. Dolj	J16/1427/2005	RO 17762109	0745378660; 0251/437033	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, Pmax<=100bar	B/CR4/K,L/14/1253/1/14.01.2013
338	Central	SERVINSTAL SRL	TG. MURES, Str. 22 Decembrie 1989. nr. 51/7, Jud. Mures	J26/1177/2003	CUI 15742741	0265/259259	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=25bar	DISPR/CR4/K,L/14/2439/0 /21.11.2011
339	Bucuresti	SERVINSTAL ENGINEERING SRL	VOLUNTARI, Str. George Bacovia, nr. 21A, Jud. Ilfov	J23/683/2012	RO 27792271	0723361758; e-mail office@serveng.ro	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=65bar	B/CR4/K,L/14/2001/0/07.10.2016
340	Central	SIMPRESS SRL	SIBIU, Str. Lemnelor, nr.3, Jud. Sibiu	J32/1830/1991	CUI 789630	0269/206748	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=60mm, pmax=25bar	DISPR/CR4/K,L/14/2056/0 /28.09.2011

341	Bacau	SIONTECH 2006 SRL	COM. PANGARATI, Sat Pangaracior,nr.458, Jud. Neamt	J27/1223/2006	CUI 19121739	0745343098; e-mail office@siontech.ro	Verificare ( la deschidere- inchidere) dispozitive de siguranta	Dmax<=100mm, pmax<=65bar	BC/CR4/K/14/1696/1/09.09.2016
342	Central	SIONTECH 2006 SRL	COM. PANGARATI, Sat Pangaracior,nr.458, Jud. Neamt	J27/1223/2006	CUI 19121739	0233/256492	Verificare ( la deschidere- inchidere) dispozitive de siguranta	Dmax<=60mm, pmax<=60bar	DISPR/CR4/K/14/0446/0/14.04.2011
343	Central	SIR CONSTRUCT SRL	AIUD, Str. Faget, nr.5A, Jud. Alba	J01/85/2000	CUI 12837243	0757677015; 0258/860891	Verificare ( la deschidere- inchidere) dispozitive de siguranta	Dmax=100mm, pmax=20bar	DISPR/CR4/K/14/1414/0/11.07.2011
344	Oradea	SISTEMGAS SRL	TIMISOARA, Str. Sulina, nr.10, Jud. Timis	J35/3109/1994	CUI 6470320	0256/496393	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=65mm, pmax=25bar	OR/CR4/K,L/14/1154/1/28.05.2013
345	Bucuresti	SISTEMPLAST SA	RM. VALCEA, Str. Uzinei, nr.1, Jud. Valcea	J38/11/1999	CUI 11438007	0250/701501/701504	Verificare ( la deschidere- inchidere) dispozitive de siguranta	Dnmax=450mm, pmax=400bar	B/CR4/K/14/1946/0/10.12.2013
346	Sibiu	SNGN ROMGAZ - Sucursala de Productie Energie Electrica Iernut	IERNUT, Str. Energeticii, nr.1, Jud. Mures	J26/194/2013	RO 14056826	0265/471333/471388	Verificare( la deschidere- inchidere) dispozitive de siguranta	Dnmax=250mm, pmax=150bar	SB/CR4/K,L/14/1296/0/17.04.2014

347	Bucuresti	SOCIETATEA DE SERVICII HIDROENERGETICE HIDROSERV SA	BUCURESTI, Str. Constantin Nacu, nr.3, et. 3-5, sector 2	J40/9762/2013	RO32097794	021/3110612	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=100bar	B/CR4/K,L/14/1928/1/20.11.2014
348	Bucuresti	SOCIETATEA HIDROELECTRICA SERV SA	BUCURESTI, Str. Constantin Nacu, nr.3, et. 3-5, sector 2	J40/9762/2013	RO32097794	021/3110612	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=100bar	B/CR4/K,L/14/1928/0/13.11.2013
349	Bucuresti	SOF INSTAL PROIECT SRL	POPESTI LEORDENI, Str. Astrelor, nr. 12, parter, Jud. Ilfov	J23/27/2015	CUI 33942730	0773791207; 031/4315156	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/2409/0/19.01.2015
350	Central	SOLINVEST SRL	GALATI, Str. Alunisului, nr.12, Jud. Galati	J17/1274/1992	CUI 1630667	0336/802549; 0236/456134	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	DISPR/CR4/K,L/14/0609/0/22.04.2011
351	Central	SOLO PROD SRL	BUZAU, Str. Orizontului, nr.206, Jud. Buzau	J10/2260/1994	CUI 6446054	0238/720038; 0338/111540	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=200mm, pmax<=40bar	DISPR/CR4/K,L/14/2542/0/20.12.2011



352	Bucuresti	STANDARD CSL SRL	Comuna CHIRNOGI, Str. Peluzei, nr.7, Jud. Calarasi	J51/736/2005	RO 18180877	0242/524223; 0727856273	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=60mm, pmax=22bar	B/CR4/K,L/14/2133/0/30.04.2014
353	Central	STAVAS CONSULTING SRL	SLOBOZIA, Varianta Bucuresti - Constanta, Km 66, Corp C3, Jud. Ialomita	J21/468/2007	CUI 22210224	0243/221184	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=150bar	DISPR/CR4/K,L/14/2856/0/25.01.2012
354	Bucuresti	TEHNIC SERV SRL	GIURGIU, Sos. Sloboziei, Km 4, Jud. Giurgiu	J52/355/2003	CUI 15804550	0246/217863/217209	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=125mm, pmax=64bar	B/CR4/K,L/14/0047/0/03.06.2010
355	Central	TEHNITES SRL	BOTOSANI, Aleea Curcubeului, nr.15, sc.E, et.1, ap.4, Jud. Botosani; BOTOSANI, Str. Pacea, nr.49, Jud. Botosani	J07/147/2000	CUI 13197304	0231/584964	Verificare ( la deschidere- inchidere) dispozitive de siguranta	Dmax=100mm, pmax=16bar	DISPR/CR4/K,L/14/2888/0/31.01.2012
356	Central	TEHNITES SRL	BOTOSANI, Aleea Constantin Piliuta, nr.1B, cam.1, Jud. Botosani	J07/147/2000	CUI 13197304	0231/584964	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=16bar	BC/CR4/K,L/14/1265/1/13.06.2013

357	Bucuresti	TEHNO MOD GRUP SRL	MANGALIA, Str. Muncelului, nr.1, Jud. Constanta	J13/3263/2007	CUI 22476081	0241/759970	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=60bar	B/CR4/K,L/14/2095/0/09.04.2014
358	Central	TEHNOTERM SRL	IASI, Sos. Pacurari. Nr.26, bl.T4, parter, Jud. Iasi	J22/3107/1994	CUI 6788022	0232/259596	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=60bar	DISPR/CR4/K,L/14/0557/0/20.04.2011
359	Bacau	TEHNOTERM SRL	IASI, Bd. Chimiei, nr. 14, Jud. Iasi	J22/3107/1994	CUI 6788022	0232/259596	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=60bar	BC/CR4/K,L/14/1388/1/1 1.03.2014
360	Brasov	TEODAN INSTAL SRL	PLOIESTI, Str. Maramures, nr.14-16, Jud. Prahova	J29/2587/2007	CUI 22547417	0244/546228; e-mail Teodan_instal@yahoo.com	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=300bar, Dnmax=150mm	BV/CR4/K,L/14/1352/1/1 1.12.2014
361	Ploiesti	TEODAN INSTAL SRL	PLOIESTI, Str. Republicii, nr.108, Bl.13B2, et.2, ap.6, Jud. Prahova	J29/2587/2007	RO 22547417	0244/514500	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=300bar, Dnmax=150mm	PL/CR4/K,L/14/0258/0/0 6.12.2010

362	Sibiu	TERM INSTAL GROUP SRL	DEJ, Str. Florilor, nr.8, Jud. Cluj	J12/720/1999	RO 11833600	0264/212273	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax<=100mm; pmax<=25bar	SB/CR4/K,L/14/1032/0/2 7.07.2012
363	Central	TERMA SRL	BACAU, Str. Oituz, nr.78, Jud. Bacau	J04/219/1997	CUI 9234919	0234/511711/580010	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=6bar	DISPR/CR4/K,L/14/0552/0 /15.04.2011
364	Central	TERMAEXIM SA	GALATI, Str. Petru Groza, nr.23, Jud. Galati	J17/1221/1991	CUI 1631352	0236/470870/470669	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, pmax<=160bar	DISPR/CR4/K,L/14/0029/0 /23.02.2011
365	Central	TERMICA SA	SUCEAVA, Str. Energeticianului, nr.1, Jud. Suceava	J33/310/2002	CUI 14682110	0230/257066/257663	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=64bar	DISPR/CR4/K,L/14/0854/0 /11.05.2011
366	Brasov	TERMO CONFORT SRL	BRASOV, Bd. Victoriei, nr.10, bl.43, Jud. Brasov	J8/184/1998	RO 10253388	0268/416830	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	p<=40bar, D<=250mm	BV/CR4/K,L/14/1099/0/1 4.01.2013

367	Sibiu	TERMOCONSULT ING SRL	ALBA IULIA- MICESTI, Str. Carpati, nr.26, Jud. Alba	J01/463/2 004	RO 16358630	0258/832409	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	8mm<=DN<=250mm, 0bar<= Pn<250bar	SB/CR4/K,L/14/0069/0/1 6.08.2010
368	Central	TERMODAV SRL	BRAGADIRU, Str. Iederei, nr.63D, Jud. Ilfov	J23/3243/ 2008	CUI 24619986	0740044941; 031/8081274	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=70bar	DISPR/CR4/K,L/14/2102/0 /03.10.2011
369	Central	TERMODINAMIC SRL	ARAD, Str. Stan Dragu, nr.1, Jud. Arad	J02/1114/ 1994	CUI 6111857	0257/256502/2 50310	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=10bar, fluid aer; Dnmax=250mm, pmax=250bar, fluid azot	DISPR/CR4/K,L/14/2566/0 /08.12.2011
370	Craiova	TERMOINSTALAT II CONSULT SRL	CRAIOVA, Piata Unirii, bl.N, ap.43, Jud. Dolj	J16/651/2 010	RO 27027768	0251/462565	Verificare ( la deschidere- inchidere) dispozitive de siguranta	DN=300mm, Pmax=450bar	CR/CR4/K,L/14/0039/0/0 2.07.2010
371	Central	TERMOINVEST SRL	FETESTI, Str. M. Sadoveanu, nr.3, Jud. Ialomita	J21/31/19 94	CUI 5168146	0243/365108	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=60bar	DISPR/CR4/K,L/14/0880/0 /18.05.2011

372	Ploiesti	TERMOKLIMA SRL	BUZAU, Str. Agriculturii, nr.25, Jud. Buzau	J10/215/2000	RO 13038090	0238/722274	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax<=250bar, DN<=400mm	PL/CR4/K,L/14/0264/0/0 6.12.2010
373	Central	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, ap.6, Jud. Cluj	J12/3927/1994	CUI 6589364	0264/431587	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	DISPR/CR4/K,L/14/1079/0 /01.06.2011
374	Central	TERMOREP SRL	RM. VALCEA, Str. Nistor Dumitrescu, nr.14/17, Jud. Valcea	J38/576/1991	CUI 1469332	0250/737308/737302; 0744549436	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=100bar	DISPR/CR4/K,L/14/2165/0 /11.10.2011
375	Central	TIMPROD SRL	SUCEAVA, Al. Dumbravii, nr.12D, Jud. Suceava	J33/764/1995	CUI 7537380	0230/517230	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=64bar	DISPR/CR4/K,L/14/2115/0 /07.10.2011
376	Central	TMK ARTROM SA	SLATINA, Str. Draganesti, nr.30, Jud. Olt	J28/9/1991	CUI 1510210	0372498148, 0721240759, 0249/431144	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=64bar	DISPR/CR4/K/14/1170/0/ 21.06.2011

377	Bucuresti	TOP OIL INTER SRL	CONSTANTA, Str. Lt. Gheorghe Hanes, cladire Club CFR, birou nr.1, Jud. Constanta	J13/2253/2010	RO 27796281	0241/620844/51555	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=40bar	B/CR4/K,L/14/1769/0/26.08.2013
378	Ploiesti	TOTAL CERT SRL	BUZAU, Str. Unirii, bl.E7A, et.8, ap.24, camera 1, Jud. Buzau	J10/500/2005	RO 17475438	0238/723330	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=170mm, PN<=170bar	PL/CR4/K/14/0084/0/21.06.2010
379	Bacau	TOTALGAZ INDUSTRIE SRL	IASI,Sos. Pacurari, nr. 128, Jud. Iasi	J22/3277/1994	RO 6658553	0232/216391/215983	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=600mm, pmax=450bar	BC/CR4/K,L/14/1432/0/13.06.2014
380	Brasov	TRISERV INSTAL SRL	AZUGA, Str. Gospodariei, nr.33, Jud. Prahova	J29/1477/2006	RO 18827885	0244/326328	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=40bar, Dnmax<=150mm	BV/CR4/K,L/14/1058/0/02.10.2012
381	Sibiu	TUBEX SRL- Sucursala DANES	Sat DANES, Str. Garii, nr.1, Jud. Mures	J26/1223/2003	RO 15778389	0265/761703	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax<=300mm; pmax<=400bar	SB/CR4/K,L/14/1034/0/16.08.2012

382	Oradea	UCM RESITA SA	BUCURESTI, Piata Montreal, nr.10, cladirea WTC, intrarea F, et.1, birou nr.1, sector 1; RESITA, Str. Golului, nr.1, Jud. Caras Severin	J40/13628 /2011	CUI 1056654	Telex 74215; 5/217111/ 223082	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=25bar Dnmax=80mm	OR/CR4/K,L/14/1094/1/1 7.01.2013
383	Timisoara	UCM RESITA SA	BUCURESTI, P-ta Montreal, nr.10, Cladire World Trade Center, intrare F, et.1, birou nr.1, sector 1; RESITA, Str. Golului, nr.1, Jud. Caras Severin	J40/13628 /2011	CUI 1056654	0255/217211/2 23082	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=80mm, Pn=25bar	TM/CR4/K,L/14/0074/0/1 4.09.2010
384	Bucuresti	UM 02550 L	BUCURESTI, Str. Teascului, nr.2, sector 4	-	CIF 4283716	021/3341030/3 321389	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=50bar	B/CR4/K,L/14/1038/0/18. 09.2012
385	Oradea	UZINA ELECTRICA ZALAU SA	ZALAU, Str. Simion Barnutiu, nr.2, Jud. Salaj	J31/13/20 02	RO 14397920	0260/662103/ 662101	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=35bar	OR/CR4/K,L/14/1385/1/2 3.12.2015

386	Oradea	UZINA ELECTRICA ZALAU SA	ZALAU, Str. Valea Mitei, nr. 2, Jud. Salaj	J31/13/20 02	RO 14397920	0260/662103/ 662101; e- mail cet@uezalau.r o	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=35bar	OR/CR4/K,L/14/1385/0/0 9.07.2015
387	Oradea	VALFRAT PREST SRL	RESITA, Str. Timisoarei, bl.29, sc.3, ap.3, Jud. Caras Severin	J11/221/1 997	CUI 9745220	0255/225824	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	OR/CR4/K,L/14/1266/0/0 7.03.2014
388	Bacau	VENTILE, ARMATURI, SUPAPE SERVICE SRL	ROMAN, Str. Stefan cel Mare, nr. 279, Jud. Neamt	J27/339/2 015	CUI 34571362	0745050306	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=100bar	BC/CR4/K,L/14/1560/0/0 1.07.2015
389	Bacau	VEOLIA ENERGIE IASI SA	IASI, Sos. Nationala, nr.43, et.1, camera 19, Jud. Iasi; Iasi, Cal. Chisinaului, nr.25, Jud. Iasi	J22/1399/ 2012	RO 30570461	0232/232360/ 233918	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400mm, pmax=400bar	BC/CR4/K,L/14/1122/1/1 1.05.2015
390	Cluj	VER INS TRAD SRL	BAIA MARE, Str. Tamplarilor, nr.15, Jud. Maramures	J24/752/2 006	CUI 18649862	0766247388; 0362/402065	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=150mm, Pmax=64bar	CJ/CR4/K,L/14/0133/0/0 2.12.2010



391	Bacau	VIDMAC EXPERT SRL	BRAILA, Str. Apollo, nr. 23, bl. A7, ap. 14, Jud. Braila	J09/456/2013	CUI 32001721	0728894202	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=150mm, Pmax<=25bar	BC/CR4/K,L/14/1601/0/0 6.10.2015
392	Bucuresti	VIDOMAC CONS-SERV SRL	BUCURESTI, Aleea Petrachesti, nr.24, bl.1, sc.A, et.1, ap.112, sector 6	J40/1271/2011	CUI 28003325	031/8083752	Verificare ( la deschidere-inchidere), reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax=40bar	B/CR4/K,L/14/3206/3/29. 05.2015
393	Bucuresti	VIDOMAC CONS-SERV SRL	BUCURESTI, Aleea Petrachesti, nr.24, bl.1, sc.A, et.1, ap.112, sector 6	J40/1271/2011	CUI 28003325	031/8083752	Verificare ( la deschidere-inchidere), reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax=40bar	B/CR4/K,L/14/3206/2/11. 04.2014
394	Central	VIDOMAC CONS SERV SRL	BUCURESTI, Al. Petrachesti, nr.24, bl.1, sc.A, et.1, ap. 112, camera 1, sector 6	J40/1271/2011	CUI 28003325	031/8083752	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=125mm, pmax=16bar	DISPR/CR4/K,L/14/3206/1 /08.03.2012
395	Bucuresti	VILO SRL	BUCURESTI, Bd. Camil Ressu, nr.15, bl.57, sc.4, et.2, ap. 141, sector 3	J40/9378/2002	RO 14899420	021/6488064/3253592	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=75mm, pmax=12bar	B/CR4/K,L/14/2317/0/21. 10.2014

396	Bucuresti	VIOSIL INSTAL CONSTRUCT SRL	BUCURESTI, Str. Cozieni, nr.33, constructii C1, C2, C3, sector 5	J40/11296 1/2002	RO 15000467	021/3357795/ 3367010	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dn=80mm, pmax=16bar	B/CR4/K,L/14/1183/0/16. 11.2012
397	Bucuresti	VIRGILIUS PROD COM SL	SLOBOZIA, Str. Vanatori, bl.D1, sc.A, ap.3, Jud. Ialomita	J21/878/1 992	CUI 20790871	0243/221129	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=50bar	B/CR4/K,L/14/1236/0/11. 12.2012
398	Central	VIROMET SA	VICTORIA, Aleea Uzinei, nr.8, Jud. Brasov	J08/340/1 991	CUI 1126350	0268/241120/2 41800	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax<=100bar	DISPR/CR4/K,L/14/1629/0 /19.07.2011
399	Central	VITAL TERMO CONSTRUCT SRL	BUCURESTI, Str. Anastasiu Panu, nr.8, bl.A 12, sc.2, et. 3, ap.40, sector 3	J40/5594/ 1997	CUI 9617000	021/3237773	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=100mm, pmax<=40bar	DISPR/CR4/K/14/0712/0/ 05.05.2011
400	Bacau	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239/1 991	RO 1454846	0237/640800/6 41720	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=40bar	BC/CR4/K,L/14/1430/1/1 6.06.2014

401	Central	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239/1991	RO 1454846	0237/640800/641720	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=40bar	DISPR/CR4/K,L/14/3067/0/23.02.2012
402	Central	VTP SERVING SRL	CLUJ NAPOCA, Str. Godeanu, nr.2, ap.17, Jud. Cluj; CLUJ NAPOCA, Str. Henri Barbusse, nr. 59-61, Jud. Cluj	J12/1540/2005	CUI 17518105	0264/552646	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=64bar	DISPR/CR4/K,L/14/0807/0/04.05.2011
403	Sibiu	VTU ECHIPAMENTE SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, et. 1, Jud. Cluj	J12/256/2013	RO 31156795	0264/431587/596750	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=250mm, pmax<=250bar	SB/CR4/K,L/14/1500/0/13.08.2015
404	Central	YIT ROMANIA SRL	SIBIU, Com. SELIMBAR, Str. Sibiului, nr.2, camera 403, Jud. Sibiu	J32/1103/2008	CUI 16962540	0369/408917/408918	Verificare ( la deschidere- inchidere) dispozitive de siguranta	Dnmax=80mm, pmax=70bar	DISPR/CR4/K/14/1667/0/10.08.2011





















































Aparate consumatoare de combustibil gaze, cazane apa calda	Aparate consumatoare de combustibil gaze, cazane apa calda	Aparate consumatoare de combustibil gaze, cazane apa calda	Aparate consumatoare de combustibil gaze, cazane apa calda	P<=400kW	Ms. Gracea Vasile	-	Ing. Suci Florin	DISPR/CR4/A,B,F,D/1,2/1405/0/14.07.2011
--	--	--	--	----------	-------------------	---	------------------	---















































































