

Persoane juridice autorizate conform PT CR4-2009 pentru efectuarea de lucrari la Dispozitive de siguranta- reglementate de PT C7/2010

Nr. Crt.	IT ISCIR	Societatea Comerciala	Adresa	J	CUI	Tel/fax	Domeniu autorizat	Parametrii	Autorizatii
1	Bacau	A5 INVEST SRL	ONESTI< Str. Industriilor, nr. 3, Jud. Bacau	J04/109 6/2012	RO 1770139 0	0234/30 2340	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=40bar	BC/CR4/K,L/14/1687/0/ 29.06.2016
2	Central	AB INSTAL SRL	CRAIOVA, Str. Caracal, nr.30, Jud. Dolj	J16/458 /2000	CUI 1331976 2	0251/54 3105/52 1266; 0744572 075	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=16bar	DISPR/CR4/K,L/14/3254/ 0/14.03.2012
3	Bucuresti	AB INSTAL SRL	CRAIOVA, Str. Caracal, nr.30, Jud. Dolj	J16/458 /2000	CUI 1331976 2	0251/54 3105/52 1266; 0744572 075	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=450bar	B/CR4/K,L/14/1932/1/23 .12.2013
4	Bucuresti	ABC CONTROL SRL	BUCURESTI, Str. Drumul Binelui, nr. 12, parter, sc. 2, ap. 18, sector 4	J40/878 6/2015	CUI 2968685 4	0729113 637, 031/814 9718; e- mail abctr ol@yaho o.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=50bar	B/CR4/K,L/14/2740/0/16 .03.2016
5	Bucuresti	ABC SYSTEMS SRL	DR. TN. SEVERIN, Calea Timisoarei, nr.175B. Jud. Mehedinti	J25/158 4/1994	RO 6667578	0252/32 9362/ 329363	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=50bar	B/CR4/K,L/14/1672/0/02 .07.2013

6	Bacau	AEROSTAR SA	BACAU, Str. Condorilor, nr.9, Jud. Bacau	J04/113 7/1991	CUI 950531	0234/57 2023/ 572259	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=410bar, Dn=150mm	BC/CR4/K,L/14/1058/0/ 03.10.2012- retragere voluntara incepand cu 10.08.2016
7	Bucuresti	AIR SERVICE DELTA SRL	STEFANESTI, Sat Valea Mare Podgoria, Str. Macilor, nr. 10, Jud. Arges	J03/440 /1998	CUI 1086860 0	0248/21 3163, 0722601 653; e- mail office@ miefrig.r o	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=100bar	B/CR4/K,L/14/3107/1/29 .06.2017
8	Central	AIR SERVICE DELTA SRL	PITESTI, Str. Eremia Grigorescu, bl.R1bis, sc.B, ap.5, Jud. Arges	J03/440 /1998	CUI 1086860 0	0248/21 3163	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=100bar	DISPR/CR4/K,L/14/2346/ 0/02.11.2011
9	Sibiu	ALFATRONIC SRL	CLUJ NAPOCA, Str. Rasinari, nr. 1/19, Jud. Cluj; CLUJ NAPOCA, Str. Caragiale, nr. 2-8/21, Jud. Cluj	J12/266 4/2007	RO 2191430 2	0723670 380; 0264/40 3399; e- mail tudorb acescu@ yahoo.co m	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dnmax=100mm, pmax=15bar	SB/CR4/K/14/1475/0/01. 07.2015
10	Bacau	AMURCO SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/770 /2005	RO 1748823 3	0234/57 5440/ 575413	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=200bar, Dnmax=500mm	BC/CR4/K,L/14/0080/0/ 23.09.2010- retragere incepand cu 30.08.2016
11	Central	ANTIBIOTICE SA	IASI, Str. Valea Lupului, nr.1, Jud. Iasi	J22/285 /1991	CUI 1973096	0232/20 9000/20 9633	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=160bar	DISPR/CR4/K,L/14/0837/ 0/23.05.2011

12	Bacau	AQUASERV SRL	BARLAD, Str. 1 Decembrie, nr. 22, Jud. Vaslui	J37/464/1991	RO 832242	0235/41 1306; e-mail office@aquaservbarlad.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=10bar	BC/CR4/K,L/14/1589/0/ 26.08.2015
13	Central	ARDENT SRL	BRASOV, Str. Paraului, nr.15, bl.S25, sc.A, ap.9, Jud. Brasov	J08/1035/1991	CUI 1110281	0722275 726; 0268/54 1682	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=200mm, pmax<=50bar	DISPR/CR4/K,L/14/1796/ 0/26.08.2011
14	Sibiu	ARHICAD INSTAL SRL	CLUJ NAPOCA, Str. Barc 1, nr. 55, ap. 6, Jud. Cluj	J12/1421/2013	CUI 3159599 5	0264/43 7106; 0744270 309	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=150mm, pmax<=60bar	SB/CR4/K,L/14/1569/0/2 5.01.2016
15	Central	ARMAX GAZ SA	MEDIAS, Str. Aurel Vlaicu, nr.35A, Jud. Sibiu	J32/127/1991	CUI 803727	0269/84 5864/84 5956	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=100mm, pmax<=60bar	DISPR/CR4/K,L/14/1713/ 0/10.08.2011
16	Bucuresti	ARTEGO SA	TG. JIU, Str. Ciocarlau, nr.38, Jud. Gorj	J18/1120/1991	CUI 2157428	0253/22 6444/22 6445; 0253/22 6140/22 6045	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax<=100bar	B/CR4/K,L/14/2861/1/25 .08.2016
17	Central	ARTEGO SA	TG. JIU, Str. Ciocarlau, nr.38, Jud. Gorj	J18/1120/1991	CUI 2157428	0253/22 6443/22 6114	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax<=100bar	DISPR/CR4/K,L/14/2696/ 0/21.12.2011
18	Pitesti	AUTOMOBILE DACIA SA	MIOVENI, Str. Uzinei, nr.1, Jud. Arges	J03/81/1991	RO 160796	0248/34 2507/34 2001	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax<=40bar	PT/CR4/K,L/14/0148/0/ 21.12.2010

19	Sibiu	AZOMURES SA	TG. MURES, Str. Gheorghe Doja, nr.300, Jud. Mures	J26/1/1991	RO 1200490	0265/25 3700/25 2627	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, p=250bar	SB/CR4/K,L/14/0168/0/2 8.02.2011
20	Sibiu	AZOMURES SA	TG. MURES, Str. Gheorghe Doja, nr.300, Jud. Mures	J26/1/1991	RO 1200490	0265/25 3700/25 2627	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=250mm, p<=250bar	SB/CR4/K,L/14/1001/1/0 5.06.2012
21	Bucuresti	A&G ROTERM SERVICE SRL	CONSTANTA, Str. Ateliereilor, nr. 31, camera 1, Jud. Constanta	J13/332/2006	RO 18361300	0741258 008; 0241/52 0976; e- mail rotermse rvice@ya hoo.com	Verificare(la deschidere- inchidere)	DNmax=150mm, Pmaxp=20bar	B/CR4/K/14/2666/0/28.1 0.2015
22	Central	B B VERIF SRL	MIERCUREA CIUC, Str. Ion Caianu, nr.76, Jud. Harghita	J19/1128/2005	CUI 18207298	0744130 704; 0266/31 0642	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=50bar	DISPR/CR4/K,L/14/2922/ 0/01.02.2012
23	Tg. Mures	BEN COM MIXT SRL	GHEORGHENI, Str. Gabor Aron, nr.5, Jud. Harghita	J19/747/1992	RO 530309	0266/36 4801/ 364094	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=150mm, Pn=25bar	MS/CR4/K,L/14/0009/0/ 12.05.2010
24	Central	BEST FOR YOU SRL	SUCEAVA, Str. Amurgului, nr.10, bl.106, sc.C, ap.8, Jud. Suceava	J33/19/2006	CUI 18267400	0330/88 1561; 0741031 318	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=64bar	DISPR/CR4/K,L/14/2975/ 0/06.02.2012

25	Brasov	BETATEC SYSTEMS SRL	BUCURESTI, Calea Mosilor, nr. 255, bl. 55, sc. 1, et. 2, ap. 9, sector 2; BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr. 33G, Jud. Prahova	J40/2687/2016	CUI 35703771	0728967762; 021/2111839; e-mail info@betatec.net	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400mm, pmax=200bar	BV/CR4/K,L/14/1627/0/23.12.2016
26	Oradea	BLESSING CONAR SRL	NEGRESTI OAS, Bd. Unirii, nr.64, Jud. Satu Mare	J30/313/2009	CUI 25414849	0261/854677	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=35bar Dn<=100mm	OR/CR4/K,L/14/1070/0/29.10.2012
27	Bucuresti	BONATTI Spa PARMA Sucursala Bucuresti	BUCURESTI, sector 5, Str. Gheorghieni, nr. 68, et. 1, ap. 4; Assett 5, POIENI, Str. General Gheorghe Radulescu, nr. 83, Jud. Teleorman	J40/9115/2014	CUI 33446663	021/4024100	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, pmax=140bar	B/CR4/K,L/14/2564/1/12.10.2015
28	Bucuresti	BONATTI Spa PARMA Sucursala Bucuresti	BUCURESTI, sector 5, Str. Gheorghieni, nr. 68, et. 1, ap. 4; Assett 5, POIENI, Str. General Gheorghe Radulescu, nr. 83, Jud. Teleorman	J40/9115/2014	CUI 33446663	021/4024100	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, pmax=140bar	B/CR4/K,L/14/2564/0/02.07.2015
29	Bucuresti	BONATTI Spa PARMA Sucursala Bucuresti	BUCURESTI, sector 5, Str. Gheorghieni, nr. 68, et. 1, ap. 4; Assett 6, MORENI, Str. Alexandru Ioan Cuza	J40/9115/2014	CUI 33446663	021/4024100	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, PN=200bar	B/CR4/K,L/14/2528/0/18.05.2015

30	Brasov	BOPP & REUTHER ZIKESCH MAINTENANCE GROUP SRL	BUCURESTI, Cal. Mosilor, nr.255, bl.55, sc.1, et.2, ap.9, sector 2; PETROBRAZI, BRAZI, Jud. Prahova	J40/277 6/2006	RO 1840356 1	0344/42 28822/ 4228823	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=400mm, pmax=200bar	BV/CR4/K,L/14/1517/1/ 23.12.2015- suspendare voluntara incepand cu 14.03.2016
31	Ploiesti	BOPP & REUTHER ZIKESCH MAINTENANCE GROUP SRL	BUCURESTI, Cal. Mosilor, nr.255, bl.55, sc.1, et.2, ap.9, sector 2; PETROBRAZI, BRAZI, Jud. Prahova	J40/277 6/2006	RO 1840356 1	021/211 1838/ 2111839	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=400mm, PN=200bar	PL/CR4/K,L/14/0071/0/2 7.05.2010
32	Pitesti	BOPP & REUTHER ZIKESCH MAINTENANCE SRL	BUCURESTI, Cal. Mosilor, nr.255, bl.55, sc.1, et.2, ap.9, sector 2; PITESTI, Str. Petrochimistilor, nr.127, Jud. Arges	J40/277 6/2006	RO 1840356 1	021/211 1838/ 2111839; 0248/61 5491	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=200bar, DN<=200mm	PT/CR4/K,L/14/0047/0/ 08.06.2010
33	Bucuresti	BRALLCON PROIECT SRL	TG. JIU, Componenta Romanesti, nr. 66, Jud. Gorj	J18/205 /2010	RO 2683109 7	0724246 240	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=200bar	B/CR4/K,L/14/2653/0/20 .11.2015
34	Central	BRICHET GROLUP SRL	CAREI, Str. Duzilor, nr.96A, Jud. Satu Mare	J30/305 /2005	CUI 1732223 0	0723195 305; 0361/86 2846	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=20bar	DISPR/CR4/K,L/14/3195/ 0/06.03.2012
35	Bacau	BURNER SERVICE SRL	IASI, Aleea Tudor Neculai, nr. 99, bl. 989A, sc. B, et. 4, ap. 18, camera 1, Jud. Iasi	J22/317 /2014	CUI 3285130 7	0332/43 3505; 0744707 150	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=1500mm, pmax=40bar	BC/CR4/K,L/14/1531/0/ 23.02.2015
36	Bucuresti	BUTANGAS ROMANIA SA	BUCURESTI, Int. Murmurului, nr. 2-4, sector 1	J40/260 3/1996	CUI 8297854	021/408 7300/40 87329	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dmax<=65mm, pmax<=25bar	B/CR4/K/14/0286/1/23.1 2.2014

37	Central	BUTANGAS ROMANIA SA	BUCURESTI, Str. Coralilor, nr.18, sector 6	J40/2603/1996	CUI 8297854	021/4087333/4087330	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dmax<=65mm, pmax<=25bar	DISPR/CR4/K/14/0286/0/28.03.2011
38	Iasi	C&A CONSULTING SRL	VASLUI, Str. 1 Decembrie, nr.1, Jud. Vaslui	J37/398/1996	RO 8967466	0235/312725	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=25bar, Dn max=200mm	IS/CR4/K,L/14/0153/0/21.12.2010
39	Ploiesti	CALIBRA STIL 2005 SRL	BUZAU, Str. Caraiman, nr.21A, jud. Buzau	J10/473/2005	RO 17453480	0238/718366	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=100mm, PNmax=20bar	PL/CR4/K,L/14/0091/0/28.06.2010
40	Bacau	CALORGAL SA	GALATI, Str. Crizantemelor, nr. 6, corpul A, Jud. Galati	J17/1354/2012	RO 30925017	0236/473100/465550	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=200mm, pmax<=50bar	BC/CR4/K,L/14/1717/0/17.11.2016
41	Central	CARBOETALON SRL	CLUJ NAPOCA, Str. Ravasului, nr.1, ap.17, Jud. Cluj	J12/611/1999	CUI 11759236	0264/437034	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=60bar	DISPR/CR4/K,L/14/1668/0/26.07.2011
42	Bucuresti	CARION SRL	BUCURESTI, Str. Busteni, nr.40, sector 2	J40/7678/2002	RO 14821677	0722402944; 021/2422704; e-mail carionsrl@msn.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	B/CR4/K,L/14/1147/1/04.02.2016
43	Bucuresti	CARION SRL	BUCURESTI, Str. Busteni, nr.40, sector 2	J40/7678/2002	RO 14821677	021/2422704	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar	B/CR4/K,L/14/1147/0/09.10.2012

44	Bacau	CAROMET SA	CARANSEBES, Drumul DN 68, Km 3.2, Jud. Caras Severin	J11/6/1991	RO 1066631	0234/302240/302340	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm; pmax=40bar	BC/CR4/K,L/14/0028/0/25.05.2010
45	Sibiu	CBS EASTERN EUROPE SRL	SELIMBAR, Str. Sibiului, nr.2, et.4, camere 401/402/403, Jud. Sibiu	J32/1103/2008	RO 16962540	0369/408917/408918	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax=80mm, pmax=70bar	SB/CR4/K/14/1489/2/23.07.2015
46	Sibiu	CAVERION BUILDING SERVICES SRL	SELIMBAR, Str. Sibiului, nr.2, et.4, camera 403, Jud. Sibiu	J32/1103/2008	RO 16962540	0369/408917/408918	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax=80mm, pmax=70bar	SB/CR4/K/14/1274/1/12.02.2014
47	Bucuresti	CENTRAL INSTAL IMPEX SRL	BUCURESTI, Str. Liviu Rebreanu, nr. 23, bl.M10, sc. 2, et. 1, ap. 28, sector 3; BUCURESTI, Str. Sabinelor, nr. 87, sector 5	J40/1002/2003	RO 15159137	021/6441323; e-mail central_instal@yahoo.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	-	B/CR4/K,L/14/2520/0/20.04.2015
48	Central	CENTRALA ELECTRICA DE TERMIFICARE ARAD SA	ARAD, Str. 6 Vanatori, Jud. Arad	J02/336/2002	CUI 14593668	0257307455/213160	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax<=150mm, pmax<=16bar, fluid incercare apa; Dnmax<=50mm, pmax<=16bar, fluid incercareazot	DISPR/CR4/K/14/2509/0/24.11.2011
49	Bacau	CERVES SRL	BRAILA, Str. Tineretului, nr. 4, constructia C2, Jud. Braila	J09/525/2010	CUI 26471760	0239/683324; e-mail cerves_3@yahoo.com	Verificarea(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=120bar	BC/CR4/K,L/14/1570/1/21.07.2015

50	Central	CERVES SRL	BRAILA, Str. Poet Grigore Alexandrescu, nr.120, modul 1, et.2, Jud. Braila	J09/525/2010	CUI 2647176 0	0239/68 3324	Verificarea(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=120bar	DISPR/CR4/K,L/14/2702/ 0/05.01.2012
51	Central	CET GOVORA SA	RM. VALCEA, Str. Industriilor, nr.1, Jud. Valcea	J38/683/1997	CUI 1010237 7	0250/73 3601/73 3603; 0726818 592	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=300mm, pmax<=160bar	DISPR/CR4/K,L/14/2254/ 0/26.10.2011
52	Central	CET SA	BRASOV, Str. Timis Triaj, nr.6, Jud. Brasov	J08/799/2002	CUI 1471678 7	0268/33 3192/ 331129	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, pmax<=64bar	DISPR/CR4/K,L/14/0044/ 0/25.02.2011
53	Central	CHEMGAS HOLDING CORPORATION SRL	SLOBOZIA, Sos. Calarasi, Km4, Pavilion Administrativ, Camera Protocol si Camera Consilier, et.2, Jud. Ialomita	J21/21/2009	CUI 2497878 5	0243/36 5108	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=360bar	DISPR/CR4/K,L/14/0904/ 0/18.05.2011
54	Bacau	CIBOCAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8, Jud. Botosani	J07/1038/1994	CUI 6566670	0231/53 1536/ 539028	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=16bar, Dn<=50mm	BC/CR4/K,L/14/1006/0/ 06.07.2012
55	Suceava	CIBOGAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8-10, Jud. Botosani	J07/1038/1994	RO 6566670	0231/53 1536/ 539028	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=50mm PN=16bar	SV/CR4/K,L/14/0048/0/1 3.12.2010
56	Bacau	CIBOCAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8, Jud. Botosani	J07/1038/1994	CUI 6566670	0231/53 1536/ 539028	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=16bar, Dn<=50mm	BC/CR4/K,L/14/1006/1/ 10.03.2014

57	Oradea	CLIMA SERV CONSTRUCT SRL	Sat VALARI, Com. Toplita, nr.17, Jud. Hunedoara	J20/177 /2006	CUI 1835242 5	0354/40 2871/40 5054	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar Dnmax=150mm	OR/CR4/K,L/14/1041/0/ 22.08.2012
58	Oradea	CLIMAROL PREST SRL	ORADEA, Str. Grigore Ureche, nr.15, ap.48, Jud. Bihor	J05/317 2/1993	RO 4738249	0259/41 8270; 0788315 422	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=30bar Dnmax=100mm	OR/CR4/K/14/0014/0/28 .05.2010
59	Bucuresti	CLIMATERM 2000 SRL	BUCURESTI, Str. Semicercului, nr.12, subsol, sector 1	J40/286 8/1998	CUI 1054731 6	021/222 1297/22 33602; e- mail office@c litem20 00.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=100bar	B/CR4/K,L/14/2938/1/24 .11.2016
60	Central	CLIMATERM 2000 SRL	BUCURESTI, Str. Lugoj, nr.25, sector 1	J40/286 8/1998	CUI 1054731 6	021/223 3602/22 21397	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=100bar	DISPR/CR4/K,L/14/2627/ 0/21.12.2011
61	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCENTRALE ROVINARI	ROVINARI, Str. Energeticianului, nr.25, Jud. Gorj	J18/337 /2012	CUI 3031046 1	0253/37 2556/ 371590	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dn<=150mm, Pn<=160bar	B/CR4/K,L/14/1226/0/14 .12.2012
62	Oradea	COMPLEXUL ENERGETIC HUNEDOARA SA- Sucursala ELECTROCENTRALE DEVA	PETROSANI, Str. Timisoara, nr.2, Jud. Hunedoara; MINTIA, Str. Santierului, nr.1, Jud. Hunedoara	J20/994 /2012	CUI 3085523 0	0254/57 0790/ 236407/ 570481/ 236404; 0254/23 6403/ 236550	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=250bar	OR/CR4/K,L/14/1279/0/ 10.04.2014

63	Central	COMTERM PROTECT INSTAL SRL	CIULNITA, Sat Ciulnita, Str. Stanjenei, nr.7, Jud. Ialomita	J21/72/ 2012	CUI 2990050 7	0766668 811	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=50bar	DISPR/CR4/K/14/3471/0/ 17.04.2012
64	Brasov	CNCIR SA	BUCURESTI, Str. Promoroaca, nr.9-11, sector 1; PLOIESTI, Str. Radu Stanian, nr.12, Jud. Prahova	J40/119 76/2010	CUI 2778786 0	021/316 7921/ 4119870; 0244/54 5240/ 545350	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=66bar	BV/CR4/K,L/14/1192/0/ 24.10.2013
65	Bucuresti	CNCIR SA	BUCURESTI, Str. Promoroaca, nr.9-11, sector 1; PITESTI, Str. Cozia, nr.1, Jud. Arges	J40/119 76/2010	CUI 2778786 0	021/316 7921/ 4119870; 0248/25 0882/ 220194	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=66bar	B/CR4/K,L/14/1852/0/23 .10.2013
66	Bucuresti	CNCIR SA	BUCURESTI, Str. Promoroaca, nr.9-11, sector 1; CONSTANTA, Str. Razboieni, nr.13, Jud. Constanta	J40/119 76/2010	CUI 2778786 0	021/316 7921/ 4119870; 0241/61 1754/ 673323	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=46bar	B/CR4/K,L/14/1851/0/23 .10.2013
67	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607 /1991	RO 1324099	0244/33 3160/ 374719; e-mail: confind @confin d.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=100bar	BV/CR4/K,L/14/1398/3/ 27.06.2017

68	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607 /1991	RO 1324099	0244/33 3160/ 374719; e-mail: confind @confin d.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=100bar	BV/CR4/K,L/14/1398/2/ 23.03.2015
69	Central	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607 /1991	RO 1324099	0244/33 3160/ 374719	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=100bar	DISPR/CR4/K,L/14/3453/ 0/19.04.2012
70	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607 /1991	RO 1324099	0244/33 3160/ 374719; e-mail: confind @confin d.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=100bar	BV/CR4/K,L/14/1274/1/ 23.06.2014
71	Central	CONFORT THERM SRL	ALEXANDRU CEL BUN, Sat Bistrita, Jud. Neamt; PIATRA NEAMT, Str. Florilor, nr.25, Jud. Neamt	J27/228 /1999	CUI 1207892 5	0233/23 4332; 0233/23 4721	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=50mm, pmax<=6bar	DISPR/CR4/K,L/14/1251/ 0/23.06.2011
72	Sibiu	CONSTRUCT INSTAL SRL	TURDA, Str. Lutus, nr.2, Jud. Cluj	J12/941 /2003	CUI 1535260 9	0264/32 0694; e- mail construc tinstal@ yahoo.co m	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=80mm, pmax=70bar	SB/CR4/K,L/14/1414/1/1 3.11.2014

73	Central	CONSTRUCT INSTAL SRL	TURDA, Str. Lutus, nr.2, Jud. Cluj	J12/941 /2003	CUI 15352609	0264/320694	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=80mm, pmax=70bar	DISPR/CR4/K,L/14/2065/0/28.09.2011
74	Central	CONSULT MERIDIAN SRL	MEREI, Sat LIPIA, Jud. Buzau	J10/885 /2005	CUI 17807634	0238/711249	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=175bar	DISPR/CR4/K,L/14/2224/0/20.10.2011
75	Brasov	CONSULT MERIDIAN SRL	MEREI, Sat LIPIA, Jud. Buzau	J10/885 /2005	CUI 17807634	0726718894; 0238/711249	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=175bar	BV/CR4/K,L/14/1148/1/20.06.2013
76	Central	CORSEM IMPEX SRL	GURA HUMORULUI, Str. Orizont, nr.6A, Jud. Suceava	J33/1947/1993	CUI 4973970	0230/514145	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=25bar	DISPR/CR4/K,L/14/3109/0/28.02.2012
77	Pitesti	CRIMAR PAMICO SRL	NEGRASI, Sat Birlogu, Jud. Arges	J03/499 /1995	RO 7396558	0248/615434	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=160bar, DN<=350mm	PT/CR4/K,L/14/0075/0/16.07.2010
78	Central	CRIMBO GAS 2000 SRL	PANTELIMON, Bd. Biruintei, nr.4, bl.A1, parter, Jud. Ilfov	J23/1074/2001	CUI 12404878	021/3520239	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=40bar	DISPR/CR4/K/14/1923/0/16.09.2011
79	Bacau	CRIO MEC SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437/463059; e-mail office@criomecsa.ro	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=400bar, Dnmax=450mm	BC/CR4/K,L/14/1121/2/29.04.2015

80	Bacau	CRIOMEK SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/133 9/1994	RO 5668427	0236/31 2437/ 463059	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=400bar, Dnmax=450mm	BC/CR4/K,L/14/1121/1/ 09.01.2013
81	Galati	CRIOMEK SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/133 9/1994	RO 5668427	0236/31 2437/46 3059	Verificarea(la deschidere- inchidere) dispozitive de siguranta	DNmax4500mm, Pmax=400bar	GL/CR4/K,L/14/0099/0/ 08.11.2010
82	Central	CRYOGENICA SRL	BUCURESTI, Str. Ispravnicului, nr.41, sector 2	J40/108 13/1991	CUI 1572477	021/211 0859/21 02972	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=200bar	DISPR/CR4/K,L/14/0817/ 0/02.06.2011
83	Central	CSC SRL	CONSTANTA, Str. I. C. Bratianu, nr.28, Jud. Constanta	J13/454 0/1994	CUI 6741062	0241/50 6730	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=220bar	DISPR/CR4/K,L/14/1617/ 0/28.07.2011
84	Bacau	DALKIA TERMO IASI SA	IASI, Sos. Nationala, nr.43, et.1, camera 19, Jud. Iasi; Iasi, Cal. Chisinaului, nr.25, Jud. Iasi	J22/139 9/2012	RO 3057046 1	0232/23 2360/ 233918	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=400bar, Dnmax=400mm	BC/CR4/K,L/14/1122/0/ 10.01.2013
85	Iasi	DAS SRL	IASI, Str. Aurel Vlaicu, nr.87, Jud. Iasi	J22/589 /1991	RO 1986070	0232/26 2800	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=16bar, Dn max=800mm	IS/CR4/K,L/14/0102/0/1 3.09.2010
86	Oradea	DIA TERMO INSTAL VEST SRL	RESITA, Bd. Republicii, nr. 8, sc. 6, et. 10, ap. 41, Jud. Caras Severin	J11/20/ 2010	CUI 2643212 6	0355/42 9209	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar, Dn max=150mm	OR/CR4/K,L/14/1396/0/ 03.09.2015

87	Brasov	DINAFIT SRL	Sat BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Corp C1-C8, Jud. Prahova	J29/263 9/2006	CUI 1928505 7	0244/52 4369/ 571671; e-mail: office.di nafit@ch ristof- group.co m	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar, Dnmax=200mm	BV/CR4/K,L/14/1372/4/ 19.02.2015- suspendare voluntara 6 luni incepand cu 01.04.2015
88	Brasov	DINAFIT SRL	Sat BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Corp C1-C8, Jud. Prahova	J29/263 9/2006	CUI 1928505 7	0244/52 4369/ 571671; e-mail: office.di nafit@ch ristof- group.co m	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar, Dnmax=200mm	BV/CR4/K,L/14/1251/3/ 05.05.2014
89	Central	DINAFIT SRL	BRAZI, Incinta PETROM SA, Suc. Brazi, Jud. Prahova	J29/263 9/2006	CUI 1928505 7	0244/50 4682/52 4369/57 1671	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=450mm, pmax=225bar	DISPR/CR4/K,L/14/1733/ 0/29.07.2011
90	Brasov	DINAFIT SRL	Sat BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Corp C1-C8, Jud. Prahova	J29/263 9/2006	CUI 1928505 7	0244/59 4369/ 571671	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar, Dnmax=200mm	BV/CR4/K,L/14/1101/1/ 10.01.2013
91	Ploiesti	DINAFIT SRL	Com. BRAZI, Sat BRAZII de JOS, incinta PETROM SA, Suc. Petrobrazi, caroul 15, Jud. Prahova	J29/263 9/2006	RO 1928505 7	0244/59 4369/57 1671	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=200bar, DNmax<=200mm	PL/CR4/K,L/14/0286/0/2 2.12.2010

92	Brasov	DINAFIT SRL	Sat BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Corp C1-C8, Jud. Prahova; PLOIESTI, Str. Mihai Bravu, nr.235, Jud. Prahova	J29/263 9/2006	CUI 1928505 7	0724288 700; 0344/40 1027; 0244/57 1671; e- mail: office.di nafit@cr istof- group.co m	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=225bar, Dnmax=450mm	BV/CR4/K,L/14/1184/2/ 21.10.2013
93	Bucuresti	DOLCHIMEX SRL	CARACAL, Aleea 1 Decembrie 1918, nr.17, Jud. Olt	J28/192 /2001	RO 1401553 1	0249/51 7866; 0728007 2928; 0249/51 7666	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=80mm, Pmax<=40bar	B/CR4/K,L/14/1249/0/18 .01.2013
94	Central	DONAU CHEM SRL	TN. MAGURELE, Str. Portului, nr.1, Jud. Teleorman	J34/568 /2004	CUI 1695812 4	0247/41 6438/41 3379	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	DISPR/CR4/K,L/14/0867/ 0/18.05.2011
95	Bucuresti	DONAU TERMO SRL	CALARASI, Str. Pompieri, nr.41, camera 3, et.1, Jud. Calarasi	J51/90/ 2010	CUI 2659420 9	0242/31 6945/ 334190; e-mail donauter mo@dtc. ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=40bar	B/CR4/K,L/14/2136/1/01 .02.2017

96	Bucuresti	DONAU TERMO SRL	CALARASI, Str. Pompieri, nr.41, camera 3, et.1, Jud. Calarasi	J51/90/2010	CUI 26594209	0242/316945/334190	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=40bar	B/CR4/K,L/14/2136/0/09 .05.2014
97	Bucuresti	ECO CLIMA INDUSTRIAL SRL	BUCURESTI, Str. Torentului, nr.2, biroul nr.39, sector 2	J40/22694/1994	RO 6558864	021/2502902/2504258; e-mail ecoclima@ecoclima.frigo tehnica.ro	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, Pmax=140bar	B/CR4/K,L/14/0327/3/05 .10.2017
98	Bucuresti	ECO CLIMA INDUSTRIAL SRL	BUCURESTI, Str. Torentului, nr.2, biroul nr.39, sector 2	J40/22694/1994	RO 6558864	021/2502902/2504258	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, Pmax=120bar	B/CR4/K,L/14/0327/1/22 .11.2012
99	Bucuresti	ECO CLIMA INDUSTRIAL SRL	BUCURESTI, Str. Torentului, nr.2-4, sector 2	J40/22694/1994	CUI 6558864	021/2502902/2504258	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	B/CR4/K,L/14/0327/0/21 .09.2010
100	Sibiu	ELECTROCENTRALE BUCURESTI SA - Sucursala Electrocentrale Mures	IERNUT, Str. Energeticii, nr. 1, Jud. Mures	J26/513/2000	CUI 1228938	0265/471333/471388	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN<=250mm, p<=150bar	SB/CR4/K,L/14/1030/0/2 3.07.2012
101	Bucuresti	ELECTROCENTRALE BUCURESTI SA	BUCURESTI, Splaiul Independentei, nr.227, sector 6	J40/1696/2003	RO 15189596	021/2751108/2751181	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=250bar	B/CR4/K,L/14/1734/1/21 .10.2014

102	Bucuresti	ELECTROCENTRALE BUCURESTI SA	BUCURESTI, Splaiul Independentei, nr.227, sector 6	J40/169 6/2003	RO 1518959 6	021/275 1108/27 51181	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=250bar	B/CR4/K,L/14/1734/0/03 .07.2013
103	Central	ELECTROCENTRALE BUCURESTI- SUCURSALA ELECTROCENTRALE BUCURESTI	BUCURESTI, Splaiul Independentei, nr.227, sector 6	J40/934 3/2000	CUI 1343984 0	021/275 1108/27 51181	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=200bar	DISPR/CR4/K,L/14/2998/ 0/07.02.2012
104	Bucuresti	ELECTROCENTRALE CONSTANTA SRL	CONSTANTA, Bd. Aurel Vlaicu, nr.123, Jud. Constanta	J13/23/ 20153	CUI 3363642 0	0241/58 5300	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dmax=300mm, pmax=200bar	B/CR4/K/14/2484/0/17.0 3.2015
105	Central	ELECTROCENTRALE BUCURESTI- SUCURSALA ELECTROCENTRALE CONSTANTA	CONSTANTA, Bd. Aurel Vlaicu, nr.123, Jud. Constanta	J13/103 5/2003	CUI 1526465 5	0241/58 5300/69 3916	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dmax=150mm, pmax=250bar	DISPR/CR4/K/14/3050/0/ 08.02.2012
106	Sibiu	ELECTROCENTRALE DEVA SA	MINTIA, Str. Santierului, nr.1, Jud. Hunedoara	J20/876 /2001	CUI 1434844 8	0254/23 6550	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=250mm, p<=250bar	SB/CR4/K,L/14/0091/0/1 3.10.2010
107	Brasov	ELECTROFARM SRLK	Brasov, Str. Razboieni, nr.18, Jud. Brasov; BRASOV, Calea Feldioarei, nr.24A, Jud. Brasov	J8/699/ 1998	RO 1066079 9	0268/44 0028/ 440029	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=25bar, Dnmax<=50mm	BV/CR4/K,L/14/1049/0/ 10.09.2012
108	Bucuresti	ELECTROPUTERE SA	CRAIOVA, Calea Bucuresti, nr.80, Jud. Dolj	J16/12/ 1991	CUI 6312800	0251437 700/ 437698/ 437730	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=100bar	B/CR4/K,L/14/1818/0/09 .09.2013

109	Bucuresti	ELECTROPUTERE AIT SRL	CRAIOVA, Str. Tehnicii, nr.1, Constructia 11C-C1, Jud. Dolj	J16/64/2013	CUI 31098937	0251/437441/438740	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=45mm, pmax=450bar	B/CR4/K,L/14/1363/1/28.08.2014
110	Bucuresti	ELECTROPUTERE AIT SRL	CRAIOVA, Calea Bucuresti, nr.80, Hala Pavilion STM C299, et.3, Jud. Dolj	J16/64/2013	CUI 31098937	0251/437441/438740	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=45mm, pmax=450bar	B/CR4/K,L/14/1363/0/09.05.2013
111	Central	ELECTROPUTERE SA Divizia Aparataj Electric	CRAIOVA, Cal. Bucuresti, nr.80, Jud. Dolj	J16/12/1991	CUI 6312800	0724342848; 0251/438100	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=45mm, pmax=450bar	DISPR/CR4/K,L/14/1193/0/17.06.2011
112	Central	ELECTROTERM PRODSERV SRL	TURDA, Str. Traian, nr.41A, Jud. Cluj	J12/673/1994	CUI 5337857	0722230147; 0368/414123	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=60bar	DISPR/CR4/K,L/14/2624/0/20.12.2011
113	Bacau	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201-202, et. 2, jud. Bacau	J04/140/2000	CUI 12826406	0234/562410; e-mail office@energofor.ro	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax=100mm, pmax=260bar	BC/CR4/K/14/1643/2/11.02.2016
114	Central	ENERGOFOR SRL	BACAU, Str. Arcadie Septilici, nr.7B, Jud. Bacau	J04/140/2000	CUI 12826406	0234/545683/562410	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax=100mm, pmax=260bar	DISPR/CR4/K/14/3627/0/23.05.2012
115	Bacau	ENERGOFOR SRL	BACAU, Str. I. L. Caragiale, nr.1, sc.D, ap.6, Jud. Bacau	J04/140/2000	RO 12826406	0234/545683/562410	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax=100mm, pmax=260bar	BC/CR4/K/14/0009/0/28.04.2010
116	Bucuresti	ENERGOMONTAJ GRUP SRL	BASCOV, Str. Serelor, nr. 14, Jud. Arges	J03/1966/1994	RO 10698807	0248/290170/290285	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=280bar, DN<=350mm	B/CR4/K,L/14/2916/1/06.10.2016

117	Pitesti	ENERGOMONTAJ GRUP SRL	PITESTI, str.Gh.Lazar, nr.19, Jud.Arges	J03/1966/1994	RO 10698807	0248/290170	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=280bar, DN<=350mm	PT/CR4/K,L/14/0055/0/18.06.2010
118	Central	ENERGY BIO CHEMICALS SA	ONESTI, Str. Industriilor, nr.1, Pavilion Administrativ C399, Jud. Bacau	J04/838/2008	CUI 23767569	0234/302600/315510	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=250mm, pmax<=64bar	DISPR/CR4/K,L/14/0511/0/07.03.2011
119	Central	ENET SA	FOCSANI, Bd. Bucuresti, nr.4, Jud. Vrancea	J39/93/1996	CUI 8123890	0237/214110	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax<=64bar	DISPR/CR4/K,L/14/2042/0/22.09.2011
120	Central	ENET SA	FOCSANI, Bd. Bucuresti,nr.4, Jud. Vrancea	J39/93/1996	RO 8123890	0237/212400/214110	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=64bar	DISPR/CR4/K,L/14/2042/1/26.04.2012
121	Iasi	EST ROM SA	VALEA LUPULUI, Str. Diminetii, nr.1, Jud. Iasi	J22/2259/1993	RO 4488770	0232/226380/253398	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, Dn max=200mm	IS/CR4/K,L/14/0118/0/08.10.2010
122	Central	ETNIS SRL	IASI, Cal. Chisinaului, nr.98-100, Jud. Iasi	J22/1131/1991	CUI 1956141	0232/236341	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=160bar, Dmax=100mm	DISPR/CR4/K,L/14/0273/0/30.03.2010
123	Bucuresti	EU RO INSTALATII SA	BUCURESTI, Intr. Hotarului, nr.1, sector 6	J40/3473/1995	CUI 7306342	021/3172768/4300515	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=100mm, pmax<=40bar	B/CR4/K,L/14/0291/0/06.09.2010
124	Sibiu	EURO SYSTEM SRL	MEDIAS, Sos. Sibiului, nr.48, bl.9, Jud. Sibiu	J32/456/2006	RO 18529021	0269/843545	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax<=100mm; pmax<=40bar	SB/CR4/K,L/14/1036/0/14.08.2012

125	Oradea	EURO TREND SERVICE SRL	PAULESTI, Str. Principala, nr.29, Jud. Satu Mare	J30/384 /2004	RO 1629437 9	0261/75 7506	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=20bar, Dnmax<=75l	OR/CR4/K/14/0015/0/28 .05.2010
126	Oradea	EXPERT PETROLEUM SRL	BUCURESTI, Sos. Bucuresti-Ploiesti, nr. 73-81, cladirea C3, et. 3, sector 1; TIMISOARA, Str. Corolian Brediceanu, nr. 10C, cladire C, mezanin, camera M5, Jud. Timis	J26/165 6/2008	CUI 1763442 8	0374200 640, 0317/80 1093; 0356/41 4883	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, Dnmax=150mm	OR/CR4/K,L/14/1174/2/ 20.10.2016
127	Oradea	EXPERT PETROLEUM SRL	TG. MURES, Str. Tamas Erno, nr.1, Jud. Mures; TIMISOARA, Str. Corolian Brediceanu, nr. 10C, Cladire C, Mezanin, Camera M5, Jud. Timis	J26/165 6/2008	CUI 1763442 8	0374200 640, 0317/80 1093	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, Dnmax=150mm	OR/CR4/K,L/14/1174/1/ 23.05.2016
128	Oradea	EXPERT PETROLEUM SRL	TG. MURES, Str. Tamas Erno, nr.1, Jud. Mures	J26/165 6/2008	CUI 1763442 8	0730769 794	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, Dnmax=150mm	OR/CR4/K,L/14/1174/0/ 18.06.2013
129	Central	FAST TECHNICAL ASSISTANCE SRL	BACAU, Str. Vadu Bistritei, nr.2A, Jud. Bacau	J04/696 /1997	CUI 9626416	0234/51 3803/51 1430	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, pmax<=45bar	DISPR/CR4/K,L/14/0354/ 0/06.04.2011
130	Central	FAST TECHNICAL ASSISTANCE SRL	BACAU, 9 Mai, nr.35, poz. 10, bl.35, sc.E, parter, Jud. Bacau	J04/696 /1997	CUI 9626416	0234/51 3803/51 1430	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=150mm, pmax<=45bar	DISPR/CR4/K,L/14/0354/ 0/08.05.2012

131	Brasov	FAURAR SRL	TARGOVISTE, Str. Constantin Brancoveanu, bl. B3, ap. 12, Jud. Dambovita; SINAIA, Str. Ferdinand, nr. 2, et. 3, ap. 10, Jud. Prahova	J15/114 /1994	RO 5114685	0245/22 1002	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dn=300mm, pmax=140bar	BV/CR4/K,L/14/1412/0/ 16.04.2015
132	Pitesti	FILIALA PENTRU REPARATII SI SERVICII HIDROSERV CURTEA DE ARGES SA	CURTEA DE ARGES, Str. Barajului, nr.1, Jud. Arges	J03/742 /2002	RO 1493261 6	0248/72 1701/72 1716; www.hidroservarges.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=90mm, pmax<=100bar	PT/CR4/K,L/14/0143/0/ 15.12.2010
133	Pitesti	FILIALA PENTRU REPARATII SI SERVICII HIDROSERV RAMNICU VALCEA SA	RM. VALCEA, Calea Bucuresti, nr.269, Jud. Valcea	J38/477 /2002	CUI 1494966 9	0250/74 6984/ 732147	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax<=100mm, pmax<=64bar	PT/CR4/K,L/14/1641/1/ 12.06.2013
134	Brasov	FISE ELECTRICA SERV SRL	BUCURESTI, Str. Stefan cel Mare, nr. 1A, sector 1; PLOIESTI, Str. Mihai Bravu, nr. 19, Jud. Prahova	J40/445 4/200	RO 1732950 5	021/306 5002/ 3065004; 0372440 441; 0244/33 4652	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=16bar, Dn=20mm	BV/CR4/K,L/14/1588/1/ 22.06.2016

135	Ploiesti	FISE ELECTRICA SERV SA BUCURESTI SISE- ELECTRICA MUNTENIA NORD AISE	PLOIESTI, Str. Andrei Muresanu, nr.58, Jud. Prahova; PLOIESTI, Str. Mihai Bravu, nr.19, Jud. Prahova	J29/904 /2005	RO 1749208 0	0244/40 5650/ 405564; 0244/40 5637	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=16bar, Dnmax=20mm	PL/CR4/K,L/14/0119/0/2 7.07.2010
136	Oradea	FLANGA GPL ROMANIA SRL	SALONTA, Str. Ghestului, Jud. Bihor	J05/522 /1998	RO 1043372 9	0259/41 1780/41 2967	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=20bar	OR/CR4/K/14/0010/0/18 .05.2010
137	Bucuresti	FLI INSTAL SERVICE SRL	BUCURESTI, Str. Elev Stefanescu Stefan, nr.2, sector 2	J40/330 8/2013	CUI 3155796 9	021/201 1114/ 2011115	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=20bar, Dnmax=65mm	B/CR4/K,L/14/1337/0/25 .03.2013
138	Central	FORCE SAT IMPEX SRL	BRANESTI, Sat Branesti, Str. Violetelor, nr.22, Constructia C1, camera 1, Jud. Ilfov	J23/307 /2010	CUI 2645835 5	0374007 809	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax<=300bar	DISPR/CR4/K,L/14/1983/ 0/19.09.2011
139	Bucuresti	FORCE SAT IMPEX SRL	BRANESTI, Sat Branesti, Str. Violetelor, nr.22, Constructia C1, camera 1, Jud. Ilfov	J23/307 /2010	CUI 2645835 5	0374007 809	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=300bar	B/CR4/K,L/14/1861/0/03 .10.2013
140	Iasi	FORPRES SRL	IASI, Str. Strapungerii Silvestru, nr.52, Jud. Iasi	J22/125 8/2002	RO 1501214 3	0232/24 6135	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar, Dnmax=200mm	IS/CR4/K,L/14/0080/0/0 4.08.2010
141	Brasov	FULGER SISTEM SRL	FAGARAS, Str. Negoiu, nr. 71, bl. B, sc. A, ap. 12, Jud. Brasov	J08/109 /2011	CUI 2796765 9	0766351 431; e- mail fulger.si stem@ya hoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar, Dnmax=50mm	BV/CR4/K,L/14/1593/0/ 07.07.2016

142	Bucuresti	FUTURE LINE INSTAL SRL	BUCURESTI, Sos. MIHAI Bravu, nr. 75-83, bl.C17, sc.B, ap.79, sector 2; BUCURESTI, Str. Biharia, nr.67-77, sector 1	J40/233 50/1992	RO 18830	021/201 1114/ 2011115	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=20bar, Dnmax=65mm	B/CR4/K,L/14/1757/0/19 .08.2013
143	Central	GA PRO CO CHEMICALS SA	SAVINESTI, Sytr. Uzinei, nr.2, Jud. Neamt	J27/147 8/2005	CUI 1772869 7	0233/28 0544/28 1494/28 1260	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=250bar	DISPR/CR4/K,L/14/1577/ 0/18.07.2011
144	Bucuresti	GAS CONTROL SRL	SEGARCEA, Str. Bujorului, nr.5, Jud. Dolj	J16/126 6/2009	CUI 2606596 8	0743123 828	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=64bar	B/CR4/K,L/14/2967/1/06 .02.2017
145	Central	GAS CONTROL SRL	SEGARCEA, Str. Bujorului, nr.5, Jud. Dolj	J16/126 6/2009	CUI 2606596 8	0743123 828; 0351/45 4475	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=64bar	DISPR/CR4/K,L/14/2354/ 0/03.11.2011
146	Brasov	GASPECO L&D SA	OTOPENI, Str. Aurel Vlaicu, nr.31A, Jud. Ilfov; Sat NEGOIESTI, Com. Brazi, Jud. Prahova	J23/232 /2011	CUI 8037897	021/203 5100/ 2035105; e-mail: clientigp l@gaspe co.ro; 0244/40 1055/ 401080	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pnmax=25bar, Dnmax=32mm	BV/CR4/K,L/14/1109/2/ 31.01.2013

147	Brasov	GASPECO L&D SA	BUCURESTI, Cal. Floreasca, nr.28-30, sector 1; Sat NEGOIESTI, Com. Brazi, Jud. Prahova	J40/873 1/2013	CUI 8037897	021/203 5100/ 2035105; 0244/40 1083; 0318/28 0345	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pnmax=25bar, Dnmax=32mm	BV/CR4/K,L/14/1175/3/ 21.08.2013
148	Brasov	GAVAL CONSULTING EXPERT SRL	PLOIESTI, Str. Mircea Cel Batrin, nr.119, cladirea C46, camera 8, parter, Jud. Prahova	J29/163 8/2010	CUI 2785680 4	0721710 420; 0244/57 3298; e- mail: gaval.ex pert@ya hoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=25bar, DNmax=150mm	BV/CR4/K,L/14/1334/1/ 04.11.2014
149	Brasov	GAVAL CONSULTING EXPERT SRL	PLOIESTI, Str. Mircea Cel Batrin, nr.119, cladirea C46, camera 8, parter, Jud. Prahova	J29/163 8/2010	CUI 2785680 4	0721710 420	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	p<=25bar, D<=150mm	BV/CR4/K,L/14/1304/0/ 25.08.2014
150	Sibiu	GAZ CONTOR NORD SRL	MEDIAS, Str. Sondorilor, nr.5, Jud. Sibiu	J32/171 /2010	RO 2664299 3	0269/83 1974	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	8<=DN<=80mm, P<=40bar	SB/CR4/K,L/14/0048/0/0 9.07.2010- sudspendare voluntara incepand cu 06.03.2015
151	Brasov	GRUP FERVIAR ROMAN SRL	BUCURESTI, Cal. Victoriei, nr. 114, sector 1; BRAZI, Linie De Reparatii Vagoane PLOIESTI, Intrarea Macazului, nr. 11, Jud. Prahova	J40/895 8/2001	CUI 1425651 4	021/318 3090/ 3183091; e-mail office@g fr.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, Pmax=25bar	BV/CR4/K,L/14/1706/0/ 20.10.2017

152	Central	GRUP TERMLOC SA	BACAU, Str. George Bacovia, nr.41-43, Jud. Bacau	J04/957 0/2002	CUI 1482844 6	0234/57 6442/57 6438	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=60mm, pmax=25bar	DISPR/CR4/K,L/14/1702/ 0/05.08.2011
153	Bucuresti	HEAT MAINTENANCE SRL	BUCURESTI, Str. Scortan Ion, nr. 36, sector 2	J40/560 5/2015	CUI 3448560 1	0733683 763; 0724196 733	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=25bar	B/CR4/K,L/14/2602/0/09 .09.2015
154	Pitesti	HIDROSERV RAMNICU VALCEA SA	RAMNICU VALCEA, Calea Bucuresti, nr.269, Jud. Valcea	J38/477 /2002	RO 1496966 9	0250/74 6984/74 6987/ 732147	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, DN=100mm	PT/CR4/K,L/14/0007/0/ 10.04.2010
155	Central	HIDROSERV SLATINA SA	SLATINA, Str. T. Vladimirescu, nr.153B, Jud. Olt	J28/379 /2002	CUI 1494975 8	0249/41 8608/42 3667	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=70bar	DISPR/CR4/K,L/14/1965/ 0/19.09.2011
156	Oradea	HITECH AUTOMATIZARI SRL	ORADEA, Bd. Decebal, nr.5, bl.P187, ap.47, Jud. Bihor	J05/268 0/2006	RO 1967145 7	0730118 691	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dn<=100mm, pmax<=40bar	OR/CR4/K,L/14/1148/13. 05.2013
157	Brasov	HORVATH SERVICE SRL	SF. GHEORGHE, Str. Ciucului, nr. 130, Jud. Covasna	J14/88/ 1994	RO 5228299	0267/31 6208; 0372895 823	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=12bar	BV/CR4/K,L/14/1528/0/ 29.01.2016
158	Bacau	HORVICA SRL	NEGRESTI, Str. Mihail Kogalniceanu, bl. C4, sc. A, et. 2, ap. 4, Jud. Vaslui	J37/831 /2008	CUI 2470067 2	0743706 254	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=20bar	BC/CR4/K,L/14/1173/0/ 12.06.2017
159	Bucuresti	HUNGARORING SRL	BUCURESTI, Bd. Camil Ressu, nr.57A, bl. Y2B, sc.4, et.8, ap.165, sector 3	J40/681 8/2012	CUI 3031159 9	0742609 762; 021/240 7191	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	B/CR4/K/14/1744/0/25.0 3.2013

160	Central	IASITEX SA	IASI, Str. Primaverii, nr.2, Jud. Iasi	J22/255 /1991	CUI 1957058	0232/43 6760/24 6063	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=20bar	DISPR/CR4/K,L/14/1567/0/18.07.2011-suspendare voluntara incepand cu 04.07.2014
161	Central	IDMS CENTRAL SRL	BRASOV, Str. General Leonard Mociulschi, nr.18-20, bl.21, sc.B, ap.11, Jud. Brasov	J08/144 7/2009	CUI 2611796 0	0368/80 9167	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=350bar	DISPR/CR4/K,L/14/2692/1/29.12.2011
162	Central	IDMS CENTRAL SRL	BRASOV, Str. General Leonard Mociulschi, nr.18-20, bl.21, sc.B, ap.11, Jud. Brasov	J08/144 7/2009	CUI 2611796 0	0368/80 9167; 0744671 652; e-mail: idmscentral@yahoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=350bar	DISPR/CR4/K,L/14/1142/2/11.06.2013
163	Brasov	IDMS CENTRAL SRL	BRASOV, Str. G-ral Leonard Mociulschi, nr.18-20, bl.21, sc. B, ap. 11, Jud. Brasov	J08/144 7/2009	RO 2611796 0	0368/80 9167	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	-	BV/CR4/K,L/14/0075/0/02.12.2010
164	Bucuresti	IMSP PROIECT SRL	CONSTANTA, Str. Frigului, nr.4, bl.FG4, ap.11, Jud. Constanta	J13/244 5/2008	CUI 2417851 0	0241/53 5543	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=150mm pmax<=50bar	B/CR4/K/14/1015/0/29.06.2012
165	Central	INCON SRL	BUCURESTI, Str. Alba, nr.14A, sector 4	J40/570 4/1991	CUI 3006245	021/335 5646/33 73540	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=32bar	DISPR/CR4/K,L/14/2447/0/04.10.2011

166	Bacau	INDRA PROJECT SRL	CATAMARESTI DEAL, Com. Mihai Eminescu, nr. 42, Jud. Botosani	J7/125/2011`	CUI 28251525	0747850794	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=20bar	BC/CR4/K,L/14/1547/0/22.04.2015
167	Oradea	INSPECT MC SRL	BAIA MARE, Bd. Unirii, bl.7, sc.A, ap.1, Jud. Maramures	J24/1989/2008	CUI 24688935	Tel/fax 0723592204	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50.8mm, pmax=25bar	OR/CR4/K,L/14/1119/1/08.02.2016
168	Oradea	INSPECT MC SRL	BAIA MARE, Bd. Unirii, bl.7, sc.A, ap.1, Jud. Maramures	J24/1989/2008	CUI 24688935	Tel/fax 0723592204	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=25bar Dn=50.8mm	OR/CR4/K,L/14/1119/0/29.03.2013
169	Central	INSTALATORUL SRL	SUCEAVA, Str. Grigore Ureche, nr.19, et.2, cam. 1-9, Jud. Suceava	J33/1875/1992	RO 3177709	0230/551719	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=25bar	DISPR/CR4/K,L/14/0684/0/04.05.2011
170	Central	INSTANT INTERNATIONAL SRL	SIMERIA, Str. Avram Iancu, bl.7, parter, Jud. Hunedoara; SIMERIA, Str. 1 Decembrie, nr.29, Jud. Hunedoara	J20/1183/1994	CUI 6325370	0254/263216/263215	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=200mm, pmax<=250bar, fluid incercare apa; pmax<=60bar, Dnmax<=150mm, fluid incercare aer sau azot	DISPR/CR4/K,L/14/0796/0/12.05.2011
171	Central	INSTAROM SRL	TG. MURES, Str. Pandurilor, nr.56/6, Jud. Mures	J26/630/2002	CUI 14811584	0365/407193	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=150bar	DISPR/CR4/K,L/14/3140/0/21.02.2012
172	Central	INSTPRO SRL	DRAGASANI, Str. Traian, nr.30, Jud. Valcea	J38/55/1999	CUI 11444947	0250/811150	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=60bar	DISPR/CR4/K,L/14/0891/0/13.04.2011

173	Bacau	INTER SERV SRL	BACAU, Str. Chimiei, nr.1bis, Jud. Bacau	J04/63/2002	RO 14426880	0234/575406/575415	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=160bar	BC/CR4/K/14/0079/0/30 .08.2010
174	Bucuresti	INVEST CONSTRUCT SRL	GIURGIU, Str. Ancorei, nr.2-2A, camera 1, Jud. Giurgiu; GIURGIU, Sos. Sloboziei, Km 4, corp C10, Jud. Giurgiu	J52/849/2019	CUI 24570424	0723407604; e-mail caldarar ucristina@yahoo.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=125mm, pmax=64bar	B/CR4/K,L/14/2813/0/02 .06.2016
175	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedinteanu, nr. 7, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; 0244/547707	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=400bar, Dnmax<=273mm	BV/CR4/K,L/14/1388/3/06.06.2016
176	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedinteanu, nr. 7, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; e-mail: office@ipm-partners.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=400bar, Dnmax<=273mm	BV/CR4/K,L/14/1388/2/20.02.2015
177	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; 0244/547707	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=400bar, Dnmax<=273mm	BV/CR4/K,L/14/1037/0/10.08.2012
178	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Constructia C1, et.1, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; e-mail: office@ipm-partners.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=400bar, Dnmax=273mm	BV/CR4/K,L/14/1194/1/06.11.2013

179	Sibiu	I PROEB SA	BISTRITA, Str. Drumul Cetatii, nr.19, Jud. Bistrita Nasaud	J06/55/1991	RO 566930	0263/23 8164/ 234701	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax<=25bar, Dnmax<=100mm	SB/CR4/K/14/1145/0/15. 02.2013
180	Sibiu	I PROEB SA	BISTRITA, Str. Drumul Cetatii, nr.19, Jud. Bistrita Nasaud	J06/55/1991	RO 566930	0263/23 8164/ 234701	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax<=25bar, Dnmax<=100mm	SB/CR4/K/14/1205/1/01. 07.2013
181	Bacau	IREM SPA SIRACUSA- Sucursala Bucuresti; Punct Moinesti	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, camera 1, et.5, sector 6; MOINESTI, Str. Capitan Zaganescu, nr. 2, Jud. Bacau	J40/117 09/2014	CUI 3367713 7	021/313 2904/ 3122303; e-mail roberto. saporii remservi cii.ro; 0732660 591; e- mail Gheorgh e.Babea nu@gsts- asset8.r o	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax=150bar, Dnmax=150mm	BC/CR4/K,L/14/1511/1/ 16.03.2016

182	Bacau	IREM SPA SIRACUSA-Sucursala Bucuresti; Punct Moinesti	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, camera 1, et. 7, sector 6; MOINESTI, Str. Capitan Zaganescu, nr. 2, Jud. Bacau	J40/117 09/2014	RO 3367713 7	021/313 2904/ 3122303; e-mail roberto. sapori@i remservi cii.ro; 0732660 591; e- mail gheorgh e.babea nu@gsts- asset8.r o	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax=49bar, Dnmax=150mm	BC/CR4/K,L/14/1511/0/ 04.12.2014
183	Bucuresti	IREM SPA SIRACUSA-Sucursala Bucuresti; Punct Bustuchini	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, camera 1, et.5, sector 6; BUSTUCHINI, Sectia MTN, Jud. Gorj	J40/117 09/2014	CUI 3367713 7	021/313 2904/ 3122303	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax=250bar, Dnmax=250mm	B/CR4/K,L/14/2570/0/12 .06.2015
184	Bucuresti	IREM SPA SIRACUSA-Sucursala Bucuresti, Atelier Central TG. JIU	TG. JIU, Bd. Ecaterina Teodoroiu, nr. 46, Jud. Gorj	J40/117 09/2014	CUI 3367713 7	0732333 411; 0253/22 3793	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax=140bar, Dnmax=300mm	B/CR4/K,L/14/2388/0/15 .12.2014
185	Oradea	IVPROD ST SM PI SRL	TIMISOARA, Bd. 16. Decembrie 1989, nr. 7, et. 1, ap. 7, Jud. Timis	J35/860 /2007	CUI 2124530 5	0356/26 9748; 0745232 593	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax<=40bar	OR/CR4/K,L/14/1469/1/ 14.06.2016

186	Central	IVPROD ST SM PI SRL	TIMISOARA, Str. Stefan cel Mare, nr.47, Jud. Timis	J35/860 /2007	CUI 21245305	0256/22 4150	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=150mm, pmax<=40bar, fluid incercare apa; DN<=50mm, pmax<=32bar, fluid incercare aer sau azot	DISPR/CR4/K,L/14/0213/ 0/16.03.2011
187	Bucuresti	J CHRISTOF E&P SERVICES SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova; POIANA LACULUI, Str. Dragasani, nr. 587, Jud. Arges	J29/131 4/2009	RO 21013747	0344/40 1027/40 1026; 0732300 940	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=250mm, pmax=200bar	B/CR4/K,L/14/3102/0/29 .08.2017
188	Brasov	J CHRISTOF E&P SERVICES SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/131 4/2009	RO 21013747	0344/40 1027/40 1026; e- mail office.jc e@christ of.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=250mm, pmax=200bar	BV/CR4/K,L/14/1650/1/ 08.05.2017
189	Brasov	J CHRISTOF E&P SERVICES SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/131 4/2009	RO 21013747	0344/40 1027/40 1026; e- mail office.jc e@christ of.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=200mm, pmax=200bar	BV/CR4/K,L/14/1650/0/ 20.03.2017

190	Bucuresti	JCR CHRISTOF CONSULTING SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr. 49A, Jud. Prahova; POIANA LACULUI, Str. Dragasani, nr. 587, Jud. Arges	J29/109/7/2008	RO 22866980	0344/401027/401026	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar, Dn=250mm	B/CR4/K,L/14/1812/0/06 .06.2016
191	Brasov	JCR CHRISTOF CONSULTING SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr. 49A, Jud. Prahova; VIDELE, Str. Petrolului, nr. 10, Jud. Teleorman	J29/109/7/2008	RO 22866980	0344/401027/401026	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar, Dn=200mm	BV/CR4/K,L/14/1378/1/19.02.2015- suspendare voluntara incepand cu 28.07.2017
192	Brasov	JCR CHRISTOF CONSULTING SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr. 49A, Jud. Prahova	J29/109/7/2008	RO 22866980	0344/401027/401026	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=100bar, Dn=200mm	BV/CR4/K,L/14/1116/0/19.02.2013
193	Bacau	KADATA PREST SRL	HORIA, Str. Campului, nr. 67, Jud. Neamt	J27/222/9/1994	RO 6683727	0233/740744	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=30bar, Dn=65mm	BC/CR4/K,L/14/1491/0/26.09.2014
194	Ploiesti	KARBOREX SA	PLOIESTI, Str. Caraiman, nr.7, Jud. Prahova	J29/76/1991	RO 1348152	0244/512212/517577	Reglarea si repararea supapelor de siguranta	Pmax=100bar, Dnmax=200mm	PL/CR4/L/14/0196/0/07.10.2010
195	Oradea	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr.66, Jud. Prahova; SUPLACU DE BARCAU, Str. Crinului, nr.72, Jud. Bihor; ABRAMUT, Cladirea Petrom, Jud. Bihor	J29/115/3/1997	RO 9816194	0732300819	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=64bar, Dn<=100mm	OR/CR4/K,L/14/1339/1/06.04.2015

196	Oradea	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr.66, Jud. Prahova; SUPLACU DE BARCAU, Str. Crinului, nr.72, Jud. Bihor	J29/115 3/1997	RO 9816194	0732300 819	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=64bar, Dn<=100mm	OR/CR4/K,L/14/1339/0/ 05.12.2014
197	Brasov	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr.66, Jud. Prahova	J29/115 3/1997	RO 9816194	0344/40 1995/ 401997; e-mail office@k aromkpk .ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=100bar, Dnmax=100mm	BV/CR4/K,L/14/1338/2/ 15.09.2017
198	Brasov	KAROM SPI SRL	PLOIESTI, Str. Bucuresti, nr.66, Jud. Prahova	J29/115 3/1997	RO 9816194	0344401 995/ 401997	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=100bar, Dn=100mm	BV/CR4/K,L/14/1338/1/ 11.01.2017
199	Brasov	KAROM SPI SRL	PLOIESTI, Str. Bucuresti, nr.66, Jud. Prahova	J29/115 3/1997	RO 9816194	0344/40 1995/ 401997	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=100bar, Dn=100mm	BV/CR4/K,L/14/1338/0/ 19.11.2014
200	Brasov	KREMSMULLER ROMANIA SRL	PLOIESTI, Str. Centura de Vest, nr. 23, Jud. Prahova	J29/626 /2007	RO 1872513 3	0728291 150; 0720112 585	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=300bar, Dnmax=400mm	BV/CR4/K,L/14/1512/0/ 21.12.2015
201	Central	LAS PROM SRL	TG. MURES, Str. Cuza Voda, nr.25, Jud. Mures	J26/218 5/2004	CUI 1705718 4	0265/26 4436/31 1884	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=150bar	DISPR/CR4/K,L/14/2553/ 0/14.12.2011
202	Central	LICTECH SRL	IASI, Str. Mihai Voda, nr.7, bl.P1, sc.TR2, et.4, ap.20, Jud. Iasi	J22/246 9/2006	CUI 1907999 5	0232/23 5060	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=160bar, Dmax=100mm	DISPR/CR4/K,L/14/0209/ 0/22.03.2010

203	Oradea	LINDE GAZ ROMANIA SRL	TIMISOARA, Str. Avram Imbroane, nr. 9, Jud. Timis	J35/114 9/1996	CUI 8721959	0256/30 0700/22 5608	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=100bar, Dmax=50mm	OR/CR4/K,L/14/1515/0/ 27.02.2017
204	Central	LISSCOM SRL	BRASOV, Str. Neptun, nr.10, sc.C, ap.1, Jud. Brasov	J08/252 /1998	RO 1035847 3	0268/54 9274	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=200bar	DISPR/CR4/K,L/14/3515/ 0/02.05.2012
205	Bacau	LOCATIVSERV SRL	PIATRA NEAMT, Str. Cuiejdi, nr. 1B, et. 3, Jud. Neamt	J27/155 0/2008	RO 2460763 9	0233/22 0430/ 220431	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=10bar	BC/CR4/K,L/14/1515/0/ 11.12.2014
206	Central	LOCATO SA	PIATRA NEAMT, Str. Lt. Draganescu, nr.20, et.2, Jud. Neamt	J27/8/2 001	RO 1364903 5	0233/22 2832/22 2834	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=10bar	DISPR/CR4/K,L/14/0823/ 0/17.05.2011- insolventa- retragere incepand cu 06.01.2015
207	Bacau	LOCATO SA	PIATRA NEAMT, Str. Privighetorii, nr.12, bl.B9, demisol, Jud. Neamt	J27/820 01	CUI 1364903 5	0233/22 2832	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=10bar, Dnmax<=50mm	BC/CR4/K,L/14/1167/1/ 19.02.2013- insolventa- retragere incepand cu 06.01.2015
208	Central	LONIC SERV SRL	PUCIOASA, Str. Fantanilor, bl.B, et.2, ap.8, Jud. Dambovita	J15/510 /2004	CUI 1651466 0	0722524 688; 0245/23 2310	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=100bar	DISPR/CR4/K,L/14/3613/ 0/21.05.2012
209	Bucuresti	LONIC SERV SRL	PUCIOASA, Str. Fantanilor, bl.B, et.2, ap.8, Jud. Dambovita	J15/510 /2004	CUI 1651466 0	0722524 688; 0245/23 2310	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=100bar	B/CR4/K,L/14/1762/1/20 .08.2013

210	Bucuresti	LPV PROIECT CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr.3, sector 4	J40/161 79/1991	CUI 393996	021/330 6200/ 3316620	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/0134/4/12 .09.2017
211	Bucuresti	LPV PROIECT CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr.3, sector 4	J40/161 79/1991	CUI 393996	021/330 6200/ 3316620	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/0134/3/18 .03.2016
212	Bucuresti	LPV PROIECT CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr.3, sector 4	J40/161 79/1991	CUI 393996	021/330 6200/ 3316620	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/0134/2/05 .02.2015
213	Bucuresti	LPV PROIECT CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr.3, sector 4	J40/161 79/1991	CUI 393996	021/330 6200/ 3316620	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/0134/1/01 .09.2014
214	Bucuresti	LPV PROIECT CONSULT SRL	BUCURESTI, Str.Dimbovnicului nr.30, sector 4	J40/161 79/1991	CUI 393996	021/331 6620,021 /330185 2	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=2 1/2", pmax=15bar	B/CR4/K,L/14/0134/0/26 .06.2010
215	Bucuresti	LPV FACILITY & PROPERTY MANAGEMENT SRL	BUCURESTI, Str. Aurel Persu, nr. 119D, parter, camera 3, sector 4	J40/201 12/2008	RO 2481209 9	0724288 126; 021/331 6620	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/2663/0/19 .11.2015
216	Bucuresti	LPV SERVICE CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr. 3, sector 4	J40/201 12/2008	RO 2481209 9	021/330 6200/33 16620	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/2663/2/13 .09.2017
217	Bucuresti	LPV SERVICE CONSULT SRL	BUCURESTI, Str. Aurel Persu, nr. 119D, parter, camera 3, sector 4	J40/201 12/2008	RO 2481209 9	021/330 6200/33 16620	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/2663/1/01 .08.2016

218	Central	LUANA PREST SERV SRL	BRASOV, Str. Matei Basarab, nr.30A, Jud. Brasov	J08/2840/2008	CUI 24662030	0268/415715	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=350bar	DISPR/CR4/K,L/14/2688/0/05.01.2012
219	Central	LUANA PREST SERV SRL	BRASOV, Str. Castelului, nr.70, ap.2, cam. 2, Jud. Brasov	J08/2840/2008	RO 24662030	0268/415715	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=350bar	DISPR/CR4/K,L/14/2688/1/21.05.2012
220	Central	LUCMAN SRL	SIBIU, Str. W.I. Gheothe, nr.16A, Jud. Sibiu; SIBIU, Str. Gorjului, nr.16A, Jud. Sibiu	J32/996/2002	CUI 15091554	0269/225791	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=60bar	DISPR/CR4/K,L/14/0429/0/18.04.2011
221	Central	MACARALE SRL	SIBIU, Str. Hategului, nr.1, ap.6, Jud. Sibiu	J32/1096/2005	CUI 17825851	0269/225051	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=120mm, pmax<=60bar	DISPR/CR4/K,L/14/1702/0/05.08.2011
222	Brasov	MADASOR CONSULTING SRL	BRASOV, Bd. Victoriei, nr.6, bl.42, sc. C, ap. 3, Jud. Brasov	J8/63/2014	CUI 32676265	0368/819523	Verificare(la deschidere-inchidere) dispozitive de siguranta	D<=50mm, p<=30bar	BV/CR4/K/14/1429/0/17.06.2015
223	Bucuresti	MAIRA MONTAJ SRL	BUCURESTI, Str. Stirbei Voda, nr.166, bl.20C, sc.A, et.1, ap.3, sector 1; BUCURESTI, Str. Inovatorilor, nr.38A, sector 1	J40/3784/1997	RO 6661834	0722259865; 021/4137690	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=500bar	B/CR4/K,L/14/1787/0/13.08.2013
224	Bucuresti	MAIRA MONTAJ SRL	BUCURESTI, Str. Stirbei Voda, nr.166, bl.20C, sc.A, et.1, ap.3, sector 1; BUCURESTI, Str. Inovatorilor, nr.38A, sector 1	J40/3784/1997	RO 6661834	021/4137690/ 4139159	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=500mm, pmax=500bar	B/CR4/K,L/14/1787/1/21.02.2014

225	Central	MARAL SRL	POPESTI LEORDENI, Str. Leordeni, nr.161S, Jud. Ilfov	J23/1343/2010	CUI 1340436 1	021/467 3006	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=65mm, pmax=48bar	DISPR/CR4/K,L/14/1269/ 0/05.07.2011
226	Bucuresti	MARAL SRL	POPESTI LEORDENI, Str. Leordeni, nr.161S, Jud. Ilfov	J23/1343/2010	CUI 1340436 1	021/467 3006/ 4673008	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=65mm, pmax=48bar	B/CR4/K,L/14/1269/1/22 .11.2012
227	Bacau	MECANIC GRUP SRL	ONESTI, Str. Avantului, nr.21A, Jud. Bacau	J04/961/1998	CUI 1111102 0	0234/31 2815/ 302041	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=350mm, pmax=150bar	BC/CR4/K,L/14/1503/1/ 07.11.2014
228	Central	MECANIC GRUP SRL	ONESTI, Bd. Republicii, nr.1, bl.1, sc.D, et.3, ap.49, Jud. Bacau	J04/961/1998	CUI 1111102 0	0374091 815; 0234/31 2815	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=350mm, pmax=150bar	DISPR/CR4/K,L/14/0553/ 0/18.04.2011
229	Sibiu	MEDIA RINGER SRL	SIBIU, Aleea Biruintei, nr.6, ap.5, Jud. Sibiu; SIBIU, Cal. Dumbravii, nr.105, Jud. Sibiu	J32/372/1998	RO 1066823 7	0269/44 3401	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, Pmax<=60bar	SB/CR4/K,L/14/1574/0/2 3.03.2016
230	Sibiu	MEDIA RINGER SRL	SIBIU, Aleea Biruintei, nr.6, ap.5, Jud. Sibiu; SIBIU, Cal. Dumbravii, nr.105, Jud. Sibiu	J32/372/1998	RO 1066823 7	0269/44 3401	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, Pmax<=60bar	SB/CR4/K,L/14/1334/0/3 0.06.2014

231	Central	MEGA NET SRL	CONSTANTA, Sos. Mangaliei, nr.61, bl.SM3, sc.B, et.9, ap.82, Jud. Constanta; Constanta, Sos. Mangaliei, nr.74, Jud. Constanta	J13/1190/2000	CUI 13111698	0241/588868	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Supape de siguranta cu arc 15mm<=Dnmax<=150mm, pmax<=16bar; Supape de siguranta cu greutate axiala 50mm<=Dnmax<=250mm, pmax<=40bar;; Supape de siguranta cu parghie si contragreutate 40mm<=Dnmax<=200mm, pmax<=60bar	DISPR/CR4/K/14/2460/0/24.11.2011
232	Central	MEGA PASCAL SRL	SIBIU, Str. Independentei, nr.3A, Jud. Sibiu	J32/110/1993	RO 3238580	0269/253150	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=100mm, pmax<=100bar	DISPR/CR4/K,L/14/1588/0/26.07.2011
233	Central	MEGATERM SRL	BUCURESTI, Bd. Ghencea, nr.34, sector 6	J40/22602/1994	CUI 6520657	021/4132025/4132017	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=64bar	DISPR/CR4/K,L/14/0859/0/18.05.2011
234	Bucuresti	MEGATERM SERVICII SRL	BUCURESTI, Prelungirea Ghencea, nr.95K, camera 1, sector 6	J40/6828/2014	RO 33255515	0744326773; 021/4132017	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, DN max=125mm	B/CR4/K/14/2382/0/10.12.2014

235	Pitesti	MENTCHIM SA	RAMNICU VALCEA, Str. Uzinei, nr.1, Jud. Valcea	J38/501/2005	RO 17571575	0250/70 1501/70 1504	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=160bar, DN<=100mm	PT/CR4/K,L/14/0043/0/08.06.2010- retragere voluntara incepand cu 14.09.2016
236	Suceava	MERIDIAN SRL	BOTOSANI, Str. Maxim Gorki, nr.11, Jud. Botosani	J07/1200/1994	RO 6868830	0231/517989	Verificari tehnice la inchidere -deschidere , repararea si reglarea supapelor de sigurana cu actiune directa cu arc si cu parghie si contragreutate	DN=100mm PN=16bar	SV/CR4/K,L/14/0002/0/26.04.2010
237	Oradea	MESSER ROMANIA GAZ SRL	BUCURESTI, Str. Delea Veche, nr.24, cladirea de birouri A, et. 2-3, sector 2; MINTIA, Com. Vetel, Str. Santierului, nr.1A, Jud. Hunedoara	J40/4298/1998	CUI 10547308	021/3273624/3273626; 0254/236451/236453	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=25mm, Pmax=420bar	OR/CR4/K,L/14/1334/0/19.11.2014
238	Central	MESSER ROMANIA GAZ SRL	BUCURESTI, Str. Delea Veche, nr.24, sector 3	J40/4298/1998	CUI 10547308	021/3273624/3273625/3273626	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=50mm, pmax<=50bar	DISPR/CR4/K,L/14/0291/0/25.03.2011
239	Central	MESSER ROMANIA GAZ SRL	BUCURESTI, Cal. Calarasi, nr.177, bl.45, et.3, ap.7,8,9, sector 3	J40/4298/1998	CUI 10547308	021/3273624/3273626	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=50bar	DISPR/CR4/K,L/14/1115/1/24.06.2011
240	Bucuresti	MESSER ROMANIA GAZ SRL	BUCURESTI, Str. Delea Veche, nr.24, Cladire de birouri A, et. 2,3, sector 2	J40/4298/1998	CUI 10547308	021/3273624/3273626	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=50bar	B/CR4/K,L/14/1379/1/21.05.2013
241	Bucuresti	METROINSTAL SRL	CALAFAT, Sat Basarabi, Cal. Craiovei, nr. 165, Jud. Dolj	J16/230/2011	RO 28042332	0740055200	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=200bar	B/CR4/K,L/14/2580/0/06.08.2015

242	Central	MEVA SA	DR. TN. SEVERIN, Str. Dunarii, nr.3, Jud. Mehedinti	J25/135 /1991	CUI 1605779	0252/30 8439/31 5139	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=10bar	DISPR/CR4/K,L/14/2412/0/15.11.2011
243	Central	MEXGAZ SERVICE SRL	SLATIOARA, Str. Rasritului, nr.5, Jud. Olt	J28/592 /2009	CUI 2613624 4	0249/41 6717; 0729019 996; 0729019 997; 0349/81 6233; 0249416 717	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=18bar	DISPR/CR4/K,L/14/3252/0/15.03.2012
244	Oradea	MILEVI RSVTI SRL	ANINA, Str. Morii, nr. 11, Jud. Caras Severin	J11/70/ 2014	CUI 3277581 1	0770515 736, 0743603 882; 0355/ 410699	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=40bar	OR/CR4/K,L/14/1558/0/ 25.08.2017
245	Bucuresti	MIR ADI SERVICE SRL	TULCEA, Str. Obor, nr.2, bl.B1, sc.A, ap.14, Jud. Tulcea; TULCEA, Str. Urzicij, nr.48A, Jud. Tulcea	J36/79/ 2007	CUI 2106216 2	0745644 904	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax=250mm, pmax=40bar	B/CR4/K/14/2101/2/07.1 1.2014
246	Bucuresti	MIR ADI SERVICE SRL	TULCEA, Str. Obor, nr.2, bl.B1, sc.A, ap.14, Jud. Tulcea; TULCEA, Str. Isaccei, nr.4, Km 3, Jud. Tulcea	J36/79/ 2007	CUI 2106216 2	0745644 904	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax<=250mm, pmax<=40bar	B/CR4/K/14/2101/1/15.0 4.2014
247	Central	MIR ADI SERVICE SRL	TULCEA, Str. Obor, nr.2, bl.B1, sc.A, ap.14, Jud. Tulcea	J36/79/ 2007	CUI 2106216 2	0745644 904	Verificarea(la deschidere-inchidere) dispozitive de siguranta	Dnmax=250mm, pmax=40bar	DISPR/CR4/K/14/1619/0/ 03.08.2011

248	Bacau	MODERN CALOR SA	BOTOSANI, Str. Pacea, nr. 43, Jud. Botosani	J07/05/2010	RO 26892574	0231/537100/516446	Verificarea(la deschidere-inchidere) dispozitive de siguranta	Dnmax=150mm, pmax=25bar	BC/CR4/K/14/1537/0/30 .03.2015
249	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/210589	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=160bar	BC/CR4/K,L/14/1485/1/12.09.2014
250	Central	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/210589	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=160bar	DISPR/CR4/K,L/14/3572/0/16.05.2012
251	Central	MT ALWAYS PREMIUM SRL	ARAD, Str. Mircea Stanescu, nr.2, ap.12, Jud. Arad	J02/1075/2008	CUI 24051818	0257/212102	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=150mm, pmax<=64bar, fluid incercare apa; Dnmax<=50mm, pmax<=32bar, fluid incercare Gaz neutru	DISPR/CR4/K,L/14/2349/0/10.11.2011
252	Sibiu	MULTIPRACTIC SRL	TG. MURES, Str. Transilvania, nr.11/7, Jud. Mures	J26/540/2006	CUI 18546820	0265/260333	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400mm, pmax=350bar	SB/CR4/K,L/14/1423/2/17.12.2014
253	Central	MULTIPRACTIC SRL	TG. MURES, Str. Transilvania, nr.11/7, Jud. Mures	J26/540/2006	CUI 18546820	0265/260333	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=250bar	DISPR/CR4/K,L/14/1820/0/31.08.2011
254	Central	MULTIPRACTIC SRL	TG. MURES, Str. Transilvania, nr.11/7, Jud. Mures	J26/540/2006	CUI 18546820	0265/260333	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400mm, pmax=350bar	DISPR/CR4/K,L/14/1177/1/24.05.2013

255	Bacau	MURANIS SERV INSTAL SRL	BRAILA, Str. Ghiocailor, nr. 14, bl. A57, sc. 2, et. 1, ap. 25, Jud. Braila	J09/636 /2010	RO 2779453 1	0729070 715; e- mail muraniss erv@yah oo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=150mm, pmax<=40bar	BC/CR4/K,L/14/1599/0/ 29.09.2015
256	Central	NIPOSERV SRL	BRAILA, Cartier Hipodrom, Str. Pietatii, nr.20, bl.C1, sc.2, et.2, ap.24, Jud. Braila	J09/103 1/2005	CUI 1810360 2	0239/67 0201	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=150bar	DISPR/CR4/K,L/14/2249/ 0/25.10.2011
257	Central	NITROPOROS SRL	FAGARAS, Sos. Combinatului, nr.14, Jud. Brasov	J08/574 /2008	CUI 2341508 2	0268/20 6501/21 6111	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=200bar	DISPR/CR4/K,L/14/3086/ 0/20.02.2012
258	Sibiu	NM & C SRL	CLUJ NAPOCA, Str. Muresului, nr.46, ap. 5, Jud. Cluj	J12/269 /2005	RO 1717069 7	0364/80 6878	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax<=100mm; pmax<=25bar	SB/CR4/K/14/1058/0/18. 09.2012
259	Central	NUCLEAR ELECTRICA SA- FCN PITESTI	BUCURESTI, Str. Polona, nr.65, sector 1; MIOVENI, Str. Cimpului, nr.1, Jud. Arges	J40/740 3/1998	CUI 1087488 1	0248/20 7700/26 2499	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=200mm, pmax<=40bar	DISPR/CR4/K,L/14/1860/ 0/19.08.2011
260	Central	NUCLEARELECTRICA	BUCURESTI, Str. Polona, nr.65, sector 1; CERNAVODA, Str. Medgidiei, nr.2, Jud. Constanta	J40/740 3/1998; J13/344 2/2007	RO 1087488 1; CUI 2255461 9	021/203 8200/31 69804; 0241/23 9340/23 9266	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=420bar, Dmax=600mm	DISPR/CR4/K,L/14/0006/ 0/17.03.2010
261	Central	OK TEHNIC CONSULT SRL	ARAD, Bd. General Vasile Milea, nr.1, sc.3, et.2, ap.11, Jud. Arad	J02/199 /2007	RO 2087264 0	0257/22 7084	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=50mm, pmax<=20bar	DISPR/CR4/K,L/14/3353/ 0/20.03.2012

262	Central	OLDT EXPERT SRL	GALATI, Str. Avram Iancu, nr.20, camera1, Jud. Galati	J17/113 3/2010	CUI 2778289 8	0236/45 0863	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=60bar	DISPR/CR4/K,L/14/2989/ 0/13.02.2012
263	Central	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1	J40/830 2/1997	CUI 1590082	7.3E+08	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=64bar	DISPR/CR4/K,L/14/0438/ 0/19.04.2011
264	Central	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr.239, sector 1; EPS ASSET 5 MOESIA NORD DEPARTAMENT MANTENANTA POENI, Str. Gh. Radulescu, nr.83, Jud. Teleorman	J40/830 2/1997	CUI 1590082	021/406 0104; 0372868 544	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=49bar	DISPR/CR4/K,L/14/1837/ 1/06.09.2011
265	Bucuresti	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1; CALACEA, Jud. Timis	J40/830 2/1997	CUI 1590082	021/212 5001/ 3155166; 0256/37 9617	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=64bar	B/CR4/K,L/14/0319/0/02 .08.2010
266	Bucuresti	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1; PECICA, Jud. Arad	J40/830 2/1997	CUI 1590082	021/212 5001/ 3155166; 0372/42 8455	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=64bar	B/CR4/K,L/14/0320/0/03 .08.2010

267	Bucuresti	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1; SUPLACU DE BARCAU, Str. Crinului, nr.72, Jud. Bihor	J40/830 2/1997	CUI 1590082	021/212 5001/ 3155166	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dnmax=100mm, pmax=64bar	B/CR4/K/14/0321/0/09.0 9.2010
268	Bucuresti	OMV PETROM SA	BUCURESTI, sector1, Str. Coralilor, nr.22	J40/830 2/1997	CUI 1590082	021/406 0040/ 4060420	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dmax=100mm, pmax=64bar	B/CR4/K/14/0321/1/12.0 2.2013
269	Ploiesti	OMV PETROM SA	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; BOLDESTI SCAIENI, Cal. Unirii, nr.52, Jud. Prahova	J40/830 2/1997	RO 1590082	021/212 5001/31 55166	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=100bar, Dnmax=100mm	PL/CR4/K,L/14/0198/1/0 6.12.2010
270	Pitesti	OMV PETROM SA	BUCURESTI, Calea Dorobantilor, nr.239, sector 1; POIANA LACULUI	J40/830 2/1997	RO 1590082	0372160 737; 0372868 544; 0732410 654	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=200mm, pmax<=140bar	PT/CR4/K,L/14/0089/0/ 16.09.2010
271	Ploiesti	OMV PETROM SA- ASSET IX Moldova Sud	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; MOLDOVA SIUD, Service Center BERCA, Jud. Buzau	J40/830 2/1997	RO 1590082	021/264 7467	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, Pmax=80bar	PL/CR4/K,L/14/0159/0/0 6.09.2010
272	Ploiesti	OMV PETROM SA BOLDESTI SCAIENI	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; BOLDESTI SCAIENI, Cal. Unirii, nr.52, Jud. Prahova	J40/830 2/1997	RO 1590082	021/212 5001; 021/315 5166	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=100mm, Pmax=64bar	PL/CR4/K,L/14/0198/0/0 8.09.2010

273	Bucuresti	OMV PETROM SA E&P, MTN&LOG ASSET 2 OLTENIA - PL BUSTUCHINI	CRAIOVA, Str. Ion Maiorescu, nr.4, Jud. Dolj	J40/830 2/1997	RO 1590082	0249/41 4040	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, Pmax<=250bar	B/CR4/K,L/14/1161/0/09 .10.2012
274	Bucuresti	OMV PETROM SA- EP - ASSET 5 - MOESIA NORD DEPARTAMENT MENTENANTA	BUCURESTI, sector1, Str. Coralilor, nr.22; POENI, Str. Gh. Radulescu, nr.83, Jud. Teleorman	J40/830 2/1997	CUI 1590082	021/406 0040/ 4060420	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=49bar	B/CR4/K/14/0469/1/12.0 2.2013
275	Central	OMV PETROM SA- EP MENTENANTA & LOGISTICA ASSET 10 GAP TG. JIU	BUCURESTI, Str. Coralilor, nr.22, sector 1; TG. JIU, Str. Ecaterina Teodoroiu, nr.46, Jud. Gorj	J40/830 2/1997	CUI 1590082	0732333 411; 0253/22 3793	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=140bar	DISPR/CR4/K,L/14/1437/ 0/26.07.2011
276	Central	OMV PETROM SA- EPS	BUCURESTI, Cal. Dorobantilor, nr.239,, sector 1; Departament Mentenanta Asset 6 Muntenia- Central Atelier Toolmen- MORENI, Str. A. I. Cuza, nr.9, Jud. Dambovita	J40/830 2/1997	CUI 1590082	0372160 0737; 0372868 544	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=64bar	DISPR/CR4/K,L/14/0519/ 0/08.04.2011
277	Bucuresti	OMV PETROM SA	BUCURESTI, Str. Coralilor, nr.22, sector 1; Asset 6 UA MTN & LOG, MORENI, Str. A. I. Cuza, nr.7, Jud. Dambovita	J40/830 2/1997	CUI 1590082	021/406 0040/ 4060420	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=140bar	B/CR4/K,L/14/0519/1/25 .02.2014

278	Central	OMV PETROM SA- EPS DEPARTAMENTUL MENTENANTA ASSET VIII MOLDOVA NORD	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; MOINESTI, Str. Schelei, , nr. Cadastral 1992, sectia 1, Jud. Bacau	J40/830 2/1997	CUI 1590082	0732410 517; 0372428 353, 0372484 552	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dmax<=150mm, pmax<=49bar	DISPR/CR4/K,L/14/0210/ 0/24.03.2010
279	Central	OMV PETROM SA- EPS MENTENANTA & LOGISTICA ASSET 2 OLTENIA	BUCURESTI, Str. Coralilor, nr.22, sector 1; STATIE COMPRESOARE, BULBUCENI, CAPRENI, Str. Bratesti, Jud. Gorj	J40/830 2/1997	CUI 1590082	0372160 0737; 0372868 544	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=400bar	DISPR/CR4/K,L/14/1195/ 0/20.06.2011
280	Bucuresti	OMV PETROM SA UNITATEA DE AFACERI MENTENANTA SI LOGISTICA GAP TARGU JIU	TG. JIU, Bd. Ecaterina Teodoroiu, nr.60, Jud. Gorj	J40/830 2/1997	RO 1590082	0253/22 3793; 0732333 411	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, Pmax<=140bar	B/CR4/K,L/14/1163/1/24 .10.2012
281	Central	OPTIM SIG INSTAL SRL	DEVA, Str. Al. Patriei, nr.2, bl.D1, et.3, ap.39, Jud. Hunedoara	J20/5/2 000	CUI 1255011 3	0254/22 0020	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=80mm, pmax<=30bar	DISPR/CR4/K,L/14/0278/ 0/31.03.2011
282	Central	ORDEA PRODCOM SRL	TG. MURES, Str. Mioritei, nr.15, Jud. Mures	J26/826 /1997	CUI 9991233	0265/26 9256/26 1678	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=50bar	DISPR/CR4/K,L/14/0754/ 0/04.05.2011
283	Central	OVITIN CND AG SRL	PITESTI, Str. Depozitelor, nr.27, Corp C1, camera BP1, Jud. Arges	J03/711 /2011	CUI 2847222 4	0744124 082; 0248/21 7965	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=280bar	DISPR/CR4/K,L/14/2006/ 0/20.09.2011

284	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/1993	CUI 4000500	0244/513214; e-mail: sc_paulus_srl@yahoo.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=25bar, Dnmax=100mm	BV/CR4/K,L/14/1020/2/ 10.06.2016
285	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/1993	CUI 4000500	0244/513214	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=25bar, Dnmax=100mm	BV/CR4/K,L/14/1020/1/ 10.07.2012
286	Ploiesti	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, Jud. Prahova	J29/1233/1993	RO 4000500	0244/513214/ 595763	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=100mm, Pmax=25bar	PL/CR4/K,L/14/0123/0/0 2.08.2010
287	Central	PENAIVIPROD SRL	VASLUI, Str. Bucuresti, bl.400, sc.B, ap.6, Jud. Vaslui	J37/352/2011	CUI 29128378	0335/401565; 0235/319076	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=60bar	DISPR/CR4/K,L/14/3096/ 0/21.02.2012
288	Central	PETINSTAL SRL	MARGHITA, Calea Republicii, nr.82A, ap.4, Jud. Bihor	J05/1661/2007	RO 22004062	0728881382; 0359/448197	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=20bar	DISPR/CR4/K/14/3498/0/ 01.03.2012
289	Brasov	PETROGAZ SA	BRASOV, Str. Fanului, nr. 57G, Jud. Brasov	J08/218/1994	CUI 5225276	0268/330915	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=350bar	BV/CR4/K,L/14/1596/1/ 08.08.2016
290	Central	PETROGAZ SA	BRASOV, Str. Hortensiei, nr.73, Jud. Brasov	J08/218/1994	CUI 5225276	0268/330915	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=350bar	DISPR/CR4/K,L/14/0690/ 0/10.05.2011

291	Brasov	PETROGAZ INSPECT SRL	BRASOV, Str. Fanului, nr.57D, Jud. Brasov	J08/489 /2009	RO 2529473 4	0368/45 9043; e-mail ionita.rs vti.petro gaz@gmail.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=60bar	BV/CR4/K,L/14/1575/0/ 16.05.2016
292	Central	PETROM LPG SA	OTOPENI, Str. Aurel Vlaicu, nr.31A, et.2, Jud. Ilfov; Com. BRAZI, Sat NEGoiESTI, Jud. Prahova	J23/232 /2011	CUI 8037897	021/203 5100/20 35105	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=32mm, pmax=25bar	DISPR/CR4/K,L/14/0026/ 1/16.03.2011
293	Ploiesti	PETROM LPG SA	BUCURESTI, Bd. Ion Ionescu de la Brad, nr.2B, parter, et.4, sector 1; BRAZI, Sat Negoiesti, Jud. Prahova	J40/272 /1996	RO 8037897	021/203 5100/ 2035105; 0244/40 1055/ 401080	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=25bar, Dnmax=32mm	PL/CR4/K,L/14/0026/0/0 5.05.2010
294	Oradea	PETROSANTANDER ROMANIA SRL	ARAD, Str. Academia Teologica, nr.14, Jud. Arad	J02/825 /2010	RO 2688909 9	0372572 423; 0257/25 2315	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=64bar	OR/CR4/K,L/14/1218/2/ 22.08.2017
295	Oradea	PETROSANTANDER ROMANIA SRL	ARAD, Str. Academia Teologica, nr.14, Jud. Arad	J02/825 /2010	RO 2688909 9	0372572 425; 0257/25 2315	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=64bar	OR/CR4/K,L/14/1218/1/ 16.10.2013
296	Central	PETROSANTANDER ROMANIA SRL	ARAD, Str. Academia Teologica, nr.14, Jud. Arad	J02/825 /2010	RO 2688909 9	0372572 425; 0257/25 2315	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=64bar	DISPR/CR4/K,L/14/1177/ 0/20.06.2011

297	Bucuresti	PIFATI SA	BUCURESTI, Str. Iovita, nr. 11, et. 2, camere 4-9, sector 5	J40/110 0/1991	CUI 401517	021/410 4600/ 4100638; e-mail office@p ifati.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=64bar	B/CR4/K,L/14/0138/1/20 .05.2016
298	Bucuresti	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/110 0/1991	CUI 401517	021/410 6645/ 4100638	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=64bar	B/CR4/K,L/14/0138/0/09 .07.2010
299	Oradea	PITYU TERMOSERVICE S.R.L.	PETROSANI, Str. Aviatorilor, bl. 54A, sc. 3, parter, ap. 30, Jud. Hunedoara	J20/123 /2007	CUI 2074453 6	0254/54 1510	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	OR/CR4/K,L/14/1149/1/ 14.09.2015
300	Oradea	PITYU TERMOSERVICE S.R.L.	PETROSANI, Str. 1 Decembrie 1918, bl.101, sc.1, et.3, ap.22, Jud. Hunedoara	J20/123 /2007	CUI 2074453 6	0254/54 1510	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	OR/CR4/K,L/14/1149/0/ 23.05.2013
301	Bacau	PLUS EXPERT SSO SRL	LISAURA, Com. Ipotesti, Str. Gheorghe Mihuta, nr. 15A, Jud. Suceava; LISAURA, Str. Slatioarei, nr. 4A, et. 3, camera 2, Jud. Suceava	J33/661 /2011	RO 2882948 4	0743171 782; e- mail plus_exp ert@yah oo.com; 0330/80 3911/80 3910	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=25bar	BC/CR4/K,L/14/1752/0/ 12.04.2017

302	Bacau	PLUS TEST SRL	FOCSANI, Al. Echitatii, nr. 17, bl. I 11, parter, ap. 1, Jud. Vrancea	J39/335 /2014	RO 3333545 2	0763261 641; e-mail verificari tehnice @yahoo. com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=250mm, pma<x=25bar	BC/CR4/K,L/14/1769/0/ 12.06.2017
303	Bacau	PLUSSERVICE SRL	FOCSANI, Str. Bucegi, nr.13, bl.13, ap.12, Jud. Vrancea; FOCSANI, Str. 1 Decembrie 1918, nr.37, Jud. Vrancea	J39/678 /2003	RO 1581866 1	0744635 244; e-mail: verificari tehnice @yahoo. com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Verificari tehnice , reglare : pmax=100bar, Dnmax=250mm; Reparare : pmax=50bar, Dnmax=250mm	BC/CR4/K,L/14/1049/2/ 23.09.2013
304	Bacau	PLUSSERVICE SRL	FOCSANI, Str. Bucegi, nr.13, bl.13, ap.12, Jud. Vrancea	J39/678 /2003	RO 1581866 1	0744635 244	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=50bar, Dnmax=250mm	BC/CR4/K,L/14/1049/1/ 20.09.2012
305	Galati	PLUSSERVICE SRL	FOCSANI, Str. Bucegi, nr.13, Jud. Vrancea	J39/678 /2003	RO 1581866 1	0237/22 5019	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=250mm, pmax=50bar	GL/CR4/K,L/14/0125/0/ 17.12.2010
306	Central	POLTISAN SRL	BRASOV, Str. Anghel Saligny, nr.3, Jud. Brasov	J08/114 5/2004	CUI 1644684 1	0268/41 6440	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, pmax<=40bar	DISPR/CR4/K,L/14/0648/ 0/08.04.2011
307	Cluj	PRESTAREA SCM	SIMLEU SILVANIEI, Str. Gradinilor, nr.2, Jud. Salaj	C31/38/ 2005	RO 687541	0260/67 8934	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=100mm, Pmax=25bar	CJ/CR4/K/14/0069/0/26. 08.2010

308	Cluj	PROGAZ INSTAL SRL	BISTRITA, Str. N. Titulescu, nr.21, ap.4, Jud. Bistrita Nasaud	J06/263 /2000	RO 1337442 2	0263/23 3713	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=150mm, Pmax=60bar	CJ/CR4/K,L/14/0121/0/1 8.11.2010
309	Central	PROIMSAT SA	RM. VALCEA, Str. Industriilor, nr.2, Jud. Valcea	J38/155 8/1992	CUI 2989104	0250/73 3390; 0250/73 0231; 0350/40 1697	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=50mm, pmax=16bar	DISPR/CR4/K,L/14/2166/ 0/12.10.2011- retragere voluntara incepand cu 03.08.2017
310	Central	RAAN - Suc. ROMAG PROD	DR. TN. SEVERIN, Cal. Tg. Jiului, Km 7, Jud. Mehedinti	J25/282 /1998	CUI 1088272 5	0252/31 1250/31 7908	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	DISPR/CR4/K,L/14/1094/ 0/09.06.2011
311	Bucuresti	RAAN - Suc. ROMAG PROD	DR. TN. SEVERIN, Str. Nicolae Iorga, nr.1, Jud. Mehedinti; Com. Izvoru Barzii, Sat Rascolesti, Cal. Tg. Jiu, Km 7, Jud. Mehedinti	J25/282 /1998; J25/300 /1998	CUI 1088275 2; CUI 1261135 0	0252/32 3666/ 323066; 0252/31 1250/ 317908	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=64bar	B/CR4/K,L/14/1975/1/20 .01.2014
312	Ploiesti	RAFINARIA STEAUA ROMANA SA	CIMPINA, Cal. Doftanei, nr.15, Jud. Prahova	J29/148 /1991	RO 1322632	0244/33 6151/33 7341	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=100bar, Dnmax=200mm	PL/CR4/K,L/14/0233/0/1 8.11.2010
313	Bacau	RAFO SA	ONESTI, Str. Industriilor, nr.3, Jud. Bacau	J04/538 /1991	CUI 958772	0234/30 3303/ 315640	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=200bar, Dnmax=250mm	BC/CR4/K,L/14/0077/1/ 25.04.2013

314	Brasov	RAIL LOGISTIC SRL	BRAZI, Sat Negoiesti, Str. Piatra Craiului, nr. 13, Jud. Prahova	J40/114 17/2014	CUI 1864719 1	0373550 080; 0373550 073; e- mail office@r ail- logistic.r o	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=40bar, Dnmax=219mm	BV/CR4/K,L/14/1628/1/ 16.10.2017
315	Brasov	RAIL LOGISTIC SRL	BUCURESTI, Sos. Mihai Bravu, nr. 296, sc. B, et. 8, ap. 68, sector 3; BRAZI, Sat Negoiesti, Str. Piatra Craiului, nr. 13, Jud. Prahova	J40/114 17/2014	CUI 1864719 1	0373550 080; 0373550 073; e- mail office@r ail- logistic.r o	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=40bar, Dnmax=219mm	BV/CR4/K,L/14/1628/0/ 22.12.2016
316	Bacau	RCA MOLDOTERM SRL	IASI, Aleea Tudor Neculai, nr.99, bl. 989A, sc.B, et.4, ap.18, Jud. Iasi	J22/174 1/2004	CUI 1669816 4	0332/80 8738/80 8739	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax=40bar	BC/CR4/K,L/14/1669/1/ 18.05.2016
317	Central	RCA MOLDOTERM SRL	IASI, Aleea Tudor Neculai, nr.99, Jud. Iasi	J22/174 1/2004	CUI 1669816 4	0332/80 8739	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax=40bar	DISPR/CR4/K,L/14/0681/ 0/05.05.2011
318	Central	REAL INSTAL SRL	JILAVA, Sos. Giurgiului, nr.169, camera 2, Jud. Ilfov	J23/290 0/2007	CUI 2266429 8	0746255 688; 0318/16 7308	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=50bar	DISPR/CR4/K,L/14/0801/ 0/18.05.2011

319	Sibiu	REGIA AUTONOMA DE TERMOFICARE	CLUJ NAPOCA, Str. 21 Decembrie 1989, nr.79, Jud. Cluj; CLUJ NAPOCA, Str. Plevnei, nr.66-68, Jud. Cluj	J12/338 /1991	CUI 201330	0264/50 3703/50 3722; e-mail rat@ratc j.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=16bar	SB/CR4/K,L/14/1482/1/2 3.07.2015
320	Central	REGIA AUTONOMA DE TERMOFICARE	CLUJ NAPOCA, Str. 21 Decembrie 1989, nr.79, Jud. Cluj; CLUJ NAPOCA, Str. Plevnei, nr.66-68, Jud. Cluj	J12/338 /1991	CUI 201330	0264/50 3703/50 3722	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=16bar	DISPR/CR4/K,L/14/0740/ 0/20.04.2011
321	Bucuresti	REGIO IMPEX SRL	BUCURESTI, Str. Gradistea Florestilor, nr.14, sector 2	J40/821 5/1991	CUI 1594483	021/224 6634; 021/202 9285	Verificare (la deschidere- inchidere) la dispozitive de siguranta	DNmax=32mm, pmax=40bar	B/CR4/K/14/0425/1/16.0 6.2014
322	Brasov	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322 /2000	CUI 1291148 0	0244/54 6229; 0244/54 6031; e-mail: remero@ yahoo.co m	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=350mm, pmax<=200bar	BV/CR4/K,L/14/1327/3/ 21.10.2014
323	Central	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322 /2000	CUI 1291148 0	0244/54 6224; interior 310; 315; 0244/54 6031	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=350mm, pmax<=200bar	DISPR/CR4/K,L/14/2008/ 0/24.04.2012

324	Central	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322/2000	CUI 1291148 0	0244/54 6221/54 6031	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=200bar	DISPR/CR4/K,L/14/2008/ 1/12.12.2011
325	Central	REMERO FIL SA	Com. BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322/2000	CUI 1291148 0	0244/54 6221/54 6031	Verificare (la deschidere- inchidere) dispozitive de siguranta	Dnmax=200mm, pmax=200bar	DISPR/CR4/K/L/14/2008/0/ 23.09.2011
326	Brasov	REVAG SRL	PLOIESTI, Str. Industriei, nr.4, Jud. Prahova	J29/687/2001	CUI 1407149 4	0244/57 2777	Verificari tehnice la inchidere -deschidere , reglarea si repararea supapelor de siguranta	pmax=100bar, Dn=200mm	BV/CR4/K,L/14/1115/0/ 28.02.2013
327	Bucuresti	REVICOM OIL SRL	BUCURESTI, Str. Vistiernicul Stavrinis, nr.21, sector 6	J40/256 61/1994	RO 6645189	021/250 3074/ 2508870; e-mail office@r evicomoi l.ro	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=150bar, Dn=40mm	B/CR4/K,L/14/2288/1/04 .11.2016
328	Bucuresti	REVICOM OIL SRL	BUCURESTI, Str. Vistiernicul Stavrinis, nr.21, sector 6; BUCURESTI, Str. Fantanica, nr.41, sector 2	J40/256 61/1994	RO 6645189	021/250 3074/ 2508870	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=150bar, Dn=40mm	B/CR4/K,L/14/2288/0/16 .09.2014
329	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta;Constanta, Bd. Aurel Vlaicu, nr.125, Jud. Constanta	J13/205 3/2001	RO 1432066 8	0241/58 6406/58 6448	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<1500mm, pmax<=150bar	B/CR4/K,L/14/2425/1/04 .02.2015

330	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta;Constanta, Bd. Aurel Vlaicu, nr.125, Jud. Constanta	J13/2053/2001	RO 14320668	0241/586406/586448	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	B/CR4/K/14/1426/1/04.02.2015
331	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta;Constanta, Bd. Aurel Vlaicu, nr.125, Jud. Constanta	J13/2053/2001	RO 14320668	0241/586406/586448	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=200bar	B/CR4/K,L/14/1770/2/04.02.2015
332	Central	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta;Constanta, Bd. Aurel Vlaicu, nr.4-6, Jud. Constanta	J13/2053/2001	CUI 14320668	0241/5586406/586448	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	DISPR/CR4/K/14/2657/0/04.01.2012
333	Central	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta;Constanta, Bd. Aurel Vlaicu, nr.125, Jud. Constanta	J13/2053/2001	RO 14320668	0241/586406/586448; 0722681690	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, pmax<=150bar	DISPR/CR4/K,L/14/2989/0/13.02.2012
334	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta;Constanta, Bd. Aurel Vlaicu, nr.125, Jud. Constanta	J13/2053/2001	RO 14320668	0241/586406/586448	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=200bar	B/CR4/K,L/14/1770/1/27.08.2013
335	Iasi	RIGAB SRL	IASI, Bd. T. Vladimirescu, nr.105, sc.A, ap.4, Jud. Iasi	J22/758/2004	RO 16333338	0332/800709/800708	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=420bar, Dn max=600mm	IS/CR4/K,L/14/0151/0/08.12.2010
336	Bacau	RIGAB SERVICE SRL	IASI, B-dul Tudor Vladimirescu , nr. 105, sc. A, parter, ap. 4, Jud. Iasi	J22/1054/2012	CUI 30361449	0332/800709,800708	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=600bar, Dn max=600mm	BC/CR4/K,L/14/1456/0/13.06.2014

337	Brasov	RO STEAM IT SRL	BRASOV, Str. Neagoe Basarab. Nr. 37, Jud. Brasov	J08/186 3/2017	RO 3788068 0	0368/41 4123; e- mail rosteami t@gmail. com	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=250bar, Dn max=250mm	BV/CR4/K,L/14/1694/0/ 13.09.2017
338	Oradea	ROAMBRA COMPANY SRL	TIMISOARA, Str. Simion Barnutiu, bl.81, et.1, ap.2, Jud. Timis	J35/112 0/1999	CUI 1249393 0	0356/17 9990	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=250bar, Dn max3600mm	OR/CR4/K,L/14/1225/0/ 01.11.2013
339	Central	ROBERT BOSCH SRL	BUCURESTI, Str. Horia Macelariu, subsol+parter+1,2, nr. 30- 34, et.4, sector 1	J40/760 1/1994	CUI 5541546	021/405 7500/23 31313	Verificare (la deschidere- inchidere) dispozitive de siguranta	Dmax<=150mm, pmax<=16bar	DISPR/CR4/K/14/0711/0/ 06.05.2011
340	Ploiesti	ROC ROMANIAN OIL COMPANY SRL	PLOIESTI, Str. Carpati, bl.33H, ap.21, Jud. Prahova	J29/272 1/1993	RO 4891861	0244/59 1811	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=40bar, Dnmax=150mm	PL/CR4/K,L/14/0223/0/0 2.11.2010
341	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/833 1/2001	CUI 1420885 1	7.4E+08	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=64bar, Dmax=150mm	DISPR/CR4/K,L/14/0223/ 0/22.03.2010
342	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1; PETROMIDIA NAVODARI, Bd. Navodari, Km 23, Jud. Constanta	J40/833 1/2001	RO 1420885 1	021/272 3660/31 40897	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=400mm, pmax<=3500bar	DISPR/CR4/K,L/14/3482/ 0/19.04.2012
343	Bacau	ROTHERM GRUP SRL	IASI, Bd. C.A. Rosetti, nr. 1, bl. 304, sc. II, parter, Jud. Iasi	J22/825 /2000	CUI 1349919 1	0232/27 6655/27 6666	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=30bar	BC/CR4/K,L/14/1597/1/ 14.12.2016

344	Bacau	ROTHERM GRUP SRL	IASI, Bd. C.A. Rosetti, nr. 1, bl. 304, sc. II, parter, Jud. Iasi	J22/825/2000	CUI 1349919 1	0232/27 6655	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=100mm, pmax<=30bar	BC/CR4/K,L/14/1597/0/ 22.09.2015
345	Central	RSVTI CONCEPT SRL	BUCURESTI, Str. Ioan Caragea Voda, nr.14, camere 1,2, sector 1	J40/844 8/2009	CUI 2583518 0	031/107 8370	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax<=40bar	DISPR/CR4/K,L/14/0177/ 0/14.03.2011
346	Central	RUS MIRS SRL	TIMISOARA, Str. Ana Ipatescu, nr.6, sc.C, ap.1, Jud. Timis	J35/403 /2008	RO 2322200 6	0356/42 6045	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=64bar	DISPR/CR4/K,L/14/1012/ 0/01.06.2011
347	Ploiesti	SAFETYPRO VALVE SRL	TARGOVISTE, Str. Capitan Constantinescu Ion, nr.3A, Jud. Dambovita	J15/424 /2009	RO 2567083 9	0245/20 6114/ 206115	Verificare la inchidere -deschidere a supapelor de siguranta	P<=700bar, DN<=500mm	PL/CR4/K/14/0003/0/13. 04.2010
348	Bucuresti	SAFETYPRO VALVE SRL	TARGOVISTE, Str. Capitan Constantinescu Ion, nr.3A, Jud. Dambovita	J15/424 /2009	RO 2567083 9	0245/20 6114/ 206115	Verificare la inchidere -deschidere a supapelor de siguranta	P<=700bar, DN<=500mm	B/CR4/K,L/14/1723/1/30 .07.2013
349	Central	SAGIO IMPEX SRL	PIATRA NEAMT, Aleea Margaretelor, nr.17, sc.A, et.2, ap.10, Jud. Neamt	J27/578 /1995	RO 7539356	0233/21 1142; 0744697 050	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=65mm, pmax=10bar	DISPR/CR4/K,L/14/3322/ 0/21.03.2012
350	Sibiu	SAGUNTO IMPEX SRL	CLUJ NAPOCA, Str. Streiului, nr. 1, bl. A14, ap. 24, Jud. Cluj; CLUJ NAPOCA, Str. Nirajului, nr. 9, bl. P5, Garaj nr. 2, Jud. Cluj	J12/230 /2002	RO 1443497 9	0744706 585; 0264/41 2409; e- mail saguntoc luj@yahoo. com	Verificare la inchidere -deschidere a supapelor de siguranta	Pmax=15bar, DNmax=100mm	SB/CR4/K/14/1476/0/02. 07.2015

351	Oradea	SAMGEC SRL	SATU MARE, Str. Lucian Blaga, nr. 85A, Jud. Satu Mare	J30/175 7/1994	CUI 6593861	0746237 923; 0261/76 0080	Verificare (la deschidere- inchidere) dispozitive de siguranta	Dmax<=250mm, pmax<=25bar	OR/CR4/K/14/1528/1/04 .04.2017
352	Central	SAMGEC SRL	SATU MARE, Str. Petru Maior, nr.32, Jud. Satu Mare; SATU MARE, Str. Lucian Blaga, nr.85A, Jud. Satu Mare	J30/175 7/1994	CUI 6593861	7462379 23; 0261/76 0080	Verificare (la deschidere- inchidere) dispozitive de siguranta	Dmax<=250mm, pmax<=25bar	DISPR/CR4/K/14/0485/0/ 07.04.2011
353	Brasov	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761 /1994	RO 5420374	0723276 995, 0372/00 0403	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=25bar, Dn<=200mm	BV/CR4/K,L/14/1684/1/ 02.08.2017
354	Ploiesti	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761 /1994	RO 5420374	0244/54 4707/51 9648	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=25bar, Dn<=200mm	PL/CR4/K,L/14/0260/0/0 6.12.2010
355	Central	SERCOP AND SRL	CAMPULUNG , Str. Fratii Golesti, nr.72, Jud. Arges	J03/213 2/1994	RO 6749864	0248/51 0628	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=200mm, pmax<=100bar	DISPR/CR4/K,L/14/0994/ 0/16.06.2011
356	Central	SERVICII ELECTROMECHANICE SRL	CRAIOVA, Cal. Bucuresti, nr.166, Jud. Dolj	J16/142 7/2005	CUI 1776210 9	0251/43 7033; 0745378 660	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=100bar	DISPR/CR4/K,L/14/1527/ 0/08.07.2011
357	Bucuresti	SERVICII ELECTROMECHANICE SRL	GHERCESTI, Str. Aviatorilor, nr.10, Jud. Dolj	J16/142 7/2005	RO 1776210 9	0745378 660; 0251/43 7033	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, Pmax<=100bar	B/CR4/K,L/14/1253/1/14 .01.2013
358	Central	SERVINSTAL SRL	TG. MURES, Str. 22 Decembrie 1989. nr. 51/7, Jud. Mures	J26/117 7/2003	CUI 1574274 1	0265/25 9259	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=25bar	DISPR/CR4/K,L/14/2439/ 0/21.11.2011

359	Bucuresti	SERVINSTAL ENGINEERING SRL	VOLUNTARI, Str. George Bacovia, nr. 21A, Jud. Ilfov	J23/683 /2012	RO 2779227 1	0723361 758; e-mail office@serveng.ro	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=65bar	B/CR4/K,L/14/2001/0/07 .10.2016
360	Central	SIMPRESS SRL	SIBIU, Str. Lemnelor, nr.3, Jud. Sibiu	J32/183 0/1991	CUI 789630	0269/20 6748	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=60mm, pmax=25bar	DISPR/CR4/K,L/14/2056/ 0/28.09.2011
361	Bacau	SIONTECH 2006 SRL	COM. PANGARATI, Sat Pangaracior,nr.458, Jud. Neamt	J27/122 3/2006	CUI 1912173 9	0745343 098; e-mail office@si iontech. ro	Verificare (la deschidere- inchidere) dispozitive de siguranta	Dmax<=100mm, pmax<=65bar	BC/CR4/K/14/1696/1/09 .09.2016
362	Central	SIONTECH 2006 SRL	COM. PANGARATI, Sat Pangaracior,nr.458, Jud. Neamt	J27/122 3/2006	CUI 1912173 9	0233/25 6492	Verificare (la deschidere- inchidere) dispozitive de siguranta	Dmax<=60mm, pmax<=60bar	DISPR/CR4/K/14/0446/0/ 14.04.2011
363	Central	SIR CONSTRUCT SRL	AIUD, Str. Faget, nr.5A, Jud. Alba	J01/85/ 2000	CUI 1283724 3	0757677 015; 0258/86 0891	Verificare (la deschidere- inchidere) dispozitive de siguranta	Dmax=100mm, pmax=20bar	DISPR/CR4/K/14/1414/0/ 11.07.2011
364	Oradea	SISTEMGAS SRL	TIMISOARA, Str. Sulina, nr.10, Jud. Timis	J35/310 9/1994	CUI 6470320	0256/49 6393	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=65mm, pmax=25bar	OR/CR4/K,L/14/1154/1/ 28.05.2013
365	Bucuresti	SISTEMPLAST SA	RM. VALCEA, Str. Uzinei, nr.1, Jud. Valcea	J38/11/ 1999	CUI 1143800 7	0250/70 1501/ 701504	Verificare (la deschidere- inchidere) dispozitive de siguranta	Dnmax=450mm, pmax=400bar	B/CR4/K/14/1946/0/10.1 2.2013

366	Sibiu	SNGN ROMGAZ - Sucursala de Productie Energie Electrica Iernut	IERNUT, Str. Energeticii, nr.1, Jud. Mures	J26/194/2013	RO 14056826	0265/471333/471388	Verificare (la deschidere-inchidere) dispozitive de siguranta	Dnmax=250mm, pmax=150bar	SB/CR4/K,L/14/1296/0/17.04.2014
367	Bucuresti	SOCIETATEA DE SERVICII HIDROENERGETICE HIDROSERV SA	BUCURESTI, Str. Constantin Nacu, nr.3, et. 3-5, sector 2	J40/9762/2013	RO32097794	021/3110612	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=100bar	B/CR4/K,L/14/1928/1/20.11.2014
368	Bucuresti	SOCIETATEA HIDROELECTRICA SERV SA	BUCURESTI, Str. Constantin Nacu, nr.3, et. 3-5, sector 2	J40/9762/2013	RO32097794	021/3110612	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=100bar	B/CR4/K,L/14/1928/0/13.11.2013
369	Bucuresti	SOF INSTAL PROIECT SRL	POPESTI LEORDENI, Str. Astrelor, nr. 12, parter, Jud. Ilfov	J23/27/2015	CUI 33942730	0773791207; 031/4315156	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/2409/0/19.01.2015
370	Central	SOLINVEST SRL	GALATI, Str. Alunusului, nr.12, Jud. Galati	J17/1274/1992	CUI 1630667	0336/802549; 0236/456134	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	DISPR/CR4/K,L/14/0609/0/22.04.2011
371	Central	SOLO PROD SRL	BUZAU, Str. Orizontului, nr.206, Jud. Buzau	J10/2260/1994	CUI 6446054	0238/720038; 0338/111540	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=200mm, pmax<=40bar	DISPR/CR4/K,L/14/2542/0/20.12.2011
372	Bucuresti	STANDARD CSL SRL	Comuna CHIRNOGI, Str. Peluzei, nr.7, Jud. Calarasi	J51/736/2005	RO 18180877	0242/524223; 0727856273	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=60mm, pmax=22bar	B/CR4/K,L/14/2133/0/30.04.2014
373	Central	STAVAS CONSULTING SRL	SLOBOZIA, Varianta Bucuresti - Constanta, Km 66, Corp C3, Jud. Ialomita	J21/468/2007	CUI 22210224	0243/221184	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=150bar	DISPR/CR4/K,L/14/2856/0/25.01.2012

374	Bucuresti	TEHNIC SERV SRL	GIURGIU, Sos. Sloboziei, Km 4, Jud. Giurgiu	J52/355 /2003	CUI 15804550	0246/217863/217209	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=125mm, pmax=64bar	B/CR4/K,L/14/0047/0/03 .06.2010
375	Central	TEHNITES SRL	BOTOSANI, Aleea Curcubeului, nr.15, sc.E, et.1, ap.4, Jud. Botosani; BOTOSANI, Str. Pacea, nr.49, Jud. Botosani	J07/147 /2000	CUI 13197304	0231/584964	Verificare (la deschidere-inchidere) dispozitive de siguranta	Dmax=100mm, pmax=16bar	DISPR/CR4/K,L/14/2888/0/31.01.2012
376	Central	TEHNITES SRL	BOTOSANI, Aleea Constantin Piliuta, nr.1B, cam.1, Jud. Botosani	J07/147 /2000	CUI 13197304	0231/584964	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=16bar	BC/CR4/K,L/14/1265/1/13.06.2013
377	Bucuresti	TEHNO MOD GRUP SRL	MANGALIA, Str. Muncelului, nr.1, Jud. Constanta	J13/326 3/2007	CUI 22476081	0241/759970	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=60bar	B/CR4/K,L/14/2095/0/09 .04.2014
378	Central	TEHNOTERM SRL	IASI, Sos. Pacurari. Nr.26, bl.T4, parter, Jud. Iasi	J22/310 7/1994	CUI 6788022	0232/259596	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=60bar	DISPR/CR4/K,L/14/0557/0/20.04.2011
379	Bacau	TEHNOTERM SRL	IASI, Bd. Chimiei, nr. 14, Jud. Iasi	J22/310 7/1994	CUI 6788022	0232/259596	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=60bar	BC/CR4/K,L/14/1388/1/11.03.2014
380	Brasov	TEODAN INSTAL SRL	PLOIESTI, Str. Maramures, nr.14-16, Jud. Prahova	J29/258 7/2007	CUI 22547417	0244/546228; e-mail Teodan_instal@yahoo.com	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=300bar, Dnmax=150mm	BV/CR4/K,L/14/1352/1/11.12.2014

381	Ploiesti	TEODAN INSTAL SRL	PLOIESTI, Str. Republicii, nr.108, Bl.13B2, et.2, ap.6, Jud. Prahova	J29/2587/2007	RO 22547417	0244/514500	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=300bar, Dnmax=150mm	PL/CR4/K,L/14/0258/0/0 6.12.2010
382	Sibiu	TERM INSTAL GROUP SRL	DEJ, Str. Florilor, nr.8, Jud. Cluj	J12/720/1999	RO 11833600	0264/212273	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax<=100mm; pmax<=25bar	SB/CR4/K,L/14/1032/0/2 7.07.2012
383	Bacau	TERMA SRL	BACAU, Str. Oituz, nr.78, Jud. Bacau	J04/219/1997	CUI 9234919	0234/511711/580010; e-mail office@termabacau.ro	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=50mm, pmax<=6bar	BC/CR4/K,L/14/1760/1/ 03.05.2017
384	Central	TERMA SRL	BACAU, Str. Oituz, nr.78, Jud. Bacau	J04/219/1997	CUI 9234919	0234/511711/580010	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=6bar	DISPR/CR4/K,L/14/0552/ 0/15.04.2011
385	Central	TERMAEXIM SA	GALATI, Str. Petru Groza, nr.23, Jud. Galati	J17/1221/1991	CUI 1631352	0236/470870/470669	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, pmax<=160bar	DISPR/CR4/K,L/14/0029/ 0/23.02.2011
386	Central	TERMICA SA	SUCEAVA, Str. Energeticianului, nr.1, Jud. Suceava	J33/310/2002	CUI 14682110	0230/257066/257663	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=64bar	DISPR/CR4/K,L/14/0854/ 0/11.05.2011
387	Brasov	TERMO CONFORT SRL	BRASOV, Bd. Victoriei, nr.10, bl.43, Jud. Brasov	J8/184/1998	RO 10253388	0268/416830	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	p<=40bar, D<=250mm	BV/CR4/K,L/14/1099/0/ 14.01.2013

388	Sibiu	TERMOCONSULTING SRL	ALBA IULIA- MICESTI, Str. Carpati, nr.26, Jud. Alba	J01/463 /2004	RO 1635863 0	0258/83 2409	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	8mm<=DN<=250m m, 0bar<= Pn<250bar	SB/CR4/K,L/14/0069/0/1 6.08.2010
389	Central	TERMODAV SRL	BRAGADIRU, Str. Iederei, nr.63D, Jud. Ilfov	J23/324 3/2008	CUI 2461998 6	0740044 941; 031/808 1274	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=70bar	DISPR/CR4/K,L/14/2102/ 0/03.10.2011
390	Central	TERMODINAMIC SRL	ARAD, Str. Stan Dragu, nr.1, Jud. Arad	J02/111 4/1994	CUI 6111857	0257/25 6502/25 0310	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=10bar, fluid aer; Dnmax=250mm, pmax=250bar, fluid azot	DISPR/CR4/K,L/14/2566/ 0/08.12.2011
391	Craiova	TERMOINSTALATII CONSULT SRL	CRAIOVA, Piata Unirii, bl.N, ap.43, Jud. Dolj	J16/651 /2010	RO 2702776 8	0251/46 2565	Verificare (la deschidere- inchidere) dispozitive de siguranta	DN=300mm, Pmax=450bar	CR/CR4/K,L/14/0039/0/ 02.07.2010
392	Central	TERMOINVEST SRL	FETESTI, Str. M. Sadoveanu, nr.3, Jud. Ialomita	J21/31/ 1994	CUI 5168146	0243/36 5108	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=60bar	DISPR/CR4/K,L/14/0880/ 0/18.05.2011
393	Ploiesti	TERMOKLIMA SRL	BUZAU, Str. Agriculturii, nr.25, Jud. Buzau	J10/215 /2000	RO 1303809 0	0238/72 2274	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax<=250bar, DN<=400mm	PL/CR4/K,L/14/0264/0/0 6.12.2010
394	Central	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, ap.6, Jud. Cluj	J12/392 7/1994	CUI 6589364	0264/43 1587	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	DISPR/CR4/K,L/14/1079/ 0/01.06.2011

395	Central	TERMOREP SRL	RM. VALCEA, Str. Nistor Dumitrescu, nr.14/17, Jud. Valcea	J38/576 /1991	CUI 1469332	0250/73 7308/73 7302; 0744549 436	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=100bar	DISPR/CR4/K,L/14/2165/0/11.10.2011
396	Oradea	THETA SIM SRL	PERICEI, nr. 613B, Jud. Salaj	J31/9/2 010	CUI 2640870	0742818 700; e- mail thetasim 2010@ya hoo.com	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dn=150mm, pmax=100bar	OR/CR4/K/14/1559/0/14 .09.2017
397	Central	TIMPROD SRL	SUCEAVA, Al. Dumbravii, nr.12D, Jud. Suceava	J33/764 /1995	CUI 7537380	0230/51 7230	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=64bar	DISPR/CR4/K,L/14/2115/0/07.10.2011
398	Central	TMK ARTROM SA	SLATINA, Str. Draganesti, nr.30, Jud. Olt	J28/9/1 991	CUI 1510210	0372498 148, 0721240 759, 0249/43 1144	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=64bar	DISPR/CR4/K/14/1170/0/21.06.2011
399	Bucuresti	TOP OIL INTER SRL	CONSTANTA, Str. Lt. Gheorghe Hanes, cladire Club CFR, birou nr.1, Jud. Constanta	J13/225 3/2010	RO 2779628 1	0241/62 0844/ 51555	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=40bar	B/CR4/K,L/14/1769/0/26 .08.2013
400	Ploiesti	TOTAL CERT SRL	BUZAU, Str. Unirii, bl.E7A, et.8, ap.24, camera 1, Jud. Buzau	J10/500 /2005	RO 1747543 8	0238/72 3330	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=170mm, PN<=170bar	PL/CR4/K/14/0084/0/21.06.2010

401	Bacau	TOTALGAZ INDUSTRIE SRL	IASI,Sos. Pacurari, nr. 128, Jud. Iasi	J22/327 7/1994	RO 6658553	0232/21 6391/ 215983	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=600mm, pmax=450bar	BC/CR4/K,L/14/1432/0/ 13.06.2014
402	Brasov	TRISERV INSTAL SRL	AZUGA, Str. Gospodariei, nr.33, Jud. Prahova	J29/147 7/2006	RO 1882788 5	0244/32 6328	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=40bar, Dnmax<=150mm	BV/CR4/K,L/14/1058/0/ 02.10.2012
403	Sibiu	TUBEX SRL- Sucursala DANES	Sat DANES, Str. Garii, nr.1, Jud. Mures	J26/122 3/2003	RO 1577838 9	0265/76 1703	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax<=300mm; pmax<=400bar	SB/CR4/K,L/14/1034/0/1 6.08.2012
404	Oradea	UCM RESITA SA	BUCURESTI, Piata Montreal, nr.10, cladirea WTC, intrarea F, et.1, birou nr.1, sector 1; RESITA, Str. Golului, nr.1, Jud. Caras Severin	J40/136 28/2011	CUI 1056654	Telex 74215; 5/21711 1/ 223082	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=25bar Dnmax=80mm	OR/CR4/K,L/14/1094/1/ 17.01.2013
405	Timisoara	UCM RESITA SA	BUCURESTI, P-ta Montreal, nr.10, Cladire World Trade Center, intrare F, et.1, birou nr.1, sector 1; RESITA, Str. Golului, nr.1, Jud. Caras Severin	J40/136 28/2011	CUI 1056654	0255/21 7211/22 3082	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=80mm, Pn=25bar	TM/CR4/K,L/14/0074/0/ 14.09.2010
406	Bucuresti	UM 02550 L	BUCURESTI, Str. Teascului, nr.2, sector 4	-	CIF 4283716	021/334 1030/33 21389	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=50bar	B/CR4/K,L/14/1038/0/18 .09.2012

407	Oradea	UZINA ELECTRICA ZALAU SA	ZALAU, Str. Simion Barnutiu, nr.2, Jud. Salaj	J31/13/2002	RO 1439792 0	0260/66 2103/ 662101	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=35bar	OR/CR4/K,L/14/1385/1/ 23.12.2015- retragere voluntara incepand cu 18.10.2017
408	Oradea	UZINA ELECTRICA ZALAU SA	ZALAU, Str. Valea Mitei, nr. 2, Jud. Salaj	J31/13/2002	RO 1439792 0	0260/66 2103/ 662101; e-mail cet@uez alau.ro	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=35bar	OR/CR4/K,L/14/1385/0/ 09.07.2015
409	Oradea	VALFRAT PREST SRL	RESITA, Str. Timisoarei, bl.29, sc.3, ap.3, Jud. Caras Severin	J11/221 /1997	CUI 9745220	0255/22 5824	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	OR/CR4/K,L/14/1266/0/ 07.03.2014
410	Bacau	VENTILE, ARMATURI, SUPAPE SERVICE SRL	ROMAN, Str. Stefan cel Mare, nr. 279, Jud. Neamt	J27/339 /2015	CUI 3457136 2	0745050 306	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=100bar	BC/CR4/K,L/14/1560/0/ 01.07.2015
411	Bacau	VEOLIA ENERGIE IASI SA	IASI, Sos. Nationala, nr.43, et.1, camera 19, Jud. Iasi; Iasi, Cal. Chisinaului, nr.25, Jud. Iasi	J22/139 9/2012	RO 3057046 1	0232/23 2360/ 233918	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400mm, pmax=400bar	BC/CR4/K,L/14/1122/2/ 13.06.2017
412	Bacau	VEOLIA ENERGIE IASI SA	IASI, Sos. Nationala, nr.43, et.1, camera 19, Jud. Iasi; Iasi, Cal. Chisinaului, nr.25, Jud. Iasi	J22/139 9/2012	RO 3057046 1	0232/23 2360/ 233918	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400mm, pmax=400bar	BC/CR4/K,L/14/1122/1/ 11.05.2015

413	Cluj	VER INS TRAD SRL	BAIA MARE, Str. Tamplarilor, nr.15, Jud. Maramures	J24/752 /2006	CUI 1864986 2	0766247 388; 0362/40 2065	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=150mm, Pmax=64bar	CJ/CR4/K,L/14/0133/0/0 2.12.2010
414	Bacau	VIDMAC EXPERT SRL	BRAILA, Str. Apollo, nr. 23, bl. A7, ap. 14, Jud. Braila	J09/456 /2013	CUI 3200172 1	0728894 202	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=150mm, Pmax<=25bar	BC/CR4/K,L/14/1601/0/ 06.10.2015
415	Bucuresti	VIDOMAC CONS- SERV SRL	BUCURESTI, Aleea Petrachesti, nr.24, bl.1, sc.A, et.1, ap.112, sector 6	J40/127 1/2011	CUI 2800332 5	031/808 3752	Verificare (la deschidere- inchidere), reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax=40bar	B/CR4/K,L/14/3206/3/29 .05.2015
416	Bucuresti	VIDOMAC CONS- SERV SRL	BUCURESTI, Aleea Petrachesti, nr.24, bl.1, sc.A, et.1, ap.112, sector 6	J40/127 1/2011	CUI 2800332 5	031/808 3752	Verificare (la deschidere- inchidere), reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax=40bar	B/CR4/K,L/14/3206/2/11 .04.2014
417	Central	VIDOMAC CONS SERV SRL	BUCURESTI, Al. Petrachesti, nr.24, bl.1, sc.A, et.1, ap. 112, camera 1, sector 6	J40/127 1/2011	CUI 2800332 5	031/808 3752	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=125mm, pmax=16bar	DISPR/CR4/K,L/14/3206/ 1/08.03.2012
418	Bucuresti	VILO SRL	BUCURESTI, Bd. Camil Ressu, nr.15, bl.57, sc.4, et.2, ap. 141, sector 3	J40/937 8/2002	RO 1489942 0	021/648 8064/ 3253592	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=75mm, pmax=12bar	B/CR4/K,L/14/2317/0/21 .10.2014- suspendare voluntara incepand cu 16.08.2017
419	Bucuresti	VIOSIL INSTAL CONSTRUCT SRL	BUCURESTI, Str. Cozieni, nr.33, constructii C1, C2, C3, sector 5	J40/112 961/200 2	RO 1500046 7	021/335 7795/ 3367010	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dn=80mm, pmax=16bar	B/CR4/K,L/14/1183/0/16 .11.2012
420	Bucuresti	VIRGILIUS PROD COM SL	SLOBOZIA, Str. Vanatori, bl.D1, sc.A, ap.3, Jud. Ialomita	J21/878 /1992	CUI 2079087 1	0243/22 1129	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=50bar	B/CR4/K,L/14/1236/0/11 .12.2012

421	Central	VIROMET SA	VICTORIA, Aleea Uzinei, nr.8, Jud. Brasov	J08/340 /1991	CUI 1126350	0268/24 1120/24 1800	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax<=100bar	DISPR/CR4/K,L/14/1629/0/19.07.2011
422	Central	VITAL TERMO CONSTRUCT SRL	BUCURESTI, Str. Anastasie Panu, nr.8, bl.A 12, sc.2, et. 3, ap.40, sector 3	J40/559 4/1997	CUI 9617000	021/323 7773	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=100mm, pmax<=40bar	DISPR/CR4/K/14/0712/0/05.05.2011
423	Bacau	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239 /1991	RO 1454846	0237/64 0800/64 1720	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=40bar	BC/CR4/K,L/14/1430/1/16.06.2014
424	Central	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239 /1991	RO 1454846	0237/64 0800/64 1720	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=40bar	DISPR/CR4/K,L/14/3067/0/23.02.2012
425	Central	VTP SERVING SRL	CLUJ NAPOCA, Str. Godeanu, nr.2, ap.17, Jud. Cluj; CLUJ NAPOCA, Str. Henri Barbusse, nr. 59-61, Jud. Cluj	J12/154 0/2005	CUI 1751810 5	0264/55 2646	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=64bar	DISPR/CR4/K,L/14/0807/0/04.05.2011
426	Sibiu	VTU ECHIPAMENTE SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, et. 1, Jud. Cluj	J12/256 /2013	RO 3115679 5	0264/43 1587/ 596750	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=250mm, pmax<=250bar	SB/CR4/K,L/14/1500/0/13.08.2015
427	Central	YIT ROMANIA SRL	SIBIU, Com. SELIMBAR, Str. Sibiului, nr.2, camera 403, Jud. Sibiu	J32/110 3/2008	CUI 1696254 0	0369/40 8917/40 8918	Verificare (la deschidere-inchidere) dispozitive de siguranta	Dnmax=80mm, pmax=70bar	DISPR/CR4/K/14/1667/0/10.08.2011

