

Persoane juridice autorizate conform PT CR4-2010 pentru efectuarea de lucrari la Dispozitive de siguranta- reglementate de PT C7/2010

Nr. Crt.	IT ISCIR	Societatea Comerciala	Adresa	J	CUI	Tel/fax	Domeniu autorizat	Parametrii	Autorizatii
1	Bacau	A5 INVEST SRL	ONESTI, Str. Industriilor, nr. 3, Jud. Bacau	J04/1096/2012	RO 17701390	0234/3023 40	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=40bar	BC/CR4/K,L/14/1687/0 /29.06.2016
2	Central	AB INSTAL SRL	CRAIOVA, Str. Caracal, nr.30, Jud. Dolj	J16/458/2000	CUI 13319762	0251/5431 05/521266 ; 074457207 5	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=16bar	DISPR/CR4/K,L/14/3254 /0/14.03.2012
3	Bucuresti	AB INSTAL SRL	CRAIOVA, Str. Caracal, nr.30, Jud. Dolj	J16/458/2000	CUI 13319762	0251/5431 05/521266 ; 074457207 5	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=450bar	B/CR4/K,L/14/1932/1/ 23.12.2013
4	Bucuresti	ABC CONTROL SRL	BUCURESTI, Str. Drumul Binelui, nr. 12, parter, sc. 2, ap. 18, sector 4	J40/8786/2015	CUI 29686854	072911363 7, 031/81497 18; e-mail abccontrol @yahoo.co m	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=50bar	B/CR4/K,L/14/2740/0/ 16.03.2016
5	Bucuresti	ABC SYSTEMS SRL	DR. TN. SEVERIN, Calea Timisoarei, nr.175B. Jud. Mehedinti	J25/1584/1994	RO 6667578	0252/3293 62/ 329363	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=50bar	B/CR4/K,L/14/1672/0/ 02.07.2013

6	Bacau	AEROSTAR SA	BACAU, Str. Condorilor, nr.9, Jud. Bacau	J04/1137/1991	CUI 950531	0234/572023/572259	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=410bar, Dn=150mm	BC/CR4/K,L/14/1058/0/03.10.2012- retragere voluntara incepand cu 10.08.2016
7	Central	AIR SERVICE DELTA SRL	PITESTI, Str. Eremia Grigorescu, bl.R1bis, sc.B, ap.5, Jud. Arges	J03/440/1998	CUI 10868600	0248/213163	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=100bar	DISPR/CR4/K,L/14/2346/0/02.11.2011
8	Sibiu	ALFATRONIC SRL	CLUJ NAPOCA, Str. Rasinari, nr. 1/19, Jud. Cluj; CLUJ NAPOCA, Str. Caragiale, nr. 2-8/21, Jud. Cluj	J12/2664/2007	RO 21914302	0723670380; 0264/403399; e-mail tudorbalacescu@yahoo.com	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax=100mm, pmax=15bar	SB/CR4/K/14/1475/0/01.07.2015
9	Bacau	AMURCO SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/770/2005	RO 17488233	0234/575440/575413	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=200bar, Dnmax=500mm	BC/CR4/K,L/14/0080/0/23.09.2010- retragere incepand cu 30.08.2016
10	Central	ANTIBIOTICE SA	IASI, Str. Valea Lupului, nr.1, Jud. Iasi	J22/285/1991	CUI 1973096	0232/209000/209633	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=160bar	DISPR/CR4/K,L/14/0837/0/23.05.2011
11	Bacau	AQUASERV SRL	BARLAD, Str. 1 Decembrie, nr. 22, Jud. Vaslui	J37/464/1991	RO 832242	0235/411306; e-mail office@aquaservbarlad.ro	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=10bar	BC/CR4/K,L/14/1589/0/26.08.2015

12	Central	ARDENT SRL	BRASOV, Str. Paraului, nr.15, bl.S25, sc.A, ap.9, Jud. Brasov	J08/1035/1991	CUI 1110281	0722275726; 0268/541682	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=200mm, pmax<=50bar	DISPR/CR4/K,L/14/1796/0/26.08.2011
13	Sibiu	ARHICAD INSTAL SRL	CLUJ NAPOCA, Str. Barc 1, nr. 55, ap. 6, Jud. Cluj	J12/1421/2013	CUI 31595995	0264/437106; 0744270309	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=150mm, pmax<=60bar	SB/CR4/K,L/14/1569/0/25.01.2016
14	Central	ARMAX GAZ SA	MEDIAS, Str. Aurel Vlaicu, nr.35A, Jud. Sibiu	J32/127/1991	CUI 803727	0269/845864/845956	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=100mm, pmax<=60bar	DISPR/CR4/K,L/14/1713/0/10.08.2011
15	Bucuresti	ARTEGO SA	TG. JIU, Str. Ciocarlau, nr.38, Jud. Gorj	J18/1120/1991	CUI 2157428	0253/226444/226445; 0253/226140/226045	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax<=100bar	B/CR4/K,L/14/2861/1/25.08.2016
16	Central	ARTEGO SA	TG. JIU, Str. Ciocarlau, nr.38, Jud. Gorj	J18/1120/1991	CUI 2157428	0253/226443/226114	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax<=100bar	DISPR/CR4/K,L/14/2696/0/21.12.2011
17	Pitesti	AUTOMOBILE DACIA SA	MIOVENI, Str. Uzinei, nr.1, Jud. Arges	J03/81/1991	RO 160796	0248/342507/342001	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax<=40bar	PT/CR4/K,L/14/0148/0/21.12.2010
18	Sibiu	AZOMURES SA	TG. MURES, Str. Gheorghe Doja, nr.300, Jud. Mures	J26/1/1991	RO 1200490	0265/253700/252627	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, p=250bar	SB/CR4/K,L/14/0168/0/28.02.2011

19	Sibiu	AZOMURES SA	TG. MURES, Str. Gheorghe Doja, nr.300, Jud. Mures	J26/1/1991	RO 1200490	0265/253700/252627	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN<=250mm, p<=250bar	SB/CR4/K,L/14/1001/1/05.06.2012
20	Bucuresti	A&G ROTERM SERVICE SRL	CONSTANTA, Str. Ateliereilor, nr. 31, camera 1, Jud. Constanta	J13/332/2006	RO 18361300	0741258008; 0241/520976; e-mail rotermser vice@yahoo.com	Verificare(la deschidere-inchidere)	DNmax=150mm, Pmaxp=20bar	B/CR4/K/14/2666/0/28.10.2015
21	Central	B B VERIF SRL	MIERCUREA CIUC, Str. Ion Caianu, nr.76, Jud. Harghita	J19/1128/2005	CUI 18207298	0744130704; 0266/310642	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=50bar	DISPR/CR4/K,L/14/2922/0/01.02.2012
22	Tg. Mures	BEN COM MIXT SRL	GHEORGHENI, Str. Gabor Aron, nr.5, Jud. Harghita	J19/747/1992	RO 530309	0266/364801/ 364094	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=150mm, Pn=25bar	MS/CR4/K,L/14/0009/0/12.05.2010
23	Central	BEST FOR YOU SRL	SUCEAVA, Str. Amurgului, nr.10, bl.106, sc.C, ap.8, Jud. Suceava	J33/19/2006	CUI 18267400	0330/881561; 0741031318	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=64bar	DISPR/CR4/K,L/14/2975/0/06.02.2012
24	Brasov	BETATEC SYSTEMS SRL	BUCURESTI, Calea Mosilor, nr. 255, bl. 55, sc. 1, et. 2, ap. 9, sector 2; BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr. 33G, Jud. Prahova	J40/2687/2016	CUI 35703771	0728967762; 021/2111839; e-mail info@beta tec.net	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400mm, pmax=200bar	BV/CR4/K,L/14/1627/0/23.12.2016

25	Oradea	BLESSING CONAR SRL	NEGRESTI OAS, Bd. Unirii, nr.64, Jud. Satu Mare	J30/313/2009	CUI 25414849	0261/854677	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=35bar Dn<=100mm	OR/CR4/K,L/14/1070/0/29.10.2012
26	Bucuresti	BONATTI Spa PARMA-Sucursala Bucuresti	BUCURESTI, sector 5, Str. Gheorghieni, nr. 68, et. 1, ap. 4; Assett 5, POIENI, Str. General Gheorghe Radulescu, nr. 83, Jud. Teleorman	J40/9115/2014	CUI 33446663	021/4024100	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, pmax=140bar	B/CR4/K,L/14/2564/1/12.10.2015
27	Bucuresti	BONATTI Spa PARMA-Sucursala Bucuresti	BUCURESTI, sector 5, Str. Gheorghieni, nr. 68, et. 1, ap. 4; Assett 5, POIENI, Str. General Gheorghe Radulescu, nr. 83, Jud. Teleorman	J40/9115/2014	CUI 33446663	021/4024100	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, pmax=140bar	B/CR4/K,L/14/2564/0/02.07.2015
28	Bucuresti	BONATTI Spa PARMA-Sucursala Bucuresti	BUCURESTI, sector 5, Str. Gheorghieni, nr. 68, et. 1, ap. 4; Assett 6, MORENI, Str. Alexandru Ioan Cuza	J40/9115/2014	CUI 33446663	021/4024100	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, PN=200bar	B/CR4/K,L/14/2528/0/18.05.2015
29	Brasov	BOPP & REUTHER ZIKESCH MAINTENANCE GROUP SRL	BUCURESTI, Cal. Mosilor, nr.255, bl.55, sc.1, et.2, ap.9, sector 2; PETROBRAZI, BRAZI, Jud. Prahova	J40/2776/2006	RO 18403561	0344/4228822/4228823	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=400mm, pmax=200bar	BV/CR4/K,L/14/1517/1/23.12.2015- suspendare voluntara incepand cu 14.03.2016

30	Ploiesti	BOPP & REUTHER ZIKESCH MAINTENANCE GROUP SRL	BUCURESTI, Cal. Mosilor, nr.255, bl.55, sc.1, et.2, ap.9, sector 2; PETROBRAZI, BRAZI, Jud. Prahova	J40/2776/ 2006	RO 18403561	021/21118 38/ 2111839	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=400mm, PN=200bar	PL/CR4/K,L/14/0071/0 /27.05.2010
31	Pitesti	BOPP & REUTHER ZIKESCH MAINTENANCE SRL	BUCURESTI, Cal. Mosilor, nr.255, bl.55, sc.1, et.2, ap.9, sector 2; PITESTI, Str. Petrochimistilor, nr.127, Jud. Arges	J40/2776/ 2006	RO 18403561	021/21118 38/ 2111839; 0248/6154 91	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=200bar, DN<=200mm	PT/CR4/K,L/14/0047/0 /08.06.2010
32	Bucuresti	BRALLCON PROIECT SRL	TG. JIU, Componenta Romanesti, nr. 66, Jud. Gorj	J18/205/2 010	RO 26831097	072424624 0	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=200bar	B/CR4/K,L/14/2653/0/ 20.11.2015
33	Central	BRICHET GROLUP SRL	CAREI, Str. Duzilor, nr.96A, Jud. Satu Mare	J30/305/2 005	CUI 17322230	072319530 5; 0361/8628 46	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=20bar	DISPR/CR4/K,L/14/3195 /0/06.03.2012
34	Bacau	BURNER SERVICE SRL	IASI, Aleea Tudor Neculai, nr. 99, bl. 989A, sc. B, et. 4, ap. 18, camera 1, Jud. Iasi	J22/317/2 014	CUI 32851307	0332/4335 05; 074470715 0	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=1500mm, pmax=40bar	BC/CR4/K,L/14/1531/0 /23.02.2015
35	Bucuresti	BUTANGAS ROMANIA SA	BUCURESTI, Int. Murmurului, nr. 2-4, sector 1	J40/2603/ 1996	CUI 8297854	021/40873 00/408732 9	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dmax<=65mm, pmax<=25bar	B/CR4/K/14/0286/1/23 .12.2014
36	Central	BUTANGAS ROMANIA SA	BUCURESTI, Str. Coralilor, nr.18, sector 6	J40/2603/ 1996	CUI 8297854	021/40873 33/408733 0	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dmax<=65mm, pmax<=25bar	DISPR/CR4/K/14/0286/ 0/28.03.2011

37	Iasi	C&A CONSULTING SRL	VASLUI, Str. 1 Decembrie, nr.1, Jud. Vaslui	J37/398/1 996	RO 8967466	0235/3127 25	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=25bar, Dn max=200mm	IS/CR4/K,L/14/0153/0/ 21.12.2010
38	Ploiesti	CALIBRA STIL 2005 SRL	BUZAU, Str. Caraiman, nr.21A, jud. Buzau	J10/473/2 005	RO 17453480	0238/7183 66	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=100mm, PNmax=20bar	PL/CR4/K,L/14/0091/0 /28.06.2010
39	Bacau	CALORGAL SA	GALATI, Str. Crizantemelor, nr. 6, corpul A, Jud. Galati	J17/1354/ 2012	RO 30925017	0236/4731 00/ 465550	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=200mm, pmax<=50bar	BC/CR4/K,L/14/1717/0 /17.11.2016
40	Central	CARBOETALON SRL	CLUJ NAPOCA, Str. Ravasului, nr.1, ap.17, Jud. Cluj	J12/611/1 999	CUI 11759236	0264/4370 34	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=60bar	DISPR/CR4/K,L/14/1668 /0/26.07.2011
41	Bucuresti	CARION SRL	BUCURESTI, Str. Busteni, nr.40, sector 2	J40/7678/ 2002	RO 14821677	072240294 4; 021/24227 04; e-mail carionsrl@ msn.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	B/CR4/K,L/14/1147/1/ 04.02.2016
42	Bucuresti	CARION SRL	BUCURESTI, Str. Busteni, nr.40, sector 2	J40/7678/ 2002	RO 14821677	021/24227 04	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar	B/CR4/K,L/14/1147/0/ 09.10.2012
43	Bacau	CAROMET SA	CARANSEBES, Drumul DN 68, Km 3.2, Jud. Caras Severin	J11/6/199 1	RO 1066631	0234/3022 40/ 302340	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm; pmax=40bar	BC/CR4/K,L/14/0028/0 /25.05.2010

44	Sibiu	CBS EASTERN EUROPE SRL	SELIMBAR, Str. Sibiului, nr.2, et.4, camere 401/402/403, Jud. Sibiu	J32/1103/2008	RO 16962540	0369/4089 17/ 408918	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax=80mm, pmax=70bar	SB/CR4/K/14/1489/2/2 3.07.2015
45	Sibiu	CAVERION BUILDING SERVICES SRL	SELIMBAR, Str. Sibiului, nr.2, et.4, camera 403, Jud. Sibiu	J32/1103/2008	RO 16962540	0369/4089 17/ 408918	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax=80mm, pmax=70bar	SB/CR4/K/14/1274/1/1 2.02.2014
46	Bucuresti	CENTRAL INSTAL IMPEX SRL	BUCURESTI, Str. Liviu Rebreanu, nr. 23, bl.M10, sc. 2, et. 1, ap. 28, sector 3; BUCURESTI, Str. Sabinelor, nr. 87, sector 5	J40/1002/2003	RO 15159137	021/64413 23; e-mail central_in stal@yaho o.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	-	B/CR4/K,L/14/2520/0/ 20.04.2015
47	Central	CENTRALA ELECTRICA DE TERMOFICARE ARAD SA	ARAD, Str. 6 Vanatori, Jud. Arad	J02/336/2002	CUI 14593668	025730745 5/213160	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax<=150mm, pmax<=16bar, fluid incercare apa; Dnmax<=50mm, pmax<=16bar, fluid incercareazot	DISPR/CR4/K/14/2509/ 0/24.11.2011
48	Bacau	CERVES SRL	BRAILA, Str. Tineretului, nr. 4, constructia C2, Jud. Braila	J09/525/2010	CUI 26471760	0239/6833 24; e-mail cerves_33 @yahoo.co m	Verificarea(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=120bar	BC/CR4/K,L/14/1570/1 /21.07.2015

49	Central	CERVES SRL	BRAILA, Str. Poet Grigore Alexandrescu, nr.120, modul 1, et.2, Jud. Braila	J09/525/2010	CUI 26471760	0239/683324	Verificarea(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=120bar	DISPR/CR4/K,L/14/2702/0/05.01.2012
50	Central	CET GOVORA SA	RM. VALCEA, Str. Industriilor, nr.1, Jud. Valcea	J38/683/1997	CUI 10102377	0250/733601/733603 ; 0726818592	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=300mm, pmax<=160bar	DISPR/CR4/K,L/14/2254/0/26.10.2011
51	Central	CET SA	BRASOV, Str. Timis Triaj, nr.6, Jud. Brasov	J08/799/2002	CUI 14716787	0268/333192/331129	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, pmax<=64bar	DISPR/CR4/K,L/14/0044/0/25.02.2011
52	Central	CHEMGAS HOLDING CORPORATION SRL	SLOBOZIA, Sos. Calarasi, Km4, Pavilion Administrativ, Camera Protocol si Camera Consilier, et.2, Jud. Ialomita	J21/21/2009	CUI 24978785	0243/365108	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=360bar	DISPR/CR4/K,L/14/0904/0/18.05.2011
53	Bacau	CIBOCAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8, Jud. Botosani	J07/1038/1994	CUI 6566670	0231/531536/539028	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=16bar, Dn<=50mm	BC/CR4/K,L/14/1006/0/06.07.2012
54	Suceava	CIBOGAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8-10, Jud. Botosani	J07/1038/1994	RO 6566670	0231/531536/539028	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=50mm PN=16bar	SV/CR4/K,L/14/0048/0/13.12.2010
55	Bacau	CIBOCAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8, Jud. Botosani	J07/1038/1994	CUI 6566670	0231/531536/539028	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=16bar, Dn<=50mm	BC/CR4/K,L/14/1006/1/10.03.2014

56	Oradea	CLIMA SERV CONSTRUCT SRL	Sat VALARI, Com. Toplita, nr.17, Jud. Hunedoara	J20/177/2 006	CUI 18352425	0354/4028 71/405054	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar Dnmax=150mm	OR/CR4/K,L/14/1041/0 /22.08.2012
57	Oradea	CLIMAROL PREST SRL	ORADEA, Str. Grigore Ureche, nr.15, ap.48, Jud. Bihor	J05/3172/ 1993	RO 4738249	0259/4182 70; 078831542 2	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=30bar Dnmax=100mm	OR/CR4/K/14/0014/0/2 8.05.2010
58	Bucuresti	CLIMATERM 2000 SRL	BUCURESTI, Str. Semicercului, nr.12, subsol, sector 1	J40/2868/ 1998	CUI 10547316	021/22212 97/223360 2; e-mail office@clit erm2000.r o	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=100bar	B/CR4/K,L/14/2938/1/ 24.11.2016
59	Central	CLIMATERM 2000 SRL	BUCURESTI, Str. Lugoj, nr.25, sector 1	J40/2868/ 1998	CUI 10547316	021/22336 02/222139 7	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=100bar	DISPR/CR4/K,L/14/2627 /0/21.12.2011
60	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCENTRALE ROVINARI	ROVINARI, Str. Energeticianului, nr.25, Jud. Gorj	J18/337/2 012	CUI 30310461	0253/3725 56/ 371590	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dn<=150mm, Pn<=160bar	B/CR4/K,L/14/1226/0/ 14.12.2012
61	Oradea	COMPLEXUL ENERGETIC HUNEDOARA SA- Sucursala ELECTROCENTRALE DEVA	PETROSANI, Str. Timisoara, nr.2, Jud. Hunedoara; MINTIA, Str. Santierului, nr.1, Jud. Hunedoara	J20/994/2 012	CUI 30855230	0254/5707 90/ 236407/ 570481/ 236404; 0254/2364 03/ 236550	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=250bar	OR/CR4/K,L/14/1279/0 /10.04.2014

62	Central	COMTERM PROTECT INSTAL SRL	CIULNITA, Sat Ciulnita, Str. Stanjenei, nr.7, Jud. Ialomita	J21/72/20 12	CUI 29900507	076666881 1	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=50bar	DISPR/CR4/K/14/3471/ 0/17.04.2012
63	Brasov	CNCIR SA	BUCURESTI, Str. Promoroaca, nr.9-11, sector 1; PLOIESTI, Str. Radu Stanian, nr.12, Jud. Prahova	J40/11976 /2010	CUI 27787860	021/31679 21/ 4119870; 0244/5452 40/ 545350	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=66bar	BV/CR4/K,L/14/1192/0 /24.10.2013
64	Bucuresti	CNCIR SA	BUCURESTI, Str. Promoroaca, nr.9-11, sector 1; PITESTI, Str. Cozia, nr.1, Jud. Arges	J40/11976 /2010	CUI 27787860	021/31679 21/ 4119870; 0248/2508 82/ 220194	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=66bar	B/CR4/K,L/14/1852/0/ 23.10.2013
65	Bucuresti	CNCIR SA	BUCURESTI, Str. Promoroaca, nr.9-11, sector 1; CONSTANTA, Str. Razboieni, nr.13, Jud. Constanta	J40/11976 /2010	CUI 27787860	021/31679 21/ 4119870; 0241/6117 54/ 673323	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=46bar	B/CR4/K,L/14/1851/0/ 23.10.2013
66	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/1 991	RO 1324099	0244/3331 60/ 374719; e- mail: confind@c onfind.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=100bar	BV/CR4/K,L/14/1398/3 /27.06.2017

67	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/1991	RO 1324099	0244/333160/374719; e-mail: confind@confind.ro	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=100bar	BV/CR4/K,L/14/1398/2 /23.03.2015
68	Central	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/1991	RO 1324099	0244/333160/374719	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=100bar	DISPR/CR4/K,L/14/3453 /0/19.04.2012
69	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/1991	RO 1324099	0244/333160/374719; e-mail: confind@confind.ro	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=100bar	BV/CR4/K,L/14/1274/1 /23.06.2014
70	Central	CONFORT THERM SRL	ALEXANDRU CEL BUN, Sat Bistrita, Jud. Neamt; PIATRA NEAMT, Str. Florilor, nr.25, Jud. Neamt	J27/228/1999	CUI 12078925	0233/234332; 0233/234721	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=50mm, pmax<=6bar	DISPR/CR4/K,L/14/1251 /0/23.06.2011
71	Sibiu	CONSTRUCT INSTAL SRL	TURDA, Str. Lutus, nr.2, Jud. Cluj	J12/941/2003	CUI 15352609	0264/320694; e-mail: constructiinstal@yahoo.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=80mm, pmax=70bar	SB/CR4/K,L/14/1414/1 /13.11.2014

72	Central	CONSTRUCT INSTAL SRL	TURDA, Str. Lutus, nr.2, Jud. Cluj	J12/941/2003	CUI 15352609	0264/320694	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=80mm, pmax=70bar	DISPR/CR4/K,L/14/2065/0/28.09.2011
73	Central	CONSULT MERIDIAN SRL	MEREI, Sat LIPIA, Jud. Buzau	J10/885/2005	CUI 17807634	0238/711249	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=175bar	DISPR/CR4/K,L/14/2224/0/20.10.2011
74	Brasov	CONSULT MERIDIAN SRL	MEREI, Sat LIPIA, Jud. Buzau	J10/885/2005	CUI 17807634	0726718894; 0238/711249	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=175bar	BV/CR4/K,L/14/1148/1/20.06.2013
75	Central	CORSEM IMPEX SRL	GURA HUMORULUI, Str. Orizont, nr.6A, Jud. Suceava	J33/1947/1993	CUI 4973970	0230/514145	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=25bar	DISPR/CR4/K,L/14/3109/0/28.02.2012
76	Pitesti	CRIMAR PAMICO SRL	NEGRASI, Sat Birlogu, Jud. Arges	J03/499/1995	RO 7396558	0248/615434	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=160bar, DN<=350mm	PT/CR4/K,L/14/0075/0/16.07.2010
77	Central	CRIMBO GAS 2000 SRL	PANTELIMON, Bd. Biruintei, nr.4, bl.A1, parter, Jud. Ilfov	J23/1074/2001	CUI 12404878	021/3520239	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=40bar	DISPR/CR4/K/L/14/1923/0/16.09.2011
78	Bacau	CRIO MEC SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437/ 463059; e-mail office@criomecsa.ro	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=400bar, Dnmax=450mm	BC/CR4/K,L/14/1121/2/29.04.2015

79	Bacau	CRIOMECA SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/3124 37/ 463059	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=400bar, Dnmax=450mm	BC/CR4/K,L/14/1121/1 /09.01.2013
80	Galati	CRIOMECA SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/3124 37/463059	Verificarea(la deschidere- inchidere) dispozitive de siguranta	DNmax4500mm, Pmax=400bar	GL/CR4/K,L/14/0099/0 /08.11.2010
81	Central	CRYOGENICA SRL	BUCURESTI, Str. Ispravnicului, nr.41, sector 2	J40/10813 /1991	CUI 1572477	021/21108 59/210297 2	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=200bar	DISPR/CR4/K,L/14/0817 /0/02.06.2011
82	Central	CSC SRL	CONSTANTA, Str. I. C. Bratianu, nr.28, Jud. Constanta	J13/4540/ 1994	CUI 6741062	0241/5067 30	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=220bar	DISPR/CR4/K,L/14/1617 /0/28.07.2011
83	Bacau	DALKIA TERMO IASI SA	IASI, Sos. Nationala, nr.43, et.1, camera 19, Jud. Iasi; Iasi, Cal. Chisinaului, nr.25, Jud. Iasi	J22/1399/ 2012	RO 30570461	0232/2323 60/ 233918	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=400bar, Dnmax=400mm	BC/CR4/K,L/14/1122/0 /10.01.2013
84	Iasi	DAS SRL	IASI, Str. Aurel Vlaicu, nr.87, Jud. Iasi	J22/589/1 991	RO 1986070	0232/2628 00	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=16bar, Dn max=800mm	IS/CR4/K,L/14/0102/0/ 13.09.2010
85	Oradea	DIA TERMO INSTAL VEST SRL	RESITA, Bd. Republicii, nr. 8, sc. 6, et. 10, ap. 41, Jud. Caras Severin	J11/20/20 10	CUI 26432126	0355/4292 09	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar, Dn max=150mm	OR/CR4/K,L/14/1396/0 /03.09.2015

86	Brasov	DINAFIT SRL	Sat BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Corp C1-C8, Jud. Prahova	J29/2639/ 2006	CUI 19285057	0244/5243 69/ 571671; e- mail: office.din afit@chris tof- group.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar, Dnmax=200mm	BV/CR4/K,L/14/1372/4 /19.02.2015- suspendare voluntara 6 luni incepand cu 01.04.2015
87	Brasov	DINAFIT SRL	Sat BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Corp C1-C8, Jud. Prahova	J29/2639/ 2006	CUI 19285057	0244/5243 69/ 571671; e- mail: office.din afit@chris tof- group.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar, Dnmax=200mm	BV/CR4/K,L/14/1251/3 /05.05.2014
88	Central	DINAFIT SRL	BRAZI, Incinta PETROM SA, Suc. Brazi, Jud. Prahova	J29/2639/ 2006	CUI 19285057	0244/5046 82/524369 /571671	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=450mm, pmax=225bar	DISPR/CR4/K,L/14/1733 /0/29.07.2011
89	Brasov	DINAFIT SRL	Sat BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Corp C1-C8, Jud. Prahova	J29/2639/ 2006	CUI 19285057	0244/5943 69/ 571671	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar, Dnmax=200mm	BV/CR4/K,L/14/1101/1 /10.01.2013
90	Ploiesti	DINAFIT SRL	Com. BRAZI, Sat BRAZII de JOS, incinta PETROM SA, Suc. Petrobrazi, caroul 15, Jud. Prahova	J29/2639/ 2006	RO 19285057	0244/5943 69/571671	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=200bar, DNmax<=200mm	PL/CR4/K,L/14/0286/0 /22.12.2010

91	Brasov	DINAFIT SRL	Sat BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Corp C1-C8, Jud. Prahova; PLOIESTI, Str. Mihai Bravu, nr.235, Jud. Prahova	J29/2639/ 2006	CUI 19285057	072428870 0; 0344/4010 27; 0244/5716 71; e- mail: office.din afit@cristo f- group.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=225bar, Dnmax=450mm	BV/CR4/K,L/14/1184/2 /21.10.2013
92	Bucuresti	DOLCHIMEX SRL	CARACAL, Aleea 1 Decembrie 1918, nr.17, Jud. Olt	J28/192/2 001	RO 14015531	0249/5178 66; 072800729 28; 0249/5176 66	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=80mm, Pmax<=40bar	B/CR4/K,L/14/1249/0/ 18.01.2013
93	Central	DONAU CHEM SRL	TN. MAGURELE, Str. Portului, nr.1, Jud. Teleorman	J34/568/2 004	CUI 16958124	0247/4164 38/413379	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	DISPR/CR4/K,L/14/0867 /0/18.05.2011
94	Bucuresti	DONAU TERMO SRL	CALARASI, Str. Pompieri, nr.41, camera 3, et.1, Jud. Calarasi	J51/90/20 10	CUI 26594209	0242/3169 45/ 334190; e- mail donauter mo@dtc.r o	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=40bar	B/CR4/K,L/14/2136/1/ 01.02.2017
95	Bucuresti	DONAU TERMO SRL	CALARASI, Str. Pompieri, nr.41, camera 3, et.1, Jud. Calarasi	J51/90/20 10	CUI 26594209	0242/3169 45/ 334190	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=40bar	B/CR4/K,L/14/2136/0/ 09.05.2014

96	Bucuresti	ECO CLIMA INDUSTRIAL SRL	BUCURESTI, Str. Torentului, nr.2-4, sector 2	J40/22694 /1994	CUI 6558864	021/25029 02/ 2504258	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	B/CR4/K,L/14/0327/0/ 21.09.2010
97	Bucuresti	ECO CLIMA INDUSTRIAL SRL	BUCURESTI, Str. Torentului, nr.2, biroul nr.39, sector 2	J40/22694 /1994	RO 6553864	021/25029 02/ 2504258	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, Pmax=120bar	B/CR4/K,L/14/0327/1/ 22.11.2012
98	Sibiu	ELECTROCENTRALE BUCURESTI SA - Sucursala Electrocentrale Mures	IERNUT, Str. Energeticii, nr. 1, Jud. Mures	J26/513/2 000	CUI 1228938	0265/4713 33/471388	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN<=250mm, p<=150bar	SB/CR4/K,L/14/1030/0 /23.07.2012
99	Bucuresti	ELECTROCENTRALE BUCURESTI SA	BUCURESTI, Splaiul Independentei, nr.227, sector 6	J40/1696/ 2003	RO 15189596	021/27511 08/275118 1	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=250bar	B/CR4/K,L/14/1734/1/ 21.10.2014
100	Bucuresti	ELECTROCENTRALE BUCURESTI SA	BUCURESTI, Splaiul Independentei, nr.227, sector 6	J40/1696/ 2003	RO 15189596	021/27511 08/275118 1	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=250bar	B/CR4/K,L/14/1734/0/ 03.07.2013
101	Central	ELECTROCENTRALE BUCURESTI-SUCURSALA ELECTROCENTRALE BUCURESTI	BUCURESTI, Splaiul Independentei, nr.227, sector 6	J40/9343/ 2000	CUI 13439840	021/27511 08/275118 1	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=200bar	DISPR/CR4/K,L/14/2998 /0/07.02.2012
102	Bucuresti	ELECTROCENTRALE CONSTANTA SRL	CONSTANTA, Bd. Aurel Vlaicu, nr.123, Jud. Constanta	J13/23/20 153	CUI 33636420	0241/5853 00	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dmax=300mm, pmax=200bar	B/CR4/K/14/2484/0/17 .03.2015

103	Central	ELECTROCENTRALE BUCURESTI- SUCURSALA ELECTROCENTRALE CONSTANTA	CONSTANTA, Bd. Aurel Vlaicu, nr.123, Jud. Constanta	J13/1035/ 2003	CUI 15264655	0241/5853 00/693916	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dmax=150mm, pmax=250bar	DISPR/CR4/K/14/3050/ 0/08.02.2012
104	Sibiu	ELECTROCENTRALE DEVA SA	MINTIA, Str. Santierului, nr.1, Jud. Hunedoara	J20/876/2 001	CUI 14348448	0254/2365 50	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=250mm, p<=250bar	SB/CR4/K,L/14/0091/0 /13.10.2010
105	Brasov	ELECTROFARM SRLK	Brasov, Str. Razboieni, nr.18, Jud. Brasov; BRASOV, Calea Feldioarei, nr.24A, Jud. Brasov	J8/699/19 98	RO 10660799	0268/4400 28/ 440029	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=25bar, Dnmax<=50mm	BV/CR4/K,L/14/1049/0 /10.09.2012
106	Bucuresti	ELECTROPUTERE SA	CRAIOVA, Calea Bucuresti, nr.80, Jud. Dolj	J16/12/19 91	CUI 6312800	025143770 0/ 437698/ 437730	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=100bar	B/CR4/K,L/14/1818/0/ 09.09.2013
107	Bucuresti	ELECTROPUTERE AIT SRL	CRAIOVA, Str. Tehnicii, nr.1, Constructia 11C- C1, Jud. Dolj	J16/64/20 13	CUI 31098937	0251/4374 41/ 438740	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=45mm, pmax=450bar	B/CR4/K,L/14/1363/1/ 28.08.2014
108	Bucuresti	ELECTROPUTERE AIT SRL	CRAIOVA, Calea Bucuresti, nr.80, Hala Pavilion STM C299, et.3, Jud. Dolj	J16/64/20 13	CUI 31098937	0251/4374 41/ 438740	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=45mm, pmax=450bar	B/CR4/K,L/14/1363/0/ 09.05.2013
109	Central	ELECTROPUTERE SA Divizia Aparataj Electric	CRAIOVA, Cal. Bucuresti, nr.80, Jud. Dolj	J16/12/19 91	CUI 6312800	072434284 8; 0251/4381 00	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=45mm, pmax=450bar	DISPR/CR4/K,L/14/1193 /0/17.06.2011

110	Central	ELECTROTERM PRODSERV SRL	TURDA, Str. Traian, nr.41A, Jud. Cluj	J12/673/1994	CUI 5337857	0722230147; 0368/414123	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=60bar	DISPR/CR4/K,L/14/2624/0/20.12.2011
111	Bacau	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201-202, et. 2, jud. Bacau	J04/140/2000	CUI 12826406	0234/562410; e-mail office@energofor.ro	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax=100mm, pmax=260bar	BC/CR4/K/14/1643/2/11.02.2016
112	Central	ENERGOFOR SRL	BACAU, Str. Arcadie Septilici, nr.7B, Jud. Bacau	J04/140/2000	CUI 12826406	0234/545683/562410	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax=100mm, pmax=260bar	DISPR/CR4/K/14/3627/0/23.05.2012
113	Bacau	ENERGOFOR SRL	BACAU, Str. I. L. Caragiale, nr.1, sc.D, ap.6, Jud. Bacau	J04/140/2000	RO 12826406	0234/545683/562410	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax=100mm, pmax=260bar	BC/CR4/K/14/0009/0/28.04.2010
114	Bucuresti	ENERGOMONTAJ GRUP SRL	BASCOV, Str. Serelor, nr. 14, Jud. Arges	J03/1966/1994	RO 10698807	0248/290170/290285	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=280bar, DN<=350mm	B/CR4/K,L/14/2916/1/06.10.2016
115	Pitesti	ENERGOMONTAJ GRUP SRL	PITESTI, str.Gh.Lazar, nr.19, Jud.Arges	J03/1966/1994	RO 10698807	0248/290170	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=280bar, DN<=350mm	PT/CR4/K,L/14/0055/0/18.06.2010
116	Central	ENERGY BIO CHEMICALS SA	ONESTI, Str. Industriilor, nr.1, Pavilion Administrativ C399, Jud. Bacau	J04/838/2008	CUI 23767569	0234/302600/315510	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=250mm, pmax<=64bar	DISPR/CR4/K,L/14/0511/0/07.03.2011
117	Central	ENET SA	FOCSANI, Bd. Bucuresti, nr.4, Jud. Vrancea	J39/93/1996	CUI 8123890	0237/214110	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax<=64bar	DISPR/CR4/K,L/14/2042/0/22.09.2011

118	Central	ENET SA	FOCSANI, Bd. Bucuresti, nr.4, Jud. Vrancea	J39/93/1996	RO 8123890	0237/212400/214110	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=64bar	DISPR/CR4/K,L/14/2042/1/26.04.2012
119	Iasi	EST ROM SA	VALEA LUPULUI, Str. Diminetii, nr.1, Jud. Iasi	J22/2259/1993	RO 4488770	0232/226380/253398	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, Dn max=200mm	IS/CR4/K,L/14/0118/0/08.10.2010
120	Central	ETNIS SRL	IASI, Cal. Chisinaului, nr.98-100, Jud. Iasi	J22/1131/1991	CUI 1956141	0232/236341	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=160bar, Dmax=100mm	DISPR/CR4/K,L/14/0273/0/30.03.2010
121	Bucuresti	EU RO INSTALATII SA	BUCURESTI, Intr. Hotarului, nr.1, sector 6	J40/3473/1995	CUI 7306342	021/3172768/4300515	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=100mm, pmax<=40bar	B/CR4/K,L/14/0291/0/06.09.2010
122	Sibiu	EURO SYSTEM SRL	MEDIAS, Sos. Sibiului, nr.48, bl.9, Jud. Sibiu	J32/456/2006	RO 18529021	0269/843545	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax<=100mm; pmax<=40bar	SB/CR4/K,L/14/1036/0/14.08.2012
123	Oradea	EURO TREND SERVICE SRL	PAULESTI, Str. Principala, nr.29, Jud. Satu Mare	J30/384/2004	RO 16294379	0261/757506	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=20bar, Dnmax<=75l	OR/CR4/K/14/0015/0/28.05.2010
124	Oradea	EXPERT PETROLEUM SRL	BUCURESTI, Sos. Bucuresti-Ploiesti, nr. 73-81, cladirea C3, et. 3, sector 1; TIMISOARA, Str. Corolian Brediceanu, nr. 10C, cladire C, mezanin, camera M5, Jud. Timis	J26/1656/2008	CUI 17634428	0374200640, 0317/801093; 0356/414883	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, Dnmax=150mm	OR/CR4/K,L/14/1174/2/20.10.2016

125	Oradea	EXPERT PETROLEUM SRL	TG. MURES, Str. Tamas Erno, nr.1, Jud. Mures; TIMISOARA, Str. Corolian Brediceanu, nr. 10C, Cladire C, Mezanin, Camera M5, Jud. Timis	J26/1656/2008	CUI 17634428	037420064 0, 0317/8010 93	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, Dnmax=150mm	OR/CR4/K,L/14/1174/1 /23.05.2016
126	Oradea	EXPERT PETROLEUM SRL	TG. MURES, Str. Tamas Erno, nr.1, Jud. Mures	J26/1656/2008	CUI 17634428	073076979 4	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, Dnmax=150mm	OR/CR4/K,L/14/1174/0 /18.06.2013
127	Central	FAST TECHNICAL ASSISTANCE SRL	BACAU, Str. Vadu Bistritei, nr.2A, Jud. Bacau	J04/696/1997	CUI 9626416	0234/5138 03/511430	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, pmax<=45bar	DISPR/CR4/K,L/14/0354 /0/06.04.2011
128	Central	FAST TECHNICAL ASSISTANCE SRL	BACAU, 9 Mai, nr.35, poz. 10, bl.35, sc.E, parter, Jud. Bacau	J04/696/1997	CUI 9626416	0234/5138 03/511430	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=150mm, pmax<=45bar	DISPR/CR4/K,L/14/0354 /0/08.05.2012
129	Brasov	FAURAR SRL	TARGOVISTE, Str. Constantin Brancoveanu, bl. B3, ap. 12, Jud. Dambovita; SINAIA, Str. Ferdinand, nr. 2, et. 3, ap. 10, Jud. Prahova	J15/114/1994	RO 5114685	0245/2210 02	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dn=300mm, pmax=140bar	BV/CR4/K,L/14/1412/0 /16.04.2015

130	Pitesti	FILIALA PENTRU REPARATII SI SERVICII HIDROSERV CURTEA DE ARGES SA	CURTEA DE ARGES, Str. Barajului, nr.1, Jud. Arges	J03/742/2002	RO 14932616	0248/721701/721716; www.hidroservars.ro	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN<=90mm, pmax<=100bar	PT/CR4/K,L/14/0143/0/15.12.2010
131	Pitesti	FILIALA PENTRU REPARATII SI SERVICII HIDROSERV RAMNICU VALCEA SA	RM. VALCEA, Calea Bucuresti, nr.269, Jud. Valcea	J38/477/2002	CUI 14949669	0250/746984/732147	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax<=100mm, pmax<=64bar	PT/CR4/K,L/14/1641/1/12.06.2013
132	Brasov	FISE ELECTRICA SERV SRL	BUCURESTI, Str. Stefan cel Mare, nr. 1A, sector 1; PLOIESTI, Str. Mihai Bravu, nr. 19, Jud. Prahova	J40/4454/200	RO 17329505	021/3065002/3065004; 0372440441; 0244/334652	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=16bar, Dn=20mm	BV/CR4/K,L/14/1588/1/22.06.2016
133	Ploiesti	FISE ELECTRICA SERV SA BUCURESTI SISE-ELECTRICA MUNTENIA NORD AISE	PLOIESTI, Str. Andrei Muresanu, nr.58, Jud. Prahova; PLOIESTI, Str. Mihai Bravu, nr.19, Jud. Prahova	J29/904/2005	RO 17492080	0244/405650/405564; 0244/405637	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=16bar, Dnmax=20mm	PL/CR4/K,L/14/0119/0/27.07.2010
134	Oradea	FLANGA GPL ROMANIA SRL	SALONTA, Str. Ghestului, Jud. Bihor	J05/522/1998	RO 10433729	0259/411780/412967	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=20bar	OR/CR4/K/14/0010/0/18.05.2010
135	Bucuresti	FLI INSTAL SERVICE SRL	BUCURESTI, Str. Elev Stefanescu Stefan, nr.2, sector 2	J40/3308/2013	CUI 31557969	021/201114/2011115	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=20bar, Dnmax=65mm	B/CR4/K,L/14/1337/0/25.03.2013

136	Central	FORCE SAT IMPEX SRL	BRANESTI, Sat Branesti, Str. Violetelor, nr.22, Constructia C1, camera 1, Jud. Ilfov	J23/307/2010	CUI 26458355	0374007809	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax<=300bar	DISPR/CR4/K,L/14/1983/0/19.09.2011
137	Bucuresti	FORCE SAT IMPEX SRL	BRANESTI, Sat Branesti, Str. Violetelor, nr.22, Constructia C1, camera 1, Jud. Ilfov	J23/307/2010	CUI 26458355	0374007809	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=300bar	B/CR4/K,L/14/1861/0/03.10.2013
138	Iasi	FORPRES SRL	IASI, Str. Strapungerii Silvestru, nr.52, Jud. Iasi	J22/1258/2002	RO 15012143	0232/246135	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar, Dnmax=200mm	IS/CR4/K,L/14/0080/0/04.08.2010
139	Brasov	FULGER SISTEM SRL	FAGARAS, Str. Negoiu, nr. 71, bl. B, sc. A, ap. 12, Jud. Brasov	J08/109/2011	CUI 27967659	0766351431; e-mail fulger.sistem@yahoo.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar, Dnmax=50mm	BV/CR4/K,L/14/1593/0/07.07.2016
140	Bucuresti	FUTURE LINE INSTAL SRL	BUCURESTI, Sos. MIHAI Bravu, nr. 75-83, bl.C17, sc.B, ap.79, sector 2; BUCURESTI, Str. Biharia, nr.67-77, sector 1	J40/23350/1992	RO 18830	021/201114/2011115	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=20bar, Dnmax=65mm	B/CR4/K,L/14/1757/0/19.08.2013
141	Central	GA PRO CO CHEMICALS SA	SAVINESTI, Sytr. Uzinei, nr.2, Jud. Neamt	J27/1478/2005	CUI 17728697	0233/280544/281494/281260	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=250bar	DISPR/CR4/K,L/14/1577/0/18.07.2011

142	Bucuresti	GAS CONTROL SRL	SEGARCEA, Str. Bujorului, nr.5, Jud. Dolj	J16/1266/2009	CUI 26065968	0743123828	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=64bar	B/CR4/K,L/14/2967/1/ 06.02.2017
143	Central	GAS CONTROL SRL	SEGARCEA, Str. Bujorului, nr.5, Jud. Dolj	J16/1266/2009	CUI 26065968	0743123828; 0351/454475	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=64bar	DISPR/CR4/K,L/14/2354/ /0/03.11.2011
144	Brasov	GASPECO L&D SA	OTOPENI, Str. Aurel Vlaicu, nr.31A, Jud. Ilfov; Sat NEGOIESTI, Com. Brazi, Jud. Prahova	J23/232/2011	CUI 8037897	021/2035100/ 2035105; e-mail: clientigpl@gaspeco.ro; 0244/401055/ 401080	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pnmax=25bar, Dnmax=32mm	BV/CR4/K,L/14/1109/2/ /31.01.2013
145	Brasov	GASPECO L&D SA	BUCURESTI, Cal. Floreasca, nr.28-30, sector 1; Sat NEGOIESTI, Com. Brazi, Jud. Prahova	J40/8731/2013	CUI 8037897	021/2035100/ 2035105; 0244/401083; 0318/280345	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pnmax=25bar, Dnmax=32mm	BV/CR4/K,L/14/1175/3/ /21.08.2013
146	Brasov	GAVAL CONSULTING EXPERT SRL	PLOIESTI, Str. Mircea Cel Batrin, nr.119, cladirea C46, camera 8, parter, Jud. Prahova	J29/1638/2010	CUI 27856804	0721710420; 0244/573298; e-mail: gaval.expert@yahoo.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=25bar, DNmax=150mm	BV/CR4/K,L/14/1334/1/ /04.11.2014

147	Brasov	GAVAL CONSULTING EXPERT SRL	PLOIESTI, Str. Mircea Cel Batrin, nr.119, cladirea C46, camera 8, parter, Jud. Prahova	J29/1638/ 2010	CUI 27856804	072171042 0	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	p<=25bar, D<=150mm	BV/CR4/K,L/14/1304/0 /25.08.2014
148	Sibiu	GAZ CONTOR NORD SRL	MEDIAS, Str. Sondorilor, nr.5, Jud. Sibiu	J32/171/2 010	RO 26642993	0269/8319 74	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	8<=DN<=80mm, P<=40bar	SB/CR4/K,L/14/0048/0 /09.07.2010- suspendare voluntara incepand cu 06.03.2015
149	Central	GRUP TERMLOC SA	BACAU, Str. George Bacovia, nr.41-43, Jud. Bacau	J04/9570/ 2002	CUI 14828446	0234/5764 42/576438	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=60mm, pmax=25bar	DISPR/CR4/K,L/14/1702 /0/05.08.2011
150	Bucuresti	HEAT MAINTENANCE SRL	BUCURESTI, Str. Scortan Ion, nr. 36, sector 2	J40/5605/ 2015	CUI 34485601	073368376 3; 072419673 3	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=25bar	B/CR4/K,L/14/2602/0/ 09.09.2015
151	Pitesti	HIDROSERV RAMNICU VALCEA SA	RAMNICU VALCEA, Calea Bucuresti, nr.269, Jud. Valcea	J38/477/2 002	RO 14969669	0250/7469 84/746987 / 732147	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, DN=100mm	PT/CR4/K,L/14/0007/0 /10.04.2010
152	Central	HIDROSERV SLATINA SA	SLATINA, Str. T. Vladimirescu, nr.153B, Jud. Olt	J28/379/2 002	CUI 14949758	0249/4186 08/423667	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=70bar	DISPR/CR4/K,L/14/1965 /0/19.09.2011
153	Oradea	HITECH AUTOMATIZARI SRL	ORADEA, Bd. Decebal, nr.5, bl.P187, ap.47, Jud. Bihor	J05/2680/ 2006	RO 19671457	073011869 1	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dn<=100mm, pmax<=40bar	OR/CR4/K,L/14/1148/1 3.05.2013

154	Brasov	HORVATH SERVICE SRL	SF. GHEORGHE, Str. Ciucului, nr. 130, Jud. Covasna	J14/88/19 94	RO 5228299	0267/3162 08; 037289582 3	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=12bar	BV/CR4/K,L/14/1528/0 /29.01.2016
155	Bacau	HORVICA SRL	NEGRESTI, Str. Mihail Kogalniceanu, bl. C4, sc. A, et. 2, ap. 4, Jud. Vaslui	J37/831/2 008	CUI 24700672	074370625 4	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=20bar	BC/CR4/K,L/14/1173/0 /12.06.2017
156	Bucuresti	HUNGARORING SRL	BUCURESTI, Bd. Camil Ressu, nr.57A, bl. Y2B, sc.4, et.8, ap.165, sector 3	J40/6818/ 2012	CUI 30311599	074260976 2; 021/24071 91	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	B/CR4/K/14/1744/0/25 .03.2013
157	Central	IASITEX SA	IASI, Str. Primaverii, nr.2, Jud. Iasi	J22/255/1 991	CUI 1957058	0232/4367 60/246063	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=20bar	DISPR/CR4/K,L/14/1567 /0/18.07.2011- suspendare voluntara incepand cu 04.07.2014
158	Central	IDMS CENTRAL SRL	BRASOV, Str. General Leonard Mociulschi, nr.18-20, bl.21, sc.B, ap.11, Jud. Brasov	J08/1447/ 2009	CUI 26117960	0368/8091 67	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=350bar	DISPR/CR4/K,L/14/2692 /1/29.12.2011
159	Central	IDMS CENTRAL SRL	BRASOV, Str. General Leonard Mociulschi, nr.18-20, bl.21, sc.B, ap.11, Jud. Brasov	J08/1447/ 2009	CUI 26117960	0368/8091 67; 074467165 2; e-mail: idmscentr al@yahoo. com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=350bar	DISPR/CR4/K,L/14/1142 /2/11.06.2013

160	Brasov	IDMS CENTRAL SRL	BRASOV, Str. G-ral Leonard Mociulschi, nr.18-20, bl.21, sc. B, ap. 11, Jud. Brasov	J08/1447/2009	RO 26117960	0368/8091 67	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	-	BV/CR4/K,L/14/0075/0 /02.12.2010
161	Bucuresti	IMSP PROIECT SRL	CONSTANTA, Str. Frigului, nr.4, bl.FG4, ap.11, Jud. Constanta	J13/2445/2008	CUI 24178510	0241/5355 43	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=150mm pmax<=50bar	B/CR4/K/14/1015/0/29 .06.2012
162	Central	INCON SRL	BUCURESTI, Str. Alba, nr.14A, sector 4	J40/5704/1991	CUI 3006245	021/33556 46/337354 0	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=32bar	DISPR/CR4/K,L/14/2447 /0/04.10.2011
163	Bacau	INDRA PROJECT SRL	CATAMARESTI DEAL, Com. Mihai Eminescu, nr. 42, Jud. Botosani	J7/125/2011`	CUI 28251525	074785079 4	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=20bar	BC/CR4/K,L/14/1547/0 /22.04.2015
164	Oradea	INSPECT MC SRL	BAIA MARE, Bd. Unirii, bl.7, sc.A, ap.1, Jud. Maramures	J24/1989/2008	CUI 24688935	Tel/fax 072359220 4	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50.8mm, pmax=25bar	OR/CR4/K,L/14/1119/1 /08.02.2016
165	Oradea	INSPECT MC SRL	BAIA MARE, Bd. Unirii, bl.7, sc.A, ap.1, Jud. Maramures	J24/1989/2008	CUI 24688935	Tel/fax 072359220 4	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=25bar Dn=50.8mm	OR/CR4/K,L/14/1119/0 /29.03.2013
166	Central	INSTALATORUL SRL	SUCEAVA, Str. Grigore Ureche, nr.19, et.2, cam. 1-9, Jud. Suceava	J33/1875/1992	RO 3177709	0230/5517 19	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=25bar	DISPR/CR4/K,L/14/0684 /0/04.05.2011

167	Central	INSTANT INTERNATIONAL SRL	SIMERIA, Str. Avram Iancu, bl.7, parter, Jud. Hunedoara; SIMERIA, Str. 1 Decembrie, nr.29, Jud. Hunedoara	J20/1183/1994	CUI 6325370	0254/263216/263215	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=200mm, pmax<=250bar, fluid incercare apa; pmax<=60bar, Dnmax<=150mm, fluid incercare aer sau azot	DISPR/CR4/K,L/14/0796/0/12.05.2011
168	Central	INSTAROM SRL	TG. MURES, Str. Pandurilor, nr.56/6, Jud. Mures	J26/630/2002	CUI 14811584	0365/407193	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=150bar	DISPR/CR4/K,L/14/3140/0/21.02.2012
169	Central	INSTPRO SRL	DRAGASANI, Str. Traian, nr.30, Jud. Valcea	J38/55/1999	CUI 11444947	0250/811150	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=60bar	DISPR/CR4/K,L/14/0891/0/13.04.2011
170	Bacau	INTER SERV SRL	BACAU, Str. Chimiei, nr.1bis, Jud. Bacau	J04/63/2002	RO 14426880	0234/575406/575415	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=160bar	BC/CR4/K/14/0079/0/30.08.2010
171	Bucuresti	INVEST CONSTRUCT SRL	GIURGIU, Str. Ancorei, nr.2-2A, camera 1, Jud. Giurgiu; GIURGIU, Sos. Sloboziei, Km 4, corp C10, Jud. Giurgiu	J52/849/2019	CUI 24570424	0723407604; e-mail caldalarucristina@yahoo.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=125mm, pmax=64bar	B/CR4/K,L/14/2813/0/02.06.2016
172	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedinteanu, nr. 7, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; 0244/547707	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=400bar, Dnmax<=273mm	BV/CR4/K,L/14/1388/3/06.06.2016

173	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedinteanu, nr. 7, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; e-mail: office@ipm-partners.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=400bar, Dnmax<=273mm	BV/CR4/K,L/14/1388/2/20.02.2015
174	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; 0244/547707	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=400bar, Dnmax<=273mm	BV/CR4/K,L/14/1037/0/10.08.2012
175	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Constructia C1, et.1, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; e-mail: office@ipm-partners.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=400bar, Dnmax=273mm	BV/CR4/K,L/14/1194/1/06.11.2013
176	Sibiu	IPROEB SA	BISTRITA, Str. Drumul Cetatii, nr.19, Jud. Bistrita Nasaud	J06/55/1991	RO 566930	0263/238164/234701	Verificare(la deschidere-inchidere) dispozitive de siguranta	pmax<=25bar, Dnmax<=100mm	SB/CR4/K/14/1145/0/15.02.2013
177	Sibiu	IPROEB SA	BISTRITA, Str. Drumul Cetatii, nr.19, Jud. Bistrita Nasaud	J06/55/1991	RO 566930	0263/238164/234701	Verificare(la deschidere-inchidere) dispozitive de siguranta	pmax<=25bar, Dnmax<=100mm	SB/CR4/K/14/1205/1/01.07.2013

178	Bacau	IREM SPA SIRACUSA- Sucursala Bucuresti; Punct Moinesti	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, camera 1, et.5, sector 6; MOINESTI, Str. Capitan Zaganescu, nr. 2, Jud. Bacau	J40/11709 /2014	CUI 33677137	021/31329 04/ 3122303; e-mail roberto.sa pori@irem servicii.ro; 073266059 1; e-mail Gheorghe. Babeanu@ gsts- asset8.ro	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax=150bar, Dnmax=150mm	BC/CR4/K,L/14/1511/1 /16.03.2016
179	Bacau	IREM SPA SIRACUSA- Sucursala Bucuresti; Punct Moinesti	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, camera 1, et. 7, sector 6; MOINESTI, Str. Capitan Zaganescu, nr. 2, Jud. Bacau	J40/11709 /2014	RO 33677137	021/31329 04/ 3122303; e-mail roberto.sa pori@irem servicii.ro; 073266059 1; e-mail gheorghe. babeanu@ gsts- asset8.ro	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax=49bar, Dnmax=150mm	BC/CR4/K,L/14/1511/0 /04.12.2014

180	Bucuresti	IREM SPA SIRACUSA-Sucursala Bucuresti; Punct Bustuchini	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, camera 1, et.5, sector 6; BUSTUCHINI, Sectia MTN, Jud. Gorj	J40/11709 /2014	CUI 33677137	021/31329 04/ 3122303	Verificare(la deschidere-inchidere) dispozitive de siguranta	pmax=250bar, Dnmax=250mm	B/CR4/K,L/14/2570/0/ 12.06.2015
181	Bucuresti	IREM SPA SIRACUSA-Sucursala Bucuresti, Atelier Central TG. JIU	TG. JIU, Bd. Ecaterina Teodoroiu, nr. 46, Jud. Gorj	J40/11709 /2014	CUI 33677137	073233341 1; 0253/2237 93	Verificare(la deschidere-inchidere) dispozitive de siguranta	pmax=140bar, Dnmax=300mm	B/CR4/K,L/14/2388/0/ 15.12.2014
182	Oradea	IVPROD ST SM PI SRL	TIMISOARA, Bd. 16. Decembrie 1989, nr. 7, et. 1, ap. 7, Jud. Timis	J35/860/2 007	CUI 21245305	0356/2697 48; 074523259 3	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax<=40bar	OR/CR4/K,L/14/1469/1 /14.06.2016
183	Central	IVPROD ST SM PI SRL	TIMISOARA, Str. Stefan cel Mare, nr.47, Jud. Timis	J35/860/2 007	CUI 21245305	0256/2241 50	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN<=150mm, pmax<=40bar, fluid incercare apa; DN<=50mm, pmax<=32bar, fluid incercare aer sau azot	DISPR/CR4/K,L/14/0213 /0/16.03.2011
184	Brasov	J CHRISTOF E&P SERVICES SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1314/ 2009	RO 21013747	0344/4010 27/401026 ; e-mail office.jce@christof.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=250mm, pmax=200bar	BV/CR4/K,L/14/1650/1 /08.05.2017

185	Brasov	J CHRISTOF E&P SERVICES SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1314/2009	RO 21013747	0344/401027/401026 ; e-mail office.jce@christof.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=200mm, pmax=200bar	BV/CR4/K,L/14/1650/0 /20.03.2017
186	Bucuresti	JCR CHRISTOF CONSULTING SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr. 49A, Jud. Prahova; POIANA LACULUI, Str. Dragasani, nr. 587, Jud. Arges	J29/1097/2008	RO 22866980	0344/401027/401026	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar, Dn=250mm	B/CR4/K,L/14/1812/0/06.06.2016
187	Brasov	JCR CHRISTOF CONSULTING SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr. 49A, Jud. Prahova; VIDELE, Str. Petrolului, nr. 10, Jud. Teleorman	J29/1097/2008	RO 22866980	0344/401027/401026	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar, Dn=200mm	BV/CR4/K,L/14/1378/1 /19.02.2015-suspendare voluntara incepand cu 28.07.2017
188	Brasov	JCR CHRISTOF CONSULTING SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr. 49A, Jud. Prahova	J29/1097/2008	RO 22866980	0344/401027/401026	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=100bar, Dn=200mm	BV/CR4/K,L/14/1116/0 /19.02.2013
189	Bacau	KADATA PREST SRL	HORIA, Str. Campului, nr. 67, Jud. Neamt	J27/2229/1994	RO 6683727	0233/740744	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=30bar, Dn=65mm	BC/CR4/K,L/14/1491/0 /26.09.2014
190	Ploiesti	KARBOREX SA	PLOIESTI, Str. Caraiman, nr.7, Jud. Prahova	J29/76/1991	RO 1348152	0244/512212/517577	Reglarea si repararea supapelor de siguranta	Pmax=100bar, Dnmax=200mm	PL/CR4/L/14/0196/0/07.10.2010

191	Oradea	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr.66, Jud. Prahova; SUPLACU DE BARCAU, Str. Crinului, nr.72, Jud. Bihor; ABRAMUT, Cladirea Petrom, Jud. Bihor	J29/1153/1997	RO 9816194	0732300819	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=64bar, Dn<=100mm	OR/CR4/K,L/14/1339/1/06.04.2015
192	Oradea	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr.66, Jud. Prahova; SUPLACU DE BARCAU, Str. Crinului, nr.72, Jud. Bihor	J29/1153/1997	RO 9816194	0732300819	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=64bar, Dn<=100mm	OR/CR4/K,L/14/1339/0/05.12.2014
193	Brasov	KAROM SPI SRL	PLOIESTI, Str. Bucuresti, nr.66, Jud. Prahova	J29/1153/1997	RO 9816194	0344401995/ 401997	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=100bar, Dn=100mm	BV/CR4/K,L/14/1338/1/11.01.2017
194	Brasov	KAROM SPI SRL	PLOIESTI, Str. Bucuresti, nr.66, Jud. Prahova	J29/1153/1997	RO 9816194	0344/401995/ 401997	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=100bar, Dn=100mm	BV/CR4/K,L/14/1338/0/19.11.2014
195	Brasov	KREMSMULLER ROMANIA SRL	PLOIESTI, Str. Centura de Vest, nr. 23, Jud. Prahova	J29/626/2007	RO 18725133	0728291150; 0720112585	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=300bar, Dnmax=400mm	BV/CR4/K,L/14/1512/0/21.12.2015
196	Central	LAS PROM SRL	TG. MURES, Str. Cuza Voda, nr.25, Jud. Mures	J26/2185/2004	CUI 17057184	0265/264436/311884	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=150bar	DISPR/CR4/K,L/14/2553/0/14.12.2011

197	Central	LICTECH SRL	IASI, Str. Mihai Voda, nr.7, bl.P1, sc.TR2, et.4, ap.20, Jud. Iasi	J22/2469/2006	CUI 19079995	0232/2350 60	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=160bar, Dmax=100mm	DISPR/CR4/K,L/14/0209 /0/22.03.2010
198	Oradea	LINDE GAZ ROMANIA SRL	TIMISOARA, Str. Avram Imbroane, nr. 9, Jud. Timis	J35/1149/1996	CUI 8721959	0256/3007 00/225608	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=100bar, Dmax=50mm	OR/CR4/K,L/14/1515/0 /27.02.2017
199	Central	LISSCOM SRL	BRASOV, Str. Neptun, nr.10, sc.C, ap.1, Jud. Brasov	J08/252/1998	RO 10358473	0268/5492 74	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=200bar	DISPR/CR4/K,L/14/3515 /0/02.05.2012
200	Bacau	LOCATIVSERV SRL	PIATRA NEAMT, Str. Cuiejdi, nr. 1B, et. 3, Jud. Neamt	J27/1550/2008	RO 24607639	0233/2204 30/ 220431	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=10bar	BC/CR4/K,L/14/1515/0 /11.12.2014
201	Central	LOCATO SA	PIATRA NEAMT, Str. Lt. Draganescu, nr.20, et.2, Jud. Neamt	J27/8/2001	RO 13649035	0233/2228 32/222834	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=10bar	DISPR/CR4/K,L/14/0823 /0/17.05.2011- insolventa- retragere incepand cu 06.01.2015
202	Bacau	LOCATO SA	PIATRA NEAMT, Str. Privighetorii, nr.12, bl.B9, demisol, Jud. Neamt	J27/82001	CUI 13649035	0233/2228 32	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=10bar, Dnmax<=50mm	BC/CR4/K,L/14/1167/1 /19.02.2013- insolventa- retragere incepand cu 06.01.2015
203	Central	LONIC SERV SRL	PUCIOASA, Str. Fantanilor, bl.B, et.2, ap.8, Jud. Dambovita	J15/510/2004	CUI 16514660	072252468 8; 0245/2323 10	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=100bar	DISPR/CR4/K,L/14/3613 /0/21.05.2012

204	Bucuresti	LONIC SERV SRL	PUCIOASA, Str. Fantanilor, bl.B, et.2, ap.8, Jud. Dambovita	J15/510/2004	CUI 16514660	0722524688; 0245/232310	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=100bar	B/CR4/K,L/14/1762/1/ 20.08.2013
205	Bucuresti	LPV PROIECT CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr.3, sector 4	J40/16179/1991	CUI 393996	021/3306200/ 3316620	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/0134/3/ 18.03.2016
206	Bucuresti	LPV PROIECT CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr.3, sector 4	J40/16179/1991	CUI 393996	021/3306200/ 3316620	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/0134/2/ 05.02.2015
207	Bucuresti	LPV PROIECT CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr.3, sector 4	J40/16179/1991	CUI 393996	021/3306200/ 3316620	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/0134/1/ 01.09.2014
208	Bucuresti	LPV PROIECT CONSULT SRL	BUCURESTI, Str.Dimbovnicului nr.30, sector 4	J40/16179/1991	CUI 393996	021/3316620,021/3301852	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=2 1/2", pmax=15bar	B/CR4/K,L/14/0134/0/ 26.06.2010
209	Bucuresti	LPV FACILITY & PROPERTY MANAGEMENT SRL	BUCURESTI, Str. Aurel Persu, nr. 119D, parter, camera 3, sector 4	J40/20112/2008	RO 24812099	0724288126; 021/3316620	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/2663/0/ 19.11.2015
210	Bucuresti	LPV SERVICE CONSULT SRL	BUCURESTI, Str. Aurel Persu, nr. 119D, parter, camera 3, sector 4	J40/20112/2008	RO 24812099	021/3306200/3316620	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/2663/1/ 01.08.2016
211	Central	LUANA PREST SERV SRL	BRASOV, Str. Matei Basarab, nr.30A, Jud. Brasov	J08/2840/2008	CUI 24662030	0268/415715	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=350bar	DISPR/CR4/K,L/14/2688/0/05.01.2012

212	Central	LUANA PREST SERV SRL	BRASOV, Str. Castelului, nr.70, ap.2, cam. 2, Jud. Brasov	J08/2840/2008	RO 24662030	0268/4157 15	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=350bar	DISPR/CR4/K,L/14/2688 /1/21.05.2012
213	Central	LUCMAN SRL	SIBIU, Str. W.I. Gheothe, nr.16A, Jud. Sibiu; SIBIU, Str. Gorjului, nr.16A, Jud. Sibiu	J32/996/2002	CUI 15091554	0269/2257 91	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=60bar	DISPR/CR4/K,L/14/0429 /0/18.04.2011
214	Central	MACARALE SRL	SIBIU, Str. Hategului, nr.1, ap.6, Jud. Sibiu	J32/1096/2005	CUI 17825851	0269/2250 51	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=120mm, pmax<=60bar	DISPR/CR4/K,L/14/1702 /0/05.08.2011
215	Brasov	MADASOR CONSULTING SRL	BRASOV, Bd. Victoriei, nr.6, bl.42, sc. C, ap. 3, Jud. Brasov	J8/63/2014	CUI 32676265	0368/8195 23	Verificare(la deschidere-inchidere) dispozitive de siguranta	D<=50mm, p<=30bar	BV/CR4/K/14/1429/0/1 7.06.2015
216	Bucuresti	MAIRA MONTAJ SRL	BUCURESTI, Str. Stirbei Voda, nr.166, bl.20C, sc.A, et.1, ap.3, sector 1; BUCURESTI, Str. Inovatorilor, nr.38A, sector 1	J40/3784/1997	RO 6661834	072225986 5; 021/41376 90	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=500bar	B/CR4/K,L/14/1787/0/ 13.08.2013
217	Bucuresti	MAIRA MONTAJ SRL	BUCURESTI, Str. Stirbei Voda, nr.166, bl.20C, sc.A, et.1, ap.3, sector 1; BUCURESTI, Str. Inovatorilor, nr.38A, sector 1	J40/3784/1997	RO 6661834	021/41376 90/ 4139159	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=500mm, pmax=500bar	B/CR4/K,L/14/1787/1/ 21.02.2014

218	Central	MARAL SRL	POPESTI LEORDENI, Str. Leordeni, nr.161S, Jud. Ilfov	J23/1343/2010	CUI 13404361	021/46730 06	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=65mm, pmax=48bar	DISPR/CR4/K,L/14/1269 /0/05.07.2011
219	Bucuresti	MARAL SRL	POPESTI LEORDENI, Str. Leordeni, nr.161S, Jud. Ilfov	J23/1343/2010	CUI 13404361	021/46730 06/ 4673008	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=65mm, pmax=48bar	B/CR4/K,L/14/1269/1/ 22.11.2012
220	Bacau	MECANIC GRUP SRL	ONESTI, Str. Avantului, nr.21A, Jud. Bacau	J04/961/1 998	CUI 11111020	0234/3128 15/ 302041	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=350mm, pmax=150bar	BC/CR4/K,L/14/1503/1 /07.11.2014
221	Central	MECANIC GRUP SRL	ONESTI, Bd. Republicii, nr.1, bl.1, sc.D, et.3, ap.49, Jud. Bacau	J04/961/1 998	CUI 11111020	037409181 5; 0234/3128 15	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=350mm, pmax=150bar	DISPR/CR4/K,L/14/0553 /0/18.04.2011
222	Sibiu	MEDIA RINGER SRL	SIBIU, Aleea Biruintei, nr.6, ap.5, Jud. Sibiu; SIBIU, Cal. Dumbravii, nr.105, Jud. Sibiu	J32/372/1 998	RO 10668237	0269/4434 01	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, Pmax<=60bar	SB/CR4/K,L/14/1574/0 /23.03.2016
223	Sibiu	MEDIA RINGER SRL	SIBIU, Aleea Biruintei, nr.6, ap.5, Jud. Sibiu; SIBIU, Cal. Dumbravii, nr.105, Jud. Sibiu	J32/372/1 998	RO 10668237	0269/4434 01	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, Pmax<=60bar	SB/CR4/K,L/14/1334/0 /30.06.2014

224	Central	MEGA NET SRL	CONSTANTA, Sos. Mangaliei, nr.61, bl.SM3, sc.B, et.9, ap.82, Jud. Constanta; Constanta, Sos. Mangaliei, nr.74, Jud. Constanta	J13/1190/2000	CUI 13111698	0241/588868	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Supape de siguranta cu arc 15mm<=Dnmax<=150mm, pmax<=16bar; Supape de siguranta cu greutate axiale 50mm<=Dnmax<=250mm, pmax<=40bar,; Supape de siguranta cu parghie si contragreutate 40mm<=Dnmax<=200mm, pmax<=60bar	DISPR/CR4/K/14/2460/0/24.11.2011
225	Central	MEGA PASCAL SRL	SIBIU, Str. Independentei, nr.3A, Jud. Sibiu	J32/110/1993	RO 3238580	0269/253150	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=100mm, pmax<=100bar	DISPR/CR4/K,L/14/1588/0/26.07.2011
226	Central	MEGATERM SRL	BUCURESTI, Bd. Ghencea, nr.34, sector 6	J40/22602/1994	CUI 6520657	021/4132025/4132017	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=64bar	DISPR/CR4/K,L/14/0859/0/18.05.2011
227	Bucuresti	MEGATERM SERVICII SRL	BUCURESTI, Prelungirea Ghencea, nr.95K, camera 1, sector 6	J40/6828/2014	RO 33255515	0744326773; 021/4132017	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, DN max=125mm	B/CR4/K/14/2382/0/10.12.2014

228	Pitesti	MENTCHIM SA	RAMNICU VALCEA, Str. Uzinei, nr.1, Jud. Valcea	J38/501/2005	RO 17571575	0250/701501/701504	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=160bar, DN<=100mm	PT/CR4/K,L/14/0043/0/08.06.2010- retragere voluntara incepand cu 14.09.2016
229	Suceava	MERIDIAN SRL	BOTOSANI, Str. Maxim Gorki, nr.11, Jud. Botosani	J07/1200/1994	RO 6868830	0231/517989	Verificari tehnice la inchidere -deschidere , repararea si reglarea supapelor de sigurana cu actiune directa cu arc si cu parghie si contragreutate	DN=100mm PN=16bar	SV/CR4/K,L/14/0002/0/26.04.2010
230	Oradea	MESSER ROMANIA GAZ SRL	BUCURESTI, Str. Delea Veche, nr.24, cladirea de birouri A, et. 2-3, sector 2; MINTIA, Com. Vetel, Str. Santierului, nr.1A, Jud. Hunedoara	J40/4298/1998	CUI 10547308	021/3273624/3273626; 0254/236451/236453	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=25mm, Pmax=420bar	OR/CR4/K,L/14/1334/0/19.11.2014
231	Central	MESSER ROMANIA GAZ SRL	BUCURESTI, Str. Delea Veche, nr.24, sector 3	J40/4298/1998	CUI 10547308	021/3273624/3273625/3273626	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=50mm, pmax<=50bar	DISPR/CR4/K,L/14/0291/0/25.03.2011
232	Central	MESSER ROMANIA GAZ SRL	BUCURESTI, Cal. Calarasi, nr.177, bl.45, et.3, ap.7,8,9, sector 3	J40/4298/1998	CUI 10547308	021/3273624/3273626	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=50bar	DISPR/CR4/K,L/14/1115/1/24.06.2011
233	Bucuresti	MESSER ROMANIA GAZ SRL	BUCURESTI, Str. Delea Veche, nr.24, Cladire de birouri A, et. 2,3, sector 2	J40/4298/1998	CUI 10547308	021/3273624/3273626	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=50bar	B/CR4/K,L/14/1379/1/21.05.2013

234	Bucuresti	METROINSTAL SRL	CALAFAT, Sat Basarabi, Cal. Craiovei, nr. 165, Jud. Dolj	J16/230/2 011	RO 28042332	074005520 0	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=200bar	B/CR4/K,L/14/2580/0/ 06.08.2015
235	Central	MEVA SA	DR. TN. SEVERIN, Str. Dunarii, nr.3, Jud. Mehedinti	J25/135/1 991	CUI 1605779	0252/3084 39/315139	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=10bar	DISPR/CR4/K,L/14/2412 /0/15.11.2011
236	Central	MEXGAZ SERVICE SRL	SLATIOARA, Str. Rasritului, nr.5, Jud. Olt	J28/592/2 009	CUI 26136244	0249/4167 17; 072901999 6; 072901999 7; 0349/8162 33; 024941671 7	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=18bar	DISPR/CR4/K,L/14/3252 /0/15.03.2012
237	Oradea	MILEVI RSVTI SRL	ANINA, Str. Morii, nr. 11, Jud. Caras Severin	J11/70/20 14	CUI 32775811	077051573 6, 074360388 2; 0355/ 410699	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=40bar	OR/CR4/K,L/14/1558/0 /25.08.2017
238	Bucuresti	MIR ADI SERVICE SRL	TULCEA, Str. Obor, nr.2, bl.B1, sc.A, ap.14, Jud. Tulcea; TULCEA, Str. Urzicii, nr.48A, Jud. Tulcea	J36/79/20 07	CUI 21062162	074564490 4	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dnmax=250mm, pmax=40bar	B/CR4/K/14/2101/2/07 .11.2014

239	Bucuresti	MIR ADI SERVICE SRL	TULCEA, Str. Obor, nr.2, bl.B1, sc.A, ap.14, Jud. Tulcea; TULCEA, Str. Isaccei, nr.4, Km 3, Jud. Tulcea	J36/79/2007	CUI 21062162	0745644904	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax<=250mm, pmax<=40bar	B/CR4/K/14/2101/1/15.04.2014
240	Central	MIR ADI SERVICE SRL	TULCEA, Str. Obor, nr.2, bl.B1, sc.A, ap.14, Jud. Tulcea	J36/79/2007	CUI 21062162	0745644904	Verificarea(la deschidere-inchidere) dispozitive de siguranta	Dnmax=250mm, pmax=40bar	DISPR/CR4/K/14/1619/0/03.08.2011
241	Bacau	MODERN CALOR SA	BOTOSANI, Str. Pacea, nr. 43, Jud. Botosani	J07/05/2010	RO 26892574	0231/537100/516446	Verificarea(la deschidere-inchidere) dispozitive de siguranta	Dnmax=150mm, pmax=25bar	BC/CR4/K/14/1537/0/30.03.2015
242	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/210589	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=160bar	BC/CR4/K,L/14/1485/1/12.09.2014
243	Central	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/210589	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=160bar	DISPR/CR4/K,L/14/3572/0/16.05.2012
244	Central	MT ALWAYS PREMIUM SRL	ARAD, Str. Mircea Stanescu, nr.2, ap.12, Jud. Arad	J02/1075/2008	CUI 24051818	0257/212102	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=150mm, pmax<=64bar, fluid incercare apa; Dnmax<=50mm, pmax<=32bar, fluid incercare Gaz neutru	DISPR/CR4/K,L/14/2349/0/10.11.2011
245	Sibiu	MULTIPRACTIC SRL	TG. MURES, Str. Transilvania, nr.11/7, Jud. Mures	J26/540/2006	CUI 18546820	0265/260333	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400mm, pmax=350bar	SB/CR4/K,L/14/1423/2/17.12.2014

246	Central	MULTIPRACTIC SRL	TG. MURES, Str. Transilvania, nr.11/7, Jud. Mures	J26/540/2006	CUI 18546820	0265/260333	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=250bar	DISPR/CR4/K,L/14/1820/0/31.08.2011
247	Central	MULTIPRACTIC SRL	TG. MURES, Str. Transilvania, nr.11/7, Jud. Mures	J26/540/2006	CUI 18546820	0265/260333	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400mm, pmax=350bar	DISPR/CR4/K,L/14/1177/1/24.05.2013
248	Bacau	MURANIS SERV INSTAL SRL	BRAILA, Str. Ghiocailor, nr. 14, bl. A57, sc. 2, et. 1, ap. 25, Jud. Braila	J09/636/2010	RO 27794531	0729070715; e-mail muranisserver@yahoo.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=150mm, pmax<=40bar	BC/CR4/K,L/14/1599/0/29.09.2015
249	Central	NIPOSERV SRL	BRAILA, Cartier Hipodrom, Str. Pietatii, nr.20, bl.C1, sc.2, et.2, ap.24, Jud. Braila	J09/1031/2005	CUI 18103602	0239/670201	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=150bar	DISPR/CR4/K,L/14/2249/0/25.10.2011
250	Central	NITROPOROS SRL	FAGARAS, Sos. Combinatului, nr.14, Jud. Brasov	J08/574/2008	CUI 23415082	0268/206501/216111	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=200bar	DISPR/CR4/K,L/14/3086/0/20.02.2012
251	Sibiu	NM & C SRL	CLUJ NAPOCA, Str. Muresului, nr.46, ap. 5, Jud. Cluj	J12/269/2005	RO 17170697	0364/806878	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax<=100mm; pmax<=25bar	SB/CR4/K/14/1058/0/18.09.2012
252	Central	NUCLEAR ELECTRICA SA- FCN PITESTI	BUCURESTI, Str. Polona, nr.65, sector 1; MIOVENI, Str. Cimpului, nr.1, Jud. Arges	J40/7403/1998	CUI 10874881	0248/207700/262499	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=200mm, pmax<=40bar	DISPR/CR4/K,L/14/1860/0/19.08.2011

253	Central	NUCLEARELECTRICA	BUCURESTI, Str. Polona, nr.65, sector 1; CERNAVODA, Str. Medgidiei, nr.2, Jud. Constanta	J40/7403/1998; J13/3442/2007	RO 10874881 ; CUI 22554619	021/20382 00/316980 4; 0241/2393 40/239266	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=420bar, Dmax=600mm	DISPR/CR4/K,L/14/0006 /0/17.03.2010
254	Central	OK TEHNIC CONSULT SRL	ARAD, Bd. General Vasile Milea, nr.1, sc.3, et.2, ap.11, Jud. Arad	J02/199/2 007	RO 20872640	0257/2270 84	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=50mm, pmax<=20bar	DISPR/CR4/K,L/14/3353 /0/20.03.2012
255	Central	OLDT EXPERT SRL	GALATI, Str. Avram Iancu, nr.20, camera1, Jud. Galati	J17/1133/ 2010	CUI 27782898	0236/4508 63	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=60bar	DISPR/CR4/K,L/14/2989 /0/13.02.2012
256	Central	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1	J40/8302/ 1997	CUI 1590082	732130747	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=64bar	DISPR/CR4/K,L/14/0438 /0/19.04.2011
257	Central	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr.239, sector 1; EPS ASSET 5 MOESIA NORD DEPARTAMENT MANTENANTA POENI, Str. Gh. Radulescu, nr.83, Jud. Teleorman	J40/8302/ 1997	CUI 1590082	021/40601 04; 037286854 4	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=49bar	DISPR/CR4/K,L/14/1837 /1/06.09.2011
258	Bucuresti	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1; CALACEA, Jud. Timis	J40/8302/ 1997	CUI 1590082	021/21250 01/ 3155166; 0256/3796 17	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=64bar	B/CR4/K,L/14/0319/0/ 02.08.2010

259	Bucuresti	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1; PECICA, Jud. Arad	J40/8302/1997	CUI 1590082	021/2125001/3155166; 0372/428455	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=64bar	B/CR4/K,L/14/0320/0/03.08.2010
260	Bucuresti	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1; SUPLACU DE BARCAU, Str. Crinului, nr.72, Jud. Bihor	J40/8302/1997	CUI 1590082	021/2125001/3155166	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax=100mm, pmax=64bar	B/CR4/K/14/0321/0/09.09.2010
261	Bucuresti	OMV PETROM SA	BUCURESTI, sector1, Str. Coralilor, nr.22	J40/8302/1997	CUI 1590082	021/4060040/4060420	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dmax=100mm, pmax=64bar	B/CR4/K/14/0321/1/12.02.2013
262	Ploiesti	OMV PETROM SA	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; BOLDESTI SCAIENI, Cal. Unirii, nr.52, Jud. Prahova	J40/8302/1997	RO 1590082	021/2125001/3155166	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=100bar, Dnmax=100mm	PL/CR4/K,L/14/0198/1/06.12.2010
263	Pitesti	OMV PETROM SA	BUCURESTI, Calea Dorobantilor, nr.239, sector 1; POIANA LACULUI	J40/8302/1997	RO 1590082	0372160737; 0372868544; 0732410654	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN<=200mm, pmax<=140bar	PT/CR4/K,L/14/0089/0/16.09.2010
264	Ploiesti	OMV PETROM SA-ASSET IX Moldova Sud	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; MOLDOVA SIUD, Service Center BERCA, Jud. Buzau	J40/8302/1997	RO 1590082	021/2647467	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, Pmax=80bar	PL/CR4/K,L/14/0159/0/06.09.2010

265	Ploiesti	OMV PETROM SA BOLDESTI SCAIENI	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; BOLDESTI SCAIENI, Cal. Unirii, nr.52, Jud. Prahova	J40/8302/1997	RO 1590082	021/2125001; 021/3155166	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=100mm, Pmax=64bar	PL/CR4/K,L/14/0198/0/08.09.2010
266	Bucuresti	OMV PETROM SA E&P, MTN&LOG ASSET 2 OLTENIA - PL BUSTUCHINI	CRAIOVA, Str. Ion Maiorescu, nr.4, Jud. Dolj	J40/8302/1997	RO 1590082	0249/414040	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, Pmax<=250bar	B/CR4/K,L/14/1161/0/09.10.2012
267	Bucuresti	OMV PETROM SA- EP - ASSET 5 - MOESIA NORD DEPARTAMENT MENTENANTA	BUCURESTI, sector1, Str. Coralilor, nr.22; POENI, Str. Gh. Radulescu, nr.83, Jud. Teleorman	J40/8302/1997	CUI 1590082	021/4060040/ 4060420	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=49bar	B/CR4/K/14/0469/1/12.02.2013
268	Central	OMV PETROM SA- EP MENTENANTA & LOGISTICA ASSET 10 GAP TG. JIU	BUCURESTI, Str. Coralilor, nr.22, sector 1; TG. JIU, Str. Ecaterina Teodoroiu, nr.46, Jud. Gorj	J40/8302/1997	CUI 1590082	0732333411; 0253/223793	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=140bar	DISPR/CR4/K,L/14/1437/0/26.07.2011
269	Central	OMV PETROM SA- EPS	BUCURESTI, Cal. Dorobantilor, nr.239,, sector 1; Departament Mentenanta Asset 6 Muntenia- Central Atelier Toolmen-MORENI, Str. A. I. Cuza, nr.9, Jud. Dambovita	J40/8302/1997	CUI 1590082	03721600737; 0372868544	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=64bar	DISPR/CR4/K,L/14/0519/0/08.04.2011

270	Bucuresti	OMV PETROM SA	BUCURESTI, Str. Coralilor, nr.22, sector 1; Asset 6 UA MTN & LOG, MORENI, Str. A. I. Cuza, nr.7, Jud. Dambovita	J40/8302/1997	CUI 1590082	021/4060040/4060420	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=140bar	B/CR4/K,L/14/0519/1/25.02.2014
271	Central	OMV PETROM SA- EPS DEPARTAMENTUL MENTENANTA ASSET VIII MOLDOVA NORD	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; MOINESTI, Str. Schelei, , nr. Cadastral 1992, sectia 1, Jud. Bacau	J40/8302/1997	CUI 1590082	0732410517; 0372428353, 0372484552	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dmax<=150mm, pmax<=49bar	DISPR/CR4/K,L/14/0210/0/24.03.2010
272	Central	OMV PETROM SA- EPS MENTENANTA & LOGISTICA ASSET 2 OLTENIA	BUCURESTI, Str. Coralilor, nr.22, sector 1; STATIE COMPRESOARE, BULBUCENI, CAPRENI, Str. Bratesti, Jud. Gorj	J40/8302/1997	CUI 1590082	03721600737; 0372868544	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=400bar	DISPR/CR4/K,L/14/1195/0/20.06.2011
273	Bucuresti	OMV PETROM SA UNITATEA DE AFACERI MENTENANTA SI LOGISTICA GAP TARGU JIU	TG. JIU, Bd. Ecaterina Teodoroiu, nr.60, Jud. Gorj	J40/8302/1997	RO 1590082	0253/223793; 0732333411	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, Pmax<=140bar	B/CR4/K,L/14/1163/1/24.10.2012
274	Central	OPTIM SIG INSTAL SRL	DEVA, Str. Al. Patriei, nr.2, bl.D1, et.3, ap.39, Jud. Hunedoara	J20/5/2000	CUI 12550113	0254/220020	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=80mm, pmax<=30bar	DISPR/CR4/K,L/14/0278/0/31.03.2011

275	Central	ORDEA PRODCOM SRL	TG. MURES, Str. Mioritei, nr.15, Jud. Mures	J26/826/1997	CUI 9991233	0265/269256/261678	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=50bar	DISPR/CR4/K,L/14/0754/0/04.05.2011
276	Central	OVITIN CND AG SRL	PITESTI, Str. Depozitelor, nr.27, Corp C1, camera BP1, Jud. Arges	J03/711/2011	CUI 28472224	0744124082; 0248/217965	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=280bar	DISPR/CR4/K,L/14/2006/0/20.09.2011
277	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/1993	CUI 4000500	0244/513214; e-mail: sc_paulus_srl@yahoo.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=25bar, Dnmax=100mm	BV/CR4/K,L/14/1020/2/10.06.2016
278	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/1993	CUI 4000500	0244/513214	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=25bar, Dnmax=100mm	BV/CR4/K,L/14/1020/1/10.07.2012
279	Ploiesti	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, Jud. Prahova	J29/1233/1993	RO 4000500	0244/513214/595763	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=100mm, Pmax=25bar	PL/CR4/K,L/14/0123/0/02.08.2010
280	Central	PENAIVIPROD SRL	VASLUI, Str. Bucuresti, bl.400, sc.B, ap.6, Jud. Vaslui	J37/352/2011	CUI 29128378	0335/401565; 0235/319076	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=60bar	DISPR/CR4/K,L/14/3096/0/21.02.2012
281	Central	PETINSTAL SRL	MARGHITA, Calea Republicii, nr.82A, ap.4, Jud. Bihor	J05/1661/2007	RO 22004062	0728881382; 0359/448197	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=20bar	DISPR/CR4/K/L/14/3498/0/01.03.2012

282	Brasov	PETROGAZ SA	BRASOV, Str. Fanului, nr. 57G, Jud. Brasov	J08/218/1994	CUI 5225276	0268/330915	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=350bar	BV/CR4/K,L/14/1596/1/08.08.2016
283	Central	PETROGAZ SA	BRASOV, Str. Hortensiei, nr.73, Jud. Brasov	J08/218/1994	CUI 5225276	0268/330915	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=350bar	DISPR/CR4/K,L/14/0690/0/10.05.2011
284	Brasov	PETROGAZ INSPECT SRL	BRASOV, Str. Fanului, nr.57D, Jud. Brasov	J08/489/2009	RO 25294734	0368/459043; e-mail ionita.rsvt i.petrogaz@gmail.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=60bar	BV/CR4/K,L/14/1575/0/16.05.2016
285	Central	PETROM LPG SA	OTOPENI, Str. Aurel Vlaicu, nr.31A, et.2, Jud. Ilfov; Com. BRAZI, Sat NEGOIESTI, Jud. Prahova	J23/232/2011	CUI 8037897	021/2035100/2035105	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=32mm, pmax=25bar	DISPR/CR4/K,L/14/0026/1/16.03.2011
286	Ploiesti	PETROM LPG SA	BUCURESTI, Bd. Ion Ionescu de la Brad, nr.2B, parter, et.4, sector 1; BRAZI, Sat Negoiesti, Jud. Prahova	J40/272/1996	RO 8037897	021/2035100/2035105; 0244/401055/401080	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=25bar, Dnmax=32mm	PL/CR4/K,L/14/0026/0/05.05.2010
287	Oradea	PETROSANTANDER ROMANIA SRL	ARAD, Str. Academia Teologica, nr.14, Jud. Arad	J02/825/2010	RO 26889099	0372572423; 0257/252315	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=64bar	OR/CR4/K,L/14/1218/2/22.08.2017

288	Oradea	PETROSANTANDER ROMANIA SRL	ARAD, Str. Academia Teologica, nr.14, Jud. Arad	J02/825/2010	RO 26889099	0372572425; 0257/252315	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=64bar	OR/CR4/K,L/14/1218/1/16.10.2013
289	Central	PETROSANTANDER ROMANIA SRL	ARAD, Str. Academia Teologica, nr.14, Jud. Arad	J02/825/2010	RO 26889099	0372572425; 0257/252315	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=64bar	DISPR/CR4/K,L/14/1177/0/20.06.2011
290	Bucuresti	PIFATI SA	BUCURESTI, Str. Iovita, nr. 11, et. 2, camere 4-9, sector 5	J40/1100/1991	CUI 401517	021/4104600/ 4100638; e-mail office@pifati.ro	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=64bar	B/CR4/K,L/14/0138/1/20.05.2016
291	Bucuresti	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/1100/1991	CUI 401517	021/4106645/ 4100638	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=64bar	B/CR4/K,L/14/0138/0/09.07.2010
292	Oradea	PITYU TERMOSERVICE S.R.L.	PETROSANI, Str. Aviatorilor, bl. 54A, sc. 3, parter, ap. 30, Jud. Hunedoara	J20/123/2007	CUI 20744536	0254/541510	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	OR/CR4/K,L/14/1149/1/14.09.2015
293	Oradea	PITYU TERMOSERVICE S.R.L.	PETROSANI, Str. 1 Decembrie 1918, bl.101, sc.1, et.3, ap.22, Jud. Hunedoara	J20/123/2007	CUI 20744536	0254/541510	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	OR/CR4/K,L/14/1149/0/23.05.2013

294	Bacau	PLUS EXPERT SSO SRL	LISAURA, Com. Ipotesti, Str. Gheorghe Mihuta, nr. 15A, Jud. Suceava; LISAURA, Str. Slatioarei, nr. 4A, et. 3, camera 2, Jud. Suceava	J33/661/2 011	RO 28829484	074317178 2; e-mail plus_exp ert@yahoo. com; 0330/8039 11/803910	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=25bar	BC/CR4/K,L/14/1752/0 /12.04.2017
295	Bacau	PLUS TEST SRL	FOCSANI, Al. Echitatiei, nr. 17, bl. I 11, parter, ap. 1, Jud. Vrancea	J39/335/2 014	RO 33335452	076326164 1; e-mail verificarit ehnice@ya hoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=250mm, pmax<=25bar	BC/CR4/K,L/14/1769/0 /12.06.2017
296	Bacau	PLUSSERVICE SRL	FOCSANI, Str. Bucegi, nr.13, bl.13, ap.12, Jud. Vrancea; FOCSANI, Str. 1 Decembrie 1918, nr.37, Jud. Vrancea	J39/678/2 003	RO 15818661	074463524 4; e-mail: verificarit ehnice@ya hoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Verificari tehnice , reglare : pmax=100bar, Dnmax=250mm; Reparare : pmax=50bar, Dnmax=250mm	BC/CR4/K,L/14/1049/2 /23.09.2013
297	Bacau	PLUSSERVICE SRL	FOCSANI, Str. Bucegi, nr.13, bl.13, ap.12, Jud. Vrancea	J39/678/2 003	RO 15818661	074463524 4	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=50bar, Dnmax=250mm	BC/CR4/K,L/14/1049/1 /20.09.2012
298	Galati	PLUSSERVICE SRL	FOCSANI, Str. Bucegi, nr.13, Jud. Vrancea	J39/678/2 003	RO 15818661	0237/2250 19	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=250mm, pmax=50bar	GL/CR4/K,L/14/0125/0 /17.12.2010

299	Central	POLTISAN SRL	BRASOV, Str. Anghel Saligny, nr.3, Jud. Brasov	J08/1145/2004	CUI 16446841	0268/4164 40	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, pmax<=40bar	DISPR/CR4/K,L/14/0648 /0/08.04.2011
300	Cluj	PRESTAREA SCM	SIMLEU SILVANIEI, Str. Gradinilor, nr.2, Jud. Salaj	C31/38/2005	RO 687541	0260/6789 34	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=100mm, Pmax=25bar	CJ/CR4/K/14/0069/0/2 6.08.2010
301	Cluj	PROGAZ INSTAL SRL	BISTRITA, Str. N. Titulescu, nr.21, ap.4, Jud. Bistrita Nasaud	J06/263/2000	RO 13374422	0263/2337 13	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=150mm, Pmax=60bar	CJ/CR4/K,L/14/0121/0 /18.11.2010
302	Central	PROIMSAT SA	RM. VALCEA, Str. Industriilor, nr.2, Jud. Valcea	J38/1558/1992	CUI 2989104	0250/7333 90; 0250/7302 31; 0350/4016 97	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=50mm, pmax=16bar	DISPR/CR4/K,L/14/2166 /0/12.10.2011- retragere voluntara incepand cu 03.08.2017
303	Central	RAAN - Suc. ROMAG PROD	DR. TN. SEVERIN, Cal. Tg. Jiului, Km 7, Jud. Mehedinti	J25/282/1998	CUI 10882725	0252/3112 50/317908	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	DISPR/CR4/K,L/14/1094 /0/09.06.2011
304	Bucuresti	RAAN - Suc. ROMAG PROD	DR. TN. SEVERIN, Str. Nicolae Iorga, nr.1, Jud. Mehedinti; Com. Izvoru Barzii, Sat Rascolesti, Cal. Tg. Jiu, Km 7, Jud. Mehedinti	J25/282/1998; J25/300/1998	CUI 10882752 ; CUI 12611350	0252/3236 66/ 323066; 0252/3112 50/ 317908	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=64bar	B/CR4/K,L/14/1975/1/ 20.01.2014
305	Ploiesti	RAFINARIA STEAUA ROMANA SA	CIMPINA, Cal. Doftanei, nr.15, Jud. Prahova	J29/148/1991	RO 1322632	0244/3361 51/337341	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=100bar, Dnmax=200mm	PL/CR4/K,L/14/0233/0 /18.11.2010

306	Bacau	RAFO SA	ONESTI, Str. Industriilor, nr.3, Jud. Bacau	J04/538/1991	CUI 958772	0234/303303/315640	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=200bar, Dnmax=250mm	BC/CR4/K,L/14/0077/1/25.04.2013
307	Brasov	RAIL LOGISTIC SRL	BUCURESTI, Sos. Mihai Bravu, nr. 296, sc. B, et. 8, ap. 68, sector 3; BRAZI, Sat Negoiesti, Str. Piatra Craiului, nr. 13, Jud. Prahova	J40/11417/2014	CUI 18647191	0373550080; 0373550073; e-mail office@rail-logistic.ro	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=40bar, Dnmax=219mm	BV/CR4/K,L/14/1628/0/22.12.2016
308	Bacau	RCA MOLDOTERM SRL	IASI, Aleea Tudor Neculai, nr.99, bl. 989A, sc.B, et.4, ap.18, Jud. Iasi	J22/1741/2004	CUI 16698164	0332/808738/808739	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax=40bar	BC/CR4/K,L/14/1669/1/18.05.2016
309	Central	RCA MOLDOTERM SRL	IASI, Aleea Tudor Neculai, nr.99, Jud. Iasi	J22/1741/2004	CUI 16698164	0332/808739	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax=40bar	DISPR/CR4/K,L/14/0681/0/05.05.2011
310	Central	REAL INSTAL SRL	JILAVA, Sos. Giurgiului, nr.169, camera 2, Jud. Ilfov	J23/2900/2007	CUI 22664298	0746255688; 0318/167308	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=50bar	DISPR/CR4/K,L/14/0801/0/18.05.2011
311	Sibiu	REGIA AUTONOMA DE TERMOFICARE	CLUJ NAPOCA, Str. 21 Decembrie 1989, nr.79, Jud. Cluj; CLUJ NAPOCA, Str. Plevnei, nr.66-68, Jud. Cluj	J12/338/1991	CUI 201330	0264/503703/503722; e-mail rat@ratcj.ro	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=16bar	SB/CR4/K,L/14/1482/1/23.07.2015

312	Central	REGIA AUTONOMA DE TERMOFICARE	CLUJ NAPOCA, Str. 21 Decembrie 1989, nr.79, Jud. Cluj; CLUJ NAPOCA, Str. Plevnei, nr.66-68, Jud. Cluj	J12/338/1991	CUI 201330	0264/503703/503722	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=16bar	DISPR/CR4/K,L/14/0740/0/20.04.2011
313	Bucuresti	REGIO IMPEX SRL	BUCURESTI, Str. Gradistea Florestilor, nr.14, sector 2	J40/8215/1991	CUI 1594483	021/2246634; 021/2029285	Verificare (la deschidere-inchidere) la dispozitive de siguranta	DNmax=32mm, pmax=40bar	B/CR4/K/14/0425/1/16.06.2014
314	Brasov	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0244/546229; 0244/546031; e-mail: remero@yahoo.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=350mm, pmax<=200bar	BV/CR4/K,L/14/1327/3/21.10.2014
315	Central	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0244/546224; interior 310; 315; 0244/546031	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=350mm, pmax<=200bar	DISPR/CR4/K,L/14/2008/0/24.04.2012
316	Central	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0244/546221/546031	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=200bar	DISPR/CR4/K,L/14/2008/1/12.12.2011
317	Central	REMERO FIL SA	Com. BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0244/546221/546031	Verificare (la deschidere-inchidere) dispozitive de siguranta	Dnmax=200mm, pmax=200bar	DISPR/CR4/K/14/2008/0/23.09.2011

318	Brasov	REVAG SRL	PLOIESTI, Str. Industriei, nr.4, Jud. Prahova	J29/687/2001	CUI 14071494	0244/572777	Verificari tehnice la inchidere -deschidere , reglarea si repararea supapelor de siguranta	pmax=100bar, Dn=200mm	BV/CR4/K,L/14/1115/0/28.02.2013
319	Bucuresti	REVICOM OIL SRL	BUCURESTI, Str. Vistiernicul Stavrinis, nr.21, sector 6	J40/25661/1994	RO 6645189	021/2503074/2508870; e-mail office@revicomoil.ro	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=150bar, Dn=40mm	B/CR4/K,L/14/2288/1/04.11.2016
320	Bucuresti	REVICOM OIL SRL	BUCURESTI, Str. Vistiernicul Stavrinis, nr.21, sector 6; BUCURESTI, Str. Fantanica, nr.41, sector 2	J40/25661/1994	RO 6645189	021/2503074/2508870	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=150bar, Dn=40mm	B/CR4/K,L/14/2288/0/16.09.2014
321	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta;Constanta, Bd. Aurel Vlaicu, nr.125, Jud. Constanta	J13/2053/2001	RO 14320668	0241/586406/586448	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<1500mm, pmax<=150bar	B/CR4/K,L/14/2425/1/04.02.2015
322	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta;Constanta, Bd. Aurel Vlaicu, nr.125, Jud. Constanta	J13/2053/2001	RO 14320668	0241/586406/586448	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	B/CR4/K/14/1426/1/04.02.2015

323	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta;Constanta, Bd. Aurel Vlaicu, nr.125, Jud. Constanta	J13/2053/2001	RO 14320668	0241/586406/586448	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=200bar	B/CR4/K,L/14/1770/2/ 04.02.2015
324	Central	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta;Constanta, Bd. Aurel Vlaicu, nr.4-6, Jud. Constanta	J13/2053/2001	CUI 14320668	0241/5586406/586448	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	DISPR/CR4/K/14/2657/ 0/04.01.2012
325	Central	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta;Constanta, Bd. Aurel Vlaicu, nr.125, Jud. Constanta	J13/2053/2001	RO 14320668	0241/586406/586448 ; 0722681690	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, pmax<=150bar	DISPR/CR4/K,L/14/2989/ 0/13.02.2012
326	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta;Constanta, Bd. Aurel Vlaicu, nr.125, Jud. Constanta	J13/2053/2001	RO 14320668	0241/586406/586448	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=200bar	B/CR4/K,L/14/1770/1/ 27.08.2013
327	Iasi	RIGAB SRL	IASI, Bd. T. Vladimirescu, nr.105, sc.A, ap.4, Jud. Iasi	J22/758/2004	RO 16333338	0332/800709/800708	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=420bar, Dn max=600mm	IS/CR4/K,L/14/0151/0/ 08.12.2010

328	Bacau	RIGAB SERVICE SRL	IASI, B-dul Tudor Vladimirescu , nr. 105, sc. A, parter, ap. 4, Jud. Iasi	J22/1054/2012	CUI 30361449	0332/800709, 800708	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=600bar, Dn max=600mm	BC/CR4/K,L/14/1456/0 /13.06.2014
329	Brasov	RO STEAM IT SRL	BRASOV, Str. Neagoe Basarab. Nr. 37, Jud. Brasov	J08/1863/2017	RO 37880680	0368/414123; e-mail rosteamit@gmail.com	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=250bar, Dn max=250mm	BV/CR4/K,L/14/1694/0 /13.09.2017
330	Oradea	ROAMBRA COMPANY SRL	TIMISOARA, Str. Simion Barnutiu, bl.81, et.1, ap.2, Jud. Timis	J35/1120/1999	CUI 12493930	0356/179990	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=250bar, Dn max3600mm	OR/CR4/K,L/14/1225/0 /01.11.2013
331	Central	ROBERT BOSCH SRL	BUCURESTI, Str. Horia Macelariu, subsol+parter+1,2, nr. 30-34, et.4, sector 1	J40/7601/1994	CUI 5541546	021/4057500/2331313	Verificare (la deschidere-inchidere) dispozitive de siguranta	Dmax<=150mm, pmax<=16bar	DISPR/CR4/K/14/0711/0/06.05.2011
332	Ploiesti	ROC ROMANIAN OIL COMPANY SRL	PLOIESTI, Str. Carpati, bl.33H, ap.21, Jud. Prahova	J29/2721/1993	RO 4891861	0244/591811	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=40bar, Dnmax=150mm	PL/CR4/K,L/14/0223/0 /02.11.2010
333	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/8331/2001	CUI 14208851	744686811	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=64bar, Dmax=150mm	DISPR/CR4/K,L/14/0223/0/22.03.2010

334	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1; PETROMIDIA NAVODARI, Bd. Navodari, Km 23, Jud. Constanta	J40/8331/2001	RO 14208851	021/27236 60/314089 7	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=400mm, pmax<=3500bar	DISPR/CR4/K,L/14/3482 /0/19.04.2012
335	Bacau	ROTHERM GRUP SRL	IASI, Bd. C.A. Rosetti, nr. 1, bl. 304, sc. II, parter, Jud. Iasi	J22/825/2000	CUI 13499191	0232/2766 55/276666	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=30bar	BC/CR4/K,L/14/1597/1 /14.12.2016
336	Bacau	ROTHERM GRUP SRL	IASI, Bd. C.A. Rosetti, nr. 1, bl. 304, sc. II, parter, Jud. Iasi	J22/825/2000	CUI 13499191	0232/2766 55	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=100mm, pmax<=30bar	BC/CR4/K,L/14/1597/0 /22.09.2015
337	Central	RSVTI CONCEPT SRL	BUCURESTI, Str. Ioan Caragea Voda, nr.14, camere 1,2, sector 1	J40/8448/2009	CUI 25835180	031/10783 70	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax<=40bar	DISPR/CR4/K,L/14/0177 /0/14.03.2011
338	Central	RUS MIRS SRL	TIMISOARA, Str. Ana Ipatescu, nr.6, sc.C, ap.1, Jud. Timis	J35/403/2008	RO 23222006	0356/4260 45	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=64bar	DISPR/CR4/K,L/14/1012 /0/01.06.2011
339	Ploiesti	SAFETYPRO VALVE SRL	TARGOVISTE, Str. Capitan Constantinescu Ion, nr.3A, Jud. Dambovita	J15/424/2009	RO 25670839	0245/2061 14/ 206115	Verificare la inchidere -deschidere a supapelor de siguranta	P<=700bar, DN<=500mm	PL/CR4/K/14/0003/0/1 3.04.2010

340	Bucuresti	SAFETYPRO VALVE SRL	TARGOVISTE, Str. Capitan Constantinescu Ion, nr.3A, Jud. Dambovita	J15/424/2009	RO 25670839	0245/206114/206115	Verificare la inchidere -deschidere a supapelor de siguranta	P<=700bar, DN<=500mm	B/CR4/K,L/14/1723/1/30.07.2013
341	Central	SAGIO IMPEX SRL	PIATRA NEAMT, Aleea Margaretelor, nr.17, sc.A, et.2, ap.10, Jud. Neamt	J27/578/1995	RO 7539356	0233/211142; 0744697050	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=65mm, pmax=10bar	DISPR/CR4/K,L/14/3322/0/21.03.2012
342	Sibiu	SAGUNTO IMPEX SRL	CLUJ NAPOCA, Str. Streiului, nr. 1, bl. A14, ap. 24, Jud. Cluj; CLUJ NAPOCA, Str. Nirajului, nr. 9, bl. P5, Garaj nr. 2, Jud. Cluj	J12/230/2002	RO 14434979	0744706585; 0264/412409; e-mail saguntoclu j@yahoo.com	Verificare la inchidere -deschidere a supapelor de siguranta	Pmax=15bar, DNmax=100mm	SB/CR4/K/14/1476/0/02.07.2015
343	Oradea	SAMGEC SRL	SATU MARE, Str. Lucian Blaga, nr. 85A, Jud. Satu Mare	J30/1757/1994	CUI 6593861	0746237923; 0261/760080	Verificare (la deschidere-inchidere) dispozitive de siguranta	Dmax<=250mm, pmax<=25bar	OR/CR4/K/14/1528/1/04.04.2017
344	Central	SAMGEC SRL	SATU MARE, Str. Petru Maior, nr.32, Jud. Satu Mare; SATU MARE, Str. Lucian Blaga, nr.85A, Jud. Satu Mare	J30/1757/1994	CUI 6593861	746237923; 0261/760080	Verificare (la deschidere-inchidere) dispozitive de siguranta	Dmax<=250mm, pmax<=25bar	DISPR/CR4/K/14/0485/0/07.04.2011
345	Brasov	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761/1994	RO 5420374	0723276995, 0372/000403	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=25bar, Dn<=200mm	BV/CR4/K,L/14/1684/1/02.08.2017

346	Ploiesti	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761/1 994	RO 5420374	0244/5447 07/519648	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=25bar, Dn<=200mm	PL/CR4/K,L/14/0260/0 /06.12.2010
347	Central	SERCOP AND SRL	CAMPULUNG , Str. Fratii Golesti, nr.72, Jud. Arges	J03/2132/ 1994	RO 6749864	0248/5106 28	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=200mm, pmax<=100bar	DISPR/CR4/K,L/14/0994 /0/16.06.2011
348	Central	SERVICII ELECTROMECHANICE SRL	CRAIOVA, Cal. Bucuresti, nr.166, Jud. Dolj	J16/1427/ 2005	CUI 17762109	0251/4370 33; 074537866 0	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=100bar	DISPR/CR4/K,L/14/1527 /0/08.07.2011
349	Bucuresti	SERVICII ELECTROMECHANICE SRL	GHERCESTI, Str. Aviatorilor, nr.10, Jud. Dolj	J16/1427/ 2005	RO 17762109	074537866 0; 0251/4370 33	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, Pmax<=100bar	B/CR4/K,L/14/1253/1/ 14.01.2013
350	Central	SERVINSTAL SRL	TG. MURES, Str. 22 Decembrie 1989. nr. 51/7, Jud. Mures	J26/1177/ 2003	CUI 15742741	0265/2592 59	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=25bar	DISPR/CR4/K,L/14/2439 /0/21.11.2011
351	Bucuresti	SERVINSTAL ENGINEERING SRL	VOLUNTARI, Str. George Bacovia, nr. 21A, Jud. Ilfov	J23/683/2 012	RO 27792271	072336175 8; e-mail office@ser veng.ro	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=65bar	B/CR4/K,L/14/2001/0/ 07.10.2016
352	Central	SIMPRESS SRL	SIBIU, Str. Lemnelor, nr.3, Jud. Sibiu	J32/1830/ 1991	CUI 789630	0269/2067 48	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=60mm, pmax=25bar	DISPR/CR4/K,L/14/2056 /0/28.09.2011

353	Bacau	SIONTECH 2006 SRL	COM. PANGARATI, Sat Pangaracior, nr.458, Jud. Neamt	J27/1223/2006	CUI 19121739	0745343098; e-mail office@siontech.ro	Verificare (la deschidere-inchidere) dispozitive de siguranta	Dmax<=100mm, pmax<=65bar	BC/CR4/K/14/1696/1/09.09.2016
354	Central	SIONTECH 2006 SRL	COM. PANGARATI, Sat Pangaracior, nr.458, Jud. Neamt	J27/1223/2006	CUI 19121739	0233/256492	Verificare (la deschidere-inchidere) dispozitive de siguranta	Dmax<=60mm, pmax<=60bar	DISPR/CR4/K/14/0446/0/14.04.2011
355	Central	SIR CONSTRUCT SRL	AIUD, Str. Faget, nr.5A, Jud. Alba	J01/85/2000	CUI 12837243	0757677015; 0258/860891	Verificare (la deschidere-inchidere) dispozitive de siguranta	Dmax=100mm, pmax=20bar	DISPR/CR4/K/14/1414/0/11.07.2011
356	Oradea	SISTEMGAS SRL	TIMISOARA, Str. Sulina, nr.10, Jud. Timis	J35/3109/1994	CUI 6470320	0256/496393	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=65mm, pmax=25bar	OR/CR4/K,L/14/1154/1/28.05.2013
357	Bucuresti	SISTEMPLAST SA	RM. VALCEA, Str. Uzinei, nr.1, Jud. Valcea	J38/11/1999	CUI 11438007	0250/701501/701504	Verificare (la deschidere-inchidere) dispozitive de siguranta	Dnmax=450mm, pmax=400bar	B/CR4/K/14/1946/0/10.12.2013
358	Sibiu	SNGN ROMGAZ - Sucursala de Productie Energie Electrica Iernut	IERNUT, Str. Energeticii, nr.1, Jud. Mures	J26/194/2013	RO 14056826	0265/471333/471388	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax=250mm, pmax=150bar	SB/CR4/K,L/14/1296/0/17.04.2014
359	Bucuresti	SOCIETATEA DE SERVICII HIDROENERGETICE HIDROSERV SA	BUCURESTI, Str. Constantin Nacu, nr.3, et. 3-5, sector 2	J40/9762/2013	RO32097794	021/3110612	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=100bar	B/CR4/K,L/14/1928/1/20.11.2014
360	Bucuresti	SOCIETATEA HIDROELECTRICA SERV SA	BUCURESTI, Str. Constantin Nacu, nr.3, et. 3-5, sector 2	J40/9762/2013	RO32097794	021/3110612	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=100bar	B/CR4/K,L/14/1928/0/13.11.2013

361	Bucuresti	SOF INSTAL PROIECT SRL	POPESTI LEORDENI, Str. Astrelor, nr. 12, parter, Jud. Ilfov	J23/27/2015	CUI 33942730	0773791207; 031/4315156	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/2409/0/19.01.2015
362	Central	SOLINVEST SRL	GALATI, Str. Alunisului, nr.12, Jud. Galati	J17/1274/1992	CUI 1630667	0336/802549; 0236/456134	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	DISPR/CR4/K,L/14/0609/0/22.04.2011
363	Central	SOLO PROD SRL	BUZAU, Str. Orizontului, nr.206, Jud. Buzau	J10/2260/1994	CUI 6446054	0238/720038; 0338/111540	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=200mm, pmax<=40bar	DISPR/CR4/K,L/14/2542/0/20.12.2011
364	Bucuresti	STANDARD CSL SRL	Comuna CHIRNOGI, Str. Peluzei, nr.7, Jud. Calarasi	J51/736/2005	RO 18180877	0242/524223; 0727856273	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=60mm, pmax=22bar	B/CR4/K,L/14/2133/0/30.04.2014
365	Central	STAVAS CONSULTING SRL	SLOBOZIA, Varianta Bucuresti - Constanta, Km 66, Corp C3, Jud. Ialomita	J21/468/2007	CUI 22210224	0243/221184	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=150bar	DISPR/CR4/K,L/14/2856/0/25.01.2012
366	Bucuresti	TEHNIC SERV SRL	GIURGIU, Sos. Sloboziei, Km 4, Jud. Giurgiu	J52/355/2003	CUI 15804550	0246/217863/ 217209	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=125mm, pmax=64bar	B/CR4/K,L/14/0047/0/03.06.2010
367	Central	TEHNITES SRL	BOTOSANI, Aleea Curcubeului, nr.15, sc.E, et.1, ap.4, Jud. Botosani; BOTOSANI, Str. Pacea, nr.49, Jud. Botosani	J07/147/2000	CUI 13197304	0231/584964	Verificare (la deschidere-inchidere) dispozitive de siguranta	Dmax=100mm, pmax=16bar	DISPR/CR4/K,L/14/2888/0/31.01.2012

368	Central	TEHNITES SRL	BOTOSANI, Aleea Constantin Piliuta, nr.1B, cam.1, Jud. Botosani	J07/147/2000	CUI 13197304	0231/584964	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=16bar	BC/CR4/K,L/14/1265/1/13.06.2013
369	Bucuresti	TEHNO MOD GRUP SRL	MANGALIA, Str. Muncelului, nr.1, Jud. Constanta	J13/3263/2007	CUI 22476081	0241/759970	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=60bar	B/CR4/K,L/14/2095/0/09.04.2014
370	Central	TEHNOTERM SRL	IASI, Sos. Pacurari. Nr.26, bl.T4, parter, Jud. Iasi	J22/3107/1994	CUI 6788022	0232/259596	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=60bar	DISPR/CR4/K,L/14/0557/0/20.04.2011
371	Bacau	TEHNOTERM SRL	IASI, Bd. Chimiei, nr. 14, Jud. Iasi	J22/3107/1994	CUI 6788022	0232/259596	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=60bar	BC/CR4/K,L/14/1388/1/11.03.2014
372	Brasov	TEODAN INSTAL SRL	PLOIESTI, Str. Maramures, nr.14-16, Jud. Prahova	J29/2587/2007	CUI 22547417	0244/546228; e-mail Teodan_instal@yahoo.com	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=300bar, Dnmax=150mm	BV/CR4/K,L/14/1352/1/11.12.2014
373	Ploiesti	TEODAN INSTAL SRL	PLOIESTI, Str. Republicii, nr.108, Bl.13B2, et.2, ap.6, Jud. Prahova	J29/2587/2007	RO 22547417	0244/514500	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=300bar, Dnmax=150mm	PL/CR4/K,L/14/0258/0/06.12.2010
374	Sibiu	TERM INSTAL GROUP SRL	DEJ, Str. Florilor, nr.8, Jud. Cluj	J12/720/1999	RO 11833600	0264/212273	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax<=100mm; pmax<=25bar	SB/CR4/K,L/14/1032/0/27.07.2012

375	Bacau	TERMA SRL	BACAU, Str. Oituz, nr.78, Jud. Bacau	J04/219/1997	CUI 9234919	0234/511711/580010; e-mail office@termabacau.ro	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=50mm, pmax<=6bar	BC/CR4/K,L/14/1760/1/03.05.2017
376	Central	TERMA SRL	BACAU, Str. Oituz, nr.78, Jud. Bacau	J04/219/1997	CUI 9234919	0234/511711/580010	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=6bar	DISPR/CR4/K,L/14/0552/0/15.04.2011
377	Central	TERMAEXIM SA	GALATI, Str. Petru Groza, nr.23, Jud. Galati	J17/1221/1991	CUI 1631352	0236/470870/470669	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, pmax<=160bar	DISPR/CR4/K,L/14/0029/0/23.02.2011
378	Central	TERMICA SA	SUCEAVA, Str. Energeticianului, nr.1, Jud. Suceava	J33/310/2002	CUI 14682110	0230/257066/257663	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=64bar	DISPR/CR4/K,L/14/0854/0/11.05.2011
379	Brasov	TERMO CONFORT SRL	BRASOV, Bd. Victoriei, nr.10, bl.43, Jud. Brasov	J8/184/1998	RO 10253388	0268/416830	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	p<=40bar, D<=250mm	BV/CR4/K,L/14/1099/0/14.01.2013
380	Sibiu	TERMOCONSULTING SRL	ALBA IULIA- MICESTI, Str. Carpati, nr.26, Jud. Alba	J01/463/2004	RO 16358630	0258/832409	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	8mm<=DN<=250mm, 0bar<= Pn<250bar	SB/CR4/K,L/14/0069/0/16.08.2010
381	Central	TERMODAV SRL	BRAGADIRU, Str. Iederei, nr.63D, Jud. Ilfov	J23/3243/2008	CUI 24619986	0740044941; 031/8081274	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=70bar	DISPR/CR4/K,L/14/2102/0/03.10.2011

382	Central	TERMODINAMIC SRL	ARAD, Str. Stan Dragu, nr.1, Jud. Arad	J02/1114/1994	CUI 6111857	0257/2565 02/250310	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=10bar, fluid aer; Dnmax=250mm, pmax=250bar, fluid azot	DISPR/CR4/K,L/14/2566 /0/08.12.2011
383	Craiova	TERMOINSTALATII CONSULT SRL	CRAIOVA, Piata Unirii, bl.N, ap.43, Jud. Dolj	J16/651/2010	RO 27027768	0251/4625 65	Verificare (la deschidere-inchidere) dispozitive de siguranta	DN=300mm, Pmax=450bar	CR/CR4/K,L/14/0039/0 /02.07.2010
384	Central	TERMOINVEST SRL	FETESTI, Str. M. Sadoveanu, nr.3, Jud. Ialomita	J21/31/1994	CUI 5168146	0243/3651 08	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=60bar	DISPR/CR4/K,L/14/0880 /0/18.05.2011
385	Ploiesti	TERMOKLIMA SRL	BUZAU, Str. Agriculturii, nr.25, Jud. Buzau	J10/215/2000	RO 13038090	0238/7222 74	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax<=250bar, DN<=400mm	PL/CR4/K,L/14/0264/0 /06.12.2010
386	Central	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, ap.6, Jud. Cluj	J12/3927/1994	CUI 6589364	0264/4315 87	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	DISPR/CR4/K,L/14/1079 /0/01.06.2011
387	Central	TERMOREP SRL	RM. VALCEA, Str. Nistor Dumitrescu, nr.14/17, Jud. Valcea	J38/576/1991	CUI 1469332	0250/7373 08/737302 ; 074454943 6	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=100bar	DISPR/CR4/K,L/14/2165 /0/11.10.2011
388	Central	TIMPROD SRL	SUCEAVA, Al. Dumbravii, nr.12D, Jud. Suceava	J33/764/1995	CUI 7537380	0230/5172 30	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=64bar	DISPR/CR4/K,L/14/2115 /0/07.10.2011

389	Central	TMK ARTROM SA	SLATINA, Str. Draganesti, nr.30, Jud. Olt	J28/9/1991	CUI 1510210	0372498148, 0721240759, 0249/431144	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=64bar	DISPR/CR4/K/14/1170/0/21.06.2011
390	Bucuresti	TOP OIL INTER SRL	CONSTANTA, Str. Lt. Gheorghe Hanes, cladire Club CFR, birou nr.1, Jud. Constanta	J13/2253/2010	RO 27796281	0241/620844/ 51555	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=40bar	B/CR4/K,L/14/1769/0/26.08.2013
391	Ploiesti	TOTAL CERT SRL	BUZAU, Str. Unirii, bl.E7A, et.8, ap.24, camera 1, Jud. Buzau	J10/500/2005	RO 17475438	0238/723330	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN<=170mm, PN<=170bar	PL/CR4/K/14/0084/0/21.06.2010
392	Bacau	TOTALGAZ INDUSTRIE SRL	IASI,Sos. Pacurari, nr. 128, Jud. Iasi	J22/3277/1994	RO 6658553	0232/216391/ 215983	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=600mm, pmax=450bar	BC/CR4/K,L/14/1432/0/13.06.2014
393	Brasov	TRISERV INSTAL SRL	AZUGA, Str. Gospodariei, nr.33, Jud. Prahova	J29/1477/2006	RO 18827885	0244/326328	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=40bar, Dnmax<=150mm	BV/CR4/K,L/14/1058/0/02.10.2012
394	Sibiu	TUBEX SRL- Sucursala DANES	Sat DANES, Str. Garii, nr.1, Jud. Mures	J26/1223/2003	RO 15778389	0265/761703	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax<=300mm; pmax<=400bar	SB/CR4/K,L/14/1034/0/16.08.2012

395	Oradea	UCM RESITA SA	BUCURESTI, Piata Montreal, nr.10, cladirea WTC, intrarea F, et.1, birou nr.1, sector 1; RESITA, Str. Golului, nr.1, Jud. Caras Severin	J40/13628 /2011	CUI 1056654	Telex 74215; 5/217111/223082	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=25bar Dnmax=80mm	OR/CR4/K,L/14/1094/1 /17.01.2013
396	Timisoara	UCM RESITA SA	BUCURESTI, P-ta Montreal, nr.10, Cladire World Trade Center, intrare F, et.1, birou nr.1, sector 1; RESITA, Str. Golului, nr.1, Jud. Caras Severin	J40/13628 /2011	CUI 1056654	0255/2172 11/223082	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=80mm, Pn=25bar	TM/CR4/K,L/14/0074/0 /14.09.2010
397	Bucuresti	UM 02550 L	BUCURESTI, Str. Teascului, nr.2, sector 4	-	CIF 4283716	021/33410 30/332138 9	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=50bar	B/CR4/K,L/14/1038/0/ 18.09.2012
398	Oradea	UZINA ELECTRICA ZALAU SA	ZALAU, Str. Simion Barnutiu, nr.2, Jud. Salaj	J31/13/20 02	RO 14397920	0260/6621 03/ 662101	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=35bar	OR/CR4/K,L/14/1385/1 /23.12.2015
399	Oradea	UZINA ELECTRICA ZALAU SA	ZALAU, Str. Valea Mitei, nr. 2, Jud. Salaj	J31/13/20 02	RO 14397920	0260/6621 03/ 662101; e-mail cet@uezal au.ro	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=35bar	OR/CR4/K,L/14/1385/0 /09.07.2015

400	Oradea	VALFRAT PREST SRL	RESITA, Str. Timisoarei, bl.29, sc.3, ap.3, Jud. Caras Severin	J11/221/1997	CUI 9745220	0255/225824	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	OR/CR4/K,L/14/1266/0/07.03.2014
401	Bacau	VENTILE, ARMATURI, SUPAPE SERVICE SRL	ROMAN, Str. Stefan cel Mare, nr. 279, Jud. Neamt	J27/339/2015	CUI 34571362	0745050306	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=100bar	BC/CR4/K,L/14/1560/0/01.07.2015
402	Bacau	VEOLIA ENERGIE IASI SA	IASI, Sos. Nationala, nr.43, et.1, camera 19, Jud. Iasi; Iasi, Cal. Chisinaului, nr.25, Jud. Iasi	J22/1399/2012	RO 30570461	0232/232360/233918	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400mm, pmax=400bar	BC/CR4/K,L/14/1122/2/13.06.2017
403	Bacau	VEOLIA ENERGIE IASI SA	IASI, Sos. Nationala, nr.43, et.1, camera 19, Jud. Iasi; Iasi, Cal. Chisinaului, nr.25, Jud. Iasi	J22/1399/2012	RO 30570461	0232/232360/233918	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400mm, pmax=400bar	BC/CR4/K,L/14/1122/1/11.05.2015
404	Cluj	VER INS TRAD SRL	BAIA MARE, Str. Tamplarilor, nr.15, Jud. Maramures	J24/752/2006	CUI 18649862	0766247388; 0362/402065	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=150mm, Pmax=64bar	CJ/CR4/K,L/14/0133/0/02.12.2010
405	Bacau	VIDMAC EXPERT SRL	BRAILA, Str. Apollo, nr. 23, bl. A7, ap. 14, Jud. Braila	J09/456/2013	CUI 32001721	0728894202	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN<=150mm, Pmax<=25bar	BC/CR4/K,L/14/1601/0/06.10.2015
406	Bucuresti	VIDOMAC CONS-SERV SRL	BUCURESTI, Aleea Petrachesti, nr.24, bl.1, sc.A, et.1, ap.112, sector 6	J40/1271/2011	CUI 28003325	031/8083752	Verificare (la deschidere-inchidere), reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax=40bar	B/CR4/K,L/14/3206/3/29.05.2015

407	Bucuresti	VIDOMAC CONS-SERV SRL	BUCURESTI, Aleea Petrachesti, nr.24, bl.1, sc.A, et.1, ap.112, sector 6	J40/1271/2011	CUI 28003325	031/8083752	Verificare (la deschidere-inchidere), reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax=40bar	B/CR4/K,L/14/3206/2/11.04.2014
408	Central	VIDOMAC CONS SERV SRL	BUCURESTI, Al. Petrachesti, nr.24, bl.1, sc.A, et.1, ap.112, camera 1, sector 6	J40/1271/2011	CUI 28003325	031/8083752	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=125mm, pmax=16bar	DISPR/CR4/K,L/14/3206/1/08.03.2012
409	Bucuresti	VILO SRL	BUCURESTI, Bd. Camil Ressu, nr.15, bl.57, sc.4, et.2, ap. 141, sector 3	J40/9378/2002	RO 14899420	021/6488064/3253592	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=75mm, pmax=12bar	B/CR4/K,L/14/2317/0/21.10.2014- suspendare voluntara incepand cu 16.08.2017
410	Bucuresti	VIOSIL INSTAL CONSTRUCT SRL	BUCURESTI, Str. Cozieni, nr.33, constructii C1, C2, C3, sector 5	J40/112961/2002	RO 15000467	021/3357795/3367010	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dn=80mm, pmax=16bar	B/CR4/K,L/14/1183/0/16.11.2012
411	Bucuresti	VIRGILIUS PROD COM SL	SLOBOZIA, Str. Vanatori, bl.D1, sc.A, ap.3, Jud. Ialomita	J21/878/1992	CUI 20790871	0243/221129	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=50bar	B/CR4/K,L/14/1236/0/11.12.2012
412	Central	VIROMET SA	VICTORIA, Aleea Uzinei, nr.8, Jud. Brasov	J08/340/1991	CUI 1126350	0268/241120/241800	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax<=100bar	DISPR/CR4/K,L/14/1629/0/19.07.2011
413	Central	VITAL TERMO CONSTRUCT SRL	BUCURESTI, Str. Anastasie Panu, nr.8, bl.A 12, sc.2, et. 3, ap.40, sector 3	J40/5594/1997	CUI 9617000	021/3237773	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=100mm, pmax<=40bar	DISPR/CR4/K/14/0712/0/05.05.2011

414	Bacau	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239/1991	RO 1454846	0237/6408 00/641720	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=40bar	BC/CR4/K,L/14/1430/1 /16.06.2014
415	Central	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239/1991	RO 1454846	0237/6408 00/641720	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=40bar	DISPR/CR4/K,L/14/3067 /0/23.02.2012
416	Central	VTP SERVING SRL	CLUJ NAPOCA, Str. Godeanu, nr.2, ap.17, Jud. Cluj; CLUJ NAPOCA, Str. Henri Barbusse, nr. 59-61, Jud. Cluj	J12/1540/2005	CUI 17518105	0264/5526 46	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=64bar	DISPR/CR4/K,L/14/0807 /0/04.05.2011
417	Sibiu	VTU ECHIPAMENTE SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, et. 1, Jud. Cluj	J12/256/2013	RO 31156795	0264/4315 87/ 596750	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=250mm, pmax<=250bar	SB/CR4/K,L/14/1500/0 /13.08.2015
418	Central	YIT ROMANIA SRL	SIBIU, Com. SELIMBAR, Str. Sibiului, nr.2, camera 403, Jud. Sibiu	J32/1103/2008	CUI 16962540	0369/4089 17/408918	Verificare (la deschidere- inchidere) dispozitive de siguranta	Dnmax=80mm, pmax=70bar	DISPR/CR4/K/14/1667/ 0/10.08.2011

