

Persoane juridice autorizate conform PT CR4-2010 pentru efectuarea de lucrari la Dispozitive de siguranta- reglementate de PT C7/2010

Nr. Crt.	IT ISCIR	Societatea Comerciala	Adresa	J	CUI	Tel/fax	Domeniu autorizat	Parametrii	Autorizatii
1	Bacau	A5 INVEST SRL	ONESTI, Str. Industriilor, nr. 3, Jud. Bacau	J04/109 6/2012	RO 17701 390	0234/30 2340	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=40bar	BC/CR4/K,L/14/1687/0/ 29.06.2016
2	Central	AB INSTAL SRL	CRAIOVA, Str. Caracal, nr.30, Jud. Dolj	J16/458 /2000	CUI 13319 762	0251/54 3105/52 1266; 0744572 075	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=16bar	DISPR/CR4/K,L/14/3254 /0/14.03.2012
3	Bucuresti	AB INSTAL SRL	CRAIOVA, Str. Caracal, nr.30, Jud. Dolj	J16/458 /2000	CUI 13319 762	0251/54 3105/52 1266; 0744572 075	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=450bar	B/CR4/K,L/14/1932/1/2 3.12.2013
4	Bucuresti	ABC CONTROL SRL	BUCURESTI, Str. Drumul Binelui, nr. 12, parter, sc. 2, ap. 18, sector 4	J40/878 6/2015	CUI 29686 854	0729113 637, 031/814 9718; e- mail abccont rol@yah oo.com	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=50bar	B/CR4/K,L/14/2740/0/1 6.03.2016
5	Bucuresti	ABC SYSTEMS SRL	DR. TN. SEVERIN, Calea Timisoarei, nr.175B. Jud. Mehedinti	J25/158 4/1994	RO 66675 78	0252/32 9362/ 329363	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=50bar	B/CR4/K,L/14/1672/0/0 2.07.2013

6	Bacau	AEROSTAR SA	BACAU, Str. Condorilor, nr.9, Jud. Bacau	J04/113 7/1991	CUI 95053 1	0234/57 2023/ 572259	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=410bar, Dn=150mm	BC/CR4/K,L/14/1058/0/ 03.10.2012- retragere voluntara incepand cu 10.08.2016
7	Central	AIR SERVICE DELTA SRL	PITESTI, Str. Eremia Grigorescu, bl.R1bis, sc.B, ap.5, Jud. Arges	J03/440 /1998	CUI 10868 600	0248/21 3163	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=100bar	DISPR/CR4/K,L/14/2346 /0/02.11.2011
8	Sibiu	ALFATRONIC SRL	CLUJ NAPOCA, Str. Rasinari, nr. 1/19, Jud. Cluj; CLUJ NAPOCA, Str. Caragiale, nr. 2- 8/21, Jud. Cluj	J12/266 4/2007	RO 21914 302	0723670 380; 0264/40 3399; e- mail tudorbal acescu@ yahoo.c om	Verificare( la deschidere- inchidere) dispozitive de siguranta	Dnmax=100mm, pmax=15bar	SB/CR4/K/14/1475/0/01 .07.2015
9	Bacau	AMURCO SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/770 /2005	RO 17488 233	0234/57 5440/ 575413	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=200bar, Dnmax=500mm	BC/CR4/K,L/14/0080/0/ 23.09.2010- retragere incepand cu 30.08.2016
10	Central	ANTIBIOTICE SA	IASI, Str. Valea Lupului, nr.1, Jud. Iasi	J22/285 /1991	CUI 19730 96	0232/20 9000/20 9633	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=160bar	DISPR/CR4/K,L/14/0837 /0/23.05.2011

11	Bacau	AQUASERV SRL	BARLAD, Str. 1 Decembrie, nr. 22, Jud. Vaslui	J37/464/1991	RO 832242	0235/411306; e-mail office@aquaser.vbarlad.ro	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=10bar	BC/CR4/K,L/14/1589/0/26.08.2015
12	Central	ARDENT SRL	BRASOV, Str. Paraului, nr.15, bl.S25, sc.A, ap.9, Jud. Brasov	J08/1035/1991	CUI 1110281	0722275726; 0268/541682	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=200mm, pmax<=50bar	DISPR/CR4/K,L/14/1796/0/26.08.2011
13	Sibiu	ARHICAD INSTAL SRL	CLUJ NAPOCA, Str. Barc 1, nr. 55, ap. 6, Jud. Cluj	J12/1421/2013	CUI 31595995	0264/437106; 0744270309	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=150mm, pmax<=60bar	SB/CR4/K,L/14/1569/0/25.01.2016
14	Central	ARMAX GAZ SA	MEDIAS, Str. Aurel Vlaicu, nr.35A, Jud. Sibiu	J32/127/1991	CUI 803727	0269/845864/845956	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=100mm, pmax<=60bar	DISPR/CR4/K,L/14/1713/0/10.08.2011
15	Bucuresti	ARTEGO SA	TG. JIU, Str. Ciocarlau, nr.38, Jud. Gorj	J18/1120/1991	CUI 2157428	0253/226444/226445; 0253/226140/226045	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax<=100bar	B/CR4/K,L/14/2861/1/25.08.2016
16	Central	ARTEGO SA	TG. JIU, Str. Ciocarlau, nr.38, Jud. Gorj	J18/1120/1991	CUI 2157428	0253/226443/226114	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax<=100bar	DISPR/CR4/K,L/14/2696/0/21.12.2011
17	Pitesti	AUTOMOBILE DACIA SA	MIOVENI, Str. Uzinei, nr.1, Jud. Arges	J03/81/1991	RO 160796	0248/342507/342001	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax<=40bar	PT/CR4/K,L/14/0148/0/21.12.2010

18	Sibiu	AZOMURES SA	TG. MURES, Str. Gheorghe Doja, nr.300, Jud. Mures	J26/1/1991	RO 1200490	0265/253700/252627	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, p=250bar	SB/CR4/K,L/14/0168/0/28.02.2011
19	Sibiu	AZOMURES SA	TG. MURES, Str. Gheorghe Doja, nr.300, Jud. Mures	J26/1/1991	RO 1200490	0265/253700/252627	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN<=250mm, p<=250bar	SB/CR4/K,L/14/1001/1/05.06.2012
20	Bucuresti	A&G ROTERM SERVICE SRL	CONSTANTA, Str. Ateliereilor, nr. 31, camera 1, Jud. Constanta	J13/332/2006	RO 18361300	0741258008; 0241/520976; e-mail rotermservice@yahoo.com	Verificare( la deschidere-inchidere)	DNmax=150mm, Pmaxp=20bar	B/CR4/K/14/2666/0/28.10.2015
21	Central	B B VERIF SRL	MIERCUREA CIUC, Str. Ion Caianu, nr.76, Jud. Harghita	J19/1128/2005	CUI 18207298	0744130704; 0266/310642	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=50bar	DISPR/CR4/K,L/14/2922/0/01.02.2012
22	Tg. Mures	BEN COM MIXT SRL	GHEORGHENI, Str. Gabor Aron, nr.5, Jud. Harghita	J19/747/1992	RO 530309	0266/364801/364094	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=150mm, Pn=25bar	MS/CR4/K,L/14/0009/0/12.05.2010
23	Central	BEST FOR YOU SRL	SUCEAVA, Str. Amurgului, nr.10, bl.106, sc.C, ap.8, Jud. Suceava	J33/19/2006	CUI 18267400	0330/881561; 0741031318	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=64bar	DISPR/CR4/K,L/14/2975/0/06.02.2012

24	Brasov	BETATEC SYSTEMS SRL	BUCURESTI, Calea Mosilor, nr. 255, bl. 55, sc. 1, et. 2, ap. 9, sector 2; BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr. 33G, Jud. Prahova	J40/2687/2016	CUI 35703771	0728967762; 021/2111839; e-mail info@betatec.net	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400mm, pmax=200bar	BV/CR4/K,L/14/1627/0/ 23.12.2016
25	Oradea	BLESSING CONAR SRL	NEGRESTI OAS, Bd. Unirii, nr.64, Jud. Satu Mare	J30/313/2009	CUI 25414849	0261/854677	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=35bar Dn<=100mm	OR/CR4/K,L/14/1070/0/ 29.10.2012
26	Bucuresti	BONATTI Spa PARMA- Sucursala Bucuresti	BUCURESTI, sector 5, Str. Gheorghieni, nr. 68, et. 1, ap. 4; Assett 5, POIENI, Str. General Gheorghe Radulescu, nr. 83, Jud. Teleorman	J40/9115/2014	CUI 33446663	021/4024100	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, pmax=140bar	B/CR4/K,L/14/2564/1/1 2.10.2015
27	Bucuresti	BONATTI Spa PARMA- Sucursala Bucuresti	BUCURESTI, sector 5, Str. Gheorghieni, nr. 68, et. 1, ap. 4; Assett 5, POIENI, Str. General Gheorghe Radulescu, nr. 83, Jud. Teleorman	J40/9115/2014	CUI 33446663	021/4024100	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, pmax=140bar	B/CR4/K,L/14/2564/0/0 2.07.2015

28	Bucuresti	BONATTI Spa PARMA- Sucursala Bucuresti	BUCURESTI, sector 5, Str. Gheorghieni, nr. 68, et. 1, ap. 4; Assett 6, MORENI, Str. Alexandru Ioan Cuza	J40/911 5/2014	CUI 33446 663	021/402 4100	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, PN=200bar	B/CR4/K,L/14/2528/0/1 8.05.2015
29	Brasov	BOPP & REUTHER ZIKESCH MAINTENANCE GROUP SRL	BUCURESTI, Cal. Mosilor, nr.255, bl.55, sc.1, et.2, ap.9, sector 2; PETROBRAZI, BRAZI, Jud. Prahova	J40/277 6/2006	RO 18403 561	0344/42 28822/ 4228823	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=400mm, pmax=200bar	BV/CR4/K,L/14/1517/1/ 23.12.2015- suspendare voluntara incepand cu 14.03.2016
30	Ploiesti	BOPP & REUTHER ZIKESCH MAINTENANCE GROUP SRL	BUCURESTI, Cal. Mosilor, nr.255, bl.55, sc.1, et.2, ap.9, sector 2; PETROBRAZI, BRAZI, Jud. Prahova	J40/277 6/2006	RO 18403 561	021/211 1838/ 2111839	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=400mm, PN=200bar	PL/CR4/K,L/14/0071/0/ 27.05.2010
31	Pitesti	BOPP & REUTHER ZIKESCH MAINTENANCE SRL	BUCURESTI, Cal. Mosilor, nr.255, bl.55, sc.1, et.2, ap.9, sector 2; PITESTI, Str. Petrochimistilor, nr.127, Jud. Arges	J40/277 6/2006	RO 18403 561	021/211 1838/ 2111839 ; 0248/61 5491	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=200bar, DN<=200mm	PT/CR4/K,L/14/0047/0/ 08.06.2010
32	Bucuresti	BRALLCON PROIECT SRL	TG. JIU, Componenta Romanesti, nr. 66, Jud. Gorj	J18/205 /2010	RO 26831 097	0724246 240	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=200bar	B/CR4/K,L/14/2653/0/2 0.11.2015
33	Central	BRICHET GROLUP SRL	CAREI, Str. Duzilor, nr.96A, Jud. Satu Mare	J30/305 /2005	CUI 17322 230	0723195 305; 0361/86 2846	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=20bar	DISPR/CR4/K,L/14/3195 /0/06.03.2012

34	Bacau	BURNER SERVICE SRL	IASI, Aleea Tudor Neculai, nr. 99, bl. 989A, sc. B, et. 4, ap. 18, camera 1, Jud. Iasi	J22/317/2014	CUI 32851307	0332/433505; 0744707150	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=1500mm, pmax=40bar	BC/CR4/K,L/14/1531/0/23.02.2015
35	Bucuresti	BUTANGAS ROMANIA SA	BUCURESTI, Int. Murmurului, nr. 2-4, sector 1	J40/2603/1996	CUI 8297854	021/4087300/4087329	Verificare( la deschidere-inchidere) dispozitive de siguranta	Dmax<=65mm, pmax<=25bar	B/CR4/K/14/0286/1/23.12.2014
36	Central	BUTANGAS ROMANIA SA	BUCURESTI, Str. Coralilor, nr.18, sector 6	J40/2603/1996	CUI 8297854	021/4087333/4087330	Verificare( la deschidere-inchidere) dispozitive de siguranta	Dmax<=65mm, pmax<=25bar	DISPR/CR4/K/14/0286/0/28.03.2011
37	Iasi	C&A CONSULTING SRL	VASLUI, Str. 1 Decembrie, nr.1, Jud. Vaslui	J37/398/1996	RO 8967466	0235/312725	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=25bar, Dn max=200mm	IS/CR4/K,L/14/0153/0/21.12.2010
38	Ploiesti	CALIBRA STIL 2005 SRL	BUZAU, Str. Caraiman, nr.21A, jud. Buzau	J10/473/2005	RO 17453480	0238/718366	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=100mm, PNmax=20bar	PL/CR4/K,L/14/0091/0/28.06.2010
39	Bacau	CALORGAL SA	GALATI, Str. Crizantemelor, nr. 6, corpul A, Jud. Galati	J17/1354/2012	RO 30925017	0236/473100/465550	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=200mm, pmax<=50bar	BC/CR4/K,L/14/1717/0/17.11.2016
40	Central	CARBOETALON SRL	CLUJ NAPOCA, Str. Ravasului, nr.1, ap.17, Jud. Cluj	J12/611/1999	CUI 11759236	0264/437034	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=60bar	DISPR/CR4/K,L/14/1668/0/26.07.2011

41	Bucuresti	CARION SRL	BUCURESTI, Str. Busteni, nr.40, sector 2	J40/767 8/2002	RO 14821 677	0722402 944; 021/242 2704; e- mail carionsrl @msn.c om	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	B/CR4/K,L/14/1147/1/0 4.02.2016
42	Bucuresti	CARION SRL	BUCURESTI, Str. Busteni, nr.40, sector 2	J40/767 8/2002	RO 14821 677	021/242 2704	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar	B/CR4/K,L/14/1147/0/0 9.10.2012
43	Bacau	CAROMET SA	CARANSEBES, Drumul DN 68, Km 3.2, Jud. Caras Severin	J11/6/1 991	RO 10666 31	0234/30 2240/ 302340	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm; pmax=40bar	BC/CR4/K,L/14/0028/0/ 25.05.2010
44	Sibiu	CBS EASTERN EUROPE SRL	SELIMBAR, Str. Sibiului, nr.2, et.4, camere 401/402/403, Jud. Sibiu	J32/110 3/2008	RO 16962 540	0369/40 8917/ 408918	Verificare( la deschidere- inchidere) dispozitive de siguranta	Dnmax=80mm, pmax=70bar	SB/CR4/K/14/1489/2/23 .07.2015
45	Sibiu	CAVERION BUILDING SERVICES SRL	SELIMBAR, Str. Sibiului, nr.2, et.4, camera 403, Jud. Sibiu	J32/110 3/2008	RO 16962 540	0369/40 8917/ 408918	Verificare( la deschidere- inchidere) dispozitive de siguranta	Dnmax=80mm, pmax=70bar	SB/CR4/K/14/1274/1/12 .02.2014
46	Bucuresti	CENTRAL INSTAL IMPEX SRL	BUCURESTI, Str. Liviu Rebreanu, nr. 23, bl.M10, sc. 2, et. 1, ap. 28, sector 3; BUCURESTI, Str. Sabinelor, nr. 87, sector 5	J40/100 2/2003	RO 15159 137	021/644 1323; e- mail central_ instal@y ahoo.co m	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	-	B/CR4/K,L/14/2520/0/2 0.04.2015



47	Central	CENTRALA ELECTRICA DE TERMOFICARE ARAD SA	ARAD, Str. 6 Vanatori, Jud. Arad	J02/336 /2002	CUI 14593 668	0257307 455/213 160	Verificare( la deschidere- inchidere) dispozitive de siguranta	Dnmax<=150mm, pmax<=16bar, fluid incercare apa; Dnmax<=50mm, pmax<=16bar, fluid incercareazot	DISPR/CR4/K/14/2509/0 /24.11.2011
48	Bacau	CERVES SRL	BRAILA, Str. Tineretului, nr. 4, constructia C2, Jud. Braila	J09/525 /2010	CUI 26471 760	0239/68 3324; e- mail cerves_ 33@yah oo.com	Verificarea( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=120bar	BC/CR4/K,L/14/1570/1/ 21.07.2015
49	Central	CERVES SRL	BRAILA, Str. Poet Grigore Alexandrescu, nr.120, modul 1, et.2, Jud. Braila	J09/525 /2010	CUI 26471 760	0239/68 3324	Verificarea( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=120bar	DISPR/CR4/K,L/14/2702 /0/05.01.2012
50	Central	CET GOVORA SA	RM. VALCEA, Str. Industriilor, nr.1, Jud. Valcea	J38/683 /1997	CUI 10102 377	0250/73 3601/73 3603; 0726818 592	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=300mm, pmax<=160bar	DISPR/CR4/K,L/14/2254 /0/26.10.2011
51	Central	CET SA	BRASOV, Str. Timis Triaj, nr.6, Jud. Brasov	J08/799 /2002	CUI 14716 787	0268/33 3192/ 331129	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, pmax<=64bar	DISPR/CR4/K,L/14/0044 /0/25.02.2011

52	Central	CHEMGAS HOLDING CORPORATION SRL	SLOBOZIA, Sos. Calarasi, Km4, Pavilion Administrativ, Camera Protocol si Camera Consilier, et.2, Jud. Ialomita	J21/21/2009	CUI 24978785	0243/365108	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=360bar	DISPR/CR4/K,L/14/0904/0/18.05.2011
53	Bacau	CIBOCAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8, Jud. Botosani	J07/1038/1994	CUI 6566670	0231/531536/539028	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=16bar, Dn<=50mm	BC/CR4/K,L/14/1006/0/06.07.2012
54	Suceava	CIBOGAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8-10, Jud. Botosani	J07/1038/1994	RO 6566670	0231/531536/539028	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=50mm PN=16bar	SV/CR4/K,L/14/0048/0/13.12.2010
55	Bacau	CIBOCAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8, Jud. Botosani	J07/1038/1994	CUI 6566670	0231/531536/539028	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=16bar, Dn<=50mm	BC/CR4/K,L/14/1006/1/10.03.2014
56	Oradea	CLIMA SERV CONSTRUCT SRL	Sat VALARI, Com. Toplita, nr.17, Jud. Hunedoara	J20/177/2006	CUI 18352425	0354/402871/405054	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar Dnmax=150mm	OR/CR4/K,L/14/1041/0/22.08.2012
57	Oradea	CLIMAROL PREST SRL	ORADEA, Str. Grigore Ureche, nr.15, ap.48, Jud. Bihor	J05/3172/1993	RO 4738249	0259/418270;0788315422	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=30bar Dnmax=100mm	OR/CR4/K/14/0014/0/28.05.2010

58	Bucuresti	CLIMATERM 2000 SRL	BUCURESTI, Str. Semicercului, nr.12, subsol, sector 1	J40/286/8/1998	CUI 10547316	021/2221297/2233602; e mail office@cliterm2000.ro	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=100bar	B/CR4/K,L/14/2938/1/2 4.11.2016
59	Central	CLIMATERM 2000 SRL	BUCURESTI, Str. Lugoj, nr.25, sector 1	J40/286/8/1998	CUI 10547316	021/2233602/2221397	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=100bar	DISPR/CR4/K,L/14/2627/0/21.12.2011
60	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA-Sucursala ELECTROCENTRAL E ROVINARI	ROVINARI, Str. Energeticianului, nr.25, Jud. Gorj	J18/337/2012	CUI 30310461	0253/372556/371590	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dn<=150mm, Pn<=160bar	B/CR4/K,L/14/1226/0/1 4.12.2012
61	Oradea	COMPLEXUL ENERGETIC HUNEDOARA SA-Sucursala ELECTROCENTRAL E DEVA	PETROSANI, Str. Timisoara, nr.2, Jud. Hunedoara; MINTIA, Str. Santierului, nr.1, Jud. Hunedoara	J20/994/2012	CUI 30855230	0254/570790/236407/570481/236404; 0254/236403/236550	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=250bar	OR/CR4/K,L/14/1279/0/10.04.2014
62	Central	COMTERM PROTECT INSTAL SRL	CIULNITA, Sat Ciulnita, Str. Stanjenei, nr.7, Jud. Ialomita	J21/72/2012	CUI 29900507	0766668811	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=50bar	DISPR/CR4/K/14/3471/0/17.04.2012

63	Brasov	CNCIR SA	BUCURESTI, Str. Promoroaca, nr.9-11, sector 1; PLOIESTI, Str. Radu Stanian, nr.12, Jud. Prahova	J40/119 76/2010	CUI 27787 860	021/316 7921/ 4119870 ; 0244/54 5240/ 545350	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=66bar	BV/CR4/K,L/14/1192/0/ 24.10.2013
64	Bucuresti	CNCIR SA	BUCURESTI, Str. Promoroaca, nr.9-11, sector 1; PITESTI, Str. Cozia, nr.1, Jud. Arges	J40/119 76/2010	CUI 27787 860	021/316 7921/ 4119870 ; 0248/25 0882/ 220194	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=66bar	B/CR4/K,L/14/1852/0/2 3.10.2013
65	Bucuresti	CNCIR SA	BUCURESTI, Str. Promoroaca, nr.9-11, sector 1; CONSTANTA, Str. Razboieni, nr.13, Jud. Constanta	J40/119 76/2010	CUI 27787 860	021/316 7921/ 4119870 ; 0241/61 1754/ 673323	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=46bar	B/CR4/K,L/14/1851/0/2 3.10.2013
66	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607 /1991	RO 13240 99	0244/33 3160/ 374719; e-mail: confind @confin d.ro	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=100bar	BV/CR4/K,L/14/1398/3/ 27.06.2017

67	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/1991	RO 13240 99	0244/33 3160/ 374719; e-mail: confind @confin d.ro	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=100bar	BV/CR4/K,L/14/1398/2/ 23.03.2015
68	Central	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/1991	RO 13240 99	0244/33 3160/ 374719	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=100bar	DISPR/CR4/K,L/14/3453 /0/19.04.2012
69	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/1991	RO 13240 99	0244/33 3160/ 374719; e-mail: confind @confin d.ro	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=100bar	BV/CR4/K,L/14/1274/1/ 23.06.2014
70	Central	CONFORT THERM SRL	ALEXANDRU CEL BUN, Sat Bistrita, Jud. Neamt; PIATRA NEAMT, Str. Florilor, nr.25, Jud. Neamt	J27/228 /1999	CUI 12078 925	0233/23 4332; 0233/23 4721	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=50mm, pmax<=6bar	DISPR/CR4/K,L/14/1251 /0/23.06.2011
71	Sibiu	CONSTRUCT INSTAL SRL	TURDA, Str. Lutus, nr.2, Jud. Cluj	J12/941 /2003	CUI 15352 609	0264/32 0694; e- mail construc tinstal@ yahoo.c om	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=80mm, pmax=70bar	SB/CR4/K,L/14/1414/1/ 13.11.2014

72	Central	CONSTRUCT INSTAL SRL	TURDA, Str. Lutus, nr.2, Jud. Cluj	J12/941 /2003	CUI 15352 609	0264/32 0694	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=80mm, pmax=70bar	DISPR/CR4/K,L/14/2065 /0/28.09.2011
73	Central	CONSULT MERIDIAN SRL	MEREI, Sat LIPIA, Jud. Buzau	J10/885 /2005	CUI 17807 634	0238/71 1249	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=175bar	DISPR/CR4/K,L/14/2224 /0/20.10.2011
74	Brasov	CONSULT MERIDIAN SRL	MEREI, Sat LIPIA, Jud. Buzau	J10/885 /2005	CUI 17807 634	0726718 894; 0238/71 1249	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=175bar	BV/CR4/K,L/14/1148/1/ 20.06.2013
75	Central	CORSEM IMPEX SRL	GURA HUMORULUI, Str. Orizont, nr.6A, Jud. Suceava	J33/194 7/1993	CUI 49739 70	0230/51 4145	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=25bar	DISPR/CR4/K,L/14/3109 /0/28.02.2012
76	Pitesti	CRIMAR PAMICO SRL	NEGRASI, Sat Birlogu, Jud. Arges	J03/499 /1995	RO 73965 58	0248/61 5434	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=160bar, DN<=350mm	PT/CR4/K,L/14/0075/0/ 16.07.2010
77	Central	CRIMBO GAS 2000 SRL	PANTELIMON, Bd. Biruintei, nr.4, bl.A1, parter, Jud. Ilfov	J23/107 4/2001	CUI 12404 878	021/352 0239	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=40bar	DISPR/CR4/K/14/1923/0 /16.09.2011
78	Bacau	CRIO MEC SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/133 9/1994	RO 56684 27	0236/31 2437/ 463059; e-mail office@c riomecs a.ro	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=400bar, Dnmax=450mm	BC/CR4/K,L/14/1121/2/ 29.04.2015

79	Bacau	CRIOMEC SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/133 9/1994	RO 56684 27	0236/31 2437/ 463059	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=400bar, Dnmax=450mm	BC/CR4/K,L/14/1121/1/ 09.01.2013
80	Galati	CRIOMEC SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/133 9/1994	RO 56684 27	0236/31 2437/46 3059	Verificarea( la deschidere- inchidere) dispozitive de siguranta	DNmax4500mm, Pmax=400bar	GL/CR4/K,L/14/0099/0/ 08.11.2010
81	Central	CRYOGENICA SRL	BUCURESTI, Str. Ispravnicului, nr.41, sector 2	J40/108 13/1991	CUI 15724 77	021/211 0859/21 02972	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=200bar	DISPR/CR4/K,L/14/0817 /0/02.06.2011
82	Central	CSC SRL	CONSTANTA, Str. I. C. Bratianu, nr.28, Jud. Constanta	J13/454 0/1994	CUI 67410 62	0241/50 6730	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=220bar	DISPR/CR4/K,L/14/1617 /0/28.07.2011
83	Bacau	DALKIA TERMO IASI SA	IASI, Sos. Nationala, nr.43, et.1, camera 19, Jud. Iasi; Iasi, Cal. Chisinaului, nr.25, Jud. Iasi	J22/139 9/2012	RO 30570 461	0232/23 2360/ 233918	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=400bar, Dnmax=400mm	BC/CR4/K,L/14/1122/0/ 10.01.2013
84	Iasi	DAS SRL	IASI, Str. Aurel Vlaicu, nr.87, Jud. Iasi	J22/589 /1991	RO 19860 70	0232/26 2800	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=16bar, Dn max=800mm	IS/CR4/K,L/14/0102/0/1 3.09.2010
85	Oradea	DIA TERMO INSTAL VEST SRL	RESITA, Bd. Republicii, nr. 8, sc. 6, et. 10, ap. 41, Jud. Caras Severin	J11/20/ 2010	CUI 26432 126	0355/42 9209	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar, Dn max=150mm	OR/CR4/K,L/14/1396/0/ 03.09.2015

86	Brasov	DINAFIT SRL	Sat BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Corp C1-C8, Jud. Prahova	J29/263 9/2006	CUI 19285 057	0244/52 4369/ 571671; e-mail: office.di nafit@c hristof- group.c om	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar, Dnmax=200mm	BV/CR4/K,L/14/1372/4/ 19.02.2015- suspendare voluntara 6 luni incepand cu 01.04.2015
87	Brasov	DINAFIT SRL	Sat BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Corp C1-C8, Jud. Prahova	J29/263 9/2006	CUI 19285 057	0244/52 4369/ 571671; e-mail: office.di nafit@c hristof- group.c om	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar, Dnmax=200mm	BV/CR4/K,L/14/1251/3/ 05.05.2014
88	Central	DINAFIT SRL	BRAZI, Incinta PETROM SA, Suc. Brazi, Jud. Prahova	J29/263 9/2006	CUI 19285 057	0244/50 4682/52 4369/57 1671	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=450mm, pmax=225bar	DISPR/CR4/K,L/14/1733 /0/29.07.2011
89	Brasov	DINAFIT SRL	Sat BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Corp C1-C8, Jud. Prahova	J29/263 9/2006	CUI 19285 057	0244/59 4369/ 571671	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar, Dnmax=200mm	BV/CR4/K,L/14/1101/1/ 10.01.2013



90	Ploiesti	DINAFIT SRL	Com. BRAZI, Sat BRAZII de JOS, incinta PETROM SA, Suc. Petrobrazi, caroul 15, Jud. Prahova	J29/263 9/2006	RO 19285 057	0244/59 4369/57 1671	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=200bar, DNmax<=200mm	PL/CR4/K,L/14/0286/0/ 22.12.2010
91	Brasov	DINAFIT SRL	Sat BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Corp C1-C8, Jud. Prahova; PLOIESTI, Str. Mihai Bravu, nr.235, Jud. Prahova	J29/263 9/2006	CUI 19285 057	0724288 700; 0344/40 1027; 0244/57 1671; e- mail: office.di nafit@cr istof- group.c om	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=225bar, Dnmax=450mm	BV/CR4/K,L/14/1184/2/ 21.10.2013
92	Bucuresti	DOLCHIMEX SRL	CARACAL, Aleea 1 Decembrie 1918, nr.17, Jud. Ilt	J28/192 /2001	RO 14015 531	0249/51 7866; 0728007 2928; 0249/51 7666	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=80mm, Pmax<=40bar	B/CR4/K,L/14/1249/0/1 8.01.2013
93	Central	DONAU CHEM SRL	TN. MAGURELE, Str. Portului, nr.1, Jud. Teleorman	J34/568 /2004	CUI 16958 124	0247/41 6438/41 3379	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	DISPR/CR4/K,L/14/0867 /0/18.05.2011

94	Bucuresti	DONAU TERMO SRL	CALARASI, Str. Pompieri, nr.41, camera 3, et.1, Jud. Calarasi	J51/90/2010	CUI 26594209	0242/316945/334190; e-mail donaute rmo@dtc.ro	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=40bar	B/CR4/K,L/14/2136/1/0 1.02.2017
95	Bucuresti	DONAU TERMO SRL	CALARASI, Str. Pompieri, nr.41, camera 3, et.1, Jud. Calarasi	J51/90/2010	CUI 26594209	0242/316945/334190	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=40bar	B/CR4/K,L/14/2136/0/0 9.05.2014
96	Bucuresti	ECO CLIMA INDUSTRIAL SRL	BUCURESTI, Str. Torentului, nr.2-4, sector 2	J40/22694/1994	CUI 6558864	021/2502902/2504258	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	B/CR4/K,L/14/0327/0/2 1.09.2010
97	Bucuresti	ECO CLIMA INDUSTRIAL SRL	BUCURESTI, Str. Torentului, nr.2, biroul nr.39, sector 2	J40/22694/1994	RO 6553864	021/2502902/2504258	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, Pmax=120bar	B/CR4/K,L/14/0327/1/2 2.11.2012
98	Sibiu	ELECTROCENTRAL E BUCURESTI SA - Sucursala Electrocentrale Mures	IERNUT, Str. Energeticii, nr. 1, Jud. Mures	J26/513/2000	CUI 1228938	0265/471333/471388	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN<=250mm, p<=150bar	SB/CR4/K,L/14/1030/0/ 23.07.2012
99	Bucuresti	ELECTROCENTRAL E BUCURESTI SA	BUCURESTI, Splaiul Independentei, nr.227, sector 6	J40/1696/2003	RO 15189596	021/2751108/2751181	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=250bar	B/CR4/K,L/14/1734/1/2 1.10.2014
100	Bucuresti	ELECTROCENTRAL E BUCURESTI SA	BUCURESTI, Splaiul Independentei, nr.227, sector 6	J40/1696/2003	RO 15189596	021/2751108/2751181	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=250bar	B/CR4/K,L/14/1734/0/0 3.07.2013

101	Central	ELECTROCENTRAL E BUCURESTI- SUCURSALA ELECTROCENTRAL E BUCURESTI	BUCURESTI, Splaiul Independentei, nr.227, sector 6	J40/934 3/2000	CUI 13439 840	021/275 1108/27 51181	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=200bar	DISPR/CR4/K,L/14/2998 /0/07.02.2012
102	Bucuresti	ELECTROCENTRAL E CONSTANTA SRL	CONSTANTA, Bd. Aurel Vlaicu, nr.123, Jud. Constanta	J13/23/ 20153	CUI 33636 420	0241/58 5300	Verificare( la deschidere- inchidere) dispozitive de siguranta	Dmax=300mm, pmax=200bar	B/CR4/K/14/2484/0/17. 03.2015
103	Central	ELECTROCENTRAL E BUCURESTI- SUCURSALA ELECTROCENTRAL E CONSTANTA	CONSTANTA, Bd. Aurel Vlaicu, nr.123, Jud. Constanta	J13/103 5/2003	CUI 15264 655	0241/58 5300/69 3916	Verificare( la deschidere- inchidere) dispozitive de siguranta	Dmax=150mm, pmax=250bar	DISPR/CR4/K/14/3050/0 /08.02.2012
104	Sibiu	ELECTROCENTRAL E DEVA SA	MINTIA, Str. Santierului, nr.1, Jud. Hunedoara	J20/876 /2001	CUI 14348 448	0254/23 6550	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=250mm, p<=250bar	SB/CR4/K,L/14/0091/0/ 13.10.2010
105	Brasov	ELECTROFARM SRLK	Brasov, Str. Razboieni, nr.18, Jud. Brasov; BRASOV, Calea Feldioarei, nr.24A, Jud. Brasov	J8/699/ 1998	RO 10660 799	0268/44 0028/ 440029	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=25bar, Dnmax<=50mm	BV/CR4/K,L/14/1049/0/ 10.09.2012
106	Bucuresti	ELECTROPUTERE SA	CRAIOVA, Calea Bucuresti, nr.80, Jud. Dolj	J16/12/ 1991	CUI 63128 00	0251437 700/ 437698/ 437730	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=100bar	B/CR4/K,L/14/1818/0/0 9.09.2013

107	Bucuresti	ELECTROPUTERE AIT SRL	CRAIOVA, Str. Tehnicii, nr.1, Constructia 11C-C1, Jud. Dolj	J16/64/2013	CUI 31098937	0251/437441/438740	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=45mm, pmax=450bar	B/CR4/K,L/14/1363/1/2 8.08.2014
108	Bucuresti	ELECTROPUTERE AIT SRL	CRAIOVA, Calea Bucuresti, nr.80, Hala Pavilion STM C299, et.3, Jud. Dolj	J16/64/2013	CUI 31098937	0251/437441/438740	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=45mm, pmax=450bar	B/CR4/K,L/14/1363/0/0 9.05.2013
109	Central	ELECTROPUTERE SA Divizia Aparataj Electric	CRAIOVA, Cal. Bucuresti, nr.80, Jud. Dolj	J16/12/1991	CUI 6312800	0724342848; 0251/438100	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=45mm, pmax=450bar	DISPR/CR4/K,L/14/1193/0/17.06.2011
110	Central	ELECTROTERM PRODSERV SRL	TURDA, Str. Traian, nr.41A, Jud. Cluj	J12/673/1994	CUI 5337857	0722230147; 0368/414123	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=60bar	DISPR/CR4/K,L/14/2624/0/20.12.2011
111	Bacau	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201-202, et. 2, jud. Bacau	J04/140/2000	CUI 12826406	0234/562410; e-mail office@energofor.ro	Verificare( la deschidere-inchidere) dispozitive de siguranta	Dnmax=100mm, pmax=260bar	BC/CR4/K/14/1643/2/1 1.02.2016
112	Central	ENERGOFOR SRL	BACAU, Str. Arcadie Septilici, nr.7B, Jud. Bacau	J04/140/2000	CUI 12826406	0234/545683/562410	Verificare( la deschidere-inchidere) dispozitive de siguranta	Dnmax=100mm, pmax=260bar	DISPR/CR4/K/14/3627/0/23.05.2012
113	Bacau	ENERGOFOR SRL	BACAU, Str. I. L. Caragiale, nr.1, sc.D, ap.6, Jud. Bacau	J04/140/2000	RO 12826406	0234/545683/562410	Verificare( la deschidere-inchidere) dispozitive de siguranta	Dnmax=100mm, pmax=260bar	BC/CR4/K/14/0009/0/2 8.04.2010
114	Bucuresti	ENERGOMONTAJ GRUP SRL	BASCOV, Str. Serelor, nr. 14, Jud. Arges	J03/1966/1994	RO 10698807	0248/290170/290285	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=280bar, DN<=350mm	B/CR4/K,L/14/2916/1/0 6.10.2016

115	Pitesti	ENERGOMONTAJ GRUP SRL	PITESTI, str.Gh.Lazar, nr.19, Jud.Arges	J03/196 6/1994	RO 10698 807	0248/29 0170	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=280bar, DN<=350mm	PT/CR4/K,L/14/0055/0/ 18.06.2010
116	Central	ENERGY BIO CHEMICALS SA	ONESTI, Str. Industriilor, nr.1, Pavilion Administrativ C399, Jud. Bacau	J04/838 /2008	CUI 23767 569	0234/30 2600/31 5510	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=250mm, pmax<=64bar	DISPR/CR4/K,L/14/0511 /0/07.03.2011
117	Central	ENET SA	FOCSANI, Bd. Bucuresti, nr.4, Jud. Vrancea	J39/93/ 1996	CUI 81238 90	0237/21 4110	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax<=64bar	DISPR/CR4/K,L/14/2042 /0/22.09.2011
118	Central	ENET SA	FOCSANI, Bd. Bucuresti,nr.4, Jud. Vrancea	J39/93/ 1996	RO 81238 90	0237/21 2400/21 4110	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=64bar	DISPR/CR4/K,L/14/2042 /1/26.04.2012
119	Iasi	EST ROM SA	VALEA LUPULUI, Str. Diminetii, nr.1, Jud. Iasi	J22/225 9/1993	RO 44887 70	0232/22 6380/25 3398	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, Dn max=200mm	IS/CR4/K,L/14/0118/0/0 8.10.2010
120	Central	ETNIS SRL	IASI, Cal. Chisinaului, nr.98-100, Jud. Iasi	J22/113 1/1991	CUI 19561 41	0232/23 6341	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=160bar, Dmax=100mm	DISPR/CR4/K,L/14/0273 /0/30.03.2010
121	Bucuresti	EU RO INSTALATII SA	BUCURESTI, Intr. Hotarului, nr.1, sector 6	J40/347 3/1995	CUI 73063 42	021/317 2768/ 4300515	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=100mm, pmax<=40bar	B/CR4/K,L/14/0291/0/0 6.09.2010
122	Sibiu	EURO SYSTEM SRL	MEDIAS, Sos. Sibiului, nr.48, bl.9, Jud. Sibiu	J32/456 /2006	RO 18529 021	0269/84 3545	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax<=100mm; pmax<=40bar	SB/CR4/K,L/14/1036/0/ 14.08.2012

123	Oradea	EURO TREND SERVICE SRL	PAULESTI, Str. Principala, nr.29, Jud. Satu Mare	J30/384 /2004	RO 16294 379	0261/75 7506	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=20bar, Dnmax<=75l	OR/CR4/K/14/0015/0/2 8.05.2010
124	Oradea	EXPERT PETROLEUM SRL	BUCURESTI, Sos. Bucuresti-Ploiesti, nr. 73-81, cladirea C3, et. 3, sector 1; TIMISOARA, Str. Corolian Brediceanu, nr. 10C, cladire C, mezanin, camera M5, Jud. Timis	J26/165 6/2008	CUI 17634 428	0374200 640, 0317/80 1093; 0356/41 4883	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, Dnmax=150mm	OR/CR4/K,L/14/1174/2/ 20.10.2016
125	Oradea	EXPERT PETROLEUM SRL	TG. MURES, Str. Tamas Erno, nr.1, Jud. Mures; TIMISOARA, Str. Corolian Brediceanu, nr. 10C, Cladire C, Mezanin, Camera M5, Jud. Timis	J26/165 6/2008	CUI 17634 428	0374200 640, 0317/80 1093	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, Dnmax=150mm	OR/CR4/K,L/14/1174/1/ 23.05.2016
126	Oradea	EXPERT PETROLEUM SRL	TG. MURES, Str. Tamas Erno, nr.1, Jud. Mures	J26/165 6/2008	CUI 17634 428	0730769 794	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, Dnmax=150mm	OR/CR4/K,L/14/1174/0/ 18.06.2013
127	Central	FAST TECHNICAL ASSISTANCE SRL	BACAU, Str. Vadu Bistritei, nr.2A, Jud. Bacau	J04/696 /1997	CUI 96264 16	0234/51 3803/51 1430	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, pmax<=45bar	DISPR/CR4/K,L/14/0354 /0/06.04.2011

128	Central	FAST TECHNICAL ASSISTANCE SRL	BACAU, 9 Mai, nr.35, poz. 10, bl.35, sc.E, parter, Jud. Bacau	J04/696 /1997	CUI 96264 16	0234/51 3803/51 1430	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=150mm, pmax<=45bar	DISPR/CR4/K,L/14/0354 /0/08.05.2012
129	Brasov	FAURAR SRL	TARGOVISTE, Str. Constantin Brancoveanu, bl. B3, ap. 12, Jud. Dambovita; SINAIA, Str. Ferdinand, nr. 2, et. 3, ap. 10, Jud. Prahova	J15/114 /1994	RO 51146 85	0245/22 1002	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dn=300mm, pmax=140bar	BV/CR4/K,L/14/1412/0/ 16.04.2015
130	Pitesti	FILIALA PENTRU REPARATII SI SERVICII HIDROSERV CURTEA DE ARGES SA	CURTEA DE ARGES, Str. Barajului, nr.1, Jud. Arges	J03/742 /2002	RO 14932 616	0248/72 1701/72 1716; www.hidroserva rges.ro	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=90mm, pmax<=100bar	PT/CR4/K,L/14/0143/0/ 15.12.2010
131	Pitesti	FILIALA PENTRU REPARATII SI SERVICII HIDROSERV RAMNICU VALCEA SA	RM. VALCEA, Calea Bucuresti, nr.269, Jud. Valcea	J38/477 /2002	CUI 14949 669	0250/74 6984/ 732147	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax<=100mm, pmax<=64bar	PT/CR4/K,L/14/1641/1/ 12.06.2013
132	Brasov	FISE ELECTRICA SERV SRL	BUCURESTI, Str. Stefan cel Mare, nr. 1A, sector 1; PLOIESTI, Str. Mihai Bravu, nr. 19, Jud. Prahova	J40/445 4/200	RO 17329 505	021/306 5002/ 3065004 ; 0372440 441; 0244/33 4652	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=16bar, Dn=20mm	BV/CR4/K,L/14/1588/1/ 22.06.2016

133	Ploiesti	FISE ELECTRICA SERV SA BUCURESTI SISE- ELECTRICA MUNTENIA NORD AISE	PLOIESTI, Str. Andrei Muresanu, nr.58, Jud. Prahova; PLOIESTI, Str. Mihai Bravu, nr.19, Jud. Prahova	J29/904 /2005	RO 17492 080	0244/40 5650/ 405564; 0244/40 5637	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=16bar, Dnmax=20mm	PL/CR4/K,L/14/0119/0/ 27.07.2010
134	Oradea	FLANGA GPL ROMANIA SRL	SALONTA, Str. Ghestului, Jud. Bihor	J05/522 /1998	RO 10433 729	0259/41 1780/41 2967	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=20bar	OR/CR4/K/14/0010/0/1 8.05.2010
135	Bucuresti	FLI INSTAL SERVICE SRL	BUCURESTI, Str. Elev Stefanescu Stefan, nr.2, sector 2	J40/330 8/2013	CUI 31557 969	021/201 1114/ 2011115	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=20bar, Dnmax=65mm	B/CR4/K,L/14/1337/0/2 5.03.2013
136	Central	FORCE SAT IMPEX SRL	BRANESTI, Sat Branesti, Str. Violetelor, nr.22, Constructia C1, camera 1, Jud. Ilfov	J23/307 /2010	CUI 26458 355	0374007 809	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax<=300bar	DISPR/CR4/K,L/14/1983 /0/19.09.2011
137	Bucuresti	FORCE SAT IMPEX SRL	BRANESTI, Sat Branesti, Str. Violetelor, nr.22, Constructia C1, camera 1, Jud. Ilfov	J23/307 /2010	CUI 26458 355	0374007 809	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=300bar	B/CR4/K,L/14/1861/0/0 3.10.2013
138	Iasi	FORPRES SRL	IASI, Str. Strapungerii Silvestru, nr.52, Jud. Iasi	J22/125 8/2002	RO 15012 143	0232/24 6135	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar, Dnmax=200mm	IS/CR4/K,L/14/0080/0/0 4.08.2010



139	Brasov	FULGER SISTEM SRL	FAGARAS, Str. Negoiu, nr. 71, bl. B, sc. A, ap. 12, Jud. Brasov	J08/109/2011	CUI 27967659	0766351431; e-mail fulger.system@yahoo.com	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar, Dnmax=50mm	BV/CR4/K,L/14/1593/0/07.07.2016
140	Bucuresti	FUTURE LINE INSTAL SRL	BUCURESTI, Sos. MiHAI Bravu, nr. 75-83, bl.C17, sc.B, ap.79, sector 2; BUCURESTI, Str. Biharia, nr.67-77, sector 1	J40/23350/1992	RO 18830	021/2011114/2011115	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=20bar, Dnmax=65mm	B/CR4/K,L/14/1757/0/19.08.2013
141	Central	GA PRO CO CHEMICALS SA	SAVINESTI, Sytr. Uzinei, nr.2, Jud. Neamt	J27/1478/2005	CUI 17728697	0233/280544/281494/281260	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=250bar	DISPR/CR4/K,L/14/1577/0/18.07.2011
142	Bucuresti	GAS CONTROL SRL	SEGARCEA, Str. Bujorului, nr.5, Jud. Dolj	J16/1266/2009	CUI 26065968	0743123828	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=64bar	B/CR4/K,L/14/2967/1/06.02.2017
143	Central	GAS CONTROL SRL	SEGARCEA, Str. Bujorului, nr.5, Jud. Dolj	J16/1266/2009	CUI 26065968	0743123828; 0351/454475	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=64bar	DISPR/CR4/K,L/14/2354/0/03.11.2011

144	Brasov	GASPECO L&D SA	OTOPENI, Str. Aurel Vlaicu, nr.31A, Jud. Ilfov; Sat NEGOIESTI, Com. Brazi, Jud. Prahova	J23/232/2011	CUI 8037897	021/2035100/2035105; e-mail: clientigpl@gaspeco.ro; 0244/401055/401080	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pnmax=25bar, Dnmax=32mm	BV/CR4/K,L/14/1109/2/31.01.2013
145	Brasov	GASPECO L&D SA	BUCURESTI, Cal. Floreasca, nr.28-30, sector 1; Sat NEGOIESTI, Com. Brazi, Jud. Prahova	J40/8731/2013	CUI 8037897	021/2035100/2035105; 0244/401083; 0318/280345	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pnmax=25bar, Dnmax=32mm	BV/CR4/K,L/14/1175/3/21.08.2013
146	Brasov	GAVAL CONSULTING EXPERT SRL	PLOIESTI, Str. Mircea Cel Batrin, nr.119, cladirea C46, camera 8, parter, Jud. Prahova	J29/1638/2010	CUI 27856804	0721710420; 0244/573298; e-mail: gaval.expert@yahoo.com	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=25bar, DNmax=150mm	BV/CR4/K,L/14/1334/1/04.11.2014

147	Brasov	GAVAL CONSULTING EXPERT SRL	PLOIESTI, Str. Mircea Cel Batrin, nr.119, cladirea C46, camera 8, parter, Jud. Prahova	J29/163 8/2010	CUI 27856 804	0721710 420	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	p<=25bar, D<=150mm	BV/CR4/K,L/14/1304/0/ 25.08.2014
148	Sibiu	GAZ CONTOR NORD SRL	MEDIAS, Str. Sondorilor, nr.5, Jud. Sibiu	J32/171 /2010	RO 26642 993	0269/83 1974	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	8<=DN<=80mm, P<=40bar	SB/CR4/K,L/14/0048/0/ 09.07.2010- sudspendare voluntara incepand cu 06.03.2015
149	Central	GRUP TERMLOC SA	BACAU, Str. George Bacovia, nr.41-43, Jud. Bacau	J04/957 0/2002	CUI 14828 446	0234/57 6442/57 6438	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=60mm, pmax=25bar	DISPR/CR4/K,L/14/1702 /0/05.08.2011
150	Bucuresti	HEAT MAINTENANCE SRL	BUCURESTI, Str. Scortan Ion, nr. 36, sector 2	J40/560 5/2015	CUI 34485 601	0733683 763; 0724196 733	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=25bar	B/CR4/K,L/14/2602/0/0 9.09.2015
151	Pitesti	HIDROSERV RAMNICU VALCEA SA	RAMNICU VALCEA, Calea Bucuresti, nr.269, Jud. Valcea	J38/477 /2002	RO 14969 669	0250/74 6984/74 6987/ 732147	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, DN=100mm	PT/CR4/K,L/14/0007/0/ 10.04.2010
152	Central	HIDROSERV SLATINA SA	SLATINA, Str. T. Vladimirescu, nr.153B, Jud. Olt	J28/379 /2002	CUI 14949 758	0249/41 8608/42 3667	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=70bar	DISPR/CR4/K,L/14/1965 /0/19.09.2011
153	Oradea	HITECH AUTOMATIZARI SRL	ORADEA, Bd. Decebal, nr.5, bl.P187, ap.47, Jud. Bihor	J05/268 0/2006	RO 19671 457	0730118 691	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dn<=100mm, pmax<=40bar	OR/CR4/K,L/14/1148/13 .05.2013

154	Brasov	HORVATH SERVICE SRL	SF. GHEORGHE, Str. Ciucului, nr. 130, Jud. Covasna	J14/88/1994	RO 5228299	0267/316208; 0372895823	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=12bar	BV/CR4/K,L/14/1528/0/29.01.2016
155	Bucuresti	HUNGARORING SRL	BUCURESTI, Bd. Camil Ressu, nr.57A, bl. Y2B, sc.4, et.8, ap.165, sector 3	J40/6818/2012	CUI 30311599	0742609762; 021/2407191	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	B/CR4/K/14/1744/0/25.03.2013
156	Central	IASITEX SA	IASI, Str. Primaverii, nr.2, Jud. Iasi	J22/255/1991	CUI 1957058	0232/436760/246063	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=20bar	DISPR/CR4/K,L/14/1567/0/18.07.2011- suspendare voluntara incepand cu 04.07.2014
157	Central	IDMS CENTRAL SRL	BRASOV, Str. General Leonard Mociulschi, nr.18-20, bl.21, sc.B, ap.11, Jud. Brasov	J08/1447/2009	CUI 26117960	0368/809167	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=350bar	DISPR/CR4/K,L/14/2692/1/29.12.2011
158	Central	IDMS CENTRAL SRL	BRASOV, Str. General Leonard Mociulschi, nr.18-20, bl.21, sc.B, ap.11, Jud. Brasov	J08/1447/2009	CUI 26117960	0368/809167; 0744671652; e-mail: idmscentral@yahoo.com	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=350bar	DISPR/CR4/K,L/14/1142/2/11.06.2013
159	Brasov	IDMS CENTRAL SRL	BRASOV, Str. G-ral Leonard Mociulschi, nr.18-20, bl.21, sc. B, ap. 11, Jud. Brasov	J08/1447/2009	RO 26117960	0368/809167	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	-	BV/CR4/K,L/14/0075/0/02.12.2010

160	Bucuresti	IMSP PROIECT SRL	CONSTANTA, Str. Frigului, nr.4, bl.FG4, ap.11, Jud. Constanta	J13/244 5/2008	CUI 24178 510	0241/53 5543	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=150mm pmax<=50bar	B/CR4/K/14/1015/0/29. 06.2012
161	Central	INCON SRL	BUCURESTI, Str. Alba, nr.14A, sector 4	J40/570 4/1991	CUI 30062 45	021/335 5646/33 73540	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=32bar	DISPR/CR4/K,L/14/2447 /0/04.10.2011
162	Bacau	INDRA PROJECT SRL	CATAMARESTI DEAL, Com. Mihai Eminescu, nr. 42, Jud. Botosani	J7/125/ 2011`	CUI 28251 525	0747850 794	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=20bar	BC/CR4/K,L/14/1547/0/ 22.04.2015
163	Oradea	INSPECT MC SRL	BAIA MARE, Bd. Unirii, bl.7, sc.A, ap.1, Jud. Maramures	J24/198 9/2008	CUI 24688 935	Tel/fax 0723592 204	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50.8mm, pmax=25bar	OR/CR4/K,L/14/1119/1/ 08.02.2016
164	Oradea	INSPECT MC SRL	BAIA MARE, Bd. Unirii, bl.7, sc.A, ap.1, Jud. Maramures	J24/198 9/2008	CUI 24688 935	Tel/fax 0723592 204	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=25bar Dn=50.8mm	OR/CR4/K,L/14/1119/0/ 29.03.2013
165	Central	INSTALATORUL SRL	SUCEAVA, Str. Grigore Ureche, nr.19, et.2, cam. 1-9, Jud. Suceava	J33/187 5/1992	RO 31777 09	0230/55 1719	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=25bar	DISPR/CR4/K,L/14/0684 /0/04.05.2011
166	Central	INSTANT INTERNATIONAL SRL	SIMERIA, Str. Avram Iancu, bl.7, parter, Jud. Hunedoara; SIMERIA, Str. 1 Decembrie, nr.29, Jud. Hunedoara	J20/118 3/1994	CUI 63253 70	0254/26 3216/26 3215	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=200mm, pmax<=250bar, fluid incercare apa; pmax<=60bar, Dnmax<=150mm, fluid incercare aer sau azot	DISPR/CR4/K,L/14/0796 /0/12.05.2011

167	Central	INSTAROM SRL	TG. MURES, Str. Pandurilor, nr.56/6, Jud. Mures	J26/630/2002	CUI 14811584	0365/407193	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=150bar	DISPR/CR4/K,L/14/3140/0/21.02.2012
168	Central	INSTPRO SRL	DRAGASANI, Str. Traian, nr.30, Jud. Valcea	J38/55/1999	CUI 11444947	0250/811150	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=60bar	DISPR/CR4/K,L/14/0891/0/13.04.2011
169	Bacau	INTER SERV SRL	BACAU, Str. Chimiei, nr.1bis, Jud. Bacau	J04/63/2002	RO 14426880	0234/575406/575415	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=160bar	BC/CR4/K/14/0079/0/30.08.2010
170	Bucuresti	INVEST CONSTRUCT SRL	GIURGIU, Str. Ancorei, nr.2-2A, camera 1, Jud. Giurgiu; GIURGIU, Sos. Sloboziei, Km 4, corp C10, Jud. Giurgiu	J52/849/2019	CUI 24570424	0723407604; e-mail caldarar ucristina@yahoo.com	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=125mm, pmax=64bar	B/CR4/K,L/14/2813/0/02.06.2016
171	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedințeanu, nr. 7, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; 0244/547707	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=400bar, Dnmax<=273mm	BV/CR4/K,L/14/1388/3/06.06.2016
172	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedințeanu, nr. 7, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; e-mail: office@ipm-partners.com	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=400bar, Dnmax<=273mm	BV/CR4/K,L/14/1388/2/20.02.2015

173	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; 0244/547707	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=400bar, Dnmax<=273mm	BV/CR4/K,L/14/1037/0/10.08.2012
174	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Constructia C1, et.1, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; e-mail: office@ipm-partners.com	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=400bar, Dnmax=273mm	BV/CR4/K,L/14/1194/1/06.11.2013
175	Sibiu	I PROEB SA	BISTRITA, Str. Drumul Cetatii, nr.19, Jud. Bistrita Nasaud	J06/55/1991	RO 566930	0263/238164/234701	Verificare( la deschidere-inchidere) dispozitive de siguranta	pmax<=25bar, Dnmax<=100mm	SB/CR4/K/14/1145/0/15.02.2013
176	Sibiu	I PROEB SA	BISTRITA, Str. Drumul Cetatii, nr.19, Jud. Bistrita Nasaud	J06/55/1991	RO 566930	0263/238164/234701	Verificare( la deschidere-inchidere) dispozitive de siguranta	pmax<=25bar, Dnmax<=100mm	SB/CR4/K/14/1205/1/01.07.2013

177	Bacau	IREM SPA SIRACUSA- Sucursala Bucuresti; Punct Moinesti	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, camera 1, et.5, sector 6; MOINESTI, Str. Capitan Zaganescu, nr. 2, Jud. Bacau	J40/117 09/2014	CUI 33677 137	021/313 2904/ 3122303 ; e-mail roberto. saponi@i remservi cii.ro; 0732660 591; e- mail Gheorgh e.Babea nu@gsts- asset8.r o	Verificare( la deschidere- inchidere) dispozitive de siguranta	pmax=150bar, Dnmax=150mm	BC/CR4/K,L/14/1511/1/ 16.03.2016
-----	-------	--	---	--------------------	---------------------	---	--	-----------------------------	-------------------------------------



178	Bacau	IREM SPA SIRACUSA- Sucursala Bucuresti; Punct Moinesti	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, camera 1, et. 7, sector 6; MOINESTI, Str. Capitan Zaganescu, nr. 2, Jud. Bacau	J40/117 09/2014	RO 33677 137	021/313 2904/ 3122303 ; e-mail roberto. sapori@i remservi cii.ro; 0732660 591; e- mail gheorgh e.babea nu@gsts- asset8.r o	Verificare( la deschidere- inchidere) dispozitive de siguranta	pmax=49bar, Dnmax=150mm	BC/CR4/K,L/14/1511/0/ 04.12.2014
179	Bucuresti	IREM SPA SIRACUSA- Sucursala Bucuresti; Punct Bustuchini	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, camera 1, et.5, sector 6; BUSTUCHINI, Sectia MTN, Jud. Gorj	J40/117 09/2014	CUI 33677 137	021/313 2904/ 3122303	Verificare( la deschidere- inchidere) dispozitive de siguranta	pmax=250bar, Dnmax=250mm	B/CR4/K,L/14/2570/0/1 2.06.2015
180	Bucuresti	IREM SPA SIRACUSA- Sucursala Bucuresti, Atelier Central TG. JIU	TG. JIU, Bd. Ecaterina Teodoroiu, nr. 46, Jud. Gorj	J40/117 09/2014	CUI 33677 137	0732333 411; 0253/22 3793	Verificare( la deschidere- inchidere) dispozitive de siguranta	pmax=140bar, Dnmax=300mm	B/CR4/K,L/14/2388/0/1 5.12.2014

181	Oradea	IVPROD ST SM PI SRL	TIMISOARA, Bd. 16. Decembrie 1989, nr. 7, et. 1, ap. 7, Jud. Timis	J35/860 /2007	CUI 21245 305	0356/26 9748; 0745232 593	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax<=40bar	OR/CR4/K,L/14/1469/1/ 14.06.2016
182	Central	IVPROD ST SM PI SRL	TIMISOARA, Str. Stefan cel Mare, nr.47, Jud. Timis	J35/860 /2007	CUI 21245 305	0256/22 4150	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=150mm, pmax<=40bar, fluid incercare apa; DN<=50mm, pmax<=32bar, fluid incercare aer sau azot	DISPR/CR4/K,L/14/0213 /0/16.03.2011
183	Brasov	J CHRISTOF E&P SERVICES SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/131 4/2009	RO 21013 747	0344/40 1027/40 1026; e-mail office.jc e@christ of.com	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=250mm, pmax=200bar	BV/CR4/K,L/14/1650/1/ 08.05.2017
184	Brasov	J CHRISTOF E&P SERVICES SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/131 4/2009	RO 21013 747	0344/40 1027/40 1026; e-mail office.jc e@christ of.com	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=200mm, pmax=200bar	BV/CR4/K,L/14/1650/0/ 20.03.2017

185	Bucuresti	JCR CRISTOF CONSULTING SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr. 49A, Jud. Prahova; POIANA LACULUI, Str. Dragasani, nr. 587, Jud. Arges	J29/109 7/2008	RO 22866 980	0344/40 1027/ 401026	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar, Dn=250mm	B/CR4/K,L/14/1812/0/0 6.06.2016
186	Brasov	JCR CRISTOF CONSULTING SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr. 49A, Jud. Prahova; VIDELE, Str. Petrolului, nr. 10, Jud. Teleorman	J29/109 7/2008	RO 22866 980	0344/40 1027/ 401026	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar, Dn=200mm	BV/CR4/K,L/14/1378/1/ 19.02.2015- suspendare voluntara incepand cu 28.07.2017
187	Brasov	JCR CRISTOF CONSULTING SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr. 49A, Jud. Prahova	J29/109 7/2008	RO 22866 980	0344/40 1027/ 401026	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=100bar, Dn=200mm	BV/CR4/K,L/14/1116/0/ 19.02.2013
188	Bacau	KADATA PREST SRL	HORIA, Str. Campului, nr. 67, Jud. Neamt	J27/222 9/1994	RO 66837 27	0233/74 0744	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=30bar, Dn=65mm	BC/CR4/K,L/14/1491/0/ 26.09.2014
189	Ploiesti	KARBOREX SA	PLOIESTI, Str. Caraiman, nr.7, Jud. Prahova	J29/76/ 1991	RO 13481 52	0244/51 2212/ 517577	Reglarea si repararea supapelor de siguranta	Pmax=100bar, Dnmax=200mm	PL/CR4/L/14/0196/0/07 .10.2010

190	Oradea	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr.66, Jud. Prahova; SUPLACU DE BARCAU, Str. Crinului, nr.72, Jud. Bihor; ABRAMUT, Cladirea Petrom, Jud. Bihor	J29/1153/1997	RO 9816194	0732300819	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=64bar, Dn<=100mm	OR/CR4/K,L/14/1339/1/ 06.04.2015
191	Oradea	KAROM SERVICII PROFESIONALE IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr.66, Jud. Prahova; SUPLACU DE BARCAU, Str. Crinului, nr.72, Jud. Bihor	J29/1153/1997	RO 9816194	0732300819	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=64bar, Dn<=100mm	OR/CR4/K,L/14/1339/0/ 05.12.2014
192	Brasov	KAROM SPI SRL	PLOIESTI, Str. Bucuresti, nr.66, Jud. Prahova	J29/1153/1997	RO 9816194	0344401995/ 401997	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=100bar, Dn=100mm	BV/CR4/K,L/14/1338/1/ 11.01.2017
193	Brasov	KAROM SPI SRL	PLOIESTI, Str. Bucuresti, nr.66, Jud. Prahova	J29/1153/1997	RO 9816194	0344/401995/ 401997	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=100bar, Dn=100mm	BV/CR4/K,L/14/1338/0/ 19.11.2014
194	Brasov	KREMSMULLER ROMANIA SRL	PLOIESTI, Str. Centura de Vest, nr. 23, Jud. Prahova	J29/626/2007	RO 18725133	0728291150; 0720112585	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=300bar, Dnmax=400mm	BV/CR4/K,L/14/1512/0/ 21.12.2015
195	Central	LAS PROM SRL	TG. MURES, Str. Cuza Voda, nr.25, Jud. Mures	J26/2185/2004	CUI 17057184	0265/264436/311884	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=150bar	DISPR/CR4/K,L/14/2553/ /0/14.12.2011

196	Central	LICTECH SRL	IASI, Str. Mihai Voda, nr.7, bl.P1, sc.TR2, et.4, ap.20, Jud. Iasi	J22/246 9/2006	CUI 19079 995	0232/23 5060	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=160bar, Dmax=100mm	DISPR/CR4/K,L/14/0209 /0/22.03.2010
197	Oradea	LINDE GAZ ROMANIA SRL	TIMISOARA, Str. Avram Imbroane, nr. 9, Jud. Timis	J35/114 9/1996	CUI 87219 59	0256/30 0700/22 5608	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=100bar, Dmax=50mm	OR/CR4/K,L/14/1515/0/ 27.02.2017
198	Central	LISSCOM SRL	BRASOV, Str. Neptun, nr.10, sc.C, ap.1, Jud. Brasov	J08/252 /1998	RO 10358 473	0268/54 9274	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=200bar	DISPR/CR4/K,L/14/3515 /0/02.05.2012
199	Bacau	LOCATIVSERV SRL	PIATRA NEAMT, Str. Cuiejdi, nr. 1B, et. 3, Jud. Neamt	J27/155 0/2008	RO 24607 639	0233/22 0430/ 220431	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=10bar	BC/CR4/K,L/14/1515/0/ 11.12.2014
200	Central	LOCATO SA	PIATRA NEAMT, Str. Lt. Draganescu, nr.20, et.2, Jud. Neamt	J27/8/2 001	RO 13649 035	0233/22 2832/22 2834	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=10bar	DISPR/CR4/K,L/14/0823 /0/17.05.2011- insolventa- retragere incepand cu 06.01.2015
201	Bacau	LOCATO SA	PIATRA NEAMT, Str. Privighetorii, nr.12, bl.B9, demisol, Jud. Neamt	J27/820 01	CUI 13649 035	0233/22 2832	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=10bar, Dnmax<=50mm	BC/CR4/K,L/14/1167/1/ 19.02.2013- insolventa- retragere incepand cu 06.01.2015
202	Central	LONIC SERV SRL	PUCIOASA, Str. Fantanilor, bl.B, et.2, ap.8, Jud. Dambovita	J15/510 /2004	CUI 16514 660	0722524 688; 0245/23 2310	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=100bar	DISPR/CR4/K,L/14/3613 /0/21.05.2012

203	Bucuresti	LONIC SERV SRL	PUCIOASA, Str. Fantanilor, bl.B, et.2, ap.8, Jud. Dambovita	J15/510/2004	CUI 16514660	0722524688; 0245/232310	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=100bar	B/CR4/K,L/14/1762/1/2 0.08.2013
204	Bucuresti	LPV PROIECT CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr.3, sector 4	J40/16179/1991	CUI 393996	021/3306200/3316620	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/0134/3/1 8.03.2016
205	Bucuresti	LPV PROIECT CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr.3, sector 4	J40/16179/1991	CUI 393996	021/3306200/3316620	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/0134/2/0 5.02.2015
206	Bucuresti	LPV PROIECT CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr.3, sector 4	J40/16179/1991	CUI 393996	021/3306200/3316620	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/0134/1/0 1.09.2014
207	Bucuresti	LPV PROIECT CONSULT SRL	BUCURESTI, Str. Dimbovicului nr.30, sector 4	J40/16179/1991	CUI 393996	021/3316620,021/3301852	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=2 1/2", pmax=15bar	B/CR4/K,L/14/0134/0/2 6.06.2010
208	Bucuresti	LPV FACILITY & PROPERTY MANAGEMENT SRL	BUCURESTI, Str. Aurel Persu, nr. 119D, parter, camera 3, sector 4	J40/20112/2008	RO 24812099	0724288126; 021/3316620	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/2663/0/1 9.11.2015
209	Bucuresti	LPV SERVICE CONSULT SRL	BUCURESTI, Str. Aurel Persu, nr. 119D, parter, camera 3, sector 4	J40/20112/2008	RO 24812099	021/3306200/3316620	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/2663/1/0 1.08.2016
210	Central	LUANA PREST SERV SRL	BRASOV, Str. Matei Basarab, nr.30A, Jud. Brasov	J08/2840/2008	CUI 24662030	0268/415715	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=350bar	DISPR/CR4/K,L/14/2688/0/05.01.2012

211	Central	LUANA PREST SERV SRL	BRASOV, Str. Castelului, nr.70, ap.2, cam. 2, Jud. Brasov	J08/284 0/2008	RO 24662 030	0268/41 5715	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=350bar	DISPR/CR4/K,L/14/2688 /1/21.05.2012
212	Central	LUCMAN SRL	SIBIU, Str. W.I. Gheothe, nr.16A, Jud. Sibiu; SIBIU, Str. Gorjului, nr.16A, Jud. Sibiu	J32/996 /2002	CUI 15091 554	0269/22 5791	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=60bar	DISPR/CR4/K,L/14/0429 /0/18.04.2011
213	Central	MACARALE SRL	SIBIU, Str. Hategului, nr.1, ap.6, Jud. Sibiu	J32/109 6/2005	CUI 17825 851	0269/22 5051	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=120mm, pmax<=60bar	DISPR/CR4/K,L/14/1702 /0/05.08.2011
214	Brasov	MADASOR CONSULTING SRL	BRASOV, Bd. Victoriei, nr.6, bl.42, sc. C, ap. 3, Jud. Brasov	J8/63/2 014	CUI 32676 265	0368/81 9523	Verificare( la deschidere- inchidere) dispozitive de siguranta	D<=50mm, p<=30bar	BV/CR4/K/14/1429/0/1 7.06.2015
215	Bucuresti	MAIRA MONTAJ SRL	BUCURESTI, Str. Stirbei Voda, nr.166, bl.20C, sc.A, et.1, ap.3, sector 1; BUCURESTI, Str. Inovatorilor, nr.38A, sector 1	J40/378 4/1997	RO 66618 34	0722259 865; 021/413 7690	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=500bar	B/CR4/K,L/14/1787/0/1 3.08.2013
216	Bucuresti	MAIRA MONTAJ SRL	BUCURESTI, Str. Stirbei Voda, nr.166, bl.20C, sc.A, et.1, ap.3, sector 1; BUCURESTI, Str. Inovatorilor, nr.38A, sector 1	J40/378 4/1997	RO 66618 34	021/413 7690/ 4139159	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=500mm, pmax=500bar	B/CR4/K,L/14/1787/1/2 1.02.2014

217	Central	MARAL SRL	POPESTI LEORDENI, Str. Leordeni, nr.161S, Jud. Ilfov	J23/134 3/2010	CUI 13404 361	021/467 3006	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=65mm, pmax=48bar	DISPR/CR4/K,L/14/1269 /0/05.07.2011
218	Bucuresti	MARAL SRL	POPESTI LEORDENI, Str. Leordeni, nr.161S, Jud. Ilfov	J23/134 3/2010	CUI 13404 361	021/467 3006/ 4673008	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=65mm, pmax=48bar	B/CR4/K,L/14/1269/1/2 2.11.2012
219	Bacau	MECANIC GRUP SRL	ONESTI, Str. Avantului, nr.21A, Jud. Bacau	J04/961 /1998	CUI 11111 020	0234/31 2815/ 302041	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=350mm, pmax=150bar	BC/CR4/K,L/14/1503/1/ 07.11.2014
220	Central	MECANIC GRUP SRL	ONESTI, Bd. Republicii, nr.1, bl.1, sc.D, et.3, ap.49, Jud. Bacau	J04/961 /1998	CUI 11111 020	0374091 815; 0234/31 2815	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=350mm, pmax=150bar	DISPR/CR4/K,L/14/0553 /0/18.04.2011
221	Sibiu	MEDIA RINGER SRL	SIBIU, Aleea Biruintei, nr.6, ap.5, Jud. Sibiu; SIBIU, Cal. Dumbravii, nr.105, Jud. Sibiu	J32/372 /1998	RO 10668 237	0269/44 3401	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, Pmax<=60bar	SB/CR4/K,L/14/1574/0/ 23.03.2016
222	Sibiu	MEDIA RINGER SRL	SIBIU, Aleea Biruintei, nr.6, ap.5, Jud. Sibiu; SIBIU, Cal. Dumbravii, nr.105, Jud. Sibiu	J32/372 /1998	RO 10668 237	0269/44 3401	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, Pmax<=60bar	SB/CR4/K,L/14/1334/0/ 30.06.2014



223	Central	MEGA NET SRL	CONSTANTA, Sos. Mangaliei, nr.61, bl.SM3, sc.B, et.9, ap.82, Jud. Constanta; Constanta, Sos. Mangaliei, nr.74, Jud. Constanta	J13/1190/2000	CUI 13111698	0241/588868	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Supape de siguranta cu arc 15mm<=Dnmax<=150mm, pmax<=16bar; Supape de siguranta cu greutate axiala 50mm<=Dnmax<=250mm, pmax<=40bar,; Supape de siguranta cu parghie si contragreutate 40mm<=Dnmax<=200mm, pmax<=60bar	DISPR/CR4/K/14/2460/0/24.11.2011
224	Central	MEGA PASCAL SRL	SIBIU, Str. Independentei, nr.3A, Jud. Sibiu	J32/110/1993	RO 3238580	0269/253150	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=100mm, pmax<=100bar	DISPR/CR4/K,L/14/1588/0/26.07.2011
225	Central	MEGATERM SRL	BUCURESTI, Bd. Ghencea, nr.34, sector 6	J40/22602/1994	CUI 6520657	021/4132025/4132017	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=64bar	DISPR/CR4/K,L/14/0859/0/18.05.2011
226	Bucuresti	MEGATERM SERVICII SRL	BUCURESTI, Prelungirea Ghencea, nr.95K, camera 1, sector 6	J40/6828/2014	RO 33255515	0744326773; 021/4132017	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, DN max=125mm	B/CR4/K/14/2382/0/10.12.2014

227	Pitesti	MENTCHIM SA	RAMNICU VALCEA, Str. Uzinei, nr.1, Jud. Valcea	J38/501/2005	RO 17571575	0250/701501/701504	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=160bar, DN<=100mm	PT/CR4/K,L/14/0043/0/08.06.2010- retragere voluntara incepand cu 14.09.2016
228	Suceava	MERIDIAN SRL	BOTOSANI, Str. Maxim Gorki, nr.11, Jud. Botosani	J07/1200/1994	RO 6868830	0231/517989	Verificari tehnice la inchidere -deschidere , repararea si reglarea supapelor de sigurana cu actiune directa cu arc si cu parghie si contragreutate	DN=100mm PN=16bar	SV/CR4/K,L/14/0002/0/26.04.2010
229	Oradea	MESSER ROMANIA GAZ SRL	BUCURESTI, Str. Delea Veche, nr.24, cladirea de birouri A, et. 2-3, sector 2; MINTIA, Com. Vetel, Str. Santierului, nr.1A, Jud. Hunedoara	J40/4298/1998	CUI 10547308	021/3273624/3273626; 0254/236451/236453	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=25mm, Pmax=420bar	OR/CR4/K,L/14/1334/0/19.11.2014
230	Central	MESSER ROMANIA GAZ SRL	BUCURESTI, Str. Delea Veche, nr.24, sector 3	J40/4298/1998	CUI 10547308	021/3273624/3273625/3273626	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=50mm, pmax<=50bar	DISPR/CR4/K,L/14/0291/0/25.03.2011
231	Central	MESSER ROMANIA GAZ SRL	BUCURESTI, Cal. Calarasi, nr.177, bl.45, et.3, ap.7,8,9, sector 3	J40/4298/1998	CUI 10547308	021/3273624/3273626	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=50bar	DISPR/CR4/K,L/14/1115/1/24.06.2011
232	Bucuresti	MESSER ROMANIA GAZ SRL	BUCURESTI, Str. Delea Veche, nr.24, Cladire de birouri A, et. 2,3, sector 2	J40/4298/1998	CUI 10547308	021/3273624/3273626	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=50bar	B/CR4/K,L/14/1379/1/21.05.2013

233	Bucuresti	METROINSTAL SRL	CALAFAT, Sat Basarabi, Cal. Craiovei, nr. 165, Jud. Dolj	J16/230 /2011	RO 28042 332	0740055 200	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=200bar	B/CR4/K,L/14/2580/0/0 6.08.2015
234	Central	MEVA SA	DR. TN. SEVERIN, Str. Dunarii, nr.3, Jud. Mehedinti	J25/135 /1991	CUI 16057 79	0252/30 8439/31 5139	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=10bar	DISPR/CR4/K,L/14/2412 /0/15.11.2011
235	Central	MEXGAZ SERVICE SRL	SLATIOARA, Str. Rasritului, nr.5, Jud. Olt	J28/592 /2009	CUI 26136 244	0249/41 6717; 0729019 996; 0729019 997; 0349/81 6233; 0249416 717	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=18bar	DISPR/CR4/K,L/14/3252 /0/15.03.2012
236	Bucuresti	MIR ADI SERVICE SRL	TULCEA, Str. Obor, nr.2, bl.B1, sc.A, ap.14, Jud. Tulcea; TULCEA, Str. Urzicii, nr.48A, Jud. Tulcea	J36/79/ 2007	CUI 21062 162	0745644 904	Verificare( la deschidere- inchidere) dispozitive de siguranta	Dnmax=250mm, pmax=40bar	B/CR4/K/14/2101/2/07. 11.2014
237	Bucuresti	MIR ADI SERVICE SRL	TULCEA, Str. Obor, nr.2, bl.B1, sc.A, ap.14, Jud. Tulcea; TULCEA, Str. Isacpei, nr.4, Km 3, Jud. Tulcea	J36/79/ 2007	CUI 21062 162	0745644 904	Verificare( la deschidere- inchidere) dispozitive de siguranta	Dnmax<=250mm, pmax<=40bar	B/CR4/K/14/2101/1/15. 04.2014
238	Central	MIR ADI SERVICE SRL	TULCEA, Str. Obor, nr.2, bl.B1, sc.A, ap.14, Jud. Tulcea	J36/79/ 2007	CUI 21062 162	0745644 904	Verificarea( la deschidere- inchidere) dispozitive de siguranta	Dnmax=250mm, pmax=40bar	DISPR/CR4/K/14/1619/0 /03.08.2011

239	Bacau	MODERN CALOR SA	BOTOSANI, Str. Pacea, nr. 43, Jud. Botosani	J07/05/2010	RO 26892 574	0231/53 7100/ 516446	Verificarea( la deschidere- inchidere) dispozitive de siguranta	Dnmax=150mm, pmax=25bar	BC/CR4/K/14/1537/0/3 0.03.2015
240	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 20462 50	0233/21 0660/21 0589	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=160bar	BC/CR4/K,L/14/1485/1/ 12.09.2014
241	Central	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 20462 50	0233/21 0660/21 0589	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=160bar	DISPR/CR4/K,L/14/3572 /0/16.05.2012
242	Central	MT ALWAYS PREMIUM SRL	ARAD, Str. Mircea Stanescu, nr.2, ap.12, Jud. Arad	J02/1075/2008	CUI 24051 818	0257/21 2102	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=150mm, pmax<=64bar, fluid incercare apa; Dnmax<=50mm, pmax<=32bar, fluid incercare Gaz neutru	DISPR/CR4/K,L/14/2349 /0/10.11.2011
243	Sibiu	MULTIPRACTIC SRL	TG. MURES, Str. Transilvania, nr.11/7, Jud. Mures	J26/540/2006	CUI 18546 820	0265/26 0333	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400mm, pmax=350bar	SB/CR4/K,L/14/1423/2/ 17.12.2014
244	Central	MULTIPRACTIC SRL	TG. MURES, Str. Transilvania, nr.11/7, Jud. Mures	J26/540/2006	CUI 18546 820	0265/26 0333	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=250bar	DISPR/CR4/K,L/14/1820 /0/31.08.2011
245	Central	MULTIPRACTIC SRL	TG. MURES, Str. Transilvania, nr.11/7, Jud. Mures	J26/540/2006	CUI 18546 820	0265/26 0333	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400mm, pmax=350bar	DISPR/CR4/K,L/14/1177 /1/24.05.2013

246	Bacau	MURANIS SERV INSTAL SRL	BRAILA, Str. Ghiocailor, nr. 14, bl. A57, sc. 2, et. 1, ap. 25, Jud. Braila	J09/636 /2010	RO 27794 531	0729070 715; e- mail muranis serv@ya hoo.com	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=150mm, pmax<=40bar	BC/CR4/K,L/14/1599/0/ 29.09.2015
247	Central	NIPOSERV SRL	BRAILA, Cartier Hipodrom, Str. Pietatii, nr.20, bl.C1, sc.2, et.2, ap.24, Jud. Braila	J09/103 1/2005	CUI 18103 602	0239/67 0201	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=150bar	DISPR/CR4/K,L/14/2249 /0/25.10.2011
248	Central	NITROPOROS SRL	FAGARAS, Sos. Combinatului, nr.14, Jud. Brasov	J08/574 /2008	CUI 23415 082	0268/20 6501/21 6111	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=200bar	DISPR/CR4/K,L/14/3086 /0/20.02.2012
249	Sibiu	NM & C SRL	CLUJ NAPOCA, Str. Muresului, nr.46, ap. 5, Jud. Cluj	J12/269 /2005	RO 17170 697	0364/80 6878	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax<=100mm; pmax<=25bar	SB/CR4/K/14/1058/0/18 .09.2012
250	Central	NUCLEAR ELECTRICA SA- FCN PITESTI	BUCURESTI, Str. Polona, nr.65, sector 1; MIOVENI, Str. Cimpului, nr.1, Jud. Arges	J40/740 3/1998	CUI 10874 881	0248/20 7700/26 2499	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=200mm, pmax<=40bar	DISPR/CR4/K,L/14/1860 /0/19.08.2011
251	Central	NUCLEARELECTRI CA	BUCURESTI, Str. Polona, nr.65, sector 1; CERNAVODA, Str. Medgidiei, nr.2, Jud. Constanta	J40/740 3/1998; J13/344 2/2007	RO 10874 881; CUI 22554 619	021/203 8200/31 69804; 0241/23 9340/23 9266	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=420bar, Dmax=600mm	DISPR/CR4/K,L/14/0006 /0/17.03.2010

252	Central	OK TEHNIC CONSULT SRL	ARAD, Bd. General Vasile Milea, nr.1, sc.3, et.2, ap.11, Jud. Arad	J02/199 /2007	RO 20872 640	0257/22 7084	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=50mm, pmax<=20bar	DISPR/CR4/K,L/14/3353 /0/20.03.2012
253	Central	OLDT EXPERT SRL	GALATI, Str. Avram Iancu, nr.20, camera1, Jud. Galati	J17/113 3/2010	CUI 27782 898	0236/45 0863	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=60bar	DISPR/CR4/K,L/14/2989 /0/13.02.2012
254	Central	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1	J40/830 2/1997	CUI 15900 82	7.3E+08	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=64bar	DISPR/CR4/K,L/14/0438 /0/19.04.2011
255	Central	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr.239, sector 1; EPS ASSET 5 MOESIA NORD DEPARTAMENT MANTENANTA POENI, Str. Gh. Radulescu, nr.83, Jud. Teleorman	J40/830 2/1997	CUI 15900 82	021/406 0104; 0372868 544	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=49bar	DISPR/CR4/K,L/14/1837 /1/06.09.2011
256	Bucuresti	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1; CALACEA, Jud. Timis	J40/830 2/1997	CUI 15900 82	021/212 5001/ 3155166 ; 0256/37 9617	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=64bar	B/CR4/K,L/14/0319/0/0 2.08.2010
257	Bucuresti	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1; PECICA, Jud. Arad	J40/830 2/1997	CUI 15900 82	021/212 5001/ 3155166 ; 0372/42 8455	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=64bar	B/CR4/K,L/14/0320/0/0 3.08.2010

258	Bucuresti	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1; SUPLACU DE BARCAU, Str. Crinului, nr.72, Jud. Bihor	J40/830 2/1997	CUI 15900 82	021/212 5001/ 3155166	Verificare( la deschidere- inchidere) dispozitive de siguranta	Dnmax=100mm, pmax=64bar	B/CR4/K/14/0321/0/09. 09.2010
259	Bucuresti	OMV PETROM SA	BUCURESTI, sector1, Str. Coralilor, nr.22	J40/830 2/1997	CUI 15900 82	021/406 0040/ 4060420	Verificare( la deschidere- inchidere) dispozitive de siguranta	Dmax=100mm, pmax=64bar	B/CR4/K/14/0321/1/12. 02.2013
260	Ploiesti	OMV PETROM SA	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; BOLDESTI SCAIENI, Cal. Unirii, nr.52, Jud. Prahova	J40/830 2/1997	RO 15900 82	021/212 5001/31 55166	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=100bar, Dnmax=100mm	PL/CR4/K,L/14/0198/1/ 06.12.2010
261	Pitesti	OMV PETROM SA	BUCURESTI, Calea Dorobantilor, nr.239, sector 1; POIANA LACULUI	J40/830 2/1997	RO 15900 82	0372160 737; 0372868 544; 0732410 654	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=200mm, pmax<=140bar	PT/CR4/K,L/14/0089/0/ 16.09.2010
262	Ploiesti	OMV PETROM SA- ASSET IX Moldova Sud	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; MOLDOVA SIUD, Service Center BERCA, Jud. Buzau	J40/830 2/1997	RO 15900 82	021/264 7467	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, Pmax=80bar	PL/CR4/K,L/14/0159/0/ 06.09.2010

263	Ploiesti	OMV PETROM SA BOLDESTI SCAIENI	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; BOLDESTI SCAIENI, Cal. Unirii, nr.52, Jud. Prahova	J40/830 2/1997	RO 15900 82	021/212 5001; 021/315 5166	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=100mm, Pmax=64bar	PL/CR4/K,L/14/0198/0/ 08.09.2010
264	Bucuresti	OMV PETROM SA E&P, MTN&LOG ASSET 2 OLTENIA PL BUSTUCHINI	CRAIOVA, Str. Ion Maiorescu, nr.4, Jud. Dolj	J40/830 2/1997	RO 15900 82	0249/41 4040	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, Pmax<=250bar	B/CR4/K,L/14/1161/0/0 9.10.2012
265	Bucuresti	OMV PETROM SA- EP - ASSET 5 - MOESIA NORD DEPARTAMENT MENTENANTA	BUCURESTI, sector1, Str. Coralilor, nr.22; POENI, Str. Gh. Radulescu, nr.83, Jud. Teleorman	J40/830 2/1997	CUI 15900 82	021/406 0040/ 4060420	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=49bar	B/CR4/K/14/0469/1/12. 02.2013
266	Central	OMV PETROM SA- EP MENTENANTA & LOGISTICA ASSET 10 GAP TG. JIU	BUCURESTI, Str. Coralilor, nr.22, sector 1; TG. JIU, Str. Ecaterina Teodoroiu, nr.46, Jud. Gorj	J40/830 2/1997	CUI 15900 82	0732333 411; 0253/22 3793	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=140bar	DISPR/CR4/K,L/14/1437 /0/26.07.2011



267	Central	OMV PETROM SA- EPS	BUCURESTI, Cal. Dorobantilor, nr.239,, sector 1; Departament Mentenanata Asset 6 Muntenia- Central Atelier Toolmen- MORENI, Str. A. I. Cuza, nr.9, Jud. Dambovita	J40/830 2/1997	CUI 15900 82	0372160 0737; 0372868 544	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=64bar	DISPR/CR4/K,L/14/0519 /0/08.04.2011
268	Bucuresti	OMV PETROM SA	BUCURESTI, Str. Coralilor, nr.22, sector 1; Asset 6 UA MTN & LOG, MORENI, Str. A. I. Cuza, nr.7, Jud. Dambovita	J40/830 2/1997	CUI 15900 82	021/406 0040/ 4060420	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=140bar	B/CR4/K,L/14/0519/1/2 5.02.2014
269	Central	OMV PETROM SA- EPS DEPARTAMENTUL MENTENANTA ASSET VIII MOLDOVA NORD	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; MOINESTI, Str, Schelei, , nr. Cadastral 1992, sectia 1, Jud. Bacau	J40/830 2/1997	CUI 15900 82	0732410 517; 0372428 353, 0372484 552	Verificare( la deschidere- inchidere) dispozitive de siguranta	Dmax<=150mm, pmax<=49bar	DISPR/CR4/K,L/14/0210 /0/24.03.2010
270	Central	OMV PETROM SA- EPS MENTENANTA & LOGISTICA ASSET 2 OLTENIA	BUCURESTI, Str. Coralilor, nr.22, sector 1; STATIE COMPRESOARE, BULBUCENI, CAPRENI, Str. Bratesti, Jud. Gorj	J40/830 2/1997	CUI 15900 82	0372160 0737; 0372868 544	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=400bar	DISPR/CR4/K,L/14/1195 /0/20.06.2011

271	Bucuresti	OMV PETROM SA UNITATEA DE AFACERI MENTENANTA SI LOGISTICA GAP TARGU JIU	TG. JIU, Bd. Ecaterina Teodoroiu, nr.60, Jud. Gorj	J40/830 2/1997	RO 15900 82	0253/22 3793; 0732333 411	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, Pmax<=140bar	B/CR4/K,L/14/1163/1/2 4.10.2012
272	Central	OPTIM SIG INSTAL SRL	DEVA, Str. Al. Patriei, nr.2, bl.D1, et.3, ap.39, Jud. Hunedoara	J20/5/2 000	CUI 12550 113	0254/22 0020	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=80mm, pmax<=30bar	DISPR/CR4/K,L/14/0278 /0/31.03.2011
273	Central	ORDEA PRODCOM SRL	TG. MURES, Str. Mioritei, nr.15, Jud. Mures	J26/826 /1997	CUI 99912 33	0265/26 9256/26 1678	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=50bar	DISPR/CR4/K,L/14/0754 /0/04.05.2011
274	Central	OVITIN CND AG SRL	PITESTI, Str. Depozitelor, nr.27, Corp C1, camera BP1, Jud. Arges	J03/711 /2011	CUI 28472 224	0744124 082; 0248/21 7965	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=280bar	DISPR/CR4/K,L/14/2006 /0/20.09.2011
275	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/123 3/1993	CUI 40005 00	0244/51 3214; e- mail: sc_paul us_srl@y ahoo.co m	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=25bar, Dnmax=100mm	BV/CR4/K,L/14/1020/2/ 10.06.2016
276	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/123 3/1993	CUI 40005 00	0244/51 3214	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=25bar, Dnmax=100mm	BV/CR4/K,L/14/1020/1/ 10.07.2012
277	Ploiesti	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, Jud. Prahova	J29/123 3/1993	RO 40005 00	0244/51 3214/ 595763	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=100mm, Pmax=25bar	PL/CR4/K,L/14/0123/0/ 02.08.2010

278	Central	PENAIVIPROD SRL	VASLUI, Str. Bucuresti, bl.400, sc.B, ap.6, Jud. Vaslui	J37/352 /2011	CUI 29128 378	0335/40 1565; 0235/31 9076	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=60bar	DISPR/CR4/K,L/14/3096 /0/21.02.2012
279	Central	PETINSTAL SRL	MARGHITA, Calea Republicii, nr.82A, ap.4, Jud. Bihor	J05/166 1/2007	RO 22004 062	0728881 382; 0359/44 8197	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=20bar	DISPR/CR4/K/14/3498/0 /01.03.2012
280	Brasov	PETROGAZ SA	BRASOV, Str. Fanului, nr. 57G, Jud. Brasov	J08/218 /1994	CUI 52252 76	0268/33 0915	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=350bar	BV/CR4/K,L/14/1596/1/ 08.08.2016
281	Central	PETROGAZ SA	BRASOV, Str. Hortensiei, nr.73, Jud. Brasov	J08/218 /1994	CUI 52252 76	0268/33 0915	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=350bar	DISPR/CR4/K,L/14/0690 /0/10.05.2011
282	Brasov	PETROGAZ INSPECT SRL	BRASOV, Str. Fanului, nr.57D, Jud. Brasov	J08/489 /2009	RO 25294 734	0368/45 9043; e-mail ionita.rs vti.petrogaz@gmail.com	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=60bar	BV/CR4/K,L/14/1575/0/ 16.05.2016
283	Central	PETROM LPG SA	OTOPENI, Str. Aurel Vlaicu, nr.31A, et.2, Jud. Ilfov; Com. BRAZI, Sat NEGOIESTI, Jud. Prahova	J23/232 /2011	CUI 80378 97	021/203 5100/20 35105	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=32mm, pmax=25bar	DISPR/CR4/K,L/14/0026 /1/16.03.2011

284	Ploiesti	PETROM LPG SA	BUCURESTI, Bd. Ion Ionescu de la Brad, nr.2B, parter, et.4, sector 1; BRAZI, Sat Negoiesti, Jud. Prahova	J40/272 /1996	RO 80378 97	021/203 5100/ 2035105 ; 0244/40 1055/ 401080	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=25bar, Dnmax=32mm	PL/CR4/K,L/14/0026/0/ 05.05.2010
285	Central	PETROSANTANDER ROMANIA SRL	ARAD, Str. Academia Teologica, nr.14, Jud. Arad	J02/825 /2010	RO 26889 099	0372572 425; 0257/25 2315	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=64bar	DISPR/CR4/K,L/14/1177 /0/20.06.2011
286	Oradea	PETROSANTANDER ROMANIA SRL	ARAD, Str. Academia Teologica, nr.14, Jud. Arad	J02/825 /2010	RO 26889 099	0372572 425; 0257/25 2315	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=64bar	OR/CR4/K,L/14/1218/1/ 16.10.2013
287	Bucuresti	PIFATI SA	BUCURESTI, Str. Iovita, nr. 11, et. 2, camere 4-9, sector 5	J40/110 0/1991	CUI 40151 7	021/410 4600/ 4100638 ; e-mail office@ pifati.ro	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=64bar	B/CR4/K,L/14/0138/1/2 0.05.2016
288	Bucuresti	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/110 0/1991	CUI 40151 7	021/410 6645/ 4100638	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=64bar	B/CR4/K,L/14/0138/0/0 9.07.2010
289	Oradea	PITYU TERMOSERVICE S.R.L.	PETROSANI, Str. Aviatorilor, bl. 54A, sc. 3, parter, ap. 30, Jud. Hunedoara	J20/123 /2007	CUI 20744 536	0254/54 1510	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	OR/CR4/K,L/14/1149/1/ 14.09.2015

290	Oradea	PITYU TERMOSERVICE S.R.L.	PETROSANI, Str. 1 Decembrie 1918, bl.101, sc.1, et.3, ap.22, Jud. Hunedoara	J20/123 /2007	CUI 20744 536	0254/54 1510	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	OR/CR4/K,L/14/1149/0/ 23.05.2013
291	Bacau	PLUS EXPERT SSO SRL	LISAURA, Com. Ipotesti, Str. Gheorghe Mihuta, nr. 15A, Jud. Suceava; LISAURA, Str. Slatioarei, nr. 4A, et. 3, camera 2, Jud. Suceava	J33/661 /2011	RO 28829 484	0743171 782; e- mail plus_ex pert@ya hoo.com ; 0330/80 3911/80 3910	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=25bar	BC/CR4/K,L/14/1752/0/ 12.04.2017
292	Bacau	PLUS TEST SRL	FOCSANI, Al. Echitatii, nr. 17, bl. I 11, parter, ap. 1, Jud. Vrancea	J39/335 /2014	RO 33335 452	0763261 641; e- mail verificar itehnice @yahoo. com	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=250mm, pmax<x=25bar	BC/CR4/K,L/14/1769/0/ 12.06.2017
293	Bacau	PLUSSERVICE SRL	FOCSANI, Str. Bucegi, nr.13, bl.13, ap.12, Jud. Vrancea; FOCSANI, Str. 1 Decembrie 1918, nr.37, Jud. Vrancea	J39/678 /2003	RO 15818 661	0744635 244; e- mail: verificar itehnice @yahoo. com	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Verificari tehnice , reglare : pmax=100bar, Dnmax=250mm; Reparare : pmax=50bar, Dnmax=250mm	BC/CR4/K,L/14/1049/2/ 23.09.2013

294	Bacau	PLUSSERVICE SRL	FOCSANI, Str. Bucegi, nr.13, bl.13, ap.12, Jud. Vrancea	J39/678 /2003	RO 15818 661	0744635 244	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=50bar, Dnmax=250mm	BC/CR4/K,L/14/1049/1/20.09.2012
295	Galati	PLUSSERVICE SRL	FOCSANI, Str. Bucegi, nr.13, Jud. Vrancea	J39/678 /2003	RO 15818 661	0237/22 5019	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=250mm, pmax=50bar	GL/CR4/K,L/14/0125/0/17.12.2010
296	Central	POLTISAN SRL	BRASOV, Str. Anghel Saligny, nr.3, Jud. Brasov	J08/114 5/2004	CUI 16446 841	0268/41 6440	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, pmax<=40bar	DISPR/CR4/K,L/14/0648 /0/08.04.2011
297	Cluj	PRESTAREA SCM	SIMLEU SILVANIEI, Str. Gradinilor, nr.2, Jud. Salaj	C31/38/ 2005	RO 68754 1	0260/67 8934	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=100mm, Pmax=25bar	CJ/CR4/K/14/0069/0/26 .08.2010
298	Cluj	PROGAZ INSTAL SRL	BISTRITA, Str. N. Titulescu, nr.21, ap.4, Jud. Bistrita Nasaud	J06/263 /2000	RO 13374 422	0263/23 3713	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=150mm, Pmax=60bar	CJ/CR4/K,L/14/0121/0/18.11.2010
299	Central	PROIMSAT SA	RM. VALCEA, Str. Industriilor, nr.2, Jud. Valcea	J38/155 8/1992	CUI 29891 04	0250/73 3390; 0250/73 0231; 0350/40 1697	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=50mm, pmax=16bar	DISPR/CR4/K,L/14/2166 /0/12.10.2011
300	Central	RAAN - Suc. ROMAG PROD	DR. TN. SEVERIN, Cal. Tg. Jiului, Km 7, Jud. Mehedinti	J25/282 /1998	CUI 10882 725	0252/31 1250/31 7908	Verificare( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	DISPR/CR4/K,L/14/1094 /0/09.06.2011

301	Bucuresti	RAAN - Suc. ROMAG PROD	DR. TN. SEVERIN, Str. Nicolae Iorga, nr.1, Jud. Mehedinti; Com. Izvoru Barzii, Sat Rascolesti, Cal. Tg. Jiu, Km 7, Jud. Mehedinti	J25/282 /1998; J25/300 /1998	CUI 10882 3666/ 752; 323066; CUI 0252/31 12611 1250/ 350 317908	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=64bar	B/CR4/K,L/14/1975/1/2 0.01.2014
302	Ploiesti	RAFINARIA STEAUA ROMANA SA	CIMPINA, Cal. Doftanei, nr.15, Jud. Prahova	J29/148 /1991	RO 13226 32 0244/33 6151/33 7341	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=100bar, Dnmax=200mm	PL/CR4/K,L/14/0233/0/ 18.11.2010
303	Bacau	RAFO SA	ONESTI, Str. Industiilor, nr.3, Jud. Bacau	J04/538 /1991	CUI 95877 2 0234/30 3303/ 315640	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=200bar, Dnmax=250mm	BC/CR4/K,L/14/0077/1/ 25.04.2013
304	Brasov	RAIL LOGISTIC SRL	BUCURESTI, Sos. Mihai Bravu, nr. 296, sc. B, et. 8, ap. 68, sector 3; BRAZI, Sat Negoiesti, Str. Piatra Craiului, nr. 13, Jud. Prahova	J40/114 17/2014	CUI 18647 191 0373550 080; 0373550 073; e- mail office@r ail- logistic. ro	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=40bar, Dnmax=219mm	BV/CR4/K,L/14/1628/0/ 22.12.2016
305	Bacau	RCA MOLDOTERM SRL	IASI, Aleea Tudor Neculai, nr.99, bl. 989A, sc.B, et.4, ap.18, Jud. Iasi	J22/174 1/2004	CUI 16698 164 0332/80 8738/80 8739	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax=40bar	BC/CR4/K,L/14/1669/1/ 18.05.2016
306	Central	RCA MOLDOTERM SRL	IASI, Aleea Tudor Neculai, nr.99, Jud. Iasi	J22/174 1/2004	CUI 16698 164 0332/80 8739	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax=40bar	DISPR/CR4/K,L/14/0681 /0/05.05.2011

307	Central	REAL INSTAL SRL	JILAVA, Sos. Giurgiului, nr.169, camera 2, Jud. Ilfov	J23/290 0/2007	CUI 22664 298	0746255 688; 0318/16 7308	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=50bar	DISPR/CR4/K,L/14/0801 /0/18.05.2011
308	Sibiu	REGIA AUTONOMA DE TERMOFICARE	CLUJ NAPOCA, Str. 21 Decembrie 1989, nr.79, Jud. Cluj; CLUJ NAPOCA, Str. Plevnei, nr.66-68, Jud. Cluj	J12/338 /1991	CUI 20133 0	0264/50 3703/50 3722; e- mail rat@rat cj.ro	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=16bar	SB/CR4/K,L/14/1482/1/ 23.07.2015
309	Central	REGIA AUTONOMA DE TERMOFICARE	CLUJ NAPOCA, Str. 21 Decembrie 1989, nr.79, Jud. Cluj; CLUJ NAPOCA, Str. Plevnei, nr.66-68, Jud. Cluj	J12/338 /1991	CUI 20133 0	0264/50 3703/50 3722	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=16bar	DISPR/CR4/K,L/14/0740 /0/20.04.2011
310	Bucuresti	REGIO IMPEX SRL	BUCURESTI, Str. Gradistea Florestilor, nr.14, sector 2	J40/821 5/1991	CUI 15944 83	021/224 6634; 021/202 9285	Verificare (la deschidere- inchidere) la dispozitive de siguranta	DNmax=32mm, pmax=40bar	B/CR4/K/14/0425/1/16. 06.2014
311	Brasov	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322 /2000	CUI 12911 480	0244/54 6229; 0244/54 6031; e- mail: remero @yahoo. com	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=350mm, pmax<=200bar	BV/CR4/K,L/14/1327/3/ 21.10.2014



312	Central	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322 /2000	CUI 12911 480	0244/54 6224; interior 310; 315; 0244/54 6031	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=350mm, pmax<=200bar	DISPR/CR4/K,L/14/2008 /0/24.04.2012
313	Central	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322 /2000	CUI 12911 480	0244/54 6221/54 6031	Verificare( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=200bar	DISPR/CR4/K,L/14/2008 /1/12.12.2011
314	Central	REMERO FIL SA	Com. BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322 /2000	CUI 12911 480	0244/54 6221/54 6031	Verificare ( la deschidere- inchidere) dispozitive de siguranta	Dnmax=200mm, pmax=200bar	DISPR/CR4/K/14/2008/0 /23.09.2011
315	Brasov	REVAG SRL	PLOIESTI, Str. Industriei, nr.4, Jud. Prahova	J29/687 /2001	CUI 14071 494	0244/57 2777	Verificari tehnice la inchidere -deschidere , reglarea si repararea supapelor de siguranta	pmax=100bar, Dn=200mm	BV/CR4/K,L/14/1115/0/ 28.02.2013
316	Bucuresti	REVICOM OIL SRL	BUCURESTI, Str. Vistiernicul Stavrinis, nr.21, sector 6	J40/256 61/1994	RO 66451 89	021/250 3074/ 2508870 ; e-mail office@revicomoil.ro	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=150bar, Dn=40mm	B/CR4/K,L/14/2288/1/0 4.11.2016

317	Bucuresti	REVICOM OIL SRL	BUCURESTI, Str. Vistiernicul Stavrinis, nr.21, sector 6; BUCURESTI, Str. Fantanica, nr.41, sector 2	J40/256 61/1994	RO 66451 89	021/250 3074/ 2508870	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=150bar, Dn=40mm	B/CR4/K,L/14/2288/0/1 6.09.2014
318	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta;Constanta, Bd. Aurel Vlaicu, nr.125, Jud. Constanta	J13/205 3/2001	RO 14320 668	0241/58 6406/58 6448	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<1500mm, pmax<=150bar	B/CR4/K,L/14/2425/1/0 4.02.2015
319	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta;Constanta, Bd. Aurel Vlaicu, nr.125, Jud. Constanta	J13/205 3/2001	RO 14320 668	0241/58 6406/58 6448	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	B/CR4/K/14/1426/1/04. 02.2015
320	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta;Constanta, Bd. Aurel Vlaicu, nr.125, Jud. Constanta	J13/205 3/2001	RO 14320 668	0241/58 6406/58 6448	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=200bar	B/CR4/K,L/14/1770/2/0 4.02.2015

321	Central	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta;Constanta, Bd. Aurel Vlaicu, nr.4-6, Jud. Constanta	J13/2053/2001	CUI 14320668	0241/5586406/586448	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	DISPR/CR4/K/14/2657/0/04.01.2012
322	Central	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta;Constanta, Bd. Aurel Vlaicu, nr.125, Jud. Constanta	J13/2053/2001	RO 14320668	0241/586406/586448; 0722681690	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, pmax<=150bar	DISPR/CR4/K,L/14/2989/0/13.02.2012
323	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta;Constanta, Bd. Aurel Vlaicu, nr.125, Jud. Constanta	J13/2053/2001	RO 14320668	0241/586406/586448	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=200bar	B/CR4/K,L/14/1770/1/27.08.2013
324	Iasi	RIGAB SRL	IASI, Bd. T. Vladimirescu, nr.105, sc.A, ap.4, Jud. Iasi	J22/758/2004	RO 16333338	0332/800709/800708	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=420bar, Dn max=600mm	IS/CR4/K,L/14/0151/0/08.12.2010
325	Bacau	RIGAB SERVICE SRL	IASI, B-dul Tudor Vladimirescu , nr. 105, sc. A, parter, ap. 4, Jud. Iasi	J22/1054/2012	CUI 30361449	0332/800709,800708	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=600bar, Dn max=600mm	BC/CR4/K,L/14/1456/0/13.06.2014
326	Oradea	ROAMBRA COMPANY SRL	TIMISOARA, Str. Simion Barnutiu, bl.81, et.1, ap.2, Jud. Timis	J35/1120/1999	CUI 12493930	0356/179990	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=250bar, Dn max3600mm	OR/CR4/K,L/14/1225/0/01.11.2013

327	Central	ROBERT BOSCH SRL	BUCURESTI, Str. Horia Macelariu, subsol+parter+1,2, nr. 30-34, et.4, sector 1	J40/760 1/1994	CUI 55415 46	021/405 7500/23 31313	Verificare ( la deschidere- inchidere) dispozitive de siguranta	Dmax<=150mm, pmax<=16bar	DISPR/CR4/K/14/0711/0 /06.05.2011
328	Ploiesti	ROC ROMANIAN OIL COMPANY SRL	PLOIESTI, Str. Carpati, bl.33H, ap.21, Jud. Prahova	J29/272 1/1993	RO 48918 61	0244/59 1811	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=40bar, Dnmax=150mm	PL/CR4/K,L/14/0223/0/ 02.11.2010
329	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/833 1/2001	CUI 14208 851	7.4E+08	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=64bar, Dmax=150mm	DISPR/CR4/K,L/14/0223 /0/22.03.2010
330	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1; PETROMIDIA NAVODARI, Bd. Navodari, Km 23, Jud. Constanta	J40/833 1/2001	RO 14208 851	021/272 3660/31 40897	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=400mm, pmax<=3500bar	DISPR/CR4/K,L/14/3482 /0/19.04.2012
331	Bacau	ROTHERM GRUP SRL	IASI, Bd. C.A. Rosetti, nr. 1, bl. 304, sc. II, parter, Jud. Iasi	J22/825 /2000	CUI 13499 191	0232/27 6655/27 6666	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=30bar	BC/CR4/K,L/14/1597/1/ 14.12.2016
332	Bacau	ROTHERM GRUP SRL	IASI, Bd. C.A. Rosetti, nr. 1, bl. 304, sc. II, parter, Jud. Iasi	J22/825 /2000	CUI 13499 191	0232/27 6655	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax<=100mm, pmax<=30bar	BC/CR4/K,L/14/1597/0/ 22.09.2015

333	Central	RSVTI CONCEPT SRL	BUCURESTI, Str. Ioan Caragea Voda, nr.14, camere 1,2, sector 1	J40/844 8/2009	CUI 25835 180	031/107 8370	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax<=40bar	DISPR/CR4/K,L/14/0177 /0/14.03.2011
334	Central	RUS MIRS SRL	TIMISOARA, Str. Ana Ipatescu, nr.6, sc.C, ap.1, Jud. Timis	J35/403 /2008	RO 23222 006	0356/42 6045	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=64bar	DISPR/CR4/K,L/14/1012 /0/01.06.2011
335	Ploiesti	SAFETYPRO VALVE SRL	TARGOVISTE, Str. Capitan Constantinescu Ion, nr.3A, Jud. Dambovita	J15/424 /2009	RO 25670 839	0245/20 6114/ 206115	Verificare la inchidere -deschidere a supapelor de siguranta	P<=700bar, DN<=500mm	PL/CR4/K/14/0003/0/13 .04.2010
336	Bucuresti	SAFETYPRO VALVE SRL	TARGOVISTE, Str. Capitan Constantinescu Ion, nr.3A, Jud. Dambovita	J15/424 /2009	RO 25670 839	0245/20 6114/ 206115	Verificare la inchidere -deschidere a supapelor de siguranta	P<=700bar, DN<=500mm	B/CR4/K,L/14/1723/1/3 0.07.2013
337	Central	SAGIO IMPEX SRL	PIATRA NEAMT, Aleea Margaretelor, nr.17, sc.A, et.2, ap.10, Jud. Neamt	J27/578 /1995	RO 75393 56	0233/21 1142; 0744697 050	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=65mm, pmax=10bar	DISPR/CR4/K,L/14/3322 /0/21.03.2012
338	Sibiu	SAGUNTO IMPEX SRL	CLUJ NAPOCA, Str. Streiului, nr. 1, bl. A14, ap. 24, Jud. Cluj; CLUJ NAPOCA, Str. Nirajului, nr. 9, bl. P5, Garaj nr. 2, Jud. Cluj	J12/230 /2002	RO 14434 979	0744706 585; 0264/41 2409; e- mail sagunto cluj@ya hoo.com	Verificare la inchidere -deschidere a supapelor de siguranta	Pmax=15bar, DNmax=100mm	SB/CR4/K/14/1476/0/02 .07.2015

339	Oradea	SAMGEC SRL	SATU MARE, Str. Lucian Blaga, nr. 85A, Jud. Satu Mare	J30/175 7/1994	CUI 65938 61	0746237 923; 0261/76 0080	Verificare ( la deschidere- inchidere) dispozitive de siguranta	Dmax<=250mm, pmax<=25bar	OR/CR4/K/14/1528/1/0 4.04.2017
340	Central	SAMGEC SRL	SATU MARE, Str. Petru Maior, nr.32, Jud. Satu Mare; SATU MARE, Str. Lucian Blaga, nr.85A, Jud. Satu Mare	J30/175 7/1994	CUI 65938 61	7462379 23; 0261/76 0080	Verificare ( la deschidere- inchidere) dispozitive de siguranta	Dmax<=250mm, pmax<=25bar	DISPR/CR4/K/14/0485/0 /07.04.2011
341	Ploiesti	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761 /1994	RO 54203 74	0244/54 4707/51 9648	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax<=25bar, Dn<=200mm	PL/CR4/K,L/14/0260/0/ 06.12.2010
342	Central	SERCOP AND SRL	CAMPULUNG , Str. Fratii Golesti, nr.72, Jud. Arges	J03/213 2/1994	RO 67498 64	0248/51 0628	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=200mm, pmax<=100bar	DISPR/CR4/K,L/14/0994 /0/16.06.2011
343	Central	SERVICII ELECTROMECHANIC E SRL	CRAIOVA, Cal. Bucuresti, nr.166, Jud. Dolj	J16/142 7/2005	CUI 17762 109	0251/43 7033; 0745378 660	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=100bar	DISPR/CR4/K,L/14/1527 /0/08.07.2011
344	Bucuresti	SERVICII ELECTROMECHANIC E SRL	GHERCESTI, Str. Aviatorilor, nr.10, Jud. Dolj	J16/142 7/2005	RO 17762 109	0745378 660; 0251/43 7033	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, Pmax<=100bar	B/CR4/K,L/14/1253/1/1 4.01.2013
345	Central	SERVINSTAL SRL	TG. MURES, Str. 22 Decembrie 1989. nr. 51/7, Jud. Mures	J26/117 7/2003	CUI 15742 741	0265/25 9259	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=25bar	DISPR/CR4/K,L/14/2439 /0/21.11.2011

346	Bucuresti	SERVINSTAL ENGINEERING SRL	VOLUNTARI, Str. George Bacovia, nr. 21A, Jud. Ilfov	J23/683 /2012	RO 27792 271	0723361 758; e-mail office@serveng.ro	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=65bar	B/CR4/K,L/14/2001/0/0 7.10.2016
347	Central	SIMPRESS SRL	SIBIU, Str. Lemnelor, nr.3, Jud. Sibiu	J32/183 0/1991	CUI 78963 0	0269/20 6748	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=60mm, pmax=25bar	DISPR/CR4/K,L/14/2056 /0/28.09.2011
348	Bacau	SIONTECH 2006 SRL	COM. PANGARATI, Sat Pangaracior,nr.458, Jud. Neamt	J27/122 3/2006	CUI 19121 739	0745343 098; e-mail office@siontech.ro	Verificare ( la deschidere-inchidere) dispozitive de siguranta	Dmax<=100mm, pmax<=65bar	BC/CR4/K/14/1696/1/0 9.09.2016
349	Central	SIONTECH 2006 SRL	COM. PANGARATI, Sat Pangaracior,nr.458, Jud. Neamt	J27/122 3/2006	CUI 19121 739	0233/25 6492	Verificare ( la deschidere-inchidere) dispozitive de siguranta	Dmax<=60mm, pmax<=60bar	DISPR/CR4/K/14/0446/0 /14.04.2011
350	Central	SIR CONSTRUCT SRL	AIUD, Str. Faget, nr.5A, Jud. Alba	J01/85/ 2000	CUI 12837 243	0757677 015; 0258/86 0891	Verificare ( la deschidere-inchidere) dispozitive de siguranta	Dmax=100mm, pmax=20bar	DISPR/CR4/K/14/1414/0 /11.07.2011
351	Oradea	SISTEMGAS SRL	TIMISOARA, Str. Sulina, nr.10, Jud. Timis	J35/310 9/1994	CUI 64703 20	0256/49 6393	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=65mm, pmax=25bar	OR/CR4/K,L/14/1154/1/ 28.05.2013
352	Bucuresti	SISTEMPLAST SA	RM. VALCEA, Str. Uzinei, nr.1, Jud. Valcea	J38/11/ 1999	CUI 11438 007	0250/70 1501/ 701504	Verificare ( la deschidere-inchidere) dispozitive de siguranta	Dnmax=450mm, pmax=400bar	B/CR4/K/14/1946/0/10. 12.2013

353	Sibiu	SNGN ROMGAZ - Sucursala de Productie Energie Electrica Iernut	IERNUT, Str. Energeticii, nr.1, Jud. Mures	J26/194/2013	RO 14056 826	0265/47 1333/ 471388	Verificare ( la deschidere- inchidere) dispozitive de siguranta	Dnmax=250mm, pmax=150bar	SB/CR4/K,L/14/1296/0/ 17.04.2014
354	Bucuresti	SOCIETATEA DE SERVICII HIDROENERGETICE HIDROSERV SA	BUCURESTI, Str. Constantin Nacu, nr.3, et. 3-5, sector 2	J40/976 2/2013	RO320 97794	021/311 0612	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=100bar	B/CR4/K,L/14/1928/1/2 0.11.2014
355	Bucuresti	SOCIETATEA HIDROELECTRICA SERV SA	BUCURESTI, Str. Constantin Nacu, nr.3, et. 3-5, sector 2	J40/976 2/2013	RO320 97794	021/311 0612	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=100bar	B/CR4/K,L/14/1928/0/1 3.11.2013
356	Bucuresti	SOF INSTAL PROIECT SRL	POPESTI LEORDENI, Str. Astrelor, nr. 12, parter, Jud. Ilfov	J23/27/ 2015	CUI 33942 730	0773791 207; 031/431 5156	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/2409/0/1 9.01.2015
357	Central	SOLINVEST SRL	GALATI, Str. Alunisului, nr.12, Jud. Galati	J17/127 4/1992	CUI 16306 67	0336/80 2549; 0236/45 6134	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	DISPR/CR4/K,L/14/0609 /0/22.04.2011
358	Central	SOLO PROD SRL	BUZAU, Str. Orizontului, nr.206, Jud. Buzau	J10/226 0/1994	CUI 64460 54	0238/72 0038; 0338/11 1540	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=200mm, pmax<=40bar	DISPR/CR4/K,L/14/2542 /0/20.12.2011
359	Bucuresti	STANDARD CSL SRL	Comuna CHIRNOGI, Str. Peluzei, nr.7, Jud. Calarasi	J51/736 /2005	RO 18180 877	0242/52 4223; 0727856 273	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=60mm, pmax=22bar	B/CR4/K,L/14/2133/0/3 0.04.2014



360	Central	STAVAS CONSULTING SRL	SLOBOZIA, Varianta Bucuresti - Constanta, Km 66, Corp C3, Jud. Ialomita	J21/468 /2007	CUI 22210 224	0243/22 1184	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=150bar	DISPR/CR4/K,L/14/2856 /0/25.01.2012
361	Bucuresti	TEHNIC SERV SRL	GIURGIU, Sos. Sloboziei, Km 4, Jud. Giurgiu	J52/355 /2003	CUI 15804 550	0246/21 7863/ 217209	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=125mm, pmax=64bar	B/CR4/K,L/14/0047/0/0 3.06.2010
362	Central	TEHNITES SRL	BOTOSANI, Aleea Curcubeului, nr.15, sc.E, et.1, ap.4, Jud. Botosani; BOTOSANI, Str. Pacea, nr.49, Jud. Botosani	J07/147 /2000	CUI 13197 304	0231/58 4964	Verificare ( la deschidere-inchidere) dispozitive de siguranta	Dmax=100mm, pmax=16bar	DISPR/CR4/K,L/14/2888 /0/31.01.2012
363	Central	TEHNITES SRL	BOTOSANI, Aleea Constantin Piliuta, nr.1B, cam.1, Jud. Botosani	J07/147 /2000	CUI 13197 304	0231/58 4964	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=16bar	BC/CR4/K,L/14/1265/1/ 13.06.2013
364	Bucuresti	TEHNO MOD GRUP SRL	MANGALIA, Str. Muncelului, nr.1, Jud. Constanta	J13/326 3/2007	CUI 22476 081	0241/75 9970	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=60bar	B/CR4/K,L/14/2095/0/0 9.04.2014
365	Central	TEHNOTERM SRL	IASI, Sos. Pacurari. Nr.26, bl.T4, parter, Jud. Iasi	J22/310 7/1994	CUI 67880 22	0232/25 9596	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=60bar	DISPR/CR4/K,L/14/0557 /0/20.04.2011
366	Bacau	TEHNOTERM SRL	IASI, Bd. Chimiei, nr. 14, Jud. Iasi	J22/310 7/1994	CUI 67880 22	0232/25 9596	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm, pmax=60bar	BC/CR4/K,L/14/1388/1/ 11.03.2014

367	Brasov	TEODAN INSTAL SRL	PLOIESTI, Str. Maramures, nr.14-16, Jud. Prahova	J29/2587/2007	CUI 22547417	0244/546228; e-mail Teodan_instal@yahoo.com	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=300bar, Dnmax=150mm	BV/CR4/K,L/14/1352/1/11.12.2014
368	Ploiesti	TEODAN INSTAL SRL	PLOIESTI, Str. Republicii, nr.108, Bl.13B2, et.2, ap.6, Jud. Prahova	J29/2587/2007	RO 22547417	0244/514500	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=300bar, Dnmax=150mm	PL/CR4/K,L/14/0258/0/06.12.2010
369	Sibiu	TERM INSTAL GROUP SRL	DEJ, Str. Florilor, nr.8, Jud. Cluj	J12/720/1999	RO 11833600	0264/212273	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax<=100mm; pmax<=25bar	SB/CR4/K,L/14/1032/0/27.07.2012
370	Bacau	TERMA SRL	BACAU, Str. Oituz, nr.78, Jud. Bacau	J04/219/1997	CUI 9234919	0234/511711/580010; e-mail office@termabacau.ro	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=50mm, pmax<=6bar	BC/CR4/K,L/14/1760/1/03.05.2017
371	Central	TERMA SRL	BACAU, Str. Oituz, nr.78, Jud. Bacau	J04/219/1997	CUI 9234919	0234/511711/580010	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=6bar	DISPR/CR4/K,L/14/0552/0/15.04.2011
372	Central	TERMAEXIM SA	GALATI, Str. Petru Groza, nr.23, Jud. Galati	J17/1221/1991	CUI 1631352	0236/470870/470669	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=150mm, pmax<=160bar	DISPR/CR4/K,L/14/0029/0/23.02.2011

373	Central	TERMICA SA	SUCEAVA, Str. Energeticianului, nr.1, Jud. Suceava	J33/310/2002	CUI 14682110	0230/257066/257663	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=64bar	DISPR/CR4/K,L/14/0854/0/11.05.2011
374	Brasov	TERMO CONFORT SRL	BRASOV, Bd. Victoriei, nr.10, bl.43, Jud. Brasov	J8/184/1998	RO 10253388	0268/416830	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	p<=40bar, D<=250mm	BV/CR4/K,L/14/1099/0/14.01.2013
375	Sibiu	TERMOCONSULTING SRL	ALBA IULIA- MICESTI, Str. Carpati, nr.26, Jud. Alba	J01/463/2004	RO 16358630	0258/832409	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	8mm<=DN<=250mm , 0bar<= Pn<250bar	SB/CR4/K,L/14/0069/0/16.08.2010
376	Central	TERMODAV SRL	BRAGADIRU, Str. Iederei, nr.63D, Jud. Ilfov	J23/3243/2008	CUI 24619986	0740044941; 031/8081274	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=70bar	DISPR/CR4/K,L/14/2102/0/03.10.2011
377	Central	TERMODINAMIC SRL	ARAD, Str. Stan Dragu, nr.1, Jud. Arad	J02/1114/1994	CUI 6111857	0257/256502/250310	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=10bar, fluid aer; Dnmax=250mm, pmax=250bar, fluid azot	DISPR/CR4/K,L/14/2566/0/08.12.2011
378	Craiova	TERMOINSTALATII CONSULT SRL	CRAIOVA, Piata Unirii, bl.N, ap.43, Jud. Dolj	J16/651/2010	RO 27027768	0251/462565	Verificare ( la deschidere-inchidere) dispozitive de siguranta	DN=300mm, Pmax=450bar	CR/CR4/K,L/14/0039/0/02.07.2010
379	Central	TERMOINVEST SRL	FETESTI, Str. M. Sadoveanu, nr.3, Jud. Ialomita	J21/31/1994	CUI 5168146	0243/365108	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=60bar	DISPR/CR4/K,L/14/0880/0/18.05.2011
380	Ploiesti	TERMOKLIMA SRL	BUZAU, Str. Agriculturii, nr.25, Jud. Buzau	J10/215/2000	RO 13038090	0238/722274	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax<=250bar, DN<=400mm	PL/CR4/K,L/14/0264/0/06.12.2010

381	Central	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, ap.6, Jud. Cluj	J12/392 7/1994	CUI 65893 64	0264/43 1587	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=250bar	DISPR/CR4/K,L/14/1079 /0/01.06.2011
382	Central	TERMOREP SRL	RM. VALCEA, Str. Nistor Dumitrescu, nr.14/17, Jud. Valcea	J38/576 /1991	CUI 14693 32	0250/73 7308/73 7302; 0744549 436	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=100bar	DISPR/CR4/K,L/14/2165 /0/11.10.2011
383	Central	TIMPROD SRL	SUCEAVA, Al. Dumbravii, nr.12D, Jud. Suceava	J33/764 /1995	CUI 75373 80	0230/51 7230	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=64bar	DISPR/CR4/K,L/14/2115 /0/07.10.2011
384	Central	TMK ARTROM SA	SLATINA, Str. Draganesti, nr.30, Jud. Olt	J28/9/1 991	CUI 15102 10	0372498 148, 0721240 759, 0249/43 1144	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm, pmax=64bar	DISPR/CR4/K/14/1170/0 /21.06.2011
385	Bucuresti	TOP OIL INTER SRL	CONSTANTA, Str. Lt. Gheorghe Hanes, cladire Club CFR, birou nr.1, Jud. Constanta	J13/225 3/2010	RO 27796 281	0241/62 0844/ 51555	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=40bar	B/CR4/K,L/14/1769/0/2 6.08.2013
386	Ploiesti	TOTAL CERT SRL	BUZAU, Str. Unirii, bl.E7A, et.8, ap.24, camera 1, Jud. Buzau	J10/500 /2005	RO 17475 438	0238/72 3330	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=170mm, PN<=170bar	PL/CR4/K/14/0084/0/21 .06.2010
387	Bacau	TOTALGAZ INDUSTRIE SRL	IASI,Sos. Pacurari, nr. 128, Jud. Iasi	J22/327 7/1994	RO 66585 53	0232/21 6391/ 215983	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=600mm, pmax=450bar	BC/CR4/K,L/14/1432/0/ 13.06.2014

388	Brasov	TRISERV INSTAL SRL	AZUGA, Str. Gospodariei, nr.33, Jud. Prahova	J29/147/7/2006	RO 18827885	0244/326328	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax<=40bar, Dnmax<=150mm	BV/CR4/K,L/14/1058/0/02.10.2012
389	Sibiu	TUBEX SRL- Sucursala DANES	Sat DANES, Str. Garii, nr.1, Jud. Mures	J26/1223/2003	RO 15778389	0265/761703	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax<=300mm; pmax<=400bar	SB/CR4/K,L/14/1034/0/16.08.2012
390	Oradea	UCM RESITA SA	BUCURESTI, Piata Montreal, nr.10, cladirea WTC, intrarea F, et.1, birou nr.1, sector 1; RESITA, Str. Golului, nr.1, Jud. Caras Severin	J40/13628/2011	CUI 1056654	Telex 74215; 5/217111/ 223082	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=25bar Dnmax=80mm	OR/CR4/K,L/14/1094/1/17.01.2013
391	Timisoara	UCM RESITA SA	BUCURESTI, P-ta Montreal, nr.10, Cladire World Trade Center, intrare F, et.1, birou nr.1, sector 1; RESITA, Str. Golului, nr.1, Jud. Caras Severin	J40/13628/2011	CUI 1056654	0255/217211/223082	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=80mm, Pn=25bar	TM/CR4/K,L/14/0074/0/14.09.2010
392	Bucuresti	UM 02550 L	BUCURESTI, Str. Teascului, nr.2, sector 4	-	CIF 4283716	021/3341030/3321389	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=50bar	B/CR4/K,L/14/1038/0/18.09.2012
393	Oradea	UZINA ELECTRICA ZALAU SA	ZALAU, Str. Simion Barnuti, nr.2, Jud. Salaj	J31/13/2002	RO 14397920	0260/662103/662101	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=35bar	OR/CR4/K,L/14/1385/1/23.12.2015

394	Oradea	UZINA ELECTRICA ZALAU SA	ZALAU, Str. Valea Mitei, nr. 2, Jud. Salaj	J31/13/2002	RO 14397 920	0260/66 2103/ 662101; e-mail cet@uez alau.ro	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=35bar	OR/CR4/K,L/14/1385/0/ 09.07.2015
395	Oradea	VALFRAT PREST SRL	RESITA, Str. Timisoarei, bl.29, sc.3, ap.3, Jud. Caras Severin	J11/221/1997	CUI 97452 20	0255/22 5824	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	OR/CR4/K,L/14/1266/0/ 07.03.2014
396	Bacau	VENTILE, ARMATURI, SUPAPE SERVICE SRL	ROMAN, Str. Stefan cel Mare, nr. 279, Jud. Neamt	J27/339/2015	CUI 34571 362	0745050 306	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=100bar	BC/CR4/K,L/14/1560/0/ 01.07.2015
397	Bacau	VEOLIA ENERGIE IASI SA	IASI, Sos. Nationala, nr.43, et.1, camera 19, Jud. Iasi; Iasi, Cal. Chisinaului, nr.25, Jud. Iasi	J22/139 9/2012	RO 30570 461	0232/23 2360/ 233918	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400mm, pmax=400bar	BC/CR4/K,L/14/1122/1/ 11.05.2015
398	Cluj	VER INS TRAD SRL	BAIA MARE, Str. Tamplarilor, nr.15, Jud. Maramures	J24/752/2006	CUI 18649 862	0766247 388; 0362/40 2065	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=150mm, Pmax=64bar	CJ/CR4/K,L/14/0133/0/ 02.12.2010
399	Bacau	VIDMAC EXPERT SRL	BRAILA, Str. Apollo, nr. 23, bl. A7, ap. 14, Jud. Braila	J09/456/2013	CUI 32001 721	0728894 202	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN<=150mm, Pmax<=25bar	BC/CR4/K,L/14/1601/0/ 06.10.2015
400	Bucuresti	VIDOMAC CONSERV SRL	BUCURESTI, Aleea Petrachesti, nr.24, bl.1, sc.A, et.1, ap.112, sector 6	J40/127/2011	CUI 28003 325	031/808 3752	Verificare ( la deschidere- inchidere), reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax=40bar	B/CR4/K,L/14/3206/3/2 9.05.2015

401	Bucuresti	VIDOMAC CONSERV SRL	BUCURESTI, Aleea Petrachesti, nr.24, bl.1, sc.A, et.1, ap.112, sector 6	J40/127 1/2011	CUI 28003 325	031/808 3752	Verificare ( la deschidere-inchidere), reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax=40bar	B/CR4/K,L/14/3206/2/1 1.04.2014
402	Central	VIDOMAC CONSERV SRL	BUCURESTI, Al. Petrachesti, nr.24, bl.1, sc.A, et.1, ap.112, camera 1, sector 6	J40/127 1/2011	CUI 28003 325	031/808 3752	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=125mm, pmax=16bar	DISPR/CR4/K,L/14/3206 /1/08.03.2012
403	Bucuresti	VILO SRL	BUCURESTI, Bd. Camil Ressu, nr.15, bl.57, sc.4, et.2, ap. 141, sector 3	J40/937 8/2002	RO 14899 420	021/648 8064/ 3253592	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=75mm, pmax=12bar	B/CR4/K,L/14/2317/0/2 1.10.2014
404	Bucuresti	VIOSIL INSTAL CONSTRUCT SRL	BUCURESTI, Str. Cozieni, nr.33, constructii C1, C2, C3, sector 5	J40/112 961/200 2	RO 15000 467	021/335 7795/ 3367010	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dn=80mm, pmax=16bar	B/CR4/K,L/14/1183/0/1 6.11.2012
405	Bucuresti	VIRGILIUS PRODCOM SL	SLOBOZIA, Str. Vanatori, bl.D1, sc.A, ap.3, Jud. Ialomita	J21/878 /1992	CUI 20790 871	0243/22 1129	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=50bar	B/CR4/K,L/14/1236/0/1 1.12.2012
406	Central	VIROMET SA	VICTORIA, Aleea Uzinei, nr.8, Jud. Brasov	J08/340 /1991	CUI 11263 50	0268/24 1120/24 1800	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax<=100bar	DISPR/CR4/K,L/14/1629 /0/19.07.2011
407	Central	VITAL TERMO CONSTRUCT SRL	BUCURESTI, Str. Anastasie Panu, nr.8, bl.A 12, sc.2, et. 3, ap.40, sector 3	J40/559 4/1997	CUI 96170 00	021/323 7773	Verificare ( la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax<=100mm, pmax<=40bar	DISPR/CR4/K/14/0712/0 /05.05.2011

408	Bacau	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239 /1991	RO 14548 46	0237/64 0800/64 1720	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=40bar	BC/CR4/K,L/14/1430/1/ 16.06.2014
409	Central	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239 /1991	RO 14548 46	0237/64 0800/64 1720	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=40bar	DISPR/CR4/K,L/14/3067 /0/23.02.2012
410	Central	VTP SERVING SRL	CLUJ NAPOCA, Str. Godeanu, nr.2, ap.17, Jud. Cluj; CLUJ NAPOCA, Str. Henri Barbusse, nr. 59-61, Jud. Cluj	J12/154 0/2005	CUI 17518 105	0264/55 2646	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=64bar	DISPR/CR4/K,L/14/0807 /0/04.05.2011
411	Sibiu	VTU ECHIPAMENTE SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, et. 1, Jud. Cluj	J12/256 /2013	RO 31156 795	0264/43 1587/ 596750	Verificare ( la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax<=250mm, pmax<=250bar	SB/CR4/K,L/14/1500/0/ 13.08.2015
412	Central	YIT ROMANIA SRL	SIBIU, Com. SELIMBAR, Str. Sibiului, nr.2, camera 403, Jud. Sibiu	J32/110 3/2008	CUI 16962 540	0369/40 8917/40 8918	Verificare ( la deschidere- inchidere) dispozitive de siguranta	Dnmax=80mm, pmax=70bar	DISPR/CR4/K/14/1667/0 /10.08.2011























































































































