

Persoane juridice autorizate conform PT CR4-2009 pentru efectuarea de lucrari la Instalatii de distributie GPL- reglementate de PT C8/2010

Nr. Crt.	IT ISCIR	Societatea Comerciala	Adresa	J	CUI	Tel/fax	Domeniu autorizat					Parametrii	Autorizatii
							Instalare	Montare	Reparare	Intretinere	Verificari tehnice in utilizare pentru investigatii/examinari cu caracter tehnic		
1	Bucuresti	ABC SYSTEMS SRL	DR. TN. SEVERIN, Calea Timisoarei, nr.175B, Jud. Mehedinti	J25/1584/1994	RO 6667578	0252/329362/329363	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	-	Tmin=-30° C, Tmax<=50° C, Vmax=5000l, pmax=18bar	B/CR4/M/16/1299/0/20.02.2013; B/CR4/A,C/16/1300/0/20.02.2013

2	Bucuresti	ACVATOT SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.9-9A, cladire nr.14, Iride Busines Park, parter + etaj 1; BUCURESTI, Str. Lunca Cetatii, nr. 475, lot 3, sector 3	J40/6629/1991	CUI 13906	021/2520860/2520934; e-mail contact @acvato t.ro	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Tmin=-40°C, Tmax<=50°C, Vmax=5000l, pmax<=18bar; Tmin=-40°C, Tmax<=50°C, Vmax=50000l, pmax<=18bar	B/CR4/A,B,C/15,16/1389/2/2 2.11.2017
2	Bucuresti	ACVATOT SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.9-9A, cladire nr.14, Iride Busines Park, parter + etaj 1; BUCURESTI, Str. Lunca Cetatii, nr. 475, lot 3, sector 3	J40/6629/1991	CUI 13906	021/2520860/2520934	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Tmin=-40°C, Tmax<=50°C, Vmax=50000l, pmax<=18bar	B/CR4/A,B,C/15,16/1389/1/2 5.02.2015

3	Bucuresti	ACVATOT SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.9-9A, cladirea nr.14, Iride Busines Park, parter + etaj	J40/6629/1991	RO CUI 13906	021/3160828	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Tmin=-40°C, Tmax<=50°C, Vmax=50000l, pmax<=16bar	B/CR4/A,B,C/15,16/1389/0/27.05.2013
4	Bucuresti	AGAFIA TEHNO LOGISTIC SRL	BUCURESTI, Str. Ostrov, nr.15, sector 5	J40/9261/2007	RO 21726805	021/3362287/3350325	Cazane de apa calda; cazane de abur de joasa presiune	-	-	-	-	400kW<P<=50000Kw; 0.6t/h<=Q<=10t/h	B/CR4/A/17,18/2191/0/08.07.2014
5	Iasi	ALCOR PRO CONSULT SRL	IASI, Str. Sf. Lazar, nr.51, Jud. Iasi	J22/191/1995	RO 7048090	0232/233390	-	-	-	-	Instalatii de distributie GPL la consumatorii casnici si industriali	Vmax=750mc, p=18bar, tmin=-40°C, tmax=50°C	IS/CR4/E/15,16/0076/0/03.08.2010

6	Brasov	ARDENT SRL	BRASOV, Str. Piriului, nr.15, bl.S25, sc.A, ap.9, Jud. Brasov	J08/1035/1991	CUI 1110281	0268/541682; 0722275726	-	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Vmax<=20mc, pmax<=18bar, -40°C<=T<=50°C	BV/CR4/E/15,16/0060/0/12.10.2010
7	Galati	BULROM PETROLEUM SRL	GALATI, Str. Drumul de Centura, nr.1, Jud. Galati	J17/42/2000	RO 12596161	0236/314234/314429	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	-	Vmax=200000l, Pmax=18bar, tmin=-40°C, tmax=50°C	CR/CR4/A,B,C/15,16/0082/0/18.10.2010; CR/CR4/M/15,16/0080/0/18.10.2010-suspendareincepand cu 21.05.2014

8	Bucuresti	BUTANGAS ROMANIA SA	BUCURESTI, Intrarea Murmurului, nr.2-4, sector 1	J40/2603 /1996	CUI 8297854	021/4087300/4087329; e-mail office@butangas.ro	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Tmin=-40° C, Tmax=50° C, Vmax=30000l, pmax=18bar	B/CR4/A,B,C/15,16/2243/3/09.07.2018; B/CR4/M/15,16/2244/3/09.07.2018
9	Bucuresti	BUTANGAS ROMANIA SA	BUCURESTI, Intrarea Murmurului, nr.2-4, sector 1	J40/2603 /1996	CUI 8297854	021/4087300/4087329	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Tmin=-40° C, Tmax=50° C, Vmax=300000l, pmax=18bar	B/CR4/A,B,C/15,16/2243/2/22.12.2014; B/CR4/M/15,16/2244/2/22.12.2014
10	Bucuresti	BUTANGAS ROMANIA SA	BUCURESTI, Intrarea Murmurului, nr.2-4, sector 1	J40/2603 /1996	CUI 8297854	021/4087300/4087329	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Tmin=-40° C, Tmax<=50° C, Vmax<=300000l, pmax<=18bar	B/CR4/A,B,C/15,16/2243/1/19.08.2014; B/CR4/M/15,16/2244/1/19.08.2014

11	Central	BUTANGAS ROMANIA SA	BUCURESTI, Str. Coralilor, nr.18, sector 6	J40/2603/1996	CUI 8297854	021/4087333/4087330	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Tmin=-40°C, Tmax<=50°C, Vmax<=3000000l, pmax<=18bar	DISPR/CR4/A,B,C/15,16/0285/0/31.03.2011
12	Central	BUTANGAS ROMANIA SA	BUCURESTI, Str. Coralilor, nr.18, sector 6	J40/2603/1996	CUI 8297854	021/4087333/4087330	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Tmin=-40°C, Tmax<=50°C, Vmax<=3000000l, pmax<=18bar	DISPR/CR4/M/15,16/0287/0/01.04.2011
13	Cluj	CALORA PROD SRL	CLUJ NAPOCA, Str. Parang, nr.6, bl. H3, ap.42, Jud. Cluj; CLUJ NAPOCA, Str. Horea, nr. 67-73, ap.60, Jud. Cluj	J12/3320/1993	RO 4723388	0264/432429	-	-	-	-	Instalatii de distributie GPL la consumatorii casnici si industriali	Vmax=1000mc, Pmax=18bar, Tmin=-40°C, Tmax=50°C	CJ/CR4/E/16/0138/0/09.12.2010

14	Central	CEPROAT SRL	BUCURESTI, Str. Petre Lintes, nr.22, sector 5	J40/5295/2002	CUI 14715455	0723193194; 021/17813415	-	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Vmax=50000l, pmax=40bar, Tmin=-60°C, Tmax=60°C	DISPR/CR4/E/15,16/3905/0/6.02.2015
15	Bucuresti	CHEMOIL IMPEX SRL	BUCURESTI, sector 2, Aleea Capidava, nr.9-11	J40/12162/1991	CUI 4989976	021/2410793; 031/4059441	Instalatii de distributie GPL la autovehicule	-	-	Instalatii de distributie GPL la autovehicule	-	Vmax=5000l, Pmax=18bar, Tmin=-40°C, Tmax=50°C	B/CR4/A/15/2042/0/03.03.2014; B/CR4/M/15/2043/0/03.03.2014
16	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11976/2010	CUI 27787860	021/3167921/ 4119870	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Vmax=50000l, pmax=25bar, Tmin=-50°C, Tmax=50°C	DISPR/CR4/E/15,16/0036/6/09.10.2017

17	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11976/2010	CUI 27787860	021/3167921/4119870	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Vmax=50000l, pmax=25bar, Tmin=-50°C, Tmax=50°C	DISPR/CR4/E/15,16/0036/5/16.09.2016
18	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11976/2010	CUI 27787860	021/3167921/4119870	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Vmax=50000l, pmax=25bar, Tmin=-50°C, Tmax=50°C	DISPR/CR4/E/15,16/0036/4/19.12.2014
19	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11976/2010	CUI 27787860	021/3167921/4119870	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Vmax=50000l, pmax=25bar, Tmin=-50°C, Tmax=50°C	DISPR/CR4/E/15,16/0036/3/22.03.2013

20	Central	CNCIR S.A.	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11976/2010	CUI 27787860	021/3167921/3166027	-	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Vmax=50000l, pmax=25bar, Tmin=-50°C, Tmax=50°C	DISPR/CR4/E/15,16/0036/2/27.07.2012
21	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11976/2010	CUI 27787860	021/3167921/3166027	-	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Vmax=50000l, pmax=25bar, Tmin=-50°C, Tmax=50°C	DISPR/CR4/E/15,16/0036/1/23.04.2012
22	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11976/2010	CUI 27787860	021/3167921/3167922/3167923/3166027	-	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Tmin=-50°C, Tmax<=50°C, Vamax=50000l, pmax=25bar	DISPR/CR4/E/15,16/0036/0/01.03.2011

23	Central	CORSEM IMPEX SRL	GURA HUMORULUI, Str. Orizont, nr.6A, Jud. Suceava	J33/1947/1993	CUI 4973970	0230/514145	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	-	Tmin=-40° C, Tmax<=50° C, Vmax<=5000l, pmax<=18bar	DISPR/CR4/A,B /16/1581/0/25 .07.2011
24	Central	CRIMBO GAS 2000 SRL	PANTELIMON, Bd. Biruintei, nr.4, bl.A1, parter, Jud. Ilfov	J23/1074/2001	CUI 12404878	021/3520239	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Tmin=-40° C, Tmax<=50° C, Vmax<=20000 l, pmax<=18bar	DISPR/CR4/M/15,16/0289/0/22.03.2011
25	Central	CRIMBO GAS 2000 SRL	PANTELIMON, Bd. Biruintei, nr.4, bl.A1, parter, Jud. Ilfov	J23/1074/2001	CUI 12404878	021/3520239	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Tmin=-40° C, Tmax<=50° C, Vmax<=20000 l, pmax<=18bar	DISPR/CR4/A,B ,C/15,16/0290 /0/22.03.2011

26	Bacau	CRIOMECS SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437/463059; e-mail office@criomecsa.ro	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Vmax=30000l, Pmax=18bar, Tmin=-40°C, Tmax=50°C	BC/CR4/A,B,C /16/1127/2/30 .04.2015
27	Bacau	CRIOMECS SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437/463059	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Vmax=30000l, Pmax=18bar, Tmin=-40°C, Tmax=50°C	BC/CR4/A,B,C /16/1127/1/14 .01.2013
28	Central	CRIOMECS SA	GALATI, Str. Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	CUI 5668427	0236/312437/463059	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Vmax=30000l, pmax=18bar, Tmin=-40°C, Tmax=50°C	DISPR/CR4/A,B,C/15,16/1935 /0/09.09.2011
29	Bucuresti	DOLCHIMEX SRL	CARACAL, Al. 1 Decembrie 1918, nr.17, Jud. Olt	J28/192/2001	RO 14015532	0249/517866/517666	Instalatii de distributie GPL la autovehicule	-	-	Instalatii de distributie GPL la autovehicule	-	Vmax=5000l, pmax=18bar, Tmin=-40°C, Tmax=50°C	B/CR4/A/15/1776/1/19.05.2017; B/CR4/M/15/1777/1/19.05.2017
30	Bucuresti	DOLCHIMEX SRL	CARACAL, Al. 1 Decembrie 1918, nr.17, Jud. Olt	J28/192/2001	RO 14015532	0249/517866/517666	Instalatii de distributie GPL la autovehicule	-	-	Instalatii de distributie GPL la autovehicule	-	Vmax=5000l, pmax=18bar, Tmin=-30°C, Tmax=50°C	B/CR4/A/15/1776/0/03.09.2013; B/CR4/M/15/1777/0/03.09.2013

31	Bucuresti	DYMAR TERMO INSTALATII SRL	BUCURESTI, Str. Petre Ispirescu, nr. 1, bl. 12B, ap. 56, sector 4	J40/ 7629 /201 4	RO 3332227 4	0732803 322; e- mail dumitru .cauniac @gmail. com	Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la autovehicule	-	-	-	Vmax=30000l, pmax=18bar, Tmin=-40°C, Tmax=50°C	B/CR4/A,B/16/ 3311/0/28.08. 2018
32	Central	DYOMEDICA CND SRL	PLOIESTI, Intrarea Clubului, nr.3, Jud. Prahova	J29/ 1796 /200 7	CUI 2211276 5	0766655 627; 0244/57 4287	-	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Vmax=40000l, pmax=18bar, Tmin=-40°C, Tmax=50°C	DISPR/CR4/E/1 5,16/2961/0/0 9.02.2012
33	Brasov	ELECTROFAMA R SRL	BRASOV, Str. Razboieni, nr.18, Jud. Brasov; BRASOV, Calea Feldioarei, nr.24A, Jud. Brasov	J08/ 699/ 1998	CUI 1066079 9	0268/44 0028/ 440029	-	-	-	Instalatii de distributie GPL la autovehicule	-	Vmax<=20mc, pmax<=18bar, - 40°C<=T<=50 °C	BV/CR4/M/15/ 0015/0/15.06. 2010
34	Brasov	ELECTROFAMA R SRL	BRASOV, Str. Razboieni, nr.18, Jud. Brasov	J08/ 699/ 1998	CUI 1066079 9	0268/44 0029; 0745347 160	-	-	-	Instalatii de distributie GPL la autovehicule	-	Vmax=30000l, pmax=18bar, 40°C<=T<=50 °C	BV/CR4/M/15/ 1006/0/25.06. 2012

35	Central	ETNIS SRL	IASI, Cal. Chisinaului, nr.98-100, Jud. Iasi	J22/1131/1991	CUI 1956141	0232/236341	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Tmin=-40°C, Tmax<=50°C, Vmax<=2mc, pmax=18bar	DISPR/CR4/M/15,16/0274/0/30.03.2011
36	Bacau	ETNIS SRL	IASI, Cal. Chisinaului, nr.98-100, Jud. Iasi	J22/1131/1991	CUI 1956141	0232/230113/411408	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Tmin=-40°C, Tmax=50°C, Vmax=5mc, pmax=18bar	BC/CR4/M/15,16/1201/1/24.04.2013
37	Bucuresti	EUROGENETIC SRL	BALS, Str. N. Balcescu, nr.19, bl.23, sc.3, ap.40, Jud. Olt; PIELESTI, Com. Pielesti, Cal. Bucuresti, nr.135, Jud. Dolj	J28/824/1994	CUI 6218633	0249/450340/522876	Instalatii de distributie GPL la autovehicule	-	-	Instalatii de distributie GPL la autovehicule	-	Tmin=-40°C, Tmax=50°C, Vmax=5000l, pmax=18bar	B/CR4/A/15/3261/0/22.05.2018; B/CR4/M/15/3262/0/22.05.2018

38	Central	EUROGENETIC SRL	BALS, Str. N. Balcescu, nr.19, bl.23, sc.3, ap.40, Jud. Olt	J28/824/1994	CUI 6218633	0249/450340/522876	-	-	-	Instalatii de distributie GPL la autovehicule	-	Tmin=-20 °C, Tmax=50 °C, Vmax=5000l, pmax=18bar	DISPR/CR4/M/16/1685/0/04.08.2011
39	Bucuresti	EURO TEAM GAS SRL	Com. CORNETU, Sat CORNETU, Str. Taberei, nr.50, parter, Jud. Ilfov; Com. CORNETU, Sat Buda, Sos. Alexandriei, nr.27, Jud. Ilfov	J23/3649/2013	CUI 10174179	0722277009; 021/3692726	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Tmin=-40 °C, Tmax=50 °C, Vmax=50000l, pmax=18bar	B/CR4/A,B,C/15,16/1947/1/06.01.2014
40	Central	FLAGA GPL ROMANIA SRL	SALONTA, Str. Ghestului, Jud. Bihor	J05/522/1998	CUI 10433729	0259/411780/412967	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Tmin=-40 °C, Tmax<=50 °C, Vmax<=50000l, pmax<=18bar	DISPR/CR4/M/15,16/0487/0/08.04.2011

41	Central	FLAGA GPL ROMANIA SRL	SALONTA, Str. Ghestului, Jud. Bihor	J05/522/1998	RO 10433729	0259/411780/412967	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Vmax=500000l, pmax=18bar, Tmin=-40°C, Tmax=50°C	DISPR/CR4/A,B,C/16/2175/0/10.10.2011
42	Bucuresti	FOATEGAS ROCCADASPIDE ITALIA SRL	SIMIAN, Com. Simian, Jud. Mehedinti	J25/89/1998	CUI 11162962	0252/338310/338309; 0731315782, 08008002630	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Vmax=5000l, pmax17.65bar, Tmax=50°C, Tmin=-40°C	B/CR4/M/15,16/2674/2/03.08.2017
43	Bucuresti	FOATEGAS ROCCADASPIDE ITALIA SRL	SIMIAN, Com. Simian, Jud. Mehedinti	J25/89/1998	CUI 11162962	0744753585; 0252338310; interventie 0745144167; 0252/338310	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Vmax=5000l	DISPR/CR4/M/15,16/2674/1/23.12.2015

44	Central	FONTEGAS ROCCADASPIDE ITALIA SRL	SIMIAN, Com. Simian, Jud. Mehedinti	J25/ 89/1 998	CUI 1116296 2	0745144 167; 0252/33 8309	Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	-	-	Vmax=50000l, pmax=18bar, Tmin=-40 °C, Tmax=50 °C	DISPR/CR4/A/1 6/2338/0/09.1 1.2011
45	Central	FONTEGAS ROCCADASPIDE ITALIA SRL	SIMIAN, Com. Simian, Jud. Mehedinti	J25/ 89/1 998	CUI 1116296 2	0745144 167; 0252/33 8309	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Vmax=50000l, pmax=18bar, Tmin=-40 °C, Tmax=50 °C	DISPR/CR4/A,B ,C/16/2338/1/ 20.01.2012
46	Craiova	FONTEGAS ROCCADASPIDE ITALIA SRL	SIMIAN, Com. Simian, Jud. Mehedinti	J25/ 89/1 998	RO 1116296 2	0252/33 8310/33 8309	-	-	-	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	-	Vmax=5000l, p=17,65bar, tmin=-40 °C, tmax=50 °C	CR/CR4/M/15, 16/0123/0/15. 11.2010
47	Bucuresti	FONTEGAS ROCCADASPIDE ITALIA SRL	Com. SIMIAN, Sat SIMIAN, Jud. Mehedinti	J25/ 89/1 998	RO 1116296 2	0252/33 8310/ 338309	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Vmax=5000l, Pmax=18bar, Tmin=-40 °C, Tmax=50 °C	B/CR4/A,B,C/1 6/1030/4/09.0 5.2018

48	Bucuresti	Fontegas ROCCADASPIDE ITALIA SRL	Com. SIMIAN, Sat SIMIAN, Jud. Mehedinti	J25/ 89/1 998	RO 1116296 2	0744753 585; 0252/33 8310	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Vmax=5000l, Pmax=18bar, Tmin=-40°C, Tmax=50°C	B/CR4/A,B,C/1 6/1030/3/23.1 2.2015
49	Bucuresti	Fontegas ROCCADASPIDE ITALIA SRL- Filiala DR. TN. SEVERIN	Com. SIMIAN, Sat SIMIAN, Jud. Mehedinti	J25/ 89/1 998	RO 1116296 2	0745144 167; 0252/33 8309	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Vmax=5000l, Pmax=18bar, Tmin=-40°C, Tmax=50°C	B/CR4/A,B,C/1 6/1030/2/11.0 9.2012
50	Ploiesti	FORMATEST CONSULTING SRL	PLOIESTI, Str. Rezervoarelor, nr.2, Jud. Prahova	J29/ 153/ 2010	RO 2646449 7	0722673 300; 0244/57 6241	-	-	-	-	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	Vmax=200mc, pmax=18bar, tmin=-40°C, tmax=50°C; Vmax=5mc, pmax=18bar, tmin=-40°C, tmax=50°C	PL/CR4/E/15,1 6/0221/0/29.1 0.2010
51	Craiova	GAS CONTROL SRL	SEGARCEA, Str. Bujorului, nr.5, Jud. Dolj	J16/ 1266 /200 9	RO 2606596 8	0743123 828; 0351/45 4475	-	Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	-	Vmax=50000l, p=18bar, tmin=-40°C, tmax=50°C	CR/CR4/B/16/ 0027/0/01.06. 2010

52	Bucuresti	GAZ GRUP SRL	BUCURESTI, Calea Dorobanti, nr. 116-122, bl.6, sc.A, et.2, ap.7, sector 1; BUCURESTI, Str. Tipografilor, nr. 31A, demisol, sector 1	J40/ 1548 8/20 03	RO 1591050 0	021/667 8090/ 6679090 ; e-mail marian. manolac he@bulr omgas.r o	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Tmin=-40 ° C, Tmax=50 ° C, Vmax=30000 l, pmax=25bar; Tmax=50 ° C; Vmax=30000l, pmax=25bar, Tmin=-40 ° C, Tmax=50 ° C	B/CR4/A/15,16 /1900/3/15.09 .2017; B/CR4/M/15,1 6/1901/3/15.0 9.2017
53	Bucuresti	GAZ GRUP SRL	BUCURESTI, Calea Dorobanti, nr. 116-122, bl.6, sc.A, et.2, ap.7, sector 1; BUCURESTI, Bd. Bucurestii Noi, nr.25A, imobil P+3, et.1, sector 1	J40/ 1548 8/20 03	RO 1591050 0	021/667 8090/ 6679090 ; e-mail marian. manolac he@bulr omgas.r o	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Tmin=-30 ° C, Tmax=50 ° C, Vmax=30000 l, pmax=25bar; Tmax=50 ° C; Vmax=5000l, pmax=18bar, Tmin=-25 ° C, Tmax=50 ° C	B/CR4/A/15,16 /1900/2/21.11 .2016; B/CR4/M/15,1 6/1901/2/21.1 1.2016

54	Bucuresti	GAZ GRUP SRL	BUCURESTI, Calea Dorobanti, nr. 116-122, bl.6, sc.A, et.2, ap.7, sector 1; BUCURESTI, Bd. Bucurestii Noi, nr.25A, imobil P+3, et.1, sector 1	J40/ 1548 8/20 03	RO 1591050 0	021/667 8090/ 6679090 ; e-mail marian. manolac he@bulr omgas.r o	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Tmin=-30 °C, Tmax=50 °C, Vmax=30000 l, pmax=25bar; Tmax=50 °C; Vmax=5000l, pmax=18bar, Tmin=-25 °C, Tmax=50 °C	B/CR4/A/15,16 /1900/1/24.06 .2016; B/CR4/M/15,1 6/1901/1/24.0 6.2016
55	Bucuresti	GAZ GRUP SRL	BUCURESTI, Calea Dorobanti, nr. 116-122, bl.6, sc.A, et.2, ap.7, sector 1; BUCURESTI, Bd. Bucurestii Noi, nr.25A, imobil P+3, et.1, sector 1	J40/ 1548 8/20 03	RO 1591050 0	0742201 580; 021/667 8090/ 6679090	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Tmin=-30 °C, Tmax=50 °C, Vmax=200000 l, pmax=25bar; Tmax=50 °C; Vmax=5000l, pmax=18bar, Tmin=-25 °C, Tmax=50 °C	B/CR4/A/15,16 /1900/0/13.12 .2013; B/CR4/M/15,1 6/1901/0/13.1 2.2013
56	Oradea	GENERAL CONTACT SRL	ARAD, Cartier Micalaca, bl.362, sc.A, ap.1, Jud. Arad	J02/ 1051 /199 4	CUI 6080327	0257/25 9213	-	-	-	Instalatii de distributie GPL la consumatorii casnici si industriali	Vmax=5000l, p=18bar, tmin=-40 °C, tmax=50 °C	OR/CR4/M/16/ 1204/0/19.09. 2013

57	Bucuresti	GEVA GAS & OIL SRL	BUCURESTI, Str. Alunusului, nr. 1, bl. 12B, ap. 56, sector 4; FRUMUSANI, Cal. Bucuresti, nr. 93, Jud. Calarasi	J40/15296/2012	RO 31050360	0729019998; e-mail georgel.prodan@gevagaz.ro	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Tmin=-40 °C, Tmax=50 °C, Vmax=30000 l, pmax=18bar; Vmax=30000l, pmax=18bar, Tmin=-40 °C, Tmax=50 °C	B/CR4/M/15,16/3145/0/30.10.2017; B/CR4/A,B/15,16/3146/0/30.10.2017
58	Bacau	HIGH TECH SRL	SUCEAVA, Str. Curtea Domneasca, nr. 6, Jud. Suceava	J33/1377/1993	RO 4438977	0230/522204/212897; e-mail office@hightechsv.ro	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Vmax=5000l, pmax=18bar, Tmin=-40 °C, Tmax=50 °C	BC/CR4/A,B,C/16/1778/0/06.07.2017
59	Central	IGNA CONSTRUCT SRL	ORADEA, Str. Alexandru Donici, nr.18, Jud. Bihor	J05/26/1992	RO 70642	0259/431550	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	-	Vmax=15000l, pmax=18bar, Tmin=-40 °C, Tmax=50 °C	DISPR/CR4/A,B,C/16/2496/0/02.12.2011

60	Central	IMSP PROIECT SRL	CONSTANTA, Str. Breaza, nr. 14B, Jud. Constanta	J13/2445/2008	CUI 24178510	0724460170; 0241/515543	-	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Vmax=100000l, pmax=25bar, Tmin=-50°C, Tmax=50°C	DISPR/CR4/E/15,16/3713/1/08.01.2015
61	Central	IMSP PROIECT SRL	CONSTANTA, Str. Frigului, nr.4, bl. FG4, sc.A, et.2, ap.11, Jud. Constanta	J13/2445/2008	CUI 24178510	0241/553132	-	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Vmax=100000l, pmax=25bar, Tmin=-50°C, Tmax=50°C	DISPR/CR4/E/15,16/3713/0/20.07.2012
62	Central	INCON SRL	BUCURESTI, Str. Alba, nr.14A, sector 4	J40/5704/1991	CUI 3006245	021/3355646/3373540	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Tmin=-40°C, Tmax=50°C, Vmax=150000l, pmax=18bar; Tmax=50°C; Vmax=250000l, pmax=18bar, Tmin=-40°C, Tmax=50°C	DISPR/CR4/M/15,16/1321/0/06.07.2011; DISPR/CR4/A,B,C/15,16/1322/0/06.07.2011

63	Oradea	INSTAL&AMBIENT SRL	ARAD, Str. Renasterii, nr. 4, Jud. Arad	J02/2140/2006	CUI 19224025	0257/369187, 0722982989, 0357/402764	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Tmin=-40°C, Tmax=50°C, Vmax=200000l, pmax=18bar; Tmax=200000l, Tmin=-40°C, Tmax=50°C	OR/CR4/A,B,C/15,16/1583/0/08.01.2018
64	Central	INSTAL SIB SRL	SIBIU, Str. 9 Mai, nr.53, Jud. Sibiu	J32/92/2002	CUI 14422072	0269/244880	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Tmin=-40°C, Tmax=50°C, Vmax=5000l, pmax=18bar	DISPR/CR4/M/15,16/1476/0/20.07.2011; DISPR/CR4/A,B,C/15,16/1477/0/20.07.2011
65	Bacau	INSTALATII, MONTAJ, PROIECTARE GAZ SRL	SUCEAVA, Str. Celulozei, nr.4, bl.18, sc.C, ap. 2, Jud. Suceava	J33/364/1999	RO 12015048	0230/257528	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Vmax=30000l, pmax=18bar, Tmin=-40°C, Tmax=50°C	BC/CR4/A,B,C/15,16/0193/1/22.03.2018

66	Bacau	INSTALATII, MONTAJ, PROIECTARE GAZ SRL	SUCEAVA, Str. Celulozei, nr.4, bl.18, sc.C, ap. 2, Jud. Suceava	J33/ 364/ 1999	RO 1201504 8	0230/25 7528	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Vmax=30000l, pmax=18bar, Tmin=-40° C, Tmax=50° C	DISPR/CR4/M/ 15,16/0194/0/ 07.03.2011
67	Central	IPROCHIM SA	BUCURESTI, Str. Mihai Eminescu, nr.19-21, sector 1	J40/ 6485 /199 1	CUI 457747	021/211 7654/21 02701	-	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Tmin=-40° C, Tmax=60° C, Vmax=6000l, pmax=20bar	DISPR/CR4/E/1 5,16/0828/2/2 7.09.2017
68	Central	IPROCHIM SA	BUCURESTI, Str. Mihai Eminescu, nr.19-21, sector 1	J40/ 6485 /199 1	CUI 457747	021/211 7654	-	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Tmin=-40° C, Tmax=60° C, Vmax=6000l, pmax=20bar	DISPR/CR4/E/1 5,16/0828/1/2 7.04.2015

69	Central	IPOCHIM SA	BUCURESTI, Str. Mihai Eminescu, nr.19-21, sector 1	J40/6485/1991	RO CUI 457747	021/2117654/2102701	-	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Tmin=-40° C, Tmax=60° C, Vmax=6mc, pmax=20bar	DISPR/CR4/E/15,16/0828/0/0 1.06.2011
70	Central	ISCIR CERT SRL	BUCURESTI, Str. Dr. Leonte Anastasievici, nr.4D,corp A, et.4, birou 10, sector 5	J40/7947/2005	RO 17535289	021/4115203	-	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Tmin=-40° C, Tmax=50° C, Vmax=5000l, pmax=17.5bar ; Tmin=-40° C, Tmax=50° C, Vmax=1500l, pmax=17.65bar	DISPR/CR4/E/15,16/3885/0/0 7.11.2014

71	Ploiesti	KARBOREX SA	PLOIESTI, Str. Caraiman, nr.7, Jud. Prahova	J29/76/1991	RO 1348152	0244/512212/517577	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	-	-	Vmax=5000l, pmax=18bar, tmin=-40 °C, tmax=50 °C	PL/CR4/A,B,C/15,16/0121/0/30.07.2010
72	Ploiesti	KARBOREX SA	PLOIESTI, Str. Caraiman, nr.7, Jud. Prahova	J29/76/1991	RO 1348152	0244/512212/517577	-	-	-	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	-	Vmax=5000l, pmax=18bar, tmin=-40 °C, tmax=50 °C	PL/CR4/M/15,16/0195/0/07.10.2010
73	Brasov	KRONSTADT ENERGII REGENERABILE SRL	BRASOV, Str. Avram Iancu, nr. 48A, sc. B, ap. 1, Jud. Brasov	J08/1090/2010	RO 27457234	0268/416900/470881	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Vmax=10000l, pmax=18bar, tmin=-20 °C, tmax=55 °C	BV/CR4/A,B,C/16/1410/0/08.04.2015

74	Tg. Mures	LAS PROM SRL	TG. MURES, Str. Cuza Voda, nr.35, Jud. Mures	J26/2185/2004	RO 17057184	0265/264436/311884	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	-	-	Vmax=5000l, pmax=18bar, tmin=-40°C, tmax=50°C	MS/CR4/A,B,C /15,16/0092/0 /29.12.2010
75	Sibiu	MARBOCEL INSTAL SRL	CLUJ NAPOCA, Str. Freziei, nr.5, Jud. Cluj	J12/513/2001	RO 13814442	7.4E+08	Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Instalatii de distributie GPL la consumatorii casnici si industriali	-	Vmax<=5000l, pmax<=18bar, tmin<=-40°C, tmax<=50°C	SB/CR4/A,M/16/1017, 1018/0/22.06.2012
76	Central	MEXGAZ SERVICE SRL	SLATIOARA, Str. Rasaritului, nr.5, Jud. Olt	J28/592/2009	CUI 26136244	7.3E+08	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Vmax=5000l, pmax=18bar, Tmin=-40°C, Tmax=50°C	DISPR/CR4/M/15/2403/0/21.11.2011

77	Central	MP AUTOMATIZARI SRL	CAMPULUNG, Str. C. Constantinescu, nr.10, bl.3, sc.B, et.2, ap.9, Jud. Arges	J03/ 501/ 1995	CUI 7396221	0248/53 0050	-	-	-	Instalatii de distributie GPL la consumatorii casnici si industriali	-	Tmin=-40° C, Tmax<=50° C, Vmax=5000l, pmax=18bar	DISPR/CR4/M/ 16/0937/0/21. 04.2011; DISPR/CR4/A/1 6/0889/0/21.0 4.2011
78	Central	PLUS TEST SRL	FOCSANI, Aleea Echitatii, nr.17, bl. I14, parter, ap.1, Jud. Vrancea	J39/ 335/ 2014	RO 3333545 2	0763261 641; 0337/40 7780	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Vmax=100000l , pmax=18bar, 40° C<=T<=50 ° C	DISPR/CR4/E/1 5,16/3981/0/2 7.06.2017
79	Central	PROINGINER SRL	SUCEAVA, Str. Traian Vuia, nr.15, Jud. Suceava	J33/ 741/ 2005	CUI 1761404 8	0230/52 0400	-	Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	-	Vmax=5000l, pmax=18bar, Tmin=-40° C, Tmax=50° C	DISPR/CR4/B/1 6/2349/0/07.1 1.2011
80	Bacau	PROINGINER SRL	BRAILA, Str. Simion Barnutiu, nr.10, bl.A14, sc.2, ap.27, Jud. Braila	J9/6 58/2 013	RO 1761404 8	0239/68 5533; e- mail: ioanlare anu@ya hoo.com	-	Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	-	Vmax=5000l, pmax=18bar, Tmin=-40° C, Tmax=50° C	BC/CR4/B/16/ 1343/1/29.11. 2013

81	Bucuresti	PROPAN PROGRES SRL	BUCURESTI, Aleea Sg. Maj. Vasile Topliceanu, nr.16, bl. P42A, sc.2, et.6, ap.46, sector 5	J40/ 1081 8/20 02	RO 1497439 5	7.2E+08	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Vmax=30000l, pmax=17.65b ar, - 40°C<=T<=50 °C	B/CR4/M/15,1 6/1244/0/21.0 1.2013; B/CR4/A,B,C/1 5,16/1243/0/2 1.01.2013
82	Oradea	R PROSERV SRL	LUGOJ, Str. Hezerisului, nr.60D, Jud. Timis	J35/ 1004 /199 4	CUI 5438649	0256/35 7740; 0722631 897	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Vmax=200000l , pmax=18bar, Tmin=-40°C, Tmax=50°C	OR/CR4/A,B,C /15,16/1519/1 /09.03.2017
83	Central	R PROSERV SRL	LUGOJ, Str. Romulus, nr.6, Jud. Timis	J35/ 1004 /199 4	CUI 5438649	0256/35 7740	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Vmax=200000l , pmax=18bar, Tmin=-40°C, Tmax=50°C	DISPR/CR4/A,B ,C/15,16/1935 /0/09.09.2011

84	Central	REGIO IMPEX SRL	BUCURESTI, Str. Florilor, nr.7, sector 1	J40/8215/1991	CUI 1594483	021/2446634	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Tmin=-40°C, Tmax=50°C, Vmax=100000l, pmax=18bar	DISPR/CR4/M/15,16/1302/0/28.06.2011; DISPR/CR4/A,B,C/15,16/1303/0/28.06.2011
85	Bucuresti	REGIO IMPEX SRL	BUCURESTI, Str. Gradistea Florestilor, nr.14, sector 2	J40/8215/1991	CUI 1594483	021/2246634; 021/2029285	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatori casnici si industriali	-	Vmax=100000 litri, pmax=18bar, Tmin=-40°C, Tmax=+50°C	B/CR4/M/15,16/2170/1/16.06.2014
86	Bucuresti	REGIO IMPEX SRL	BUCURESTI, Str. Gradistea Florestilor, nr.14, sector 2	J40/8215/1991	CUI 1594483	021/2246634; 021/2029285	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatori casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatori casnici si industriali	Instalatii de distributie Gpl la autovehicule; Instalatii de distributie GPL la consumatori casnici si industriali	-	-	Vmax=100000 litri, pmax=18bar, Tmin=-40°C, Tmax=+50°C	B/CR4/A,B,C/15,16/2171/1/16.06.2014

87	Constanta	REMONT SRL	CONSTANTA, Al. Garofitei, colt cu Str. Bucuresti, nr.11A, Jud. Constanta	J13/ 5695 /199 2	CUI 2753846	0241/55 8900/69 2260	Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la autovehicule	-	-	Vmax=5mc, Pmax=18bar, Tmin=-40°C, Tmax=50°C	CT/CR4/A,B,C /16/0113/0/2. 12.2010
88	Bucuresti	REVICOM OIL SRL	BUCURESTI, Str. Vistiernicul Stavrinos, nr.21, sector 6	J40/ 2566 1/19 94	RO 6645189	021/250 3074/ 2508870 ; e-mail office@r evicom il.ro	Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la autovehicule	-	Vmax=5000l, pmax=18bar, tmin=-30°C, tmax=50°C	B/CR4/A,B,C/1 5/2289/1/04.1 1.2016; B/CR4/M/15/2 290/1/04.11.2 016
89	Bucuresti	REVICOM OIL SRL	BUCURESTI, Str. Vistiernicul Stavrinos, nr.21, sector 6; BUCURESTI, Str. Fantanica, nr.41, sector 2	J40/ 2566 1/19 94	RO 6645189	021/250 3074/ 2508870	Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la autovehicule	-	Vmax=5000l, pmax=18bar, tmin=-30°C, tmax=50°C	B/CR4/A,B,C/1 5/2289/0/16.0 9.2014; B/CR4/M/15/2 290/0/16.09.2 014

90	Central	RINA SIMTEX- ORGANISMUL DE CERTIFICARE SRL	BUCURESTI, Str. Dr. Leonte Anastasievici, nr.4D,corp A, sector 5	J40/ 9653 /199 9	CUI 1235179 0	021/619 0651/ 6190353	-	-	-	-	Instalatii de distributie Gpl la autovehicule; Instalatii de distributie GPL la consumatori casnici si industriali	Vmax=5000l, pmax=18bar, tmin=-40°C, tmax=50°C	DISPR/CR4/E/1 5,16/3938/1/1 2.02.2018
91	Central	RINA SIMTEX- ORGANISMUL DE CERTIFICARE SRL	BUCURESTI, Str. Dr. Leonte Anastasievici, nr.4D,corp A, sector 5	J40/ 9653 /199 9	CUI 1235179 0	021/619 0651/ 6190353	-	-	-	-	Instalatii de distributie Gpl la autovehicule; Instalatii de distributie GPL la consumatori casnici si industriali	Vmax=5000l, pmax=18bar, tmin=-40°C, tmax=50°C	DISPR/CR4/E/1 5,16/3938/0/2 3.05.2016
92	Ploiesti	ROC ROMANIAN OIL COMPANY SRL	PLOIESTI, Str. Carpati, bl.33H, ap.21, Jud. Prahova	J29/ 2721 /199 3	RO 4891861	0244/59 1811	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Vmax=15000l, pmax=18bar, tmin=-40°C, tmax=50°C	PL/CR4/A,B,C/ 15,16/0218/0/ 27.10.2010

93	Ploiesti	ROC ROMANIAN OIL COMPANY SRL	PLOIESTI, Str. Carpati, bl.33H, ap.21, Jud. Prahova	J29/ 2721 /199 3	RO 4891861	0244/59 1811	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	-	-	-	-	Vmax=15000l, pmax=18bar, tmin=-40 °C, tmax=50 °C	PL/CR4/A/15,1 6/0218/0/27.1 0.2010
94	Ploiesti	ROC ROMANIAN OIL COMPANY SRL	PLOIESTI, Str. Carpati, bl.33H, ap.21, Jud. Prahova	J29/ 2721 /199 3	RO 4891861	0244/59 1811	-	-	-	Instalatii de distributie GPL la consumatorii casnici si industriali	-	Vmax=15000l, pmax=18bar, tmin=-40 °C, tmax=50 °C	PL/CR4/M/16/ 0219/0/27.10. 2010
95	Bucuresti	ROHE ROMANIA SRL	BUCURESTI, Str. Valea Oltului, nr.73-75, sector 6	J40/ 223/ 1994	RO 5129660	021/444 1739/ 4441709	Instalatii de distributie GPL la autovehicule	-	-	-	-	Vmax=5000l, Pmax=18bar, Tmin=-40 °C, Tmax=50 °C	B/CR4/A/15/0 441/1/11.10.2 012
96	Brasov	SIGMA GAZ SRL	BUZAU, Aleea Sperantei, nr.5, Jud. Buzau	J10/ 600/ 1998	RO 1106050 4	0238/71 5398	-	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Vmax=20000l, Pmax=18bar, Tmin=-25 °C, Tmax=50 °C	BV/CR4/A,B/1 6/1122/0/11.0 3.2013

97	Ploiesti	SIGMA GAZ SA	BUZAU, Aleea Sperantei, nr.5, Jud. Buzau	J10/600/1998	RO 11060504	0238/722130/715398	-	-	-	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	-	Vmax=5000l, pmax=18bar, tmin=-40°C, tmax=50°C; Vmax=5000l, pmax=18bar, tmin=-40°C, tmax=50°C	PL/CR4/M/15, 16/0250/0/25.11.2010
98	Sibiu	SIPATUB SA	ALBA IULIA, Str. 1 Decembrie 1918, nr. 77, Jud. Alba	J01/534/2002	RO 15001659	0258/832784/401419	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	-	Vmax=5000l, pmax=18bar, tmin=-40°C, tmax=50°C	SB/CR4/M/15, 16/1435/0/10.03.2015; SB/CR4/M/15, 16/1436/0/10.03.2015

99	Central	SISTEMGAS SRL	TIMISOARA, Str. Sulina, nr. 10, Jud. Timis	J35/3109/1994	CUI 6470320	0256/496393; 0356/437703	-	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Vmax=200000l, pmax=18bar, Tmin=-40°C, Tmax=50°C	DISPR/CR4/E/15,16/2513/0/15.12.2011
100	Timisoara	SISTEMGAS SRL	TIMISOARA, Str. Sulina, nr. 10, Jud. Timis	J35/3109/1994	CUI 6470320	0256/496393; 0356/437703	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	-	-	pmax=18bar, Vmax=200000l	TM/CR4/A,B,C/15,16/0087/0/13.10.2010

101	Timisoara	SISTEMGAS SRL	TIMISOARA, Str. Sulina, nr. 10, Jud. Timis	J35/3109/1994	CUI 6470320	0256/496393; 0356/437703	-	-	-	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	-	pmax=18bar, Vmax=200000l	TM/CR4/M/15, 16/0088/0/13. 10.2010
102	Oradea	SISTEMGAS SRL	TIMISOARA, Str. Sulina, nr. 10, Jud. Timis	J35/3109/1994	CUI 6470320	0256/496393; 0356/437703	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	-	pmax=18bar, Vmax=200000l, Tmin=-40°C, Tmax=50°C	OR/CR4/A,B,C /15,16/1220/1 /17.10.2013; OR/CR4/M/15, 16/1221/1/17. 10.2013

103	Central	SMR GLOBAL SRL	PLOIESTI, Str.Stefan cel Mare, nr. 27, camera 14, et. 1, Jud. Prahova	J29/ 1580 /201 0	RO 2781939 3	0748121 650; 0344/78 0139	-	-	-	-	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	pmax=18bar, Vmax=200000l , Tmin=-40°C, Tmax=50°C	DISPR/CR4/E/1 5,16/3852/2/1 8.04.2018
104	Central	SMR GLOBAL SRL	PLOIESTI, Str. Maramures, nr. 12, camere 1- 78, et. 1, Jud. Prahova	J29/ 1580 /201 0	RO 2781939 3	0748121 650; 0344/78 0139	-	-	-	-	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	pmax=18bar, Vmax=200000l , Tmin=-40°C, Tmax=50°C	DISPR/CR4/E/1 5,16/3852/1/0 1.06.2016

105	Central	SMR GLOBAL SRL	ALBESTI PALEOLOGU, nr.528, camera 1, Jud. Prahova	J29/ 1580 /201 0	RO 2781939 3	0748121 650; 0344/78 0139	-	-	-	-	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	pmax=18bar, Vmax=200000l , Tmin=-40 °C, Tmax=50 °C	DISPR/CR4/E/1 5,16/3852/0/2 4.01.2014
106	Bucuresti	SNAMPROGETT I ROMANIA SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.6A, Tronson II, et.3, birou 31, sector 2	J40/ 6633 /200 3	CUI 1544228 0	021/232 2400/ 2322434	-	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Vmax=5000l, Pmax=18bar, Tmin=-40 °C, Tmax=50 °C	B/CR4/E/15,16 /0379/0/04.10 .2010
107	Central	SOLO PROD SRL	BUZAU, Str. Orizontului, nr.206, Jud. Buzau	J10/ 2260 /199 4	CUI 6446054	0238/72 0038; 0338/11 1540	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	-	Vmax=22000l, pmax=20bar, Tmin=-25 °C, Tmax=55 °C	DISPR/CR4/A,B /16/2543/0/20 .12.2011

108	Central	SPANGAS SERVICE SRL	BUCURESTI, Drumul Lunca Sateasca, nr.14-16, sector 3	J40/9454/2009	CUI 26051466	0729019998	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Vmax=100000l, pmax=18bar, Tmin=-40°C, Tmax=50°C	DISPR/CR4/A/15,16/2282/0/01.11.2011; DISPR/CR4/M/15,16/2281/0/01.11.2011-suspendare incepand cu 19.03.2018
109	Central	SPRINT GAZ SRL	CALARASI, Str. Cornisei, nr.50, bl.D1, sc.1, ap.17, Jud. Calarasi	J51/234/1999	CUI 12482370	0242/328596	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Tmin=-40°C, Tmax=50°C, Vmax=30000l, pmax=18bar	DISPR/CR4/A,B,C/16/1026/0/30.05.2011
110	Bucuresti	SUPERMONT SA	NAVODARI, Platforma Parc Rece Midia, Jud. Constanta	J13/5489/2004	CUI 16172290	0241/486053	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Tmin=-40°C, Tmax=50°C, Vmax=5000l, pmax=18bar	B/CR4/A,B,C/15,16/3029/1/20.03.2017

111	Central	SUPERMONT SA	NAVODARI, Platforma Parc Rece Midia, DJ226, Km20, Jud. Constanta	J13/ 5489 /200 4	CUI 1617229 0	0241/48 6053	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Tmin=-40° C, Tmax=50° C, Vmax=5000l, pmax=18bar	DISPR/CR4/A,B ,C/16/1515/0/ 18.07.2011
112	Cluj	TECNO ENERGY SERVICE SRL	DEZMIR, Str. Cantonului, Jud. Cluj	J12/ 2442 /200 9	RO 2635933 5	0264/27 4222	-	-	-	Instalatii de distributie GPL la autovehicule, la consumatorii casnici si industriali	-	Vmax<=5000 mc, pmax<=18bar, - 40° C<=T<=50 ° C	BV/CR4/M/15, 16/0130/0/01. 12.2010
113	Bacau	TERMA SRL	BACAU, Str. Oituz, nr.78, Jud. Bacau	J04/ 219/ 1997	CUI 9234919	0234/51 1711/58 0010; e- mail office@t ermabac au.ro	-	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Vmax=5000l, pmax=18bar	BC/CR4/B,C/1 6/1758/1/02.0 5.2017
114	Central	TERMA SRL	BACAU, Str. Oituz, nr.78, Jud. Bacau	J04/ 219/ 1997	CUI 9234919	0234/51 1711/58 0010	-	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Vmax=5000l, pmax=18bar, Tmin=-40° C, Tmax=50° C	DISPR/CR4/B,C /16/3102/0/27 .02.2012

115	Ploiesti	TERMOCONCEPT SRL	BUZAU, Str. Independentei, nr.101, Jud. Buzau	J10/507/1994	RO 5429713	0238/722251	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	-	Vmax=30000l, pmax=18bar, tmin=-40°C, tmax=50°C	PL/CR4/A,B/16/0096/0/05.07.2010
116	Central	TERMOCONCEPT SRL	BUZAU, Str. Independentei, nr.101, Jud. Buzau	J10/507/1994	RO 5429713	0238/722251; tel interventie 0238/722251	-	-	-	Instalatii de distributie GPL la consumatorii casnici si industriali	-	Vmax=5000l, pmax=17.85bar, tmin=-40°C, tmax=50°C	DISPR/CR4/M/16/1718/0/24.05.2011
117	Cluj	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20/6, Jud. Cluj; CLUJ NAPOCA, Str. Vasile Lupu, nr.20, Bl.M8, ap.6, Jud. Cluj	J12/3927/1994	RO 6589364	0264/432587/596750	-	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Vmax=5000mc, Pmax=18bar, Tmin=-40°C, Tmax=50°C	CJ/CR4/E/15,16/0152/0/27.12.2010
118	Central	TERMOSUD CONSULT SRL	BUZAU, Cartier Episcopiei, bl. C11, ap. 13, Jud. Buzau	J10/237/1999	RO 11874952	0238/717802	-	-	-	-	Instalatii de distributie GPL la autovehicule, la consumatorii casnici si industriali	Vmax=70000l, Pmax=18bar, Tmin=-40°C, Tmax=50°C	DISPR/CR4/E/15,16/3974/0/01.02.2017

119	Oradea	TIBGAZ SRL	ORADEA, Str. Clujului, Nr.118, Jud. Bihor	J05/1328/2008	RO 23916040	0722311925	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	pmax<=0.5bar	OR/CR4/A,B,C /16/1176/1/07 .06.2016
120	Oradea	TIBGAZ SRL	ORADEA, Str. Clujului, Nr.118, Jud. Bihor	J05/1328/2008	RO 23916040	0722311925; 0259/410925	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	pmax=0.5bar	OR/CR4/A,B,C /16/1176/0/27 .06.2013
121	Constanta	TIGITRANS SA	CONSTANTA, Incinta Port, Cladirea Bursa Noua, Camere116/120 si 127/129, et.1, Jud. Constanta	J13/5053/1994	CUI 6743608	0241/691200/690400	Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la autovehicule	-	-	Vmax=300mc, Pmax=25bar, Tmin=-50°C, Tmax=50°C	CT/CR4/A,B,C /16/0036/0/06 .07.2010
122	Bucuresti	TMUCB SA	BUCURESTI, Str. Lujerului, nr. 26, sector 5	J40/1171/1991	CUI 2786487	021/3171060/3129542	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Vmax=5000l, Pmax=18bar, Tmin=-40°C, Tmax=50°C	B/CR4/A,B,C/15,16/0164/1/0 7.04.2016

123	Bucuresti	TMUCB SA	BUCURESTI, Str. Tudor Arghezii, nr.8-10, et.3, sector 2	J40/1171/1991	CUI 2786487	021/3171060/3129542	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Vmax=5000l, Pmax=18bar, Tmin=-40°C, Tmax=50°C	B/CR4/A,B,C/15,16/0164/0/23.07.2010
124	Ploiesti	TOTAL CERT SRL	BUZAU, Str. Unirii, Bl. E7A, et.8, ap.24, camera 1, Jud. Buzau	J10/500/2005	RO 17475438	0238/723330	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	-	-	-	Vmax=200000l, pmax=17.65bar, tmin=-30°C, tmax=50°C	PL/CR4/A,B/15,16/0052/0/21.05.2010

125	Ploiesti	TOTAL CERT SRL	BUZAU, Str. Unirii, Bl. E7A, et.8, ap.24, camera 1, Jud. Buzau	J10/500/2005	RO 17475438	0238/723330	-	-	-	Instalatii de distributie GPL la consumatorii casnici si industriali; Instalatii de distributie GPL la autovehicule	-	Vmax=200mc, Pmax=18bar, tmin=-40°C, tmax=50°C; Vmax=5mc, p=18bar, tmin=-40°C, tmax=50°C	PL/CR4/M/15, 16/0184/0/22.09.2010
126	Bucuresti	TRANS GAS GRUP SRL	BUCURESTI, Bd. Ion Mihalache, nr.203, ap.2, sector 1	J40/12911/2002	CUI 15077924	021/2245475/2241453	Instalatii de distributie GPL la autovehicule	-	-	-	-	Vmax=5000l, Pmax=18bar, Tmin=-40°C, Tmax=50°C	B/CR4/A/15/0264/0/30.08.2010
127	Central	TRIGON INSTAL CONSTRUCT SRL	PLOIESTI, Str. Fratiei, nr.16, Jud. Prahova	J29/160/2012	RO 29661493	0244/519292/512380; interventie 0722214314	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Vmax=300000l, pmax=18bar, Tmin=-40°C, Tmax=50°C	DISPR/CR4/A,B,C/15,16/3384/0/02.04.2012; DISPR/CR4/M/15,16/3385/0/02.04.2012

128	Central	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr. 155, bl.D1, Tronson 5, et.3, sector 1	J40/ 8231 /200 2	CUI 1484236 0	021/313 4419/ 3300815	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Vmax=5000l, pmax=17.65b ar, Tmin=- 40°C, Tmax=50°C	DISPR/CR4/E/1 5,16/3894/1/1 7.02.2016
129	Central	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr. 155, bl.D1, Tronson 5, et.3, sector 1	J40/ 8231 /200 2	CUI 1484236 0	021/313 4419/ 3300815	-	-	-	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	Vmax=5000l, pmax=18bar, Tmin=-40°C, Tmax=50°C	DISPR/CR4/E/1 5,16/3894/0/1 6.12.2014
130	Bucuresti	WAPO SERVICE SRL	BUCURESTI, Al. Capidava, nr.14- 18, sector 2	J40/ 5274 /199 5	CUI 7525490	021/241 2597/24 12598	-	-	-	Instalatii de distributie GPL la autovehicule	-	Vmax<=15000l , pmax<=18bar, Tmin=-40°C, Tmax=50°C	B/CR4/M/15/1 188/3/16.09.2 016

131	Bucuresti	WAPO SERVICE SRL	BUCURESTI, Al. Capidava, nr.14-18, sector 2	J40/5274/1995	CUI 7525490	021/2412597/2412598	-	-	-	Instalatii de distributie GPL la autovehicule	-	Vmax<=15000l, pmax<=18bar, Tmin=-40°C, Tmax=50°C	B/CR4/M/15/1188/2/03.07.2015
132	Bucuresti	WAPO SERVICE SRL	BUCURESTI, Al. Capidava, nr.14-18, sector 2	J40/5274/1995	CUI 7525490	021/2412597/2412598	Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la autovehicule	-	Instalatii de distributie GPL la autovehicule	-	Vmax<=15000l, pmax<=17.65 bar, Tmin=-40°C, Tmax=50°C	B/CR4/M/15/1188/1/12.09.2014; B/CR4/A,B/15/1189/1/12.09.2014
133	Central	WAPO SERVICE SRL	BUCURESTI, Al. Capidava, nr.14-18, sector 2	J40/5274/1995	CUI 7525490	021/2412597/2412598; tel interventie 021/2412597	Instalatii de distributie GPL la autovehicule	Instalatii de distributie GPL la autovehicule	-	Instalatii de distributie GPL la autovehicule	-	Vmax<=15000l, pmax<=18bar, Tmin=-40°C, Tmax=50°C	DISPR/CR4/M/15/2112/0/03.10.2011; DISPR/CR4/A,B/15/2113/0/03.10.2011
134	Oradea	WATTVISOR SRL	TIMISOARA, Str. Martir Constantin Radu, nr.28A, Jud. Timis	J35/715/2003	CUI 15306939	0256/286633	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Tmin=-40°C, Tmax=50°C, Vmax=200000l, pmax=18bar	OR/CR4/A,B,C/15,16/1440/1/10.02.2016

135	Central	WATTVISOR SRL	TIMISOARA, Str. Martir Constantin Radu, nr.28A, Jud. Timis	J35/ 715/ 2003	CUI 1530693 9	0256/28 6633	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	Instalatii de distributie GPL la autovehicule; Instalatii de distributie GPL la consumatorii casnici si industriali	-	-	Tmin=-40° C, Tmax=50° C, Vmax=200000 l, pmax=18bar	DISPR/CR4/A,B ,C/15,16/1200 /0/30.06.2011
-----	---------	------------------	--	----------------------	---------------------	-----------------	--	--	--	---	---	--	---