

Persoane juridice autorizate conform PT CR4/2009 pentru efectuarea de lucrari la Cazane de abur, Cazane apa fierbinte, Supraincalzitoare si Economizoare independente reglementate de PT C1-2010

Nr. Crt.	IT ISCIR	Societatea Comerciala	Adresa	J	CUI	Tel/fax	Domeniu autorizat						Parametrii	Autorizatii
							Instalare	Montare	Reparare	Verificari tehnice in utilizare pt. investigatii/ examinari cu caracter tehnic	Intretinere prin spalare chimica	Intretinere regim chimic		
1	Constanta	A-Z UTILAJE-METALI SRL	CONSTANTA, Bd. Alexandru Lăpușneanu, nr. 165A, Lot 4, Constr. C1, Zona Tomis	J13/3001/2008	RO 24365306	0241.662.157 ; 0241.662.111 ; e-mail: office@azutilajmetali.ro	-	Cazane de abur	Cazane de abur	-	-	-	Pmax = 160bar, Qmax = 420t/h, Tmax = 540°C	CT/CR4/B,C/4/0057/0/02.09.2022
2	Central	AB INSTAL SRL	CRAIOVA, Str. Caracal, nr.30, Jud. Dolj	J16/458/2000	CUI 13319762	0744/572075 ; 0251/543105	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤1035t/h, pmax≤192bar, Tmax≤192°C; Dmax≤100Gcal/h,	DISPR/CR4/A,B,C/4,5/2133/0/07.10.2011
3	Bucuresti	AB TERMOCHIM SRL	BUCURESTI, Str. Serg. Constantin Musat, nr. 1, bl. 16, sc. 2, et. 3, ap. 26, sector 5	J40/11973/2017	CUI 37937604	0729429870; e-mail abtermochim@gmail.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=350°C; Qmax=100Gcal/h, pmax=25bar	B/CR4/A,B,C/4,5/3382/2/03.09.2020

4	Bucuresti	AB TERMOCHIM SRL	BUCURESTI, Str. Serg. Constantin Musat, nr. 1, bl. 16, sc. 2, et. 3, ap. 26, sector 5	J40/11973/2 017	CUI 37937604	0729429870; e-mail abtermochim @gmail.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=350°C; Qmax=100Gc al/h, pmax=25bar	B/CR4/A,B,C /4,5/3382/1 /23.03.2020
5	Bucuresti	AB TERMOCHIM SRL	BUCURESTI, Str. Serg. Constantin Musat, nr. 1, bl. 16, sc. 2, et. 3, ap. 26, sector 5	J40/11973/2 017	CUI 37937604	0729429870; e-mail abtermochim @gmail.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤8t/h, pmax≤16bar, Tmax≤200°C; Dmax≤100Gc al/h, pmax≤16bar	B/CR4/A,B,C /4,5/3382/0 /05.03.2019
6	București	ABC CONTROL SRL	BUCUREȘTI, str. Popa Stoica Farcaș, nr.68, corp A, sector 3	J40/8786/20 215	RO 29686854	0314321200/ 0214260522, email office@abcco ntrol.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=20t/h, pmax=25bar, Tmax=350°C; Qmax=13,5G cal/h, pmax=16bar	B/CR4/A,B,C /4,5/3817/0 /18.03.2021
7	Craiova	ABC SYSTEMS SRL	DR. Tn. SEVERIN, Calea Timisoarei, nr.175B, Jud. Mehedinti	J25/1584/19 94	RO 6667578	0252/329362 /329363	Cazane abur, apa fierbinte	-	Cazane abur, apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, tmax=200°C; Dmax=5Gcal/ h, pmax=16bar	CR/CR4/A,C/ 4,5/0002/0/ 31.03.2010
8	Sibiu	ACI BISTRITA SA	BISTRITA, Str. Zefirului, nr.1, Jud. Bistrita Nasaud	J06/15/1991	RO 566515	0263/234229 /234230	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Q≤10t/h, Pmax=20bar, Tmax≤350°C; D≤5Gcal/h, Pmax≤20bar	SB/CR4/A,B, C/4,5/0174/ 0/18.02.2011

9	Bucuresti	ACIRAM MEDICAL SRL	BUCURESTI, Str. Margeanului, nr. 26, bl.M23A, et.1, ap.32, sector 5	J40/10600/2 007	RO 21849379	0722531761; 0214201026	Cazane abur	-	-	-	-	-	Qmax=1t/h, pmax=8bar, tmax=175°C	B/CR4/A/4/1 763/0/20.08. 2013
10	Central	ACTIV PREVENT SRL	BUCURESTI, str. Drumul Opalului, nr. 1-43, bl. Paun, sc. D, et. 1, ap. 6D, sector 1	J04/8427/20 22	46069670	0799.050.005 , e-mail: office.activpr event@gmail. com	-	-	-	Cazane de abur; Cazane de apa fierbinte	-	-	Qmax = 1050 t/h, pmax = 220 bar, Tmax = + 440°C; Dmax = 100 Gcal/h, pmax = 25	DISPR/CR4/E /4,5/4090/0 /12.12.2022
11	Bucuresti	ACVATOT SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.9-9A, cladire nr.14, Iride Busines Park, parter	J40/6629/19 91	CUI 13906	021/2520860 / 2520934; contact@acv atot.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=650t/h , pmax=170bar , Tmax=480°C; Dmax=50Gcal /h,	B/CR4/A,B,C /4,5/1385/2 /22.11.2017
12	Bucuresti	ACVATOT SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.9-9A, cladire nr.14, Iride Busines Park, parter	J40/6629/19 91	CUI 13906	021/2520860 / 2520934	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=650t/h , pmax=170bar , Tmax=480°C; Dmax=50Gcal /h,	B/CR4/A,B,C /4,5/1385/2 /25.02.2015
13	Bucuresti	ACVATOT SRL	BUCURESTI, Str. Popa Lazar, nr.5- 25, et. 1+2, corp C14, sector 2	J40/6629/19 91	CUI 13906	021/2520934	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=650t/h , pmax=170bar , Tmax=480°C; Dmax=50Gcal /h,	B/CR4/A,B,C /4,5/0277/0 /04.09.2010

14	Bucuresti	ACVATOT SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.9-9A, cladire nr.14, Iride Busines Park, parter	J40/6629/1991	CUI 13906	021/3160828 / 3160825	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=650t/h, pmax=170bar, Tmax=480°C, Dmax=50Gcal/h,	B/CR4/A,B,C /4,5/1385/1 /27.05.2013
15	Central	AFA PROD IMPEX SRL	CLUJ NAPOCA, Str. Timisului, nr.1, Jud. Cluj	J12/954/1995	CUI 7359266	0264/416365 /416758	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤10t/h, pmax≤16bar, Tmax≤350°C, Dmax≤5Gcal/h, pmax≤16bar,	DISPR/CR4/A ,B,C/4,5/134 4/0/15.06.2011
16	Central	AG PROIECT INTERNATIONAL SRL	BUCURESTI, Al. Cettuia, nr.10, bl.25/I, sc.A, et.3, ap. 15, sector 6	J40/18048/204	CUI 16920944	021/7715802	Cazane abur	-	-	-	-	-	Qmax=25t/h, pmax=20bar, Tmax=250°C	DISPR/CR4/A /4/2489/0/0 5.12.2011
17	Brasov	AG SERV CONSTRUCT SRL- Punct de lucru BRASOV	NEGRESTI OAS, Str. Victoriei, Bl.C9/20, et.2, ap.12, Jud. Satu Mare; BRASOV, Str.	J30/412/1995	CUI 7520051	0261/853322 ; 0268/331142 /331752	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Q≤100t/h, p≤40bar, T≤440°C; D≤50Gcal/h, p≤40bar, T≤440°C	BV/CR4/A,C/ 4,5/0011/0/ 14.06.2010
18	Timisoara	AGASI SRL	TIMISOARA, str. Venus, nr.1, Jud. Timiş	J35/1684/1992	RO 1819748	0256495395, 0256495394	Cazane de abur; cazane apa fierbinte	-	-	-	-	-	Qmax≤20t/h, pmax≤20bar, Tmax≤300°C, Dmax≤10G	TM/CR4/A/4, 5/020/0/20. 01.2022

19	Sibiu	AGRISUT PROD COM IMPEX SRL	CLUJ NAPOCA, Str. Campului, nr. 215-219, ap. 3, Jud. Cluj	J12/4849/19 92	RO 2894470	0264/561973	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	pmax≤16bar, Qmax≤10t/h, Tmax≤250°C; pmax≤16bar, Dmax≤5Gcal/ h	SB/CR4/A,B, C/4,5/1353/ 1/24.07.2014
20	Central	AGRISUT PROD COM IMPEX SRL	CLUJ NAPOCA, Str. Grigore Alexandrescu , nr.49, ap.2, Jud. Cluj	J12/4849/19 92	CUI 2894470	0264/561973	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤10t/h, pmax≤16bar, Tmax≤250°C; Dmax≤5Gcal/ h, pmax≤16bar	DISPR/CR4/A ,B,C/4,5/258 2/0/14.11.20 11
21	Bacau	AIPIFS SRL	BACAU, Str. Prieteniei, nr.7, bl.7, sc.A, ap.2, Jud. Bacau	J04/1849/19 92	CUI 976728	0234/577165 ; 0744543625	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	BC/CR4/G/4, 5/0051/0/30 .06.2010
22	Bucuresti	ALA INSTAL COMCONSTRU CT SRL	BUCURESTI, Str. Grigore Alexandrescu , nr.7, Bl.H1, sc.2, et.4, sector 1	J40/19208/1 992	CUI 3316947	021/3174424 /3174399	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=400°C; Dmax=5Gcal/ h, pmax=16bar,	B/CR4/A/4,5 /0206/0/10. 08.2010
23	Bucuresti	ALA INSTAL COMCONSTRU CT SRL	BUCURESTI, Str. Grigore Alexandrescu , nr.7, Bl.H1, sc.2, et.4, sector 1	J40/19208/1 992	CUI 3316947	021/3174424 /3174399; e- mail: ala_instal@ya hoo.com	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=400°C; Dmax=5Gcal/ h, pmax=16bar,	B/CR4/A/4,5 /0206/1/23. 12.2013

24	Iasi	ALCOR PRO CONSULT SRL	IASI, Str. Sf. Lazar, nr.51, Jud. Iasi	J22/191/1995	RO 7048090	0232/233390	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=420t/h , pmax=120bar , Tmax=550°C; Dmax=20Gcal/h,	IS/CR4/E/4,5/0073/0/03.08.2010
25	Bacau	ALPADO SRL	Com. STEFAN cel Mare, Sat. NEGOIESTI, nr.292, Jud. Bacau	J04/1535/1992	RO 977278	0234/339008	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , Pmax≤40bar, Tmax=440°C; Dmax≤50Gcal/h, Pmax=16bar,	BC/CR4/A,C/4,5/0074/0/26.08.2010
26	București	AMEX IMPORT EXPORT SRL	BUCURESTI, Intrarea Titan, nr 10, sector 3	J40/4639/1994	CUI 5394950	0213400029, email petre@amex-lab.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	Vmax=200l, pmax=2,2bar , Tmax=136°C	B/CR4/A,B,C/4/3658/0/11.05.2020
27	Central	AMICI SA	BACAU, Str. Ionita Sandu Sturza, nr.25, Jud. Bacau	J04/37/1991	CUI 945144	0334/405384; 0234/514336	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤10t/h, Pmax≤16bar, Tmax≤200°C; Dmax≤5Gcal/h, pmax≤8bar,	DISPR/CR4/A,B,C/4,5/1205/0/30.06.2011
28	Bucuresti	AMS 2000 TRADING IMPEX SRL	BUCURESTI, Str.Turturelelor, nr. 62, camere 1-16 din imobil Decebal Tower, et. 2, sector 3	J40/5527/1997	RO 9603757	021/3247050 / 3247679; e-mail office.ams@ams.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	Pmax=72kW, pmax=5bar, Tmax=138°C	B/CR4/A,B,C/4/2868/0/26.08.2016

29	Central	AMURCO SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/770/2005	CUI 17488233	0234/575440/575413	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤1035t/h, pmax≤196bar, Tmax≤565°C	DISPR/CR4/A,B,C/4,5/1225/0/24.06.2011- retragere incepand cu 30.08.2016
30	Bacau	AMURCO SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/770/2005	RO 17488233	0234/575440/575413; e-mail: secretariat@amurco.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=105bar, Tmax=540°C; Dmax=25Gcal/h,	BC/CR4/A,B,C/4,5/1298/1/03.09.2013 - retragere incepand cu 30.08.2016
31	Pitesti	ANA CARPATI 2007 SRL	PITESTI, Str. Fagaras, bl.E2, sc.c, ap.10, Jud. Arges	J03/1993/2007	RO 22523698	0729022428; 0248/290025	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q≤50t/h, pmax≤50bar, T≤450°C; D≤50Gcal/h, pmax≤25bar	PT/CR4/A,C/4,5/0102/0/30.09.2010
32	Central	ANUBIS SRL	CLUJ NAPOCA, Str. Fericirii, nr.17, ap.2, Jud. Cluj	J12/269/2000	CUI 12760654	0264/484116	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	DISPR/CR4/G/4,5/1472/0/07.07.2011; DISPR/CR4/H/4,5/1471/0/07.07.2011
33	Iasi	APOPI & BLUMEN SRL	IASI, Str. Cuza Voda, nr.56, Jud. Iasi	J22/961/1993	RO 5386728	0232/212269/252413	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=350°C; Dmax=10Gcal/h, pmax=16bar	IS/CR4/A,B,C/4,5/0061/0/19.07.2010

34	Bacau	APOPI & BLUMEN SRL	IASI, Str. Cuza Voda, nr.56, Jud. Iasi	J22/961/1993	RO 5386728	0232/212269/252413	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=350°C; Dmax=10Gcal/h, pmax=16bar	BC/CR4/A,B,C/4,5/1366/1/12.02.2014
35	Bacau	AQUATERM SRL	BOTOSANI, Str. I.C. Bratianu, nr.35, Jud. Botosani	J07/226/1999	CUI 12135214	0231/511585/511518	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=200°C	BC/CR4/A,B,C/4/1495/0/03.10.2014
36	Central	ARCELORMIT TAL GALATI SA	GALATI, Str. Smardan, nr.1, Jud. Galati	J17/21/1991	CUI 1639739	0236/801331/803883	-	-	Cazane abur	-	-	-	pmax=54bar, Qmax=255t/h, Tmax=450°C	DISPR/CR4/C/4/1250/0/10.06.2011
37	Central	ARDENT SRL	BRASOV, Str. Arinului, nr. 3, bl. 36, ap. 12, ap.9, Jud. Brasov	J08/1035/1991	CUI 1110281	0368/459201	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=120bar, Tmax≤540°C; Dmax≤100Gcal/h,	DISPR/CR4/E/4,5/0786/1/27.01.2017
38	Central	ARDENT SRL	BRASOV, Str. Paraului, nr.15, bl. S25, sc.A, ap.9, Jud. Brasov	J08/1035/1991	CUI 1110281	0722275726; 0268/541682	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=120bar, Tmax≤540°C; Dmax≤100Gcal/h	DISPR/CR4/E/4,5/0786/0/12.05.2011

39	Brasov	ARDENT SRL	BRASOV, Str. Paraului, nr.15, bl. S25, sc.A, ap.9, Jud. Brasov	J08/1035/1991	CUI 1110281	0722275726; 0268/541682	Cazane de abur	-	Cazane de abur	-	-	-	pmax=40bar, Qmax=120t/h, Tmax=350°C	BV/CR4/A,C/4/1125/0/01.04.2013
40	Central	ARGENTA SRL	NAVODARI, Bd. Navodari, nr.295, Jud. Constanta	J13/2396/1993	CUI 3959705	0241/517171 / 766876	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax≤1100t/h, pmax≤250bar, Tmax≤650°C	DISPR/CR4/A,B,C/4/2035/0/26.09.2011
41	Bucuresti	ARGENTA SRL	NAVODARI, Bd. Navodari, nr.295, Jud. Constanta	J13/2396/1993	CUI 3959705	0241/517171 / 638438	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax≤250bar, Qmax≤1100t/h, Tmax≤650°C	B/CR4/A,B,C/4/1020/1/29.06.2012
42	Bucuresti	ARGENTA SRL	NAVODARI, Bd. Navodari, nr.295, Jud. Constanta	J13/2396/1993	CUI 3959705	0241/517171 / 638438	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax=250bar, Qmax=1100t/h, Tmax=650°C	B/CR4/A,B,C/4/1020/2/19.05.2014
43	București	ARGENTA SA	NAVODARI, Bd. Navodari, nr.295, Jud. Constanta	J13/2396/1993	CUI 3959705	0241/517171 / 638438, email office@argenta.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax≤250bar, Qmax≤1100t/h, Tmax≤650°C	B/CR4/A,B,C/4/1020/4/25.03.2021

44	București	ARGENTA SA	NAVODARI, Bd. Navodari, nr.295, Jud. Constanta	J13/2396/19 93	CUI 3959705	0241/517171 / 638438, email office@argen ta.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax≤250bar , Qmax≤1100t/ h, Tmax≤650°C	B/CR4/A,B,C /4/1020/3/1 1.03.2020
45	Central	ARGOS SA	CERNAVODA, Str. Canalului, nr.11, Jud. Constanta	J13/1562/19 91	CUI 2421812	0241/238440 /238197	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤30t/h, pmax≤25bar, Tmax≤225°C; Dmax≤20Gcal /h, pmax≤25bar Qmax=30t/h,	DISPR/CR4/A ,B,C/4,5/174 5/0/16.08.20 11
46	Bucuresti	ARTEGO SA	TG. JIU, Str. Ciocarlau, nr.38, Jud. Gorj	J18/1120/19 91	CUI 2157428	0253/226444	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	pmax=40bar, Tmax=350°C; Dmax=1.4Gcal/h, pmax=40bar	B/CR4/A,C/4 ,5/2510/1/1 2.03.2015
47	Central	ARTEGO SA	TG. JIU, Str. Ciocarlau, nr.38, Jud. Gorj	J18/1120/19 91	CUI 2157428	0253/226444 /226045	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Pmax≤1164k W	DISPR/CR4/A ,B,C/4,5/047 2/0/23.03.20 11
48	Bucuresti	ARTOPROD SRL	RM. VALCEA, Al. Parteneriatul ui, nr. 12, Jud. Valcea	J38/227/199 7	CUI 9430532	0250/736528 , 0740254909; e-mail artoprodsrl@ yahoo.com	-	-	-	-	-	Cazane abur; cazane apa fierbinte	cazane abur pmax.0.5bar; cazane apa fierbinte T>110°C	B/CR4/H/4,5 /3101/0/30. 08.2017

49	Tg. Mures	AZOMURES SA	TG. MURES, Str. Gh. Doja, nr.30, Jud. Mures	J26/1/1991	RO 1200490	0265/253700 /252627	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=50t/h, pmax=50bar, Tmax=500°C; Dmax=50Gcal /h, pmax=22bar	MS/CR4/E/4, 5/0044/0/12 .10.2010
50	Tg. Mures	AZOMURES SA	TG. MURES SA, Str. Gh. Doja, nr.300, Jud. Mures	J26/01/1991	CUI 1200490	0265/253700 /252627	-	-	Cazane de abur	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440°C	MS/CR4/C/4/ 0071/0/29.1 1.2010
51	Sibiu	BALTUR SIB SRL	SIBIU, Str. Regele Ferdinand , nr.2, Jud. Sibiu	J32/297/199 8	CUI 10565398	0269/215398 /215376	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤420t/h , pmax≤150bar , Tmax≤540°C; Dmax≤100Gc al/h,	SB/CR4/A,B, C/4,5/1707/ 1/16.05.2017
52	Central	BALTUR SIB SRL	SIBIU, Str. Regele Ferdinand , nr.2, Jud. Sibiu	J32/297/199 8	CUI 10565398	0269/215398 /215376	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤420t/h , pmax≤150bar , Tmax≤540°C; Dmax≤100Gc al/h,	DISPR/CR4/A ,B,C/4,5/147 5/0/20.07.20 11
53	Oradea	BIJU SRL	TIMISOARA, Str. Brandusei, nr.1, sc.B, parter, ap.4, Jud. Timis	J35/2581/19 91	CUI 1819357	0256/424868	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=300°C; Dmax=5Gcal/ h, pmax=16bar	OR/CR4/A,C/ 4,5/1256/1/ 18.02.2014

54	Central	BIJU SRL	TIMISOARA, Str. Brandusei, nr.1, sc.B, parter, ap.4, Jud. Timis	J35/2581/19 91	CUI 1819357	0256/424868	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤10t/h, pmax≤16bar, Tmax≤300°C; Dmax≤5Gcal/ h, pmax≤16bar,	DISPR/CR4/A ,C/4,5/1267/ 0/17.06.2011
55	Central	BIS NIMB SA	CERNAVODA, Platforma SNN CNE INVEST , Jud. Constanta	J13/1328/19 99	CUI 9275005	0241/238488 /238890	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	pmax≤16bar, Qmax≤10t/h, Dmax≤5Gcal/ h; Qmax≤10t/h,	DISPR/CR4/B ,C/4,5/0978/ 0/09.06.2011
56	Bucuresti	BLACK SEA SUPPLIERS SRL	CONSTANTA, Bd. Aurel Vlaicu, nr.191, Jud. Constanta	J13/2456/19 96	CUI 8877045	0241/697700	Cazane abur	-	-	-	-	-	Qmax≤10t/h, pmax≤16bar, Tmax=325°C	B/CR4/A/4/2 094/1/15.01. 2016
57	Central	BLACK SEA SUPPLIERS SRL	CONSTANTA, Bd. Aurel Vlaicu, nr.191, Jud. Constanta	J13/2456/19 96	CUI 8877045	0241/697700	Cazane abur	-	-	-	-	-	Qmax≤10t/h, pmax≤16bar, Tmax=325°C	DISPR/CR4/A /4/2094/0/0 5.10.2011
58	Bucuresti	BLUE NEON SA	CRAIOVA, Str. Nicolae Titulescu, nr.46, bl.E4, sc.1, ap.9, Jud. Dolj	J16/868/200 6	CUI 18652333	0744763559; 0251/592858	-	-	-	-	-	-	Cazane abur; cazane apa fierbinte p>0.5bar, T>=110°C	B/CR4/H/4,5 /1382/0/27. 05.2013

59	Bucuresti	BONATTI Spa PARMA - Sucursala Bucuresti	BUCURESTI, Str. Aleksandr Sergheevici Puskin, nr. 10, camera C15, et. 3, sector 1;	J40/9115/20 14	CUI 33446663	0737977799; e-mail filippo.scurti @bonatti.it	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=65bar, Tmax=440°C; Dmax=30Gcal /h, pmax=70bar	B/CR4/A,B,C /4,5/2361/4 /27.05.2020
60	Bucuresti	BONATTI Spa PARMA - Sucursala Bucuresti	BUCURESTI, Str. Aleksandr Sergheevici Puskin, nr. 10, camera C15, et. 3, sector 1;	J40/9115/20 14	CUI 33446663	0737977799; e-mail filippo.scurti @bonatti.it	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250°C; Dmax=30Gcal /h, pmax=16bar	B/CR4/A,B,C /4,5/2361/3 /23.05.2019
61	Bucuresti	BONATTI Spa PARMA - Sucursala Bucuresti	BUCURESTI, Str. Amiral Constantin Balanescu, nr. 31A, et. 1, ap. 4, sector 1; POENI, Str.	J40/9115/20 14	CUI 33446663	0725594051; e-mail filippo.scurti @bonatti.it; 0723562119; e-mail cristian.chirit oiu@bonatti.i	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250°C; Dmax=30Gcal /h, pmax=16bar	B/CR4/A,B,C /4,5/2361/2 /10.07.2017
62	Bucuresti	BONATTI Spa PARMA - Sucursala Bucuresti	BUCURESTI, Str. Gheorgheni, nr.68, et.1, ap.4, sector 5	J40/9115/20 14	CUI 33446663	021/4024100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250°C; Dmax=30Gcal /h, pmax=16bar	B/CR4/A,B,C /4,5/2361/1 /06.04.2016
63	Bucuresti	BONATTI Spa PARMA - Sucursala Bucuresti	BUCURESTI, Str. Gheorgheni, nr.68, et.1, ap.4, sector 5;	J40/9115/20 14	CUI 33446663	021/4024100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250°C; Dmax=30Gcal /h, pmax=16bar	B/CR4/A,B,C /4,5/2361/0 /28.11.2014

64	Bucuresti	BOSCH SERVICII TERMOTEHNI CA SRL	BUCURESTI, Str. Amiral Horia Macelariu, nr. 30-34, et. 2, Birou service TT, sector 1	J40/10004/2 019	RO 41462082	0722647979, E-mail dan.alexandr oae@ro.bosc h.com	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=60t/h, pmax=30bar, Tmax=300°C; Dmax=31Gcal /h, pmax=30bar	B/CR4/A/4,5 /3551/1/11. 03.2020
65	Bucuresti	BOSCH SERVICII TERMOTEHNI CA SRL	BUCURESTI, Str. Amiral Horia Macelariu, nr. 30-34, et. 2, Birou service TT, sector 1	J40/10004/2 019	RO 41462082	0722647979, E-mail dan.alexandr oae@ro.bosc h.com	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=60t/h, pmax=30bar, Tmax=300°C; Dmax=31Gcal /h, pmax=30bar	B/CR4/A/4,5 /3551/0/29. 11.2019
66	Bucuresti	BPM TEHNOLOGIC A SRL	BUCURESTI, Al. Botorani, nr. 2, bl. V80, sc. B, et. 7, ap. 49, sector 5	J40/6811/20 15	RO 34613689	0723144250, 031/4379349 ; e-mail bogdan@bpm tehnologica.r o	Cazane abur	-	Cazane abur	-	Cazane abur	-	Qmax=2t/h, pmax=16bar, Tmax=440°C	B/CR4/G/4/3 497/0/06.09. 2019; B/CR4/A,C/4 /3496/0/06. 09.2019
67	Bacau	BRAITERM IMPEX SRL	LACU SARAT, Com. Chiscani, Jud. Braila	J09/1529/19 94	CUI 6993898	0239/652604	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=250°C	BC/CR4/A,C/ 4/1488/2/07 .05.2015
68	Bacau	BRAITERM IMPEX SRL	LACU SARAT, Com. Chiscani, Jud. Braila	J09/1529/19 94	CUI 6993898	0239/652604	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=250°C	BC/CR4/A,C/ 4/1488/1/22 .09.2014

69	Central	BRAITERM IMPEX SRL	LACU SARAT, Com. Chiscani, Str. Principală, nr.41, Jud. Braila	J09/1529/19 94	CUI 6993898	0239/652604	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=250°C	DISPR/CR4/A ,C/4/3026/0 /16.02.2012
70	Bacau	BURNER SERVICE SRL	IASI, Aleea Tudor Neculai, nr. 99, camera 1, bl. 989A, sc. B, et. 4, ap. 18, Jud. Iasi	J22/317/201 4	CUI 32851307	0744707150; e-mail office@burne r-service.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=120t/h , pmax=40bar, Tmax=350°C	BC/CR4/A,B, C/4/1850/0/ 26.06.2018
71	Cluj	CALORA PROD SRL	CLUJ NAPOCA, Str. Parang, nr.6, bl.H3, ap.42, Jud. Cluj	J12/3320/19 93	RO 4723388	0264/432429	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h , pmax=40bar, Tmax=450°C; Dmax=50Gcal /h, pmax=16bar	CJ/CR4/E/4, 5/0014/0/18 .05.2010
72	Bucuresti	CALOREX INTERNATION AL TRADE SRL	BUCURESTI, Bd. Iuliu Maniu, nr. 224, sector 6	J40/27220/1 994	RO 6646117	021/4303002 / 4305760; e- mail calorex@calo rex.ro	Cazane abur, cazane apa fierbinte	Cazane abur, cazane apa fierbinte	Cazane abur, cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=250°C; Dmax=5Gcal/ h, pmax=16bar	B/CR4/A,B,C /4,5/3120/0 /01.09.2017
73	Bacau	CALORSERV EXPERT SRL	IASI, B-dul Poitiers, nr. 25C, bl.10, et.4, Jud. Iasi	J22/1921/20 13	CUI 32469960	0765953181, email: office@calors ervexpert.ro	Cazane abur	-	-	-	-	-	Qmax=3 t/h, pmax=10 bar, Tmax=200°C	BC/CR4/A/4/ 1994/0/29.1 0.2020

74	Bucuresti	CASA DE COMENZI COMMODUS SRL	TULCEA, Str. Dobrogeanu Gherea, nr. 2, bl. C2, sc. B, ap. 1, Jud. Tulcea; TULCEA, Str. Isacsei, nr.	J36/152/200 8	RO 23526358	0721254445; e-mail office@comm odus.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=100t/h , pmax=125bar , Tmax=570°C	B/CR4/A,B,C /4/3327/0/1 8.09.2018
75	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18898/2 006	RO 19222172	021.334.55.1 7	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal /h, pmax=40bar	B/CR4/A/4,5 /2376/20/04 .03.2022
76	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18898/2 006	RO 19222172	021.334.55.1 7	Cazane de abur; Cazane de apa fierbinte	-	-	-	-	-	Qmax= 50t/h, pmax= 40bar, Tmax= 250°C; Dmax= 50Gcal/h,	B/CR4/A/4,5 /2376/21/02 .08.2022
77	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18898/2 006	RO 19222172	021.334.55.1 7	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal /h, pmax=40bar	B/CR4/A/4,5 /2376/18/21 .04.2021
78	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18898/2 006	RO 19222172	021.334.55.1 7	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal /h, pmax=40bar	B/CR4/A/4,5 /2376/17/22 .06.2020

79	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18898/2 006	RO 19222172	021.334.55.1 7	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal /h, pmax=40bar	B/CR4/A/4,5 /2376/16/30 .03.2020
80	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18898/2 006	RO 19222172	213345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal /h, pmax=40bar	B/CR4/A/4,5 /2376/15/31 .01.2020
81	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18898/2 006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal /h, pmax=40bar	B/CR4/A/4,5 /2376/14/14 .11.2019
82	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18898/2 006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal /h, pmax=40bar	B/CR4/A/4,5 /2376/13/14 .08.2019
83	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18898/2 006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal /h, pmax=40bar	B/CR4/A/4,5 /2376/12/14 .06.2019

84	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18898/2 006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal /h, pmax=40bar	B/CR4/A/4,5 /2376/11/15 .03.2019
85	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18898/2 006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal /h, pmax=40bar	B/CR4/A/4,5 /2376/10/25 .09.2018
86	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18898/2 006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal /h, pmax=40bar	B/CR4/A/4,5 /2376/9/17. 07.2018
87	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18898/2 006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal /h, pmax=40bar	B/CR4/A/4,5 /2376/8/28. 03.2018
88	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18898/2 006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal /h, pmax=40bar	B/CR4/A/4,5 /2376/7/20. 12.2017

89	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18898/2 006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal /h, pmax=40bar	B/CR4/A/4,5 /2376/6/28. 02.2017
90	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18898/2 006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal /h, pmax=40bar	B/CR4/A/4,5 /2376/5/09. 08.2016
91	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18898/2 006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal /h, pmax=40bar	B/CR4/A/4,5 /2376/4/19. 02.2016
92	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18898/2 006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal /h, pmax=40bar	B/CR4/A/4,5 /2376/3/03. 12.2015
93	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18898/2 006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal /h, pmax=40bar	B/CR4/A/4,5 /2376/2/23. 06.2015

94	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18898/2006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5 /2376/1/24.04.2015
95	Bucuresti	CENTRAL SERVICE INSTAL SRL	BUCURESTI, Sos. Vitan Barzesti, nr. 11A, sector 4	J40/18898/2006	RO 19222172	021/3345517	Cazane abur, cazane apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal/h, pmax=40bar	B/CR4/A/4,5 /2376/0/04.12.2014
96	Oradea	CENTRALA ELECTRICA DE TERMOFICARE ARAD SA	ARAD, Calea 6 Vanatori , Jud. Arad	J02/336/2002	CUI 14593668	0257/307455 / 213160	-	-	Cazane abur	-	-	-	Qmax=420t/h , Pmax=150bar , Tmax=540°C	OR/CR4/C/4 /1072/0/06.11.2012
97	Iasi	CENTRUL JUDETEAN DE APARATURA MEDICALA	IASI, Str. Vasile Conta, nr.2-4, Jud. Iasi	-	RO 12665636	0232/314271 / 263977	Cazane abur (generatoare electrice de abur)	Cazane abur (generatoare electrice de abur)	Cazane abur (generatoare electrice de abur)	-	-	-	Qmax=0.3t/h , Pmax=6bar, Tmax=185°C	IS/CR4/A,B,C /4/0055/0/2 3.06.2010
98	Bucuresti	CEPROAT SRI	BUCURESTI, Str. Petre Lintes, nr.22, sector 5	J40/5295/2002	CUI 14715455	0723193194; 021/7813415	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, Pmax=200bar , Tmax=570°C; Dmax=100Gcal/h,	B/CR4/E/4,5 /0177/0/02.08.2010

99	Central	CERVES SRL	BRAILA, Str. Tineretului, nr. 4, Jud. Braila	J09/525/2010	CUI 27471760	0239/683324 ; interventie 0741569330	-	-	-	Cazane abur, apa fierbinte	-	-	Qmax=420t/h , pmax=150bar , Tmax=570°C; Dmax=50Gcal/h	DISPR/CR4/E/4,5/0587/1/05.08.2015
100	Central	CERVES SRL	BRAILA, Str. Poet Gr. Alexandrescu, nr.120, modul 1, et.2, Jud. Braila	J09/525/2010	CUI 27471760	0239/683324	-	-	-	Cazane abur, apa fierbinte	-	-	Qmax=420t/h , pmax=150bar , Tmax=570°C; Dmax=50Gcal/h	DISPR/CR4/E/4,5/0587/0/10.05.2011
101	Bucuresti	CET GOVORAS SA	RM. VALCEA, Str. Industriilor, nr.1, Jud. Valcea	J38/683/1997	CUI 10102377	0250/733601/733603	-	-	Cazane abur	-	-	-	Qmax≤420t/h , pmax≤225bar , Tmax≤570°C	B/CR4/C/4/3196/1/11.01.2018
102	Central	CET GOVORAS SA	RM. VALCEA, Str. Industriilor, nr.1, Jud. Valcea	J38/683/1997	CUI 10102377	0250/733601/733603	-	-	Cazane abur	-	-	-	Qmax≤420t/h , pmax≤225bar , Tmax≤570°C	DISPR/CR4/C/4/2522/0/07.12.2011
103	Sibiu	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie 1989, nr.152, ap.18, Jud. Cluj; CLUJ	J12/1453/1998	CUI 11086555	0264/424665/462385	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤250t/h , pmax≤40bar, Tmax≤400°C; Dmax≤100Gcal/h, pmax≤30bar	SB/CR4/A,B,C/4,5/1244/1/14.10.2013

104	Central	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie 1989, nr.152, ap.18, Jud. Cluj; CLUJ	J12/1453/19 98	CUI 11086555	0264/424665 /462385	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤50t/h, pmax≤40bar, Tmax≤400°C; Dmax≤25Gcal /h, pmax≤30bar	DISPR/CR4/A ,B,C/4,5/163 9/0/20.07.20 11
105	Central	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie, nr.152, ap.18, Jud. Cluj; CLUJ NAPOCA,	J12/1453/19 98	CUI 11086555	0264/424665 /462385	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmin>0.5bar; Tmin>110°C	DISPR/CR4/G /4,5/1637/0 /21.07.2011
106	Central	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie 1989, nr.152, ap.18, Jud. Cluj	J12/1453/19 98	CUI 11086555	0264/424665 /462385	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h , pmax=40bar, Tmax=350°C; pmax=16bar, Dmax=100Gc al/h	DISPR/CR4/E /4,5/1840/0 /07.09.2011
107	Central	CHI TECH SRL	CLUJ NAPOCA, Bd. 21 Decembrie, nr.152, ap.18, Jud. Cluj	J12/1453/19 98	CUI 11086555	0264424665/ 462385	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/ h, pmax=200bar , Tmax=570°C; Dmax=100Gc al/h,	DISPR/CR4/E /4,5/1840/1 /20.06.2012
108	Brasov	CHIMP SRL	PLOIESTI, Str. Mierlei, nr. 25, Jud. Prahova	J29/1229/19 93	RO 4000437	0244/551949	-	-	-	-	Cazane abur	-	p>0.5bar	BV/CR4/H/4/ 1362/1/27.0 1.2015

109	Ploiesti	CHIMP SRL	PLOIESTI, Str. Mierlei, nr.25, Jud. Prahova	J29/1229/19 93	RO 4000437	0244/551949	-	-	-	-	Cazane abur	-	p>0.5bar	PL/CR4/H/4/ 0289/0/23.1 2.2010
110	Bacau	CIBOCAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8, Jud. Botosani	J07/1038/19 94	RO 6566670	0231/539028	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=20t/h, pmax=40bar, Tmax=400°C	BC/CR4/A,B, C/4/1330/1/ 19.01.2016- retragere voluntara (radiere) incepand cu 26.08.2019
111	Bacau	CIBOCAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8, Jud. Botosani	J07/1038/19 94	RO 6566670	0231/531536 / 539028	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=20t/h, pmax=40bar, Tmax=400°C	BC/CR4/A,B, C/4/1330/0/ 05.11.2013
112	Cluj	CLASIC ASOCIATIA PENTRU INDUSTRIE SI COMERT DIN CLUJ SRL	CLUJ NAPOCA, Al. Scarisoara, nr.3, ap. 11, Jud. Cluj	J12/2915/19 91	RO 222147	0264/540465	-	-	-	-	-	Cazane abur, apa fierbinte	-	CJ/CR4/H/4, 5/0137/0/02 .12.2010
113	Bacau	CLIMA THERM CENTE SRL	IASI, Sos. Pacurari, nr. 139, Jud. Iasi	J22/916/200 0	RO 13572870	0232/261833 /272700	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=5t/h, pmax=16bar, Tmax=350°C	BC/CR4/A,B, C/4/1919/1/ 28.08.2019

114	Iasi	CLIMA THERM CENTE SRL	IASI, Sos. Pacurari, nr. 139, Jud. Iasi	J22/916/200 0	RO 13572870	0232/261833 /272700	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=5t/h, pmax=16bar, Tmax=350°C	IS/CR4/A,B,C /4/0134/0/2 5.10.2010
115	Oradea	CLIMAROL PREST SRL	ORADEA, Str. Grigore Ureche, nr. 15, ap. 48, Jud. Bihor; ORADEA, Str. Matei Corvin, nr.	J05/3172/19 93	RO 4738249	0744234396; e-mail office@clima rol.ro	Cazane de abur	Cazane de abur	-	-	-	-	Q≤50t/h, p≤40bar, T=400°C	OR/CR4/A,B/ 4/1723/0/26 .11.2019
116	Central	CNCIR SA	BUCURESTI, str. Ocna Sibiului, nr.46-48, sector 1	J40/11976/2 010	CUI 27787860	0213167921, 0214119870, e-mail: cncir@cncir.e u	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/ h, pmax=400bar , Tmax=570°C; Dmax=100Gc al/h,	DISPR/CR4/E /4,5/0165/1 0/13.04.2022
117	Central	CNCIR SA	BUCURESTI, str. Ocna Sibiului, nr.46-48, sector 1	J40/11976/2 010	CUI 27787860	0213167921, 0214119870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/ h, pmax=400bar , Tmax=570°C; Dmax=100Gc al/h,	DISPR/CR4/E /4,5/0165/9 /10.11.2020
118	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11976/2 010	CUI 27787860	021/3167921 / 4119870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/ h, pmax=400bar , Tmax=570°C; Dmax=100Gc al/h,	DISPR/CR4/E /4,5/0165/8 /22.03.2019

119	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11976/2 010	CUI 27787860	021/3167921 / 4119870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=400bar , Tmax=570°C; Dmax=100Gcal/h,	DISPR/CR4/E /4,5/0165/7 /18.02.2019
120	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11976/2 010	CUI 27787860	021/3167921 / 4119870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar , Tmax=570°C; Dmax=50Gcal/h,	DISPR/CR4/E /4,5/0165/6 /09.10.2017
121	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11976/2 010	CUI 27787860	021/3167921 / 4119870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar , Tmax=570°C; Dmax=50Gcal/h,	DISPR/CR4/E /4,5/0165/5 /11.10.2016
122	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11976/2 010	CUI 27787860	021/3167921 / 4119870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar , Tmax=570°C; Dmax=50Gcal/h,	DISPR/CR4/E /4,5/0165/4 /19.12.2014
123	Central	CNCIR S.A.	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11976/2 010	CUI 27787860	021/3167921 /3166027	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar , Tmax=570°C; Dmax=50Gcal/h,	DISPR/CR4/E /4,5/0165/2 /27.07.2012

124	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11976/2 010	CUI 27787860	021/3167921 /3167922/31 67923/31660 27	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar , Tmax=570°C; Dmax=50Gcal/h,	DISPR/CR4/E /4,5/0038/0 /01.03.2011
125	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11976/2 010	CUI 27787860	021/3167921 /3166027	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar , Tmax=570°C; Dmax=50Gcal/h,	DISPR/CR4/E /4,5/0165/1 /23.04.2012
126	Central	CNCIR SA	BUCURESTI, Str. Fluviului, nr.16, sector 1	J40/11976/2 010	CUI 27787860	021/3167921 / 4119870	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=190bar , Tmax=570°C; Dmax=50Gcal/h,	DISPR/CR4/E /4,5/0165/3 /22.03.2013
127	Tg. Mures	COM TUR SRL	MIERCUREA CIUC, Str. Muller Laszlo, nr.31, Jud. Harghita	J19/414/199 2	CUI 512680	0266/371174 / 323776	Cazane de abur	-	-	-	-	-	pmax=16 bar, Qmax=10t/h, Tmax=350°C	MS/CR4/A/4/ 0011/0/12.0 5.2010
128	Bacau	COMES SA	SAVINESTI, Str. Gheorghe Caranfil, nr.3, Jud. Neamt	J27/27/1991	CUI 2662292	0233280601/ 0233280585, email office@comes .ro	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤420t/h , pmax≤200bar , Tmax≤600°C; Qmax≤100Gcal/h,	BC/CR4/B,C/ 4,5/1280/6/ 22.06.2021

129	Bacau	COMES SA	SAVINESTI, Str. Gheorghe Caranfil, nr.3, Jud. Neamt	J27/27/1991	CUI 2662292	0233280601/ 0233280585, email office@comes .ro	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤420t/h , pmax≤200bar , Tmax≤600°C; Qmax≤100Gc al/h,	BC/CR4/B,C/ 4,5/1280/5/ 26.03.2020
130	Bacau	COMES SA	SAVINESTI, Str. Gheorghe Caranfil, nr.3, Jud. Neamt	J27/27/1991	CUI 2662292	0233/281568 /281833	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤420t/h , pmax≤40bar, Tmax≤600°C; Dmax≤100Gc al/h, pmax≤30bar,	BC/CR4/B,C/ 4,5/1280/4/ 20.04.2018
131	Bacau	COMES SA	SAVINESTI, Str. Gheorghe Caranfil, nr.3, Jud. Neamt	J27/27/1991	CUI 2662292	0233/281568 /281833	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤420t/h , pmax≤40bar, Tmax≤600°C; Dmax≤100Gc al/h, pmax≤30bar,	BC/CR4/B,C/ 4,5/1280/3/ 08.01.2016
132	Bacau	COMES SA	SAVINESTI, Str. Uzinei, nr.1, Jud. Neamt	J27/27/1991	CUI 2662292	0233/281568 /281833	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤420t/h , pmax≤40bar, Tmax≤600°C; Dmax≤100Gc al/h, pmax≤30bar,	BC/CR4/B,C/ 4,5/1280/2/ 08.08.2013
133	Central	COMES SA	SAVINESTI, Str. Uzinei, nr.1, Jud. Neamt	J27/27/1991	CUI 2662292	0233/281568 /281833	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤420t/h , pmax≤40bar, Tmax≤600°C; Dmax≤100Gc al/h, pmax≤30bar,	DISPR/CR4/B ,C/4,5/0695/ 1/06.10.2011

134	Central	COMES SA	SAVINESTI, Str. Urziceni, nr.1, Jud. Neamt	J27/27/1991	CUI 2662292	0233/281568 /281833	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤420t/h, pmax≤40bar, Tmax≤600°C; Dmax≤100Gcal/h, pmax≤30bar, pmax=215bar	DISPR/CR4/B ,C/4,5/06951 /0/11.05.201 1
135	Sibiu	COMOSERV SRL	TG. MURES, Str. Alexandru Papiu Ilarian, nr. 28, Jud. Mures; TG. MURES, Str.	J26/1087/20 18	CUI 19033173	0365/424892 / 424866	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1000t/h, Tmax=650°C; pmax=100bar	SB/CR4/A,B, C/4,5/2069/ 0/15.06.2020
136	Bucuresti	COMPANIA MUNICIPALA ENERGETICA SERVICII BUCURESTI SA	BUCURESTI, Splaiul Unirii, nr. 76, Clădirea River Plaza, Corp A, biroul nr.1, et. 1, sector	J40/7921/20 19	CUI 41268559	0372400780/ 400781; e- mail office@cmse b.com.ro	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmax>0,5bar , T>110°C	B/CR4/G/4,5 /3227/2/10. 06.2021
137	Bucuresti	COMPANIA MUNICIPALA ENERGETICA BUCURESTI SA	BUCURESTI, Splaiul Unirii, nr. 76, Clădirea River Plaza, Corp A, et. 1, sector 4	J40/9172/20 17	CUI 37752029	0372400780/ 400781; e- mail office@cmeb. com.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤8t/h, pmax≤16bar, Tmax≤250°C; Dmax=100Gcal/h, pmax=16ba	B/CR4/A,B,C /4,5/3230/2 /16.01.2020
138	Bucuresti	COMPANIA MUNICIPALA ENERGETICA BUCURESTI SA	BUCURESTI, Splaiul Unirii, nr. 76, Corp A, et. 1 si 2, sector 4	J40/9172/20 17	RO 37752029	0372400780/ 400781; e- mail office@cmeb. com.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤8t/h, pmax≤16bar, Tmax≤250°C; Dmax=100Gcal/h, pmax=16ba	B/CR4/A,B,C /4,5/3230/1 /15.10.2018

139	Bucuresti	COMPANIA MUNICIPALA ENERGETICA BUCURESTI SA	BUCURESTI, Bd. Octavian Goga, nr. 2, Tronson 1, et. 1 si 2, sector 3	J40/9172/20 17	RO 37752029	0372400780/ 400781; e- mail office@cmeb. com.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤8t/h, pmax≤16bar, Tmax≤250°C; Dmax=100Gc al/h, pmax=16ba	B/CR4/A,B,C /4,5/3230/0 /10.04.2018
140	Bucuresti	COMPANIA MUNICIPALA ENERGETICA BUCURESTI SA	BUCURESTI, Splaiul Unirii, nr. 76, Corp A, et. 1 si 2, sector 4	J40/9172/20 17	RO 37752029	0372400780/ 400781; e- mail office@cmeb. com.ro	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	B/CR4/G/4,5 /3227/1/16. 10.2018
141	Bucuresti	COMPANIA MUNICIPALA ENERGETICA BUCURESTI SA	BUCURESTI, Bd. Octavian Goga, nr. 2, Tronson 1, et. 1 si 2, sector 3	J40/9172/20 17	RO 37752029	0372400780/ 400781; e- mail office@cmeb. com.ro	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	B/CR4/G/4,5 /3227/0/13. 04.2018
142	Central	COMPLEXUL ENERGETIC CRAIOVA SA	CRAIOVA, Str. Unirii, nr.147, Jud. Dolj	J16/656/200 4	CUI 16299139	0351/403310 / 403344/ 449550	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h , pmax=250bar , Tmin=105°C; Tmax=600°C; Dmax≤100Gc	DISPR/CR4/C /4,5/2538/0 /02.12.2011
143	Oradea	COMPLEXUL ENERGETIC HUNEDOARA SA- Sucursala ELECTROCEN TRALE PAROSEN	VULCAN, Str. Paroseni, nr. 20, Jud. Hunedoara	J20/733/201 3	CUI 32110567	0254/570790 / 570481	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=540t/h , pmax=140bar , Tmax=545°C; Dmax≤103.2G cal/h,	OR/CR4/C/4, 5/1571/0/14 .11.2017

144	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCEN TRALE CRAIOVA	CRAIOVA, Str. Unirii, nr.147, Jud. Dolj	J16/904/201 2	CUI 30292810	0351/403310 / 303311/ 449550	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤525t/h , 0.5bar≤pmax ≤250bar, 105°C≤Tmax ≤600°C; Dmax≤100Gc al/h,	DISPR/CR4/C /4,5/1196/0 /05.11.2012
145	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCEN TRALE ISALNITA	ISALNITA, Str. Mihai Viteazul, nr.101, Jud. Dolj	J16/587/201 3	CUI 31454295	0251/407633 / 407602	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h , Tmin=105°C, tmax=600°C, pmax=250bar ; Dmax=100Gc al/h,	B/CR4/C/4,5 /1844/0/01. 10.2013
146	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCEN TRALE ROVINARI	ROVINARI, Str. Energeticianu lui, nr.25, Jud. Gorj	J18/337/201 2	CUI 30310461	0253/372556 / 371590	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤1035t/ h, P≤196bar, T≤540°C; Dmax=100Gc al/h, P≤25bar, T≤150°C	B/CR4/A,C/4 ,5/1220/1/0 5.07.2018
147	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCEN TRALE ROVINARI	ROVINARI, Str. Energeticianu lui, nr.25, Jud. Gorj	J18/337/201 2	CUI 30310461	0253/372556 / 371590	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤1035t/ h, 0.5bar≤pmax ≤196bar, 105°C≤Tmax ≤600°C; Dmax≤100Gc al/h,	B/CR4/A,C/4 ,5/1220/0/1 4.12.2012
148	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCEN TRALE TURCENI	TURCENI, Str. Uzinei, nr.1, Jud. Gorj	J18/338/201 2	CUI 30310453	0253/335111 / 335015	-	-	Cazane abur	-	-	-	Qmax=1035t/ h, p≤196bar, Tmax=540°C	B/CR4/C/4/1 611/2/03.09. 2018

149	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCEN- TRALE TURCENI	TURCENI, Str. Uzinei, nr.1, Jud. Gorj	J18/338/201 2	CUI 30310453	0253/335045 / 335015	-	-	Cazane abur	-	-	-	Qmax=1035t/ h, p≤196bar, Tmax=540°C	B/CR4/C/4/1 611/1/30.09. 2016
150	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCEN- TRALE TURCENI	TURCENI, Str. Uzinei, nr.1, Jud. Gorj	J18/338/201 2	CUI 30310453	0253/335045 / 335081	-	-	Cazane abur	-	-	-	Qmax=1035t/ h, p≤196bar, 105°C≤Tmax ≤540°C	B/CR4/C/4/1 611/0/17.05. 2013
151	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCEN- TRALE CRAIOVA II	CRAIOVA, Str. Bariera Valcii, nr.195, Jud. Dolj	J16/588/201 3	CUI 31454260	0251/599480 / 596555; 0251/599495	-	Cazane de abur, apa fierbinte	-	-	-	-	Qmax=525t/h , pmax=250bar , 105°C≤Tmax ≤600°C	B/CR4/C/4,5 /1911/0/03. 12.2013
152	Central	COMPLEXUL ENERGETIC TURCENI SA	TURCENI, Str. Uzinei, nr.1, Jud. Gorj	J18/257/200 4	CUI 16302447	0253/335045 /335081	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤10t/h, pmax≤15bar; Dmax=1035t/ h, pmax≤195bar ,	DISPR/CR4/C /4,5/0482/0 /11.03.2011
153	Brasov	COMREP SA	PLOIESTI, Str. Gh. Grigore Cantacuzino, nr.32, Jud. Prahova	J29/127/199 1	RO 1345008	0244/525321 / 515961	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax≤120t/h , pmax≤100bar , Tmax≤440°C; Dmax≤50Gcal /h,	BV/CR4/B,C/ 4,5/1266/3/ 18.02.2021

154	Brasov	COMREP SA	PLOIESTI, Str. Gh. Grigore Cantacuzino, nr.32, Jud. Prahova	J29/127/199 1	RO 1345008	0244/525321 / 515961	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h ; Pmax=100bar ; Dmax=50Gcal /h, Tmax=440°C	BV/CR4/B,C/ 4,5/1266/2/ 07.05.2019
155	Brasov	COMREP SA	PLOIESTI, Str. Gh. Grigore Cantacuzino, nr.32, Jud. Prahova	J29/127/199 1	RO 1345008	0244/525321 / 515961	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h ; Pmax=100bar ; Dmax=50Gcal /h, Tmax=440°C	BV/CR4/B,C/ 4,5/1266/1/ 26.05.2014
156	Ploiesti	COMREP SA	PLOIESTI, Str. Gh. Grigore Cantacuzino, nr.32, Jud. Prahova	J29/127/199 1	RO 1345008	0244/513145 /515961	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h ; Pmax=120bar ; Dmax=50Gcal /h, Tmax=440°C	PL/CR4/B,C/ 4,5/0160/0/ 06.09.2010
157	Sibiu	COMTERM INVEST SRL	TG. MURES, Str. Rozmarinului ,nr. 60, Jud. Mures	J26/677/199 9	RO 12361289	0265/253250 ; e-mail office@comte rminvest.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=450°C; Qmax=100Gc al/h, pmax=40bar	SB/CR4/A,B, C/4,5/2075/ 6/31.07.2020
158	Sibiu	COMTERM INVEST SRL	TG. MURES, Str. Rozmarinului ,nr. 60, Jud. Mures	J26/677/199 9	RO 12361289	0265/253250 ; e-mail office@comte rminvest.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=450°C; Dmax=100Gc al/h, pmax=40bar	SB/CR4/A,B, C/4,5/1951/ 5/13.06.2019

159	Sibiu	COMTERM INVEST SRL	TG. MURES, Str. Rozmarinului ,nr. 60, Jud. Mures	J26/677/1999	RO 12361289	0265/253250 ; e-mail office@comterminvest.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450°C; Dmax=100Gcal/h, pmax=40bar	SB/CR4/A,B, C/4,5/1867/4/21.09.2018
160	Sibiu	COMTERM INVEST SRL	TG. MURES, Str. Rozmarinului ,nr.60, corp C1, camera 3, et.1, Jud. Mures	J26/677/1999	RO 12361289	0265/253250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450°C; Dmax=100Gcal/h, pmax=40bar	SB/CR4/A,B, C/4,5/1595/3/14.06.2016
161	Central	COMTERM INVEST SRL	TG. MURES, Str. Rozmarinului ,nr.60, corp C1, camera 3, et.1, Jud. Mures	J26/677/1999	RO 12361289	0265/253250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h, pmax=40bar	SB/CR4/A,B, C/4,5/1471/2/27.05.2015
162	Central	COMTERM INVEST SRL	TG. MURES, Str. Rozmarinului ,nr.60, corp C1, camera 3, et.1, Jud. Mures	J26/677/1999	RO 12361289	0265/253250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h, pmax=40bar	DISPR/CR4/A,B,C/4,5/2160/1/16.02.2012
163	Central	COMTERM INVEST SRL	TG. MURES, Bd. 1 Decembrie 1918, nr.243, ap.31, Jud. Mures	J26/677/1999	CUI 12341289	0265/253250	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h, Pmax=40bar	DISPR/CR4/A,B,C/4,5/2160/14.10.2011

164	Ploiesti	COMTERM SA	BUZAU, Str. H.P. Bengescu, nr.5, Jud. Buzau	J10/976/1993	RO 4384761	0238/720242/406760	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=1035t/h, Pmax=150bar Tmax=560°C; Dmax=100Gcal/h	PL/CR4/A,B,C/4,5/0296/0/28.12.2010
165	Bucuresti	CONCIVIC SRL	SLOBOZIA, Str. Closca, nr.20, Judet Ialomita	J21/790/1993	CUI 4831479	0243/230117; e-mail office@conci vic1993.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤10t/h, pmax≤16bar, Tmax≤350°C; Dmax≤25Gcal/h, pmax≤16bar	B/CR4/A,B,C/4,5/3491/1/16.09.2019
166	Central	CONCIVIC SRL	SLOBOZIA, Str. Closca, nr.20, Judet Ialomita	J21/790/1993	CUI 4831479	0243/230117	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤10t/h, pmax≤16bar, Tmax≤350°C; Dmax≤25Gcal/h, pmax≤16bar	DISPR/CR4/A,B,C/4,5/1692/0/10.08.2011
167	Central	CONDITIONAL SRL	BACAU, Str. Letea, nr.38, bl.38, sc.A, ap.3, Jud. Bacau	J40/393/1998	CUI 10439381	0234/583270	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/A,B,C/4,5/3330/0/26.03.2012
168	Brasov	CONDMAG SA	BRASOV, Str. Avram Iancu, nr.52, Jud. Brasov	J08/35/1991	RO 1100008	0268/414954/477772	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q≤10t/h, p≤16bar, T≤450°C; D≤5Gcal/h, p≤16bar	BV/CR4/A,B,C/4,5/0040/0/06.09.2010

169	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/199 1	CUI 1324099	0244/333160 / 374719; e- mail confind@conf ind.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=40bar, Tmax=430°C; Dmax=50Gcal /h, pmax=40bar	BV/CR4/A,B, C/4,5/1400/ 4/07.04.2022
170	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/199 1	CUI 1324099	0244/333160 / 374719; e- mail confind@conf ind.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=40bar, Tmax=430°C; Dmax=50Gcal /h, pmax=40bar	BV/CR4/A,B, C/4,5/1400/ 3/04.01.2021
171	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/199 1	CUI 1324099	0244/333160 / 374719; e- mail confind@conf ind.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=40bar, Tmax=350°C; Dmax=50Gcal /h, pmax=40bar	BV/CR4/A,B, C/4,5/1400/ 2/18.09.2017
172	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/199 1	CUI 1324099	0244/333160 / 374719; e- mail confind@conf ind.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=40bar, Tmax=350°C; Dmax=50Gcal /h, pmax=40bar	BV/CR4/A,B, C/4,5/1400/ 1/23.03.2015
173	Central	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/199 1	CUI 1324099	0244/333160 /374719	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=40bar, Tmax=350°C; Dmax=50Gcal /h, pmax=40bar	DISPR/CR4/A ,B,C/4,5/172 0/0/10.06.20 11

174	Central	CONFORT SA	TIMISOARA, Str. Enric Baader, nr.11, Jud. Timis	J35/729/199 1	CUI 1833467	0256/434575 /434060	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤420t/h, pmax≤140bar, Tmax≤550°C; Dmax≤100Gcal/h,	DISPR/CR4/A ,B,C/4,5/215 1/0/07.10.20 11
175	Bucuresti	CONFORT SRL	BUCURESTI, Str. Straduintei, nr.3, bl.A4, ap.32, et.7, sector 4	J40/1110/19 93	RO 3477560	021/4610529 / 4610921	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤50t/h, pmax=25bar, Tmax=400°C; Dmax=15Gcal/h, pmax=25bar,	B/CR4/A,B,C /4,5/0519/1 /05.08.2013
176	Bucuresti	CONFORT SRL	BUCURESTI, Str. Straduintei, nr.3, bl.A4, sc. 1, ap.36, et.8, sector 4	J40/1110/19 93	RO 3477560	021/4610529 / 4610921	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤50t/h, pmax=25bar, Tmax=400°C; Dmax=15Gcal/h, 0,5bar<pmax	B/CR4/A,B,C /4,5/0519/2 /23.12.2021
177	Central	CONSULT MERIDIAN SRL	SAT LIPIA, Com. Marei, Jud. Buzau	J10/885/200 5	CUI 17807634	0238/711249 ; 0371155437	-	-	-	Cazane abur	-	-	Qmax=40t/h, pmax=40bar, Tmax=350°C	DISPR/CR4/E /4/0316/0/2 5.03.2011
178	Central	CORSEM IMPEX SRL	GURA HUMORULUI, Str. Orizont, nr.6A, Jud. Suceava	J33/1947/19 93	CUI 4973970	0230/514145	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤10t/h, pmax≤16bar, Tmax≤350°C; Dmax≤15Gcal/h, pmax≤16bar,	DISPR/CR4/A ,B,C/4,5/158 0/0/25.07.20 11

179	Iasi	COSMIN COMPANY SRL	IASI, Str. Fundac Ursulea, nr.6, Jud. Iasi	J22/582/199 4	RO 5317728	0232/264597	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=220°C	IS/CR4/A,B,C /4/0010/0/2 1.04.2010- suspendare voluntara incepand cu 23.03.2016
180	Iasi	COSMIN COMPANY SRL	IASI, Str. Fundac Ursulea, nr.6, Jud. Iasi	J22/582/199 4	RO 5317728	0232/264597	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=10t/h, pmax=16bar, Tmax=220°C; Dmax=5Gcal/ h, pmax=16bar	IS/CR4/E/4,5 /0121/0/27. 10.2010- suspendare voluntara incepand cu 23.03.2016
181	Bucuresti	CRIMAR PAMICO INDUSTRIAL MONTAJ SRL	PITESTI, Str. Zamfiresti, nr.16, camera 1, Jud. Arges	J03/12/2012	RO 29515714	0248/615434 ; 0758061602	-	-	Cazane abur	-	-	-	Qmax=650t/h , pmax=225bar , Tmax=570°C	B/CR4/C/4/1 026/0/26.06. 2012
182	Bacau	CRIOMECSA	GALATI, Str. Drumul de Centura, Nr.63, Jud. Galati	J17/1339/19 94	RO 5668427	0236/312437 ; 0236/463059 ; e-mail: office@criom ecsa.ro	Cazane de abur; cazane de apa fierbinte	-	Cazane de abur; cazane de apa fierbinte	-	-	-	Qmax≤250t/h , pmax≤40bar, Tmax≤+540° C; Dmax≤100Gc al/h, pmax≤22bar	BC/CR4/A,C/ 4,5/1118/5/ 08.08.2022
183	Bacau	CRIOMECSA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/19 94	CUI 5668427	0236/312437 / 463059; e- mail office@criom ecsa.ro	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=250t/h , pmax=40bar, Tmax540°C; Dmax=100Gc al/h, pmax=22bar, Tmax>110°C	BC/CR4/A,C/ 4,5/1118/4/ 20.12.2021

184	Bacau	CRIOMECSA	GALATI, Str. Drumul de Centura, Nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437 ; 0236/463059 ; e-mail: office@criomecsa.ro	-	-	-	-	Cazane de abur; cazane de apa fierbinte	-	Qmax=250t/h , pmax=40bar, Tmax=540°C; Dmax=100Gcal/h, pmax=22bar,	BC/CR4/G/4, 5/1968/2/08 .08.2022
185	Bacau	CRIOMECSA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	CUI 5668427	0236/312437 / 463059; e-mail office@criomecsa.ro	-	-	-	-	Cazane abur; cazane apa fierbinte	-	Qmax=250t/h , pmax=40bar, Tmax540°C; Dmax=100Gcal/h, pmax=22bar, Tmax>110°C	BC/CR4/G/4, 5/1968/1/16 .12.2021
186	Bacau	CRIOMECSA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	CUI 5668427	0236/312437 / 463059; e-mail office@criomecsa.ro	-	-	-	-	Cazane abur; cazane apa fierbinte	-	Qmax=250t/h , pmax=40bar, Tmax540°C; Dmax=100Gcal/h, pmax=22bar, Tmax>110°C	BC/CR4/G/4, 5/1968/0/03 .06.2020
187	Bacau	CRIOMECSA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437 / 463059; e-mail office@criomecsa.ro	Cazane abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=250t/h , pmax=40bar, Tmax540°C; Dmax=100Gcal/h, pmax=22bar	BC/CR4/A,C/ 4,5/1118/3/ 18.05.2017
188	Bacau	CRIOMECSA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/1994	RO 5668427	0236/312437 / 463059; e-mail office@criomecsa.ro	Cazane abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h , pmax=40bar, Tmax540°C; Dmax=100Gcal/h, pmax=22bar	BC/CR4/A,C/ 4,5/1118/2/ 29.04.2015

189	Central	CRIOMEK SA	GALATI, Drumul de Centura, nr. 63, Jud. Galati	J17/1339/19 94	RO 5668427	0236.312.437 ; 0753.315.024 ; e-mail: office@criom ecsa.ro	-	-	-	Cazane de abur; Cazane de apa fierbinte	-	-	Qmax = 120t/h, pmax = 140bar, Tmax = 400°C; Dmax = 50Gcal/h, pmax =	DISPR/CR4/E /4,5/3772/3 /05.10.2022
190	Central	CRIOMEK SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/19 94	RO 5668427	0236/312437 / 463059	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=120t/h , pmax=140bar , Tmax=400°C; Dmax=50Gcal /h,	DISPR/CR4/E /4,5/3772/2 /24.06.2015
191	Central	CRIOMEK SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/19 94	RO 5668427	0236/312437 / 463059	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=120t/h , pmax=140bar , Tmax=400°C; Dmax=50Gcal /h,	DISPR/CR4/E /4,5/3772/1 /05.02.2013
192	Galati	CRIOMEK SA	GALATI, Str. Drumul de Centura, nr.63, Jud. Galati	J17/1339/19 94	RO 5668427	0236/312437 /463059	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=120t/h , pmax=140bar , Tmax=400°C; Dmax=50Gcal /h,	GL/CR4/E/4, 5/0102/0/16 .11.2010
193	Bacau	CRIOMEK SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/19 94	RO 5668427	0236/312437 / 463059	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte				Qmax=120t/h , pmax=40bar, Tmax=540°C; Dmax=100Gc al/h, pmax=22bar	BC/CR4/A,C/ 4,5/1118/1/ 09.01.2013

194	Central	CSI ENERGO ELECTRIC SRL	NAVODARI, Str. Muzicii, nr.53, et.1, Jud. Constanta	J13/611/201 1	CUI 28179217	0341/488805	-	-	Cazane abur	-	-	-	Qmax≤105t/h , pmax≤40bar, Tmax≤440°C	DISPR/CR4/C /4/0626/0/2 1.04.2011
195	Bacau	CYCLON TECH SRL	BRAILA, Str. Scolilor, nr.28, Bl.D2, parter, Jud. Braila; BRAILA, Str. Mare, nr.55, Jud. Braila	J09/1144/19 94	RO 6008500	0239/612022 / 612561; 0239/611870	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=220°C; Dmax=5Gcal/ h, Pmax=16bar	BC/CR4/A,B, C/4,5/1082/ 2/28.05.2014
196	Bacau	CYCLON TECH SRL	BRAILA, Str. Scolilor, nr.28, Bl.D2, parter, Jud. Braila; BRAILA, Str. Mare, nr.55, Jud. Braila	J09/1144/19 94	RO 6008500	0239/612022 / 612561; 0239/611870	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=220°C; Dmax=5Gcal/ h, Pmax=16bar	BC/CR4/A,B, C/4,5/1082/ 1/01.11.2012
197	Pitesti	D&G DYNAMIC MAINTENANC E GROUP SRL	COMUNA ALBOTA, sat Albota, nr. 466A, jud. Arges; PITESTI, str. DN 65-B, km 4+850, Hala	J3/960/2006	18747999	0248.250.448 ; 0722.628.597 ; e-mail: dmg@mechan ics.ro	-	-	-	-	Cazane de abur si cazane de apa fierbinte	-	-	PT/CR4/G/4, 5/65/3/16.0 8.2022
198	Bucuresti	D&G DYNAMIC MAINTENANC E GROUP SRL	PITESTI, Str. Mircea Voda, nr. 42, camera 1.1, Jud. Arges; PITESTI, DN 65B, Km 4+850, Hala	J03/960/200 6	CUI 18747999	0248/250448 ; 0722628597	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	B/CR4/G/4,5 /2632/2/16. 11.2018

199	Bucuresti	D&G DYNAMIC MAINTENANCE GROUP SRL	PITESTI, Str. Transilvania, nr. 1, bl. D3, sc. D, et. 4, ap. 17, Jud. Arges; PITESTI, DN 65B, Km	J03/960/200 6	CUI 18747999	0248/250448 ; 0722628597	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	B/CR4/G/4,5 /2632/1/30. 09.2015
200	Central	D&G DYNAMIC MAINTENANCE GROUP SRL	PITESTI, Str. Exercitiu, bl.D3, sc.D, et.4, ap.17, Jud. Arges	J03/960/200 6	CUI 18747999	0248/250448	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmin>0.5bar, Tmin>110°C	DISPR/CR4/G /4,5/1560/0 /21.07.2011
201	Timisoara	D&T INDUSTRIAL EQUIPMENT SRL	GHIRODA, Cal. Lugojului, nr.67, Jud. Timis	J35/1290/19 95	CUI 8024889	0256/288641	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Q≤10t/h, p≤16bar, T≤320°C; D≤5Gcal/h, p≤16bar	TM/CR4/A,B, C/4,5/0038/ 0/02.07.2010
202	Timisoara	DA CONSTANTIN SRL	LUGOJ, Str. Primaverii, nr.42, Jud. Timis	J35/2089/20 02	CUI 15096055	0256/329338	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Q≤5t/h, p≤16bar, T≤250°C	TM/CR4/A,B, C/4/0079/0/ 04.10.2010
203	Constanta	DARO SV TERMIC SRL	CONSTANTA, str. Varful Cu Dor, nr 10, Jud Constanta	J13/840/201 9	RO 40659591	0722.270.134 , e-mail: daro_sv@yahoo.com	Cazane de abur; Cazane de apa fierbinte	Cazane de abur; Cazane de apa fierbinte	Cazane de abur; Cazane de apa fierbinte	-	-	-	Qmax = 40t/h, pmax = 40bar, Tmax = 540°C; Dmax = 50Gcal/h, pmax = 25bar	CT/CR4/A,B, C/4,5/0016/ 2/13.10.2022

204	Constanta	DARO SV TERMIC SRL	CONSTANTA, str. Varful Cu Dor, nr 10, Jud Constanta	J13/840/201 9	RO 40659591	0722270134, email daro_sv@yah oo.com	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=540°C; Dmax=50Gcal /h, pmax=25bar, Qmax=40t/h,	CT/CR4/A,B, C/4,5/0016/ 1/26.11.2021
205	Bucuresti	DARO SV TERMIC SRL	CONSTANTA, str Trandafirului , nr 5, Camera 1, Jud Constanta	J13/840/201 9	RO 40659591	0722270134, email daro_sv@yah oo.com	-	-	Cazane de abur, apa fierbinte	-	-	-	pmax=40bar, Tmax=540°C; Dmax=50Gcal /h, pmax=25bar, Qmax=20t/h,	B/CR4/C/4,5 /3667/0/19. 05.2020
206	Iasi	DAS SRL	IASI, Str. Aurel Vlaicu, nr.87, Jud. Iasi	J22/589/199 1	RO 1986070	0232/262800	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	pmax=16bar, Tmax=350°C; Dmax=20Gcal /h, pmax=16bar, Qmax=20t/h,	IS/CR4/A,B,C /4,5/0097/0 /19.08.2010
207	Iasi	DAS SRL	IASI, Str. Aurel Vlaicu, nr.87, Jud. Iasi	J22/589/199 1	RO 1986070	0232/262800	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	pmax=16bar, Tmax=350°C; Dmax=20Gcal /h, pmax=16bar, Qmax=20t/h,	IS/CR4/A,B,C /4,5/0097/0 /19.08.2010
208	Iasi	DAS SRL	IASI, Str. Aurel Vlaicu, nr.87, Jud. Iasi	J22/589/199 1	RO 1986070	0232/262800	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	pmax=16bar, Tmax=350°C; Dmax=20Gcal /h, pmax=16bar,	IS/CR4/A,B,C /4,5/0097/1 /06.10.2010

209	Bucuresti	DELTA TERMO CONSTRUCTI 999 SRL	PITESTI, Str. Trivale, bl. P3 Bis, sc.C,ap.1, Jud. Arges	J03/600/200 4	CUI 16297707	0248/272797 ; 0745061558	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	Qmax=100t/h , pmax=40bar, tmax=440°C; Dmax=50Gcal /h, pmax=25bar	B/CR4/A,B,C /4,5/2188/0 /16.06.2014
210	București	DIETSCON O&M SRL	VOLUNTARI, bd Pipera, nr 1B, Cubic Center Office Building, spatiul SB5.04,	J23/3958/20 19	CUI 41433419	0728990906, 0732410569, email: ionut_enescu @dietsmann. com/romeo_ ciobanu@diet smann.com	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	pmax=19bar, Qmax=10t/h, tmax=430°C, pmax=65bar, Qmax=30Gcal	B/CR4/A,B,C /4,5/3854/0 /08.06.2021
211	București	DIETSCON O&M SRL	VOLUNTARI, bd Pipera, nr 1B, Cubic Center Office Building, spatiul SB5.04,	J23/3958/20 19	CUI 41433419	0728990906, 0723300819, email: ionut_enescu @dietsmann. com/anton_a rkosi@dietsm ann.com	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	pmax=19bar, Qmax=10t/h, tmax=430°C, pmax=65bar, Qmax=30Gcal	B/CR4/A,B,C /4,5/3795/0 /08.02.2021
212	Ploiesti	DIPERO CONSULTING SRL	PLOIESTI, Str. Pompelor, nr.4, Corp C1, Jud. Prahova	J29/1803/20 09	RO 26316687	0745118171; 0244/514486	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=100t/h , Pmax=50bar, Tmax=450°C; Dmax=50Gcal /h, pmax=20bar,	PL/CR4/E/4, 5/0201/0/08 .10.2010
213	Central	DONAU CHEM SRL	TN. MAGURELE, Str. Portului, nr.1, Jud. Teleorman	J34/568/200 4	CUI 16958124	0247/416438 /413379	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/G /4,5/0868/0 /18.05.2011

214	Central	DONAU CHEM SRL	TN. MAGURELE, Str. Portului, nr.1, Jud. Teleorman	J34/568/200 4	CUI 16958124	0247/416438 /413379	Cazane de abur (generatoare de abur pentru sterilizare)	Cazane de abur (generatoare de abur pentru sterilizare)	Cazane de abur (generatoare de abur pentru sterilizare)	-	-	-	Qmax=80t/h, pmax=116bar , Tmax=460°C; Dmax=50Gcal /h,	DISPR/CR4/A ,B,C/4,5/149 0/0/18.07.20 11
215	Central	DONAU CHEM SRL	TN. MAGURELE, Str. Portului, nr.1, Jud. Teleorman	J34/568/200 4	CUI 16958124	0247/416438 /413379	-	-	-	-	-	Cazane abur, apa fierbinte	-	B/CR4/H/4,5 /1374/0/08. 05.2013
216	Oradea	DOSETIMPEX SRL	TIMISOARA, Cal. Buziasului, nr.11, camera 1, Jud. Timis	J35/4423/19 94	CUI 6825635	0256/200368 /223838	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=300°C; Qmax=5Gcal/ h, pmax=16bar	OR/CR4/A,C/ 4,5/1741/1/ 04.03.2020
217	Timisoara	DOSETIMPEX SRL	TIMISOARA, Cal. Buziasului, nr.11, camera 1, Jud. Timis	J35/4423/19 94	CUI 6825635	0256/200368 /223838	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q≤10t/h, p≤16bar, T≤300°C; D≤5Gcal/h, p≤16bar	TM/CR4/A,C/ 4/0057/0/30 .07.2010
218	Bacau	DRYING TECHNOLOGY SOLUTIONS SRL	DULCEȘTI, str. Teilor, nr.3, Jud Neamț; CIUREA, str. DJ 28C, nr. 201, Jud Iași	J27/515/201 5	RO 34884319	0740012211, email dryingts@yah oo.com	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	p>0,5bar, Qmax=10t/h, pmax=25bar, Tmax=230°C	BC/CR4/A,B, C/4/1981/0/ 08.09.2020

219	Sibiu	DUOCHIM SRL	OCNA MURES, Str. Axente Sever, bl. 49, sc.C, ap.7, Jud. Alba	J01/33/2001	RO 13682309	0745303239, email: duochim@yahoo.com	-	-	-	-	-	Cazane de abur, apa fierbinte	p≥0,5bar, T>110°C	SB/CR4/H/4, 5/2116/1/21 .10.2020
220	Sibiu	DUOCHIM SRL	OCNA MURES, Str. Axente Sever, bl. 49, sc.C, ap.7, Jud. Alba	J01/33/2001	RO 13682309	0258/873180	-	-	-	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	p>=0.5bar; T>110°C	SB/CR4/G/4, 5/0101/0/28 .10.2010; SB/CR4/H/4, 5/0102/0/28 .10.2010
221	Central	DYOMEDICA CND SRL	PLOIESTI, Bd. Bucuresti, nr. 264, Jud. Prahova	J29/1796/20 07	CUI 22112765	0344/802355 / 802356, e- mail: office@dyom edicacnd.ro	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h , pmax=100bar , Tmax=540°C; Dmax=20Gcal /h,	DISPR/CR4/E /4,5/2959/3 /20.10.2021
222	Central	DYOMEDICA CND SRL	PLOIESTI, Bd. Bucuresti, nr. 264, Jud. Prahova	J29/1796/20 07	CUI 22112765	0344/802355 / 802356	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h , pmax=100bar , Tmax=540°C; Dmax=20Gcal /h,	DISPR/CR4/E /4,5/2959/1 /08.07.2019
223	Central	DYOMEDICA CND SRL	PLOIESTI, Intrarea Clubului, nr.3, Jud. Prahova	J29/1796/20 07	CUI 22112765	0766655627; 0244/574287	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h , pmax=100bar , Tmax=540°C; Dmax=20Gcal /h,	DISPR/CR4/E /4,5/2959/0 /09.02.2012

224	Constanta	EARRING CO SRL	CONSTANTA, Str. Verde, nr. 30, Jud. Constanta	J13/5530/1992	CUI 1908950	0241/635230	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=250°C; Dmax=5Gcal/h, pmax=40bar,	CT/CR4/C/4, 5/0029/0/05.07.2010
225	Sibiu	EAST EUROPEAN BUSINESS CENTER (EEBC) SRL	SIBIU, Aleea Rusciorului, nr.2, bl.67, et.1, ap.31, Jud Sibiu	J32/760/2009	RO 26016710	0217954545, email: office@eebc.ro	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmax>0,5 bar; T>110°C	SB/CR4/G/4, 5/2056/0/08.04.2020
226	Brasov	ECO TERM SRL	URZICENI, Str. Serelor nr. 5A, jud. Ialomita; BUCURESTI, Blv. Ferdinand I, nr. 58, sc.	J21/191/2002	RO 14737011	0243.254.713, e-mail: office.urziceni@ecoterm.ro; 021.321.01.26, e-mail: office.bucure	Cazane de abur; Cazane de apa fierbinte	Cazane de abur; Cazane de apa fierbinte	Cazane de abur; Cazane de apa fierbinte	-	-	-	Qmax = 100t/h, pmax = 40bar, Tmax = 570°C; Dmax = 25Gcal/h, Pmax = 20bar	BV/CR4/A,B, C/4,5/1922/4/05.10.2022
227	Brasov	ECO TERM SRL	URZICENI, Str. Serelor nr.5A, Ialomita; BUCURESTI, Bd. Ferdinand I, nr. 58, sc.	J21/191/2002	RO 14737011	0732727222, 0213210126/0213210149, 0233214121/0233214131, email: office.urziceni@ecoterm.r	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=40bar, Tmax=570°C; Dmax=25Gcal/h, pmax=20bar	BV/CR4/A,B, C/4,5/1922/3/29.03.2021
228	Bucuresti	ECO TERM SRL	URZICENI, Str. Serelor nr.5A, Ialomita; BUCURESTI, Bd. Ferdinand I, nr. 58, sc.	J21/191/2002	CUI 14737011	0243/254713; e-mail office@ecoterm.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h, pmax=40bar, Tmax=570°C; Dmax=25Gcal/h, pmax=20bar	B/CR4/A,B,C /4,5/2092/2 /17.07.2017

229	Bucuresti	ECOTERM SRL	URZICENI, Str. Serelor, nr.5A, Jud. Ialomita	J21/191/200 2	CUI 14737011	0243/254713	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h , pmax=40bar, Tmax=570°C; Dmax=25Gcal /h, pmax=40bar	B/CR4/A,B,C /4,5/2092/1 /04.04.2014
230	Central	ECOTERM SRL	URZICENI, Str. Serelor, nr.5A, Jud. Ialomita	J21/191/200 2	CUI 14737011	0243/254713	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h , pmax=40bar, Tmax=570°C; Dmax=25Gcal /h, pmax=40bar,	DISPR/CR4/A ,B,C/4,5/159 7/0/08.07.20 11
231	Central	ELCOMEX IEA SA	CERNAVODA, Str. Medgidiei, nr.2B, Jud. Constanta	J13/5616/19 94	CUI 7092273	0241/238917 /237524	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤120t/h , pmax≤140bar , Tmax≤540°C; Dmax≤50Gcal /h,	DISPR/CR4/A ,B,C/4,5/092 4/0/25.05.20 11
232	Bucuresti	ELCOS SERVICE SRL	BUCURESTI, Bd. Timisoara, nr.27, bl.E, Sc.A, ap.2, sector 6	J40/1209/19 98	CUI 10185240	021/4131349	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=205°C; Dmax=50t/h, pmax=40bar,	B/CR4/A,B,C /4,5/0389/0 /08.10.2010
233	Bucuresti	ELCOS SERVICE SRL	BUCURESTI, Bd. Timisoara, nr.27, bl.E, Sc.A, ap.2, sector 6	J40/1209/19 98	CUI 10185240	021/4131349	-	-	-	-	Cazane abur; cazane apa fierbinte	-	Qmax=40t/h, pmax=40bar, Tmax=205°C; Dmax=50t/h, pmax=40bar,	B/CR4/G/4,5 /0390/0/11. 10.2010

234	Central	ELECTROCEN TRALE BUCURESTI SA- Suc. ELECTROCEN TRALE BUCURESTI	BUCURESTI, Splaiul Independent ei, nr.227, sector 6	J40/9343/20 00	CUI 13439840	021/2751108 /2751181	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h , pmax=155bar , Tmax=540°C; Dmax=100Gcal/h,	DISPR/CR4/A ,B,C/4,5/289 8/0/13.01.20 12
235	Central	ELECTROCEN TRALE BUCURESTI SA- Suc. ELECTROCEN TRALE MURES	IERNUT, Str. Energeticii, nr.1, Jud. Mures	J26/513/200 0	CUI 1228938	0265/471333 /471388	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=640t/h , pmax=140bar , Tmax=550°C; Dmax=20Gcal /h,	DISPR/CR4/A ,B,C/4,5/232 4/0/03.11.20 11
236	Tg. Mures	ELECTROCEN TRALE BUCURESTI SA- Suc. ELECTROCEN TRALE MURES	IERNUT, Str. Energeticii, nr. 1, Jud. Mures	J26/513/200 0	CUI 1228938	0265/471333 / 471388	-	-	-	Cazane abur, apa fierbinte, supraincalzit oare si economizoar e independent	-	-	Qmax=640t/h , pmax=140bar , Tmax=550°C; Dmax=20Gcal /h,	MS/CR4/E/4, 5/0056/0/27 .10.2010
237	Bucuresti	ELECTROCEN TRALE CONSTANTA SRL	CONSTANTA, Bd. Aurel Vlaicu, nr.123, Jud. Constanta	J13/23/2015 3	CUI 33636420	0241/585300 /693916	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h , pmax=140bar , Tmax=550°C; Dmax=100Gcal/h,	B/CR4/B,C/4 ,5/2472/0/1 1.03.2015
238	Central	ELECTROCEN TRALE BUCURESTI- SUCURSALA ELECTROCEN TRALE CONSTANTA	CONSTANTA, Bd. Aurel Vlaicu, nr.123, Jud. Constanta	J13/1035/20 03	CUI 15264655	0241/585300 /693916	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h , pmax=140bar , Tmax=550°C; Dmax=100Gcal/h,	DISPR/CR4/B ,C/4,5/3045/ 0/31.01.2012

239	Central	ELECTROCEN TRALE DEVA SA	MINTIA, Str. Santierului, nr. .1, Jud. Hunedoara	J20/876/200 1	CUI 14348448	0254/236408 /236411	-	-	Cazane abur	-	-	-	Qmax≤330t/h , pmax≤140bar , Tmax≤550°C	DISPR/CR4/C /4/0076/0/0 2.03.2011
240	Central	ELECTROCEN TRALE SA- Suc ELECTROCEN TRALE BUCURESTI	BUCURESTI, Splaiul Independent ei, nr.124, sector 6	J40/9343/20 00	CUI 13439840	021/2751103 /2751405	-	-	-	-	Cazane abur, cazane apa fierbinte, cazane apa calda, cazane abur joasa	-	-	DISPR/CR4/G /4,5/0175/0 /14.03.2011
241	Bucuresti	ELECTROCEN TRALE BUCURESTI SA	BUCURESTI, Splaiul Independent ei, nr. 227, sector 6	J40/1696/20 03	RO 15189596	021/2751108 / 2751181	-	-	Cazane abur, apa fierbinte	-	-	-	Qmax=525t/h , pmax=155bar , Tmax=550°C; Dmax=100Gc al/h,	B/CR4/C/4,5 /1730/1/21. 10.2014
242	Bucuresti	ELECTROCEN TRALE BUCURESTI SA	BUCURESTI, Splaiul Independent ei, nr. 227, sector 6	J40/1696/20 03	RO 15189596	021/2751108 / 2751181	-	-	Cazane abur, apa fierbinte	-	-	-	Qmax=525t/h , pmax=155bar , Tmax=550°C; Dmax=100Gc al/h,	B/CR4/C/4,5 /1730/0/08. 05.2013
243	Oradea	ELECTROCEN TRALE ORADEA SA	ORADEA, Str. Sos. Borsului, nr.23, Jud. Bihor	J05/723/200 2	RO 14790708	0259/453345 / 463661	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/h , Pmax=165bar , Tmax=570°C	OR/CR4/A,B, C/4/1223/1/ 16.10.2013

244	Bucuresti	ELECTROCHIM SRL	BUCURESTI, str Prelungirea Ghencea, nr 93 N, etaj 1, sector 6	J40/9344/1991	CUI 445831	0722369476/021317600, email office@electrochim.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	pmax=80bar, Tmax=450°C, Qmax=30t/h; Dmax=50Gcal/h, pmax=16bar	B/CR4/A,B,C/4,5/3719/1/21.02.2022
245	Bucuresti	ELECTROCHIM SRL	BUCURESTI, str Prelungirea Ghencea, nr 93 N, etaj 1, sector 6	J40/9344/1991	CUI 445831	0722369476/021317600, email office@electrochim.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	pmax=75bar, Tmax=450°C, Qmax=30t/h; Dmax=50Gcal/h, pmax=16bar	B/CR4/A,B,C/4,5/3719/0/10.09.2020
246	Bucuresti	ELECTROCHIM SRL	BUCURESTI, Prelungirea Ghencea, nr.93N, parter, sector 6	J40/9344/1991	CUI 445831	021/3176009	-	-	-	-	Cazane abur; cazane apa fierbinte; cazane apa calda; cazane abur joasa	Cazane abur; cazane apa fierbinte; cazane apa calda; cazane abur joasa		B/CR4/H/4,5/0657/0/01.02.2011; B/CR4/G/4,5/0658/0/01.02.2011
247	Bacau	ELSACO ELECTRONIC SRL	BOTOSANI, Str. Pacea, nr.41A, Jud. Botosani	J07/1201/1994	CUI 7464520	0231/507060/532905	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, Pmax=200bar, Tmax=570°C; Dmax=100Gcal/h,	BC/CR4/A,B,C/4,5/1023/2/19.04.2016
248	Bacau	ELSACO ELECTRONIC SRL	BOTOSANI, Str. Pacea Ocolitor, nr.41A, Jud. Botosani	J07/1201/1994	CUI 7464520	0231/507060/532905	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, Pmax=40bar, Tmax=350°C; Dmax=50Gcal/h, Pmax=20bar,	BC/CR4/A,B,C/4,5/1023/1/25.07.2012

249	Suceava	ELSACO ELECTRONIC SRL	BOTOSANI, Str. Pacea Ocolitor, nr.41A, Jud. Botosani	J07/1201/19 94	RO 7464520	0231/507060 / 532905	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Q=120t/h, p=40bar, T=350°C; D=50Gcal/h, p=20bar, T=160°C	SV/CR4/A,B, C/4,5/0010/ 0/24.06.2010
250	Oradea	EMC SRL	Oradea, Str. Gh. Pitut, nr.1, Jud. Bihor	J05/488/200 6	RO 18457480	0731338099; 0259/433563	-	-	-	-	Cazane de abur, cazane abur si apa fierbinte	-	-	OR/CR4/G/4 /0016/0/01. 06.2010
251	Bacau	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201- 202, et. 2,	J04/140/200 0	CUI 12826406	0234545683/ 0234562410, email office@energ ofor.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤1035t/ h, pmax≤260bar , Tmax≤570°C; Dmax≤100Gc al/h,	BC/CR4/A,B, C/4,5/1645/ 4/05.06.2020
252	Bacau	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201- 202, et. 2,	J04/140/200 0	CUI 12826406	0234/562410 ; e-mail office@energ ofor.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/ h, pmax=260bar , Tmax≤570°C; Dmax≤100Gc al/h,	BC/CR4/A,B, C/4,5/1645/ 3/11.05.2016
253	Bacau	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201- 202, et. 2,	J04/140/200 0	CUI 12826406	0234/562410 ; e-mail office@energ ofor.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	Cazane de abur, cazane abur si apa fierbinte	-	Qmax≤420t/h , pmax≤160bar , Tmax≤440°C; Dmax≤100Gc al/h,	BC/CR4/A,B, C/4,5/1645/ 2/11.02.2016 ; BC/CR4/G/4, 5/1642/2/11 .02.2016

254	Central	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201-202, et. 2,	J04/140/2000	CUI 12826406	0234/562410	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax≤120t/h , pmax≤100bar , Tmax=540°C; Dmax≤100Gcal/h,	DISPR/CR4/E/4,5/3623/2/30.03.2016
255	Central	ENERGOFOR SRL	BACAU, Str. Arcadie Septilici, nr.7B, Jud. Bacau	J04/140/2000	CUI 12826406	0234/545683/562410	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	Qmax≤120t/h , pmax≤100bar , Tmax=540°C; Qmax≤420t/h ,	DISPR/CR4/E/4,5/3623/1/24.05.2012; DISPR/CR4/A,B,C/4,5/3632/1/23.05.2012;
256	Bacau	ENERGOFOR SRL	BACAU, Str. I. L. Caragiale, nr.1, sc.D, ap.6, Jud. Bacau	J04/140/2000	RO 12826406	0234/545683/562410	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h , pmax=100bar , Tmax=540°C	BC/CR4/E/4,5/0003/0/27.04.2010
257	Bacau	ENERGOFOR SRL	BACAU, Str. Ion Luca Caragiale, nr.1, bl.1, sc.D, ap.6, Jud. Bacau	J04/140/2000	RO 12826406	0234/545683/562410	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h , pmax=160bar , Tmax=440°C; Dmax=100Gcal/h,	BC/CR4/A,B,C/4,5/0046/0/30.06.2010
258	Bacau	ENERGOFOR SRL	BACAU, Str. Ion Luca Caragiale, nr.1, bl.1, sc.D, ap.6, Jud. Bacau	J04/140/2000	RO 12826406	0234/545683/562410	-	-	-	-	Cazane abur; cazane apa fierbinte	-	p>0.5bar; T>110°C	BC/CR4/G/4,5/0082/0/28.09.2010

259	București	ENERGOMON TAJ GRUP SRL	BASCOV, str Serelor, nr 14, Jud Argeș	J03/1966/19 94	RO 10698807	0248290170, 0248290285, 0723578923, email office@energ omontaj- grup.ro	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤420t/h , pmax≤165bar , Tmax≤550°C; Dmax≤100Gc al/h,	B/CR4/A,C/4 ,5/1241/4/0 3.12.2019
260	Bucuresti	ENERGOMON TAJ SA	BUCURESTI, Cal Dorobantilor, nr. 103-105, sector 1	J40/136/199 1	CUI 1555468	021/3189304 / 3189327; e- mail saem@saem.r o	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/ h, pmax=200bar , Tmax=570°C; Dmax=100Gc al/h,	B/CR4/A,B,C /4,5/0296/3 /27.08.2018
261	Bucuresti	ENERGOMON TAJ SA	BUCURESTI, Cal Dorobantilor, nr. 103-105, sector 1	J40/136/199 1	CUI 1555468	021/3189304 / 3189327	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/ h, pmax=200bar , Tmax=570°C; Dmax=100Gc al/h,	B/CR4/A,B,C /4,5/0296/2 /08.10.2014
262	Bucuresti	ENERGOMON TAJ SA	BUCURESTI, Cal. Dorobantilor, nr. 103-105, sector 1	J40/136/199 1	CUI 1555468	021/3189303 / 3189330	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/ h, pmax=200bar , Tmax=570°C; Dmax=100Gc al/h,	B/CR4/A,B,C /4,5/0296/1 /08.01.2013
263	Bucuresti	ENERGOMON TAJ SA	BUCURESTI, Cal Dorobantilor, nr. 103-105, sector 1	J40/136/199 1	CUI 1555468	021/3189303 / 3189330	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/ h, pmax=200bar , Tmax=570°C; Dmax=100Gc al/h,	B/CR4/A,B,C /4,5/0296/0 /09.09.2010

264	Bucuresti	ENERGOMON TAJ GRUP SRL	BASCOV, Str. Serelor, nr. 14, Jud. Arges	J03/1966/19 94	RO 10698807	0248/290170 / 290285, 0723578923; e-mail office@energ omontaj- grup.ro	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤420t/h , pmax≤165bar , Tmax≤550°C; Dmax≤100Gc al/h,	B/CR4/A,C/4 ,5/1241/3/1 1.10.2017
265	Bucuresti	ENERGOMON TAJ GRUP SRL	BASCOV, Str. Serelor, nr. 14, Jud. Arges	J03/1966/19 94	RO 10698807	0248/290170 / 290285	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤420t/h , pmax≤165bar , Tmax≤550°C; Dmax≤100Gc al/h,	B/CR4/A,C/4 ,5/1241/2/0 6.10.2016
266	Bucuresti	ENERGOMON TAJ GRUP SRL	PITESTI, Str. Gheorghe Lazar, nr.19, Jud. Arges	J03/1966/19 94	CUI 10698807	0248/290170	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤420t/h , pmax≤165bar , Tmax≤550°C; Dmax≤100Gc al/h,	B/CR4/A,C/4 ,5/1241/1/1 3.11.2012
267	Central	ENERGOMON TAJ GRUP SRL	PITESTI, Str. Gh. Lazar, nr.19, Jud. Arges	J03/1966/19 94	CUI 10698807	0248/290170	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤120t/h , pmax≤40bar, Tmax≤400°C; Dmax≤50Gcal /h, pmax≤16bar,	DISPR/CR4/A ,C/4,5/1863/ 0/17.08.2011
268	Pitesti	ENERGOMON TAJ GRUP SRL	PITESTI,Str.G h.Lazar, nr.19, ARGES	J03/1966/19 94	RO 10698807	0248/290170	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q≤120t/h, pmax≤16bar, T≤400°C; D≤50Gcal/h, pmax≤16bar, T≤150°C	PT/CR4/A,C/ 4,5/0061/0/ 21.06.2010

269	Central	ENERGOSZER VIZ KFT SRL- Sucursala Oradea	DEBRECEN, Str. Kishatar, nr.26, Jud. Hajdu-Bihar, UNGARIA; Oradea, Str.Calinului,	RC 09/09/00229 5; J5/1195/200 9	CUI HU11147798; CUI 26042662	00365245792 4/ 00365253125 6; 0259/435398	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax≤40bar, Tmax=250°C; Dmax≤15Gcal /h, pmax≤40bar	DISPR/CR4/A ,C/4,5/1532/ 1/29.05.2012
270	Oradea	ENERGOSZER VIZ KFT SRL- Sucursala Oradea	DEBRECEN, Str. Kishatar, nr.26, Jud. Hajdu-Bihar, UNGARIA; Oradea, Str.Calinului,	RC 09/09/00229 5; J5/1195/200 9	CUI HU11147798; CUI 26042662	00365245792 4/ 00365253125 6; 0259/435398	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=1035t/ h, Pmax=200bar , Tmax=570°C; Dmax=100Gc al/h,	OR/CR4/A,C/ 4,5/1113/2/ 05.03.2013
271	Central	ENERGOSZER VIZ SRL DEBRECEN - Suc. ORADEA	ORADEA, Al. Calinului, nr.7, bl.X1, ap.30, Jud. Bihor	J05/1195/20 09	CUI 26042662	0259/435398	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤50t/h, pmax≤40bar, Tmax≤250°C; Dmax≤15t/h, pmax≤40bar	DISPR/CR4/A ,C/4,5/1532/ 0/25.07.2011
272	Central	ENERGOUTIL CONTACT SA	BUCURESTI, Str. Progresului, nr.75-77, sector 5	J40/997/199 1	CUI 403666	021/4103191 /4106682	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/ h, pmax=192bar , Tmax=570°C; Dmax=100Gc al/h,	DISPR/CR4/A ,B,C/4,5/299 9/0/14.02.20 12
273	Central	ENERGY BIO CHEMICALS SA- Suc. CAROM	ONESTI, Str. Industiilor, nr.1, Pavilion Administrativ C399, Jud. Bacau	J04/838/200 8	CUI 23767569	0234302600; 0234/315315	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=50t/h, pmax=100bar , Tmax=570°C; Dmax=25Gcal /h,	DISPR/CR4/E /4,5/0747/0 /19.05.2011

274	Bucuresti	ENERGY SYSTEM CONSULT SRL	BUCURESTI, Bd. Burebista, nr. 1, bl. D15, sc. 1, ap. 31, sector 3	J40/10456/2 000	RO 13529500	021/3265621 / 3265620; e- mail office@esc- inc.ro	-	-	Cazane abur	-	-	-	Qmax≤10t/h, pmax=100bar , Tmax=400°C	B/CR4/C/4/2 489/0/02.04. 2015
275	Bacau	ENET SA	FOCSANI, Bd. Bucuresti,nr. 4, Jud. Vrancea	J39/93/1996	RO 8123890	0237/212400 /214110; e- mail office@enets a.ro	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal /h, pmax=25bar	BC/CR4/C/4, 5/1801/2/26 .10.2017
276	Central	ENET SA	FOCSANI, Bd. Bucuresti,nr. 4, Jud. Vrancea	J39/93/1996	RO 8123890	0237/212400 /214110	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal /h, pmax=25bar	DISPR/CR4/C /4,5/3503/1 /26.04.2012
277	Galati	ENET SA	FOCSANI, Str, Bucuresti, nr.4, Jud. Vrancea	J39/93/1996	RO 8123890	0237/212400 /214110	-	-	Cazane abur, apa fierbinte	-	-	-	pmax=40bar, Qmax=50t/h, tmax=450°C; pmax=25r, Dmax=50Gcal /h, tmax=150°C	GL/CR4/C/4, 5/0004/0/12 .04.2010
278	Central	ERG PRESTARI SERVICII SRL	TIRIMIA, nr.247, Jud. Mures	J26/196/200 9	CUI 242110	0744208441; 0264/441191	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=50t/h, pmax=100bar , Tmax=450°C; Dmax=25Gcal /h,	DISPR/CR4/E /4,5/2805/0 /19.01.2012

279	Pitesti	ERHAN SRL	RM. VALCEA, Str. Regina Maria, nr.7, bl.C1, tronsan D, mezanin, Jud. Valcea	J38/19/1992	RO 1469863	0250/733919 /731725; office@erhan .ro	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	Qmax=10t/h, pmax=16bar, Tmax=180°C; Dmax=5Gcal/ h, pmax=16bar	PT/CR4/A,B, C/4,5/0150/ 0/21.12.2010 ; PT/CR4/A,B, C/4,5/0154/ 0/21.12.2010
280	Central	EST ROM SA	VALEA LUPULUI, Com. Valea Lupului, Jud. Iasi	J22/2259/19 93	CUI 4488770	0232/226380 /253398	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h , pmax=165bar , Tmax=570°C; Dmax=100Gc al/h,	DISPR/CR4/E /4,5/2294/1 /13.09.2017
281	Central	EST ROM SA	VALEA LUPULUI,Str. Diminetii, nr.1, Jud. Iasi	J22/2259/19 93	CUI 4488770	0232/226380 /253398/248 209/248046	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h , pmax=165bar , Tmax=570°C; Dmax=100Gc al/h,	DISPR/CR4/E /4,5/2294/0 /02.11.2011
282	Bacau	EST ROM SA	VALEA LUPULUI,Com . Valea Lupului, Jud. Iasi	J22/2259/19 93	CUI 4488770	0232/226380 /253398	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h , pmax=420bar , Tmax=570°C; Dmax=100Gc al/h,	BC/CR4/A,B, C/4,5/1322/ 2/14.03.2017
283	Bacau	EST ROM SA	VALEA LUPULUI,Str. Diminetii, nr.1, Jud. Iasi	J22/2259/19 93	CUI 4488770	0232/226380 /248046	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h , pmax=420bar , Tmax=570°C; Dmax=100Gc al/h,	BC/CR4/A,B, C/4,5/1322/ 1/21.10.2013

284	Central	EST ROM SA	VALEA LUPULUI, Str. Diminetii, nr.1, Jud. Iasi	J22/2259/1993	CUI 4488770	0232/226380 / 248046	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=140bar, Tmax=570°C, Dmax=100Gcal/h,	DISPR/CR4/A,B,C/4,5/2753/0/10.01.2012
285	Iasi	ETNIS SRL	IASI, Cal Chisinaului, nr.98-100, Jud. Iasi	J22/1131/1991	RO 1956141	0232/230113	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350°C	IS/CR4/A,B,C/4/01600/30.12.2010
286	Bacau	ETNIS SRL	IASI, Cal Chisinaului, nr.98-100, Jud. Iasi	J22/1131/1991	RO 1956141	0232/230113	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350°C	BC/CR4/A,B,C/4/1202/23.04.2013
287	Central	EUGLOS SA	CLUJ NAPOCA, Str. Garii, nr. 19, Jud. Cluj	J12/4093/2007	RO 22435138	0264/424665 / 462385	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C, Dmax=100Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/3927/0/29.02.2016
288	Sibiu	EUGLOS SA	CLUJ NAPOCA, Str. Garii, nr. 19, Jud. Cluj	J12/4093/2007	RO 22435138	0264/424665 / 462385; e-mail office@chitech.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=350°C, Dmax=50Gcal/h, pmax=16bar	SB/CR4/A,B,C/4,5/1486/0/29.07.2015

289	Sibiu	EUGLOS SA	CLUJ NAPOCA, Str. Garii, nr. 19, Jud. Cluj	J12/4093/20 07	RO 22435138	0264/424665 / 462385	-	-	-	-	Cazane abur, cazane apa fierbinte	-	pmax>0.5bar ; T>110°C	SB/CR4/G/4, 5/1450/0/07 .04.2015
290	Central	EUROBOILER SRL	DR. TN. SEVERIN, Str. Portile de Fier, nr. 2C9, Jud. Mehedinti	J25/191/200 4	CUI 16325432	0727435056; 0252/310046 /329764	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤550t/h , pmax≤140bar , Tmax≤540°C; Dmax≤100Gc al/h,	DISPR/CR4/A ,B,C/4,5/334 6/0/20.03.20 12- retragere incepand cu 14.04.2014 (denumire
291	Bucuresti	EUROBOILER SRL	DR. TN. SEVERIN, Str. Portile de Fier, nr. 2C9, Jud. Mehedinti	J25/191/200 4	CUI 16325432	0352/884860 ; 0252/329764 ; 0772094024	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=550t/h , pmax=140bar , Tmin=105°C; Tmax=540°C; Dmax=150Gc	B/CR4/A,B,C /4,5/1837/1 /11.10.2013- retragere incepand cu 14.04.2014 (denumire noua Macchi
292	Oradea	EXPERT PETROLEUM SRL	BUCURESTI, Sos. Bucuresti- Ploiesti, nr. 73-81, cladirea C3, et. 3, sector 1;	J26/1656/20 08	CUI 17634428	0374200640, 0317/801093 ; 0356/414883	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=300°C; Dmax=5Gcal/ h, pmax=40ba	OR/CR4/A,B, C/4,5/1460/ 1/20.10.2016
293	Oradea	EXPERT PETROLEUM SRL	TG. MURES, Str. Tamas Erno, nr. 1, Jud. Mures; TIMISOARA, Str. Corolian Brediceanu, nr. 10C,	J26/1656/20 08	CUI 17634428	0374200640; 0317801093; 0356/414883	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=300°C; Dmax=5Gcal/ h, pmax=40ba	OR/CR4/A,B, C/4,5/1460/ 0/23.05.2016

294	Central	FAST TECHNICAL ASSISTANCE SRL	BACAU, 9 Mai, nr.35, poz. 10, bl.35, sc.E, parter, Jud. Bacau	J04/696/199 7	CUI 9626416	0234/513803 /511430	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=350°C; Dmax=10Gcal /h, pmax=20bar	DISPR/CR4/A ,C/4,5/3556/ 0/22.05.2012
295	Timisoara	FLEXIK AUTOMATION SRL	TIMISOARA, Str. G. Cosbuc, nr.5, Jud. Timis	J35/2848/19 94	CUI 6351850	0256/292964 /292965	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=300°C	TM/CR4/A,B, C/4/036/2/1 7.03.2022
296	Oradea	FLEXIK AUTOMATION SRL	TIMISOARA, Str. G. Cosbuc, nr.5, Jud. Timis	J35/2848/19 94	CUI 6351850	0256/292964 /292965	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=300°C	OR/CR4/A,B, C/4/1019/1/ 17.07.2012
297	Timisoara	FLEXIK AUTOMATION SRL	TIMISOARA, Str. George Cosbuc, nr.5, Jud. Timis	J35/2848/19 94	RO 6351850	0256/292964 / 292965	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Q≤10t/h, p≤16bar, T≤300°C	TM/CR4/A,B, C/4/0014/0/ 09.06.2010
298	Central	FORPRES SRL	IASI, Sos. Nationala, nr.49, bl.C3, sc.B, et.5, ap.23, Jud. Iasi; IASI, Str. Prof. dr. doc. D.	J22/1258/20 02	RO 15012143	0232/233390	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=200°C	DISPR/CR4/A ,B,C/4/3199/ 0/06.03.2012

299	Bucuresti	FUTURE LINE INSTAL SRL	BUCURESTI, Sos. Mihai Bravu, nr. 75-83, Bl. C17, ap. 79, sector 2; BUCURESTI, Str. Biharia,	J40/23350/1 992	RO 18830	021.201.11.1 4/021.201.11 .15; e-mail: fli@fli.ro	Cazane de abur; Cazane de apa fierbinte	Cazane de abur; Cazane de apa fierbinte	Cazane de abur; Cazane de apa fierbinte	-	-	-	pmax = 16 bar, Qmax= 15 t/h Tmax= +350°C; pmax = 16 bar, Dmax=10	B/CR4/A,B,C /4,5/3168/1 /06.06.2022
300	Central	FUTURE LINE INSTAL SRL	BUCURESTI, Sos. Mihai Bravu, nr. 75-83, bl.C17, sc.B, et.6,ap.79, sector 2	J40/23350/1 992	CUI 18830	021/2011114 / 2011115	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=15t/h, pmax=16bar, Tmax=350°C; Dmax=10Gcal /h, pmax=16bar	DISPR/CR4/A ,B,C/4,5/316 8/0/28.02.20 12
301	Bucuresti	FUTURE LINE INSTAL SRL	BUCURESTI, Sos. Mihai Bravu, nr. 75-83, bl.C17, sc.B, et.6,ap.79, sector 2; BUCURESTI,	J40/23350/1 992	CUI 18830	021/2011114 / 2011115	-	-	-	-	-	Cazane abur; cazane apa fierbinte	-	B/CR4/H/4,5 /1758/0/20. 08.2013
302	Bacau	GA PRO CO CHEMICALS SA	SAVINESTI, Str. Gheorghe Caranfil, nr. 11, Jud. Neamt	J27/1478/20 05	CUI 17728697	0233/ 280544/ 281494/ 281260	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=50t/h, pmax=110bar , Tmax=440°C	BC/CR4/A,B, C/4/1144/1/ 20.01.2015
303	Bacau	GA PRO CO CHEMICALS SA	Sat SAVINESTI, Com. Savinesti, Str. Uzinei, nr.2, Jud. Neamt	J27/1478/20 05	CUI 17728697	0233/281494 / 281260	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=50t/h, pmax=110bar , Tmax=440°C	BC/CR4/A,B, C/4/1144/0/ 21.01.2013

304	Bucuresti	GADAGROUP ROMANIA SRL	BUCURESTI, Cal. Floreasca, nr.169A, corp A, et.7, sector 1	J40/9320/1996	RO 8936710	0746231147; 021/3172102	Cazane abur	Cazane abur	-	-	-	-	Qmax=0.4t/h , pmax=4bar, Tmax=150°C	B/CR4/A,B/4/2069/0/31.03.2014
305	Constanta	GAZ SERVICES SRL	CONSTANTA, Str. Mesteru Manole, nr.1A, Jud. Constanta	J13/564/2001	CUI 13687691	0742145008; 0241/638980; e-mail: gaz_services@yahoo.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=225°C; Dmax=5Gcal/h, pmax=16bar,	CT/CR4/A,B,C/4,5/0112/0/20.12.2010
306	Bucuresti	G.B. INDCO SRL	BUCURESTI, Bd. Dimitrie Cantemir, nr. 9, bl. 7, sc. 1, ap. 8, sector 4; POPESTI LEORDENI,	J40/2728/1998	10421821	0213.361.212/0213.363.887, e-mail: contact@gbindco.ro	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax = 0.3t/h, pmax = 5bar, Tmax = 150°C	B/CR4/A,B,C/4/2752/4/18.10.2022
307	Bucuresti	GB INDCO SRL	BUCURESTI, Bd. Dimitrie Cantemir, nr. 9, bl. 7, sc. 1, ap. 8, sector 4; POPESTI LEORDENI,	J40/2728/1998	RO 10421821	0213361212/3363887; e-mail: contact@gbindco.ro	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=0.3t/h , pmax=5bar, Tmax=150°C	B/CR4/A,B,C/4/2752/3/03.03.2021
308	Bucuresti	GB INDCO SRL	BUCURESTI, Bd. Dimitrie Cantemir, nr. 9, bl. 7, sc. 1, ap. 8, sector 4; POPESTI LEORDENI,	J40/2728/1998	RO 10421821	0213361212/3363887; e-mail: contact@gbindco.ro	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=0.3t/h , pmax=5bar, Tmax=150°C	B/CR4/A,B,C/4/2752/2/23.10.2020

309	Bucuresti	GB INDCO SRL	BUCURESTI, Bd. Dimitrie Cantemir, nr. 9, bl. 7, sc. 1, ap. 8, sector 4; POPESTI LEORDENI,	J40/2728/1998	RO 10421821	0213361212 / 3363887; e-mail contact@gbindco.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.3t/h , pmax=5bar, Tmax=150°C	B/CR4/A,B,C /4/2752/1/1 0.06.2016
310	Bucuresti	GB INDCO SRL	BUCURESTI, Bd. Dimitrie Cantemir, nr. 9, bl. 7, sc. 1, ap. 8, sector 4; BUCURESTI, Str.	J40/2728/1998	RO 10421821	021/3361212 / 3363887; e-mail contact@gbindco.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.3t/h , pmax=5bar, Tmax=150°C	B/CR4/A,B,C /4/2752/0/0 7.04.2016
311	Bucuresti	GE WATER&PROCESS TECHNOLOGIES FRANCE SAINT THIBAULT DES VIGNES -	BUCURESTI, Bd. Tudor Vladimirescu, nr. 22, sector 5, Cladirea Greengate Office, et.	J40/14895/2017	CUI 38141988	029155360, 0372074516; e-mail anca-mihaela.bigica@suez.com	-	-	-	-	-	Cazane abur; cazane apa fierbinte	p>0,5bar, t>110°C	B/CR4/H/4,5 /3393/0/26. 03.2019
312	Central	GEMA TERM CONSULTING SRL	BUCURESTI, Aleea Marius Emanoil Buteica, nr.10, bl.61, sc.1, ap.1, sector 3	J40/1544/1998	RO 10276098	021/3442158 /3442159	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=600t/h , pmax=180bar , Tmax=570°C; Dmax=50Gcal/h,	DISPR/CR4/E /4,5/3701/2 /08.05.2014- retragere incepand cu 05.07.2019
313	Central	GEMA TERM CONSULTING SRL	BUCURESTI, Aleea Marius Emanoil Buteica, nr.10, bl.61, sc.1, ap.1, sector 3	J40/1544/1998	RO 10276098	021/3442158 /3442159	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=600t/h , pmax=180bar , Tmax=570°C; Dmax=50Gcal/h,	DISPR/CR4/E /4,5/3701/1 /21.06.2012- retragere incepand cu 05.07.2019

314	Bucuresti	GEMA TERM CONSULTING	BUCURESTI, Str. Emanoil Buteica, nr.10, bl.61, sc.1, ap.1, sector.3	J40/1544/1998	CUI 10276098	021/3442158 021/3442159	-	-	-	Cazane abur; cazane apa fierbinte	-	-	pmax=180bar Qmax = 600t/h Tmax = 570°C; Dmax= Gcal/h pmax=24 bar	B/CR4/E/4,5 /0114/0/29.06.2010-retragere incepand cu 05.07.2019
315	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, Indicativ	J40/8266/2006	CUI 18692907	0344/140953 /571001	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=40t/h, pmax=40bar, Tmax=340°C; Dmax=25Gcal/h, pmax=100bar	DISPR/CR4/E /4,5/1209/3 /30.03.2016
316	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, indicativ	J40/8266/2008	CUI 18692907	0344/140953 ; 0244/571001	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=40t/h, pmax=40bar, Tmax=350°C; Dmax=25Gcal/h, pmax=18bar	DISPR/CR4/E /4,5/1209/0 /16.06.2011
317	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, indicativ	J40/8266/2006	CUI 18692907	0344/140953 ; 0244/571001	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=40t/h, pmax=40bar, Tmax=340°C; Dmax=25Gcal/h, pmax=18bar	DISPR/CR4/E /4,5/1209/1 /14.12.2011
318	Central	GEOROM INSPECT CONSULTING SRL	BUCURESTI, Sos. Mihai Bravu, nr.62A, Spectrum Business Center, Corp B, Indicativ	J40/8266/2006	CUI 18692907	0344/140953 /571001	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=40t/h, pmax=40bar, Tmax=340°C; Dmax=205Gcal/h, pmax=100bar	DISPR/CR4/E /4,5/1209/2 /02.05.2012

319	Central	GLEMSERV CHIM SRL	BUCURESTI, Str. Cetatea Histria, nr.9, bl.14, sc.4, et.1, ap.51, sector 6	J40/1403/20 05	CUI 17165127	021/7256696	-	-	-	-	Cazane abur; cazane apa fierbinte	-	p>0.5bar, T>110°C	DISPR/CR4/G /4,5/1083/0 /23.06.2011
320	Bucuresti	GLOBAL ENERGY PRODUCTION SA	GIURGIU, Sos. Sloboziei, nr. 194, Jud. Giurgiu	J52/283/201 1	CUI 28423620	0769060259; 0246/216665 ; e-mail globalenergy production@g mail.com	Cazane apa fierbinte	Cazane apa fierbinte	Cazane apa fierbinte				Qmax=10Gcal /h, pmax=18bar, tmax=150°C	B/CR4/A,B,C /5/2683/0/1 3.01.2016
321	Sibiu	GRUP 4 INSTALATII SA	CLUJ NAPOCA, Str. Luncii, nr.5A, Jud. Cluj	J12/24/1991	RO 242403	0264/401150 / 596266; e- mail grup4@grup4 cj.ro	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=40bar, Tmax=400°C; Dmax=50Gcal /h, pmax=16bar	SB/CR4/B,C/ 4,5/1454/1/ 14.04.2015
322	Cluj	GRUP 4 INSTALATII SA	CLUJ NAPOCA, Str. Luncii, nr.5A, Jud. Cluj	J12/24/1991	RO 242403	0264/596168 / 596266	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=40bar, Tmax=400°C; Dmax=50Gcal /h, pmax=16bar	CJ/CR4/B,C/ 4,5/0055/0/ 01.08.2010
323	Sibiu	GRUP ENERGOINST AL SA	CLUJ NAPOCA, Calea Dezmirului, nr.8, Jud. Cluj	J12/1502/19 98	CUI 11009951	0264/438352 /277025/277 026/453261; e-mail office@gei.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax≤50t/h, pmax≤40bar, Tmax≤400°C; Dmax≤25Gcal /h, pmax≤30bar	SB/CR4/A,B/ 4,5/1819/2/ 12.06.2018

324	Sibiu	GRUP ENERGOINST AL SA	CLUJ NAPOCA, Calea Dezmirului, nr.8, Jud. Cluj	J12/1502/19 98	CUI 11009951	0264/438352 / 453261	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax≤50t/h, pmax≤40bar, Tmax≤400°C; Dmax≤25Gcal /h, pmax≤30bar	SB/CR4/A,B/ 4,5/1219/1/ 03.09.2013
325	Central	GRUP ENERGOINST AL SA	CLUJ NAPOCA, Str. Lunii, nr.8C, Jud. Cluj	J12/1502/19 98	CUI 11009951	0264/438352 / 453261	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax≤50t/h, pmax≤40bar, Tmax≤400°C; Dmax≤25Gcal /h, pmax≤30bar	DISPR/CR4/A ,B/4,5/0949/ 0/13.05.2011
326	Bucuresti	GRUP SERVICII PETROLIERE SHIPYARD SRL	CONSTANTA, Incinta Port Constanta, Mol 1 Sud Adiacent, Jud. Constanta	J13/1484/20 05	CUI 17555561	0372753330/ 0372737222	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤120t/h , pmax≤40bar, Tmax≤540°C; Dmax≤50Gcal /h, pmax≤40bar	B/CR4/A,B,C /4,5/3884/0 /30.06.2021
327	Constanta	GSP OFFSHORE SRL	CONSTANTA, Incintă Port, Dana 34, Centrul de Tranzit, cam 112, etaj 1, Jud. Constanta	J13/2303/20 16	36554023	0241.555.255 , 0241.555.257	Cazane de abur; Cazane de apa fierbinte	Cazane de abur; Cazane de apa fierbinte	Cazane de abur; Cazane de apa fierbinte	-	-	-	Qmax ≤ 120t/h, pmax ≤ 40bar, Tmax ≤ +540°C; Dmax ≤ 50Gcal/h, pmax ≤ 40bar	CT/CR4/A,B, C/4,5/0068/ 2/18.11.2022
328	Bucuresti	GSP OFFSHORE SRL	CONSTANTA, Incintă Port, Dana 34, Centrul de Tranzit, cam 112, etaj 1, Jud Constanta	J13/2303/20 16	RO 36554023	0241555255/ 0241555257, email office@gspoff shore.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤120t/h , pmax≤40bar, Tmax≤540°C; Dmax≤50Gcal /h, pmax≤40bar	B/CR4/A,B,C /4,5/3671/1 /21.01.2021

329	Bucuresti	GSP OFFSHORE SRL	CONSTANTA, Incintă Port, Dana 34, Centrul de Tranzit, cam 112, etaj 1, Jud Constanta	J13/2303/20 16	RO 36554023	0241555255/ 0241555257, email office@gspoff shore.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤120t/h , pmax≤40bar, Tmax≤540°C; Dmax≤50Gcal /h, pmax≤40bar	B/CR4/A,B,C /4,5/3671/0 /20.05.2020
330	Central	HIDRO TERM SRL	SATU MARE, Str. Cibinului, bl.CE 20, Jud. Satu Mare	J30/367/200 4	CUI 16274975	0361/801950 /810538	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=35t/h, pmax=40bar, Tmax=400°C; Dmax=30Gcal /h, pmax=40bar	DISPR/CR4/A ,C/4,5/0687/ 0/11.05.2011
331	Oradea	HIDRO TERM SRL	SATU MARE, Str. Cibinului, bl.CE 20, ap.6, Jud. Satu Mare	J30/367/200 4	RO 16274975	0361/801950 /810538	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=35t/h, Pmax=50bar, Tmax=450°C; Dmax=30Gcal /h, pmax=50bar,	OR/CR4/E/,5 4/0046/0/25 .10.2010
332	Bacau	HIDROTERM SA	ROMAN, Str. Colectorului, nr. 1, Jud. Neamt	J27/399/199 6	RO 5683613	0233/742490	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h, pmax=50bar, Tmax=450°C; Dmax=25Gcal /h, pmax=50bar	BC/CR4/A,B, C/4,5/1633/ 1/11.04.2018
333	Bacau	HIDROTERM SA	ROMAN, Str. Colectorului, nr. 1, Jud. Neamt	J27/399/199 6	RO 5683613	0233/742490	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h, pmax=50bar, Tmax=450°C; Dmax=25Gcal /h, pmax=50bar	BC/CR4/A,B, C/4,5/1633/ 0/03.02.2016

334	Bucuresti	HOLY HEAT SRL	DOBROIEȘTI, Sat Fundeni, Sos. Fundeni, nr. 224, parter, birou 1, Jud. Ilfov	J23/1671/2014	RO 33257710	0722244420; e-mail florinzma@holy-heat.ro	Cazane de abur, apa fierbinte	-	-	-	-	-	Qmax=10t/h, pmax=25bar, Tmax=250°C; Dmax=10Gcal/h, pmax=25bar	B/CR4/A/4,5/3519/0/21.10.2019
335	Bucuresti	HOSPITAL TECHNICAL SOLUTIONS SRL	BUCUREȘTI, Sos. Dudești-Pantelimon, nr. 44, sector 3	J40/6134/2018	RO 39292806	0372032465/0372872626; e-mail office@hospitalsolutions.ro	Cazane de abur	Cazane de abur	-	-	-	-	Qmax=2t/h, pmax=16bar, Tmax=200°C	B/CR4/A,B/4/3331/1/26.09.2018
336	Bucuresti	HOSPITAL TECHNICAL SOLUTIONS SRL	BUCUREȘTI, Sos. Dudești-Pantelimon, nr. 44, sector 3	J40/6134/2018	RO 39292806	0372032465/0372872626; e-mail office@hospitalsolutions.ro	Cazane de abur	-	-	-	-	-	Qmax=2t/h, pmax=18bar, Tmax=200°C	B/CR4/A/4/3331/0/18.09.2018
337	Bucuresti	HSH CHEMIE SRL	BUCUREȘTI, Str. Dimitrie Racovita nr.19, ap.1 si 2, sector 2	J40/11795/2000	CUI 13610671	021/3137778/021/3157864	-	-	-	-	-	Cazane abur; cazane apa fierbinte	p>0,5 bar, T>110°C	B/CR4/H/4,5/0136/0/30.06.2010-suspendare incepand cu 03.02.2014
338	Bucuresti	HTP MEDICAL SRL	BUCUREȘTI, Str. Olanesti, nr. 2, bl. 43, sc. 1, et. 5, ap. 32, cam. 1, sector 6; BUCUREȘTI,	J40/19706/2008	CUI 24781430	0372402702, 0372872202, email office@htp.ro	Cazane de abur	-	Cazane de abur	-	-	-	Qmax=0.1t/h, pmax=20bar, Tmax=250°C	B/CR4/A,C/4/3435/1/05.05.2021

339	Bucuresti	HTP MEDICAL SRL	BUCURESTI, Str. Olanesti, nr. 2, bl. 43, sc. 1, et. 5, ap. 32, cam. 1, sector 6; BUCURESTI,	J40/19706/2 008	CUI 24781430	0372402702, 0372872202	Cazane de abur	-	Cazane de abur	-	-	-	Qmax=0.1t/h , pmax=20bar, Tmax=250°C	B/CR4/A,C/4 /3435/0/18. 06.2019
340	Brasov	HYDRO X SRL	BRASOV, Str. Dealul Spirei, nr.7E, Jud. Brasov	J08/1265/19 96	RO 8894607	0268/513050 / 513157; 0744328514	-	-	-	-	-	Cazane abur; cazane apa fierbinte	p>0.5bar; T>110°C	BV/CR4/H/4, 5/0027/0/30 .07.2010
341	Timisoara	HYDROMATIC SISTEM SRL	TIMISOARA, Bv. Construcior, nr.2B, Jud. Timis	J35/728/199 8	CUI 10786429	0256/294361 / 246427	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h, pmax=64bar, Tmax=450°C; Dmax=25Gcal /h, pmax=16bar	TM/CR4/A,B, C/4,5/025/3 /03.03.2022
342	Oradea	HYDROMATIC SISTEM SRL	TIMISOARA, Calea Buziasului, nr. 11, Hala Industriala si birouri, Jud. Timis	J35/728/199 8	CUI 10786429	0256/294361 / 246427	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h, pmax=64bar, Tmax=450°C; Dmax=25Gcal /h, pmax=16bar	OR/CR4/A,B, C/4,5/1431/ 2/18.04.2019
343	Oradea	HYDROMATIC SISTEM SRL	TIMISOARA, Calea Buziasului, nr. 11, Hala Industriala si birouri, Jud. Timis	J35/728/199 8	CUI 10786429	0256/294361 / 246427	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h, pmax=64bar, Tmax=450°C; Dmax=25Gcal /h, pmax=16bar	OR/CR4/A,B, C/4,5/1431/ 1/17.05.2017

344	Oradea	HYDROMATIC SISTEM SRL	TIMISOARA, Calea Buziasului, nr. 11, Hala Industrială si birouri, Jud. Timis	J35/728/1998	CUI 10786429	0256/294361 / 246427	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h, pmax=64bar, Tmax=450°C; Dmax=25Gcal/h, pmax=16bar	OR/CR4/A,B,C/4,5/1431/0/18.01.2016
345	Central	INSTITUTUL NATIONAL DE CERCETARE DEZVOLTARE PENTRU ENERGIE - ICEMENERG	BUCURESTI, Bd. Energeticienilor, nr.8, sector 3	J40/4323/2014	CUI 33034838	021/3462769 / 3465310	-	-	-	Cazane de abur, apa fierbinte	-	-	pmax=250bar, Tmax=570°C, Qmax=1035t/h; pmax=30bar, Dmax=100Gcal/h	DISPR/CR4/E/4,5/3866/1/13.06.20016
346	Central	INSTITUTUL NATIONAL DE CERCETARE DEZVOLTARE PENTRU ENERGIE - ICEMENERG	BUCURESTI, Bd. Energeticienilor, nr.8, sector 3	J40/4323/2014	CUI 33034838	021/3462769 / 3465310	-	-	-	Cazane de abur, apa fierbinte	-	-	pmax=250bar, Tmax=570°C, Qmax=1035t/h; pmax=30bar, Dmax=100Gcal/h	DISPR/CR4/E/4,5/3866/0/27.08.2014
347	Central	ICEMENERG SA	BUCURESTI, Str. Energeticienilor, nr.8, sector 3	J40/7306/2004	CUI 16397293	021/3464443 /3460384	-	-	-	Cazane abur	-	-	pmax=245bar, Tmax=540°C, Qmax=1035t/h	DISPR/CR4/E/4,5/1016/0/20.06.2011
348	Bucuresti	ICMA SRL	PITESTI, Str. Petrochimistilor, nr.36, Jud. Arges	J03/1963/1991	RO 137238	0248/206011 /615332	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤1035t/h, pmax≤206bar, Tmax≤580°C; Dmax≤100Gcal/h,	B/CR4/A,B,C/4,5/2328/1/14.10.2014-suspendare voluntara incepand cu 12.10.2015

349	Central	ICMA SRL	PITESTI, Str. Petrochimisti lor, nr.36, Jud. Arges	J03/1963/19 91	RO 137238	0248/206011 /206012	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤1035t/h, pmax≤206bar , Tmax≤580°C; Dmax≤100Gcal/h,	DISPR/CR4/A ,B,C/4,5/312 3/0/28.02.20 12
350	Bacau	ICMRS SA	GALATI, Str. Smardan , nr.1, Jud. Galati	J17/12/1991	RO 1633620	0236/448000 / 448011	-	-	Cazane abur	-	-	-	Qmax=300t/h , pmax=100bar , Tmax=400°C	BC/CR4/C/4/ 1363/0/17.0 2.2014
351	Central	ICPET GENERATOARE ABUR SA	BUCURESTI, Sos. Berceni, nr.104, sector 4	J40/18840/2 004	RO 16951886	021/3194348 / 3149058	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=200bar , Tmax=570°C; Dmax=100Gcal/h,	DISPR/CR4/E /4,5/3750/1 /02.11.2012
352	Bucuresti	ICPET GENERATOARE ABUR SA	BUCURESTI, Sos. Berceni, nr.104, sector 4	J40/18840/2 004	CUI 16951886	021/4920201	-	-	-	-	Cazane abur , apa fierbinte	-	Qmax=1035t/h, pmax=200bar , Tmax=570°C; Dmax=100Gcal/h,	B/CR4/G/4,5 /0408/0/14. 10.2010
353	Oradea	IGNA CONSTRUCT SRL	ORADEA, str. Alexandru Donici, nr.18, Jud. Bihor	J05/26/1992	RO 70642	0259314550, email: office@ignaconstruct.ro	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qs≤100t/h, ps≤40bar, T≤440°C	OR/CR4/A,B, C/4/1792/0/ 08.02.2021

354	Central	IMSP PROIECT SRL	CONSTANTA, Str. Breaza, nr. 14B, Jud. Constanta	J13/2445/20 08	CUI 24178510	0724460170; 0241/515543	-	-	-	Cazane abur; cazane apa fierbinte	-	-	pmax=50bar, Tmax=440°C, Qmax=20t/h; Dmax=5Gcal/ h, pmax=18bar	DISPR/CR4/E /4,5/1051/1 /08.01.2015
355	Central	IMSP PROIECT SRL	CONSTANTA, Str. Frigului, nr.4, bl.FG4, ap.11, Jud. Constanta	J13/2445/20 08	CUI 24178510	0241/553132	-	-	-	Cazane abur; cazane apa fierbinte	-	-	pmax=50bar, Tmax=440°C, Qmax=20t/h; Dmax=5Gcal/ h, pmax=18bar	DISPR/CR4/E /4,5/1051/0 /08.06.2011
356	Bucuresti	IMUC SA	BRADU, Sat Geamana, Drum 23, nr. 30, Jud. Arges	J03/236/199 1	CUI 128990	0248/615600 /615599	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤1100t/ h, pmax≤225bar , Tmax≤600°C; Dmax≤100Gc al/h,	B/CR4/A,B,C /4,5/2397/2 /07.10.2019
357	Bucuresti	IMUC SA	BRADU, Str. Petrochimisti lor, nr. 10, Jud. Arges	J03/236/199 1	CUI 128990	0248/615600 /615599	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤1100t/ h, pmax≤225bar , Tmax≤600°C; Dmax≤100Gc al/h,	B/CR4/A,B,C /4,5/2397/1 /17.12.2014
358	Central	IMUC SA	BRADU, Str. Petrochimisti lor, nr. 10, Jud. Arges	J03/236/199 1	CUI 128990	0248/615600 /615599	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤1100t/ h, pmax≤225bar , Tmax≤600°C; Dmax≤100Gc al/h,	DISPR/CR4/A ,B,C/4,5/239 0/0/21.11.20 11

359	Brasov	INDUSTRIAL MONTAJ SA	PLOIESTI, Str. Mihai Bravu, nr.342A, Jud. Prahova	J29/2257/19 91	RO 1348195	0244/515774 /595275	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, Pmax=400bar , Tmax=850°C; Dmax=150Gcal/h,	BV/CR4/A,B, C/4,5/1502/ 3/04.12.2019
360	Brasov	INDUSTRIAL MONTAJ SA	PLOIESTI, Str. Mihai Bravu, nr.342A, Jud. Prahova	J29/2257/19 91	RO 1348195	0244/515774 /595275	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, Pmax=400bar , Tmax=600°C; Dmax=150Gcal/h,	BV/CR4/A,B, C/4,5/1502/ 2/18.11.2015
361	Brasov	INDUSTRIAL MONTAJ SA	PLOIESTI, Str. Mihai Bravu, nr.342A, Jud. Prahova	J29/2257/19 91	RO 1348195	0244/515774 /595275	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , Pmax=400bar , Tmax=440°C; Dmax=50Gcal/h,	BV/CR4/A,B, C/4,5/1009/ 1/21.06.2012
362	Ploiesti	INDUSTRIAL MONTAJ SA	PLOIESTI, Str. Mihai Bravu, nr.342A, Jud. Prahova	J29/2257/19 91	RO 1348195	0244/515774 / 595275	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h , pmax=400bar , Tmax=440°C; Dmax=50Gcal/h,	PL/CR4/A,B, C/4,5/0209/ 0/21.10.2010
363	Central	INDUSTRIAL MONTAJ GRUP SRL	DRAGANESTI OLT, Str. Capitan Draganescu, bl.PM1, sc.A,parter, ap.1, Jud. OLT; RM.	J28/48/2005	CUI 17128161	0728172325; 0250/730314 /730313	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤1035t/h, pmax≤196bar , Tmax≤565°C	DISPR/CR4/A ,B,C/4,5/125 6/0/28.06.20 11

364	Central	INGET INGINERIE TERMICA SRL	CLUJ NAPOCA, Str. Maramuresul ui, nr.16, Jud. Cluj	J12/1251/19 91	CUI 207732	0264/435274	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤50t/h, pmax≤30bar, Tmax≤400°C; Dmax≤40Gcal /h, pmax≤30bar	DISPR/CR4/A ,B,C/4,5/040 0/0/30.03.20 11
365	Bacau	INSTAL EXPERT SRL	SUCEAVA, Str. Petru Rares, nr. 20, bl. 4, sc. B, ap. 2, Jud. Suceava	J33/47/2002	RO 14426503	0230/551392 , 0742147860	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Q≤105t/h, p≤50bar, T≤450°C; D≤50Gcal/h, p≤25bar	BC/CR4/A,C/ 4,5/2080/1/ 15.03.2022
366	Suceava	INSTAL EXPERT SRL	SUCEAVA, Str. Petru Rares, nr. 20, bl. 4, sc. B, ap. 2, Jud. Suceava	J33/47/2002	RO 14426503	0230/551392	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Q≤105t/h, p≤40bar, T≤450°C; D≤50Gcal/h, p≤25bar	SV/CR4/A,C/ 4,5/0023/0/ 04.10.2010
367	Central	INSTAL GROUP SRL	ARAD, Str. Timotei Cipariu, nr.3, Jud. Arad	J02/692/199 6	CUI 8898978	0257/276466 /206626	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤10t/h, pmax≤16bar, Tmax≤300°C; Dmax≤5Gcal/ h, pmax≤16bar	DISPR/CR4/A ,B,C/4,5/046 5/1/03.01.20 12
368	Bucuresti	INSTALATII ENERGO REPARATII SRL	TARGOVISTE, Str. Tineretului, nr. 3, bl. 26, sc. B, ap. 48, Dambovita	J15/279/199 4	RO 5252572	0245/614946 ; e-mail reparatiirom ania@gmail.c om	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=560°C; Dmax=25Gcal /h, pmax=25bar	B/CR4/A,C/4 ,5/2769/2/1 8.03.2019

369	Bucuresti	INSTALATII ENERGO REPARATII SRL	TARGOVISTE, Str. Tineretului, nr. 3, bl. 26, sc. B, ap. 48, Dambovita	J15/279/1994	RO 5252572	0245/614946 ; e-mail office@reparatiiromania.ro	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=440°C; Dmax=5Gcal/h, pmax=25bar	B/CR4/A,C/4,5/2769/1/20.04.2016
370	Ploiesti	INSTALATII ENERGO REPARATII SRL	TARGOVISTE, Str. T. Vladimirescu, bl.B4, sc.B, ap.1, Jud. Dambovita	J15/279/1994	RO 5252572	0245/614946	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=440°C; Dmax=5Gcal/h, pmax=25bar	PL/CR4/A,C/4,5/0008/0/19.04.2010
371	Central	INSTALATII RC SRL	IASI, Bd. N. Iorga, nr.24, bl.C1, et.2, Jud. Iasi	J22/2797/1992	CUI 2639206	0232/233775 /233015	Cazane abur	Cazane abur	-	-	-	-	Qmax=4t/h, pmax=16bar, Tmax=200°C	DISPR/CR4/A,B/4/1797/0/22.08.2011
372	Central	INSTALATII RC SRL	IASI, Bd. Chimiei, nr.14F, Jud. Iasi	J22/2797/1992	CUI 2639206	0232/233775	Cazane abur	Cazane abur	-	-	-	-	Qmax=4t/h, pmax=16bar, Tmax=200°C	BC/CR4/A,B/4/1175/1/15.03.2013
373	Bacau	INSTALATORUL SRL	SUCEAVA, Str. Grigore Ureche, nr. 19, et. 2, camere 1-9, Jud. Suceava	J33/1875/1992	RO 3177709	0230/551719	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=25bar, Tmax=227°C	BC/CR4/A,B,C/4/1584/1/27.09.2018

374	Bacau	INSTALATORUL SRL	SUCEAVA, Str. Grigore Ureche, nr. 19, et. 2, camere 1-9, Jud. Suceava	J33/1875/1992	RO 3177709	0230/551719	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=25bar, Tmax=227°C	BC/CR4/A,B,C/4/1584/0/11.08.2015
375	Central	INSTPRO SRL	DRAGASANI, Str. Traian, nr.30, Jud. Valcea	J38/55/1999	CUI 11444947	0250/811150	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤10t/h, pmax≤16bar, Tmax≤180°C; Dmax≤5Gcal/h, pmax≤16bar	DISPR/CR4/A,B,C/4,5/0892/0/15.04.2011
376	Cluj	INTELTERM CONSULTING SRL	CLUJ NAPOCA, Str. Rosiori, nr.3, Jud. Cluj	J12/210/1998	RO 10196037	0264/593904 / 431919	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=180°C; Dmax=25Gcal/h, pmax=16bar	CJ/CR4/A,B,C/4,5/0064/0/17.08.2010
377	Brasov	INTERCAZ SA	BRASOV, Str. Carierei, nr.153, Jud. Brasov	J08/1068/1992	CUI 1091414	0268/516775	Cazane de abur	-	Cazane abur	-	-	-	Q≤100t/h, p≤16bar, T≤350°C	BV/CR4/A,C/4/0003/0/04.06.2010
378	Central	INTERCOM INSTAL SRL	HUNEDOARA, Bd. Dacia, bl. A3, ap.15, Jud. Hunedoara	J20/707/2000	CUI 13567164	0254/712123 / 714611	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤10t/h, pmax≤16bar	DISPR/CR4/A,B,C/4,5/0283/0/24.03.2011

379	Bacau	INTERNATIONAL INSTALATII IMPEX SRL	FOCSANI, Str. Magura, nr.10, Jud. Vrancea	J39/7101994	RO 6142918	0237/625874	Cazane de abur	-	Cazane abur	-	-	-	Qmax=10t/h, p=16bar, T=250°C	BC/CR4/A,C/ 4/1039/0/24 .08.2012
380	Central	INTERTEK INDUSTRY SERVICES ROMANIA SRL	BUCURESTI, Cal. Rahovei, nr. 266-268, cprp 63, Anexe A-B, Stalpii 0-4, camera 01,	J40/2948/20 00	RO 12841309	021/3224450 / 3274826	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h , pmax=40bar, Tmax=440°C; Dmax=100Gc al/h, pmax=25bar	DISPR/CR4/E /4,5/3966/1 /02.03.2017
381	Central	INTERTEK INDUSTRY SERVICES ROMANIA SRL	BUCURESTI, Cal. Rahovei, nr. 266-268, cprp 63, Anexe A-B, Stalpii 0-4, camera 01,	J40/2948/20 00	RO 12841309	021/3224450 / 3274826	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h , pmax=40bar, Tmax=440°C; Dmax=100Gc al/h, pmax=25bar	DISPR/CR4/E /4,5/3966/0 /11.11.2016
382	Bucuresti	INTREPRINDE REA MECANICA SI CHIMICA (IRMC) APROM SRL	BUCURESTI, Sos. Berceni, nr.8, Obiectiv 1, Ajustaj- Forja, et.1, sector 4	J40/1096/20 02	RO 14458483	213327561	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=0.1t/h , pmax=10bar, Tmax=200°C; Dmax=400Gc al/h, pmax=3bar	B/CR4/A,B,C /4,5/1957/0 /09.01.2014
383	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Cuptoarelor, nr. 4, Jud. Prahova	J29/556/201 0	RO 26850340	0727205519; 0344/140752 ; 0244/547707	-	-	-	Cazane abur	-	-	Qmax=540t/h , pmax=250bar , Tmax=570°C	DISPR/CR4/E /4/3727/4/0 5.12.2018

384	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedintean u, nr.7, Jud. Prahova	J29/556/201 0	RO 26850340	0727205519; 0344/140752 ; 0244/547707	-	-	-	Cazane abur	-	-	Qmax=540t/h , pmax=250bar , Tmax=570°C	DISPR/CR4/E /4/3727/3/2 3.06.2016
385	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedintean u, nr.7, Jud. Prahova	J29/556/201 0	RO 26850340	0344/140752 ; 0244/547707	-	-	-	Cazane abur	-	-	Qmax=540t/h , pmax=250bar , Tmax=570°C	DISPR/CR4/E /4/3727/2/0 9.02.2015
386	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Constructia C1, et.1, Jud. Prahova	J29/556/201 0	RO 26850340	0344/140752 ; 0244/547707	-	-	-	Cazane abur	-	-	Qmax=540t/h , pmax=250bar , Tmax=570°C	DISPR/CR4/E /4/3727/1/0 4.11.2013
387	Central	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Constructia C1, et.1, Jud. Prahova	J29/556/201 0	RO 26850340	0344/140752 ; 0244/547707	-	-	-	Cazane abur	-	-	Qmax=540t/h , pmax=250bar , Tmax=570°C	DISPR/CR4/E /4/3727/0/1 1.09.2012
388	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Cuptoarelor, nr.4, Jud. Prahova	J29/556/201 0	RO 26850340	0344/140752 ; 0244/547707 ; e-mail: office@ipm- partners.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1000t/ h, Pmax=40bar, Tmax=570°C; Dmax=21Gcal /h, Pmax=40bar	BV/CR4/A,B, C/4,5/1390/ 4/15.11.2018

389	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedintean u, nr.7, Jud. Prahova	J29/556/201 0	RO 26850340	0344/140752 ; 0244/547707	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1000t/ h, Pmax=40bar, Tmax=570°C; Dmax=21Gcal /h, Pmax=40bar	BV/CR4/A,B, C/4,5/1390/ 3/06.06.2016
390	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedintean u, nr. 7, Jud. Prahova	J29/556/201 0	RO 26850340	0344/140752 ; e-mail: office@ipm- partners.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤1000t/ h, Pmax≤40bar, Tmax≤570°C; Dmax≤21Gcal /h, Pmax≤40bar	BV/CR4/A,B, C/4,5/1390/ 2/20.02.2015
391	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Constructia C1, et.1, Jud. Prahova	J29/556/201 0	RO 26850340	0344/140752 ; e-mail: office@ipm- partners.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1000t/ h, Pmax=40bar, Tmax=570°C; Dmax=21Gcal /h, Pmax=40bar	BV/CR4/A,B, C/4,5/1196/ 1/06.11.2013
392	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Jud. Prahova	J29/556/201 0	RO 26850340	0344/140752 ; 0244/547707	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤1000t/ h, Pmax≤40bar, Tmax≤570°C; Dmax≤21Gcal /h, Pmax≤40bar	BV/CR4/A,B, C/4,5/1034/ 0/10.08.2012
393	Central	IPOCHIM SA	BUCURESTI, Str. Mihai Eminescu, nr.19-21, sector 1	J40/6485/19 91	CUI 457747	021/2117654 /2102701	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h , pmax=150bar , Tmax=570°C; Dmax=25Gcal /h,	DISPR/CR4/E /4,5/0829/4 /08.01.2020

394	Central	IPOCHIM SA	BUCURESTI, Str. Mihai Eminescu, nr.19-21, sector 1	J40/6485/19 91	CUI 457747	021/2117654 /2102701	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h , pmax=150bar , Tmax=570°C; Dmax=25Gcal /h,	DISPR/CR4/E /4,5/0829/3 /27.05.2019
395	Central	IPOCHIM SA	BUCURESTI, Str. Mihai Eminescu, nr.19-21, sector 1	J40/6485/19 91	CUI 457747	021/2117654 /2102701	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h , pmax=150bar , Tmax=570°C; Dmax=25Gcal /h,	DISPR/CR4/E /4,5/0829/2 /27.09.2017
396	Central	IPOCHIM SA	BUCURESTI, Str. Mihai Eminescu, nr.19-21, sector 1	J40/6485/19 91	CUI 457747	021/2117654	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h , pmax=150bar , Tmax=570°C; Dmax=25Gcal /h,	DISPR/CR4/E /4,5/0829/1 /27.04.2015
397	Central	IPOCHIM SA	BUCURESTI, Str. Mihai Eminescu, nr.19-21, sector 1	J40/6485/19 91	CUI 457747	021/2117654 /2102701	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h , pmax=150bar , Tmax=570°C; Dmax=25Gcal /h,	DISPR/CR4/E /4,5/0829/0 /01.06.2011
398	Bucuresti	IREM GENERAL CONTRACTOR SRL	BUCURESTI, Str. Biharia, nr. 26, birou 50, sector 1	J40/16633/2 016	CUI 36853491	0371314720, 0213122303, 0733774568; e-mail office@irem generalcontractor.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/ h, pmax≤225bar , Tmax≤600°C; Dmax=100Gc al/h,	B/CR4/A,B,C /4,5/3312/0 /04.09.2018

399	Bucuresti	IREM GENERAL CONTRACTOR SRL	BUCURESTI, Str. Gh. Polizu, nr. 58-60, et. 13, sector 1	J40/16633/2 016	CUI 36853491	0371314720, 0213122303, 0733774568; e-mail office@iremgen eralcontractor.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax≤225bar , Tmax≤600°C; Dmax=100Gcal/h,	B/CR4/A,B,C /4,5/3312/1 /24.06.2019
400	Bucuresti	IREM SERVICII SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr.3-5, parter, spatiu comercial	J40/11965/2 006	CUI 18876802	021/3132904 / 3122303	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax≤225bar , Tmax≤600°C; Dmax=100Gcal/h,	B/CR4/A,B,C /4,5/1058/3 /13.08.2015
401	Bucuresti	IREM SERVICII SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr.3-5, et.8, ap.2, sector 6	J40/11965/2 006	CUI 18876802	021/3132904 / 3132303	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax≤225bar , Tmax≤600°C; Dmax=100Gcal/h,	B/CR4/A,B,C /4,5/1058/2 /10.06.2013
402	Bucuresti	IREM SERVICII SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr.3-5, et.8, ap.2, sector 6	J40/11965/2 006	CUI 18876802	021/3132904 / 3132303	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax≤225bar , Tmax≤600°C; Dmax=100Gcal/h,	B/CR4/A,B,C /4,5/1058/1 /21.07.2012
403	Central	IREM SERVICII SRL	BUCURESTI,C al. Victoriei, nr.16-18-20, et.2, sector 3	J40/11965/2 006	CUI 18876802	021/3132904 /3132303; 0722500130	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/h, pmax≤225bar , Tmax=600°C; Dmax=100Gcal/h,	DISPR/CR4/A ,B,C/4,5/202 5/0/27.09.20 11

404	Bucuresti	IREM SPA SIRACUSA SRL	BUCURESTI, Str. Gh. Polizu, nr. 58-60, et. 13, sector 1; TG. JIU, Bd. Ecaterina Teodoroiu,	J40/11709/2 014	RO 33677137	0371314720, 0733774568, 021/3122303 ; e-mail irembranch. romania@ire mspa.it; 0732333411,	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=50bar, Tmax=300°C; Dmax=30Gcal /h, pmax=20bar	B/CR4/B,C/4 ,5/2699/1/2 5.06.2019
405	Bucuresti	IREM SPA SIRACUSA SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, camera 1, et. 5, sector 6; TG. JIU, Bd.	J40/11709/2 014	RO 33677137	0732333411, 0731312869; 0253/223793	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=50bar, Tmax=300°C; Dmax=30Gcal /h, pmax=20bar	B/CR4/B,C/4 ,5/2699/0/1 8.02.2016
406	Bucuresti	IREM SPA SIRACUSA SRL- Sucursala Bucuresti	BUCURESTI, Str. Gh. Polizu, nr. 58-60, et. 13, sector 1; STOINA, sectia MTN, Jud. Gorj	J40/11709/2 014	RO 33677137	0371314720, 0733774568, 021/3122303 ; e-mail irembranch. romania@ire mspa.it	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax≤20bar, Tmax=250°C; Dmax=30Gcal /h, pmax=16bar	B/CR4/A,B,C /4,5/2608/1 /25.06.2019
407	Bucuresti	IREM SPA SIRACUSA SRL- Sucursala Bucuresti	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, camera 1, et. 5, sector 6; STOINA,	J40/11709/2 014	RO 33677137	0734301816; 021/3132904 / 3122303	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax≤20bar, Tmax=250°C; Dmax=30Gcal /h, pmax=16bar	B/CR4/A,B,C /4,5/2608/0 /04.09.2015
408	Bucuresti	ISAM PRODIMPEX SRL	BUCURESTI, Str. Plaiul Foii, nr. 7, suprafata 18 m, sector 4	J40/5546/19 95	CUI 7704852	0723391958, 021/3324058 ; e-mail isamprodimp ex@yahoo.co m	Cazane abur	-	Cazane abur	-	-	-	Qmax=0.25t/ h, pmax=2.7bar , Tmax=140°C;	B/CR4/A,C/4 /0398/1/22. 05.2019

409	Bucuresti	ISAM PRODIMPEX SRL	BUCURESTI, Al. Sergent Maj. Emil Holut, nr.4, bl.161, sc.1, et.2, ap.10, sector 4	J40/5546/19 95	CUI 7704852	021/3324058	Cazane abur	-	Cazane abur	-	-	-	Qmax=0.25t/ h, pmax=2.7bar , Tmax=140°C;	B/CR4/A,C/4 /0398/0/06. 10.2010
410	Central	ISCIR CERT SRL	BUCURESTI, Str. Dr. Leonte Anastasievici, nr.4D,corp A, et.4, birou 10, sector 5	J40/7947/20 05	RO 17535289	021/4115203	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/ h, pmax=192bar , Tmax=550°C; Dmax=100Gc al/h,	DISPR/CR4/E /8/3887/0/0 7.11.2014
411	Central	ITM AMIRO SA	BUCURESTI, Sos. Berceni, nr.8, sector 4	J40/163/199 1	CUI 382458	021/3327565	Cazane de abur (generatoare de abur pentru sterilizare)	Cazane de abur (generatoare de abur pentru sterilizare)	Cazane de abur (generatoare de abur pentru sterilizare)	-	-	-	Qmax=100Kg /h, pmax=10bar, Tmax=200°C	DISPR/CR4/A ,B,C/4/1486/ 0/19.07.2011
412	Brasov	J. CHRISTOF E&P SERVICES SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, Nr. 49A, Jud. Prahova; TÂRGU JIU,	J29/1314/20 09	CUI 21013747	0344/401027 / 315; 0244/401026 ; e-mail: office.jce@c hristof.com; 0732/333411 ; e-mail:	-	Cazane de abur; Cazane de apa fierbinte	Cazane de abur; Cazane de apa fierbinte	-	-	-	pmax=50bar, Qmax=50t/h, Tmax=300°C; pmax=20bar, Dmax=30Gcal /h	BV/CR4/B,C/ 4,5/1911/1/ 11.07.2022
413	Brasov	J. CHRISTOF E&P SERVICES SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Jud. Prahova; TÂRGU JIU,	J29/1314/20 09	CUI 21013747	0344/401027 ; 315, 0344/401026 ; 0732333411, e-mail office.jce@c hristof.com,	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=50bar, Tmax=300°C; Dmax=30Gcal /h, pmax=20bar	BV/CR4/B,C/ 4,5/1911/0/ 08.02.2021

414	Brasov	J. CHRISTOF E&P SERVICES SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, Nr. 49A, Jud. Prahova	J29/1314/20 09	21013747	0344/401027 ; 0244/401026 ; e-mail: office.jce@c hristof.com	Cazane de abur; Cazane de apa fierbinte	Cazane de abur; Cazane de apa fierbinte	Cazane de abur; Cazane de apa fierbinte	-	-	-	pmax=215bar , Qmax=1035t/ h, Tmax=850°C; pmax=500bar	BV/CR4/A,B, C/4,5/1646/ 6/04.07.2022
415	Brasov	J. CHRISTOF E&P SERVICES SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, Jud. Prahova	J29/1314/20 09	CUI 21013747	0344/401027 ; 315, 0344/401026 ; e-mail: office.jce@c hristof.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/ h, pmax=215bar , Tmax=850°C; Dmax=100Gc al/h,	BV/CR4/A,B, C/4,5/1646/ 4/10.05.2021
416	Brasov	J. CHRISTOF E&P SERVICES SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1314/20 09	CUI 21013747	0344/401027 ; 315, 0344/401026 ; e-mail: office.jce@c hristof.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/ h, pmax=215bar , Tmax=850°C; Dmax=100Gc al/h,	BV/CR4/A,B, C/4,5/1646/ 3/01.02.2021
417	Brasov	J. CHRISTOF E&P SERVICES SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, Jud. Prahova	J29/1314/20 09	CUI 21013747	0344/401027 ; 315, 0344/401026 ; e-mail: office.jce@c hristof.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/ h, pmax=215bar , Tmax=850°C; Dmax=100Gc al/h,	BV/CR4/A,B, C/4,5/1646/ 2/06.09.2019
418	Brasov	J. CHRISTOF E&P SERVICES SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1314/20 09	CUI 21013747	0344/401027 /401026; e- mail office.jce@c hristof.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/ h, pmax=215bar , Tmax=850°C; Dmax=100Gc al/h,	BV/CR4/A,B, C/4,5/1646/ 1/29.03.2018

419	Brasov	J. CHRISTOF E&P SERVICES SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1314/20 09	CUI 21013747	0344/401027 /401026; e- mail office.jce@c hristof.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=215bar , Tmax=850°C; Dmax=100Gcal/h,	BV/CR4/A,B, C/4,5/1646/ 0/20.03.2017
420	Ploiesti	J. CHRISTOF E&P SERVICES SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1314/20 09	RO 21013747	0344/401027 / 401026	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Dmax=5Gcal/ h, Tmax=440°C	PL/CR4/A,B, C/4,5/0068/ 0/07.06.2010
421	Central	J. CHRISTOF E&P SERVICES SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1314/20 09	CUI 21013747	0344/401027 /401026	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, Tmax=440°C; Dmax=5Gcal/ h, pmax=40bar	DISPR/CR4/A ,B,C/4,5/237 4/1/22.07.20 11
422	Brasov	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1097/20 08	RO 22866980	0344/401027 / 401026	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax=215bar , Qmax=1035t/h, Tmax=650°C; pmax=100bar , 50bar>=p>0.5 bar, Qmax=200t/h , Tmax=580°C; 50>=p>0.5bar	BV/CR4/A,B, C/4,5/1345/ 3/09.12.2014 - suspendare voluntara incepand cu 28.07.2017
423	Ploiesti	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1097/20 08	RO 22866980	0344/401027 / 401026	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	50bar>=p>0.5 bar, Qmax=200t/h , Tmax=580°C; 50>=p>0.5bar	PL/CR4/A,B, C/4,5/0078/ 0/09.06.2010

424	Ploiesti	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1097/20 08	RO 22866980	0344/401027 / 401026	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax=100bar , Qmax=200t/h , Tmax=650°C; pmax=100bar ,	PL/CR4/A,B, C/4,5/0078/ 1/16.08.2010
425	Ploiesti	JCR CHRISTOF CONSULTING SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1097/20 08	RO 22866980	0344/401027 / 401026	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax≤215bar , Qmax≤1035t/ h, Tmax≤650°C; pmax≤100bar ,	DISPR/CR4/A ,B,C/4,5/007 8/2/14.04.20 11
426	Bucuresti	KAROM SERVICII PROFESIONAL E IN INDUSTRIE SRL	VOLUNTARI, bd Pipera, nr 1B, Cubic Center Office Building, spatiul SB5.04,	J23/598/202 0	CUI 9816194	0344401997/ 0344401995, email cristian_chiri toi@dietsman n.com	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax=20bar, Tmax=250°C, Qmax=30t/h; pmax=20bar, Qmax=30t/h	B/CR4/A,B,C /4,5/3660/5 /19.05.2020
427	Brasov	KAROM SERVICII PROFESIONAL E IN INDUSTRIE SRL	PLOIESTI, Bd. Bucuresti, nr. 66, camera 1A, et. 1, Jud. Prahova	J29/1153/19 97	RO 9816194	0344/401995 / 401997; e- mail office@karom kpk.ro	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax=20bar, Tmax≤250°C, Qmax≤30t/h; pmax≤20bar, Dmax≤30Gcal	BV/CR4/A,B, C/4,5/1364/ 5/29.08.2019
428	Brasov	KAROM SERVICII PROFESIONAL E IN INDUSTRIE SRL	PLOIESTI, Bd. Bucuresti, nr. 66, camera 1A, et. 1, Jud. Prahova	J29/1153/19 97	RO 9816194	0344/401995 / 401997; e- mail office@karom kpk.ro	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax≤20bar, Tmax≤250°C, Qmax≤30t/h	BV/CR4/A,B, C/4,5/1364/ 4/12.11.2018

429	Brasov	KAROM SERVICII PROFESIONAL E IN INDUSTRIE SRL	PLOIESTI, Bd. Bucuresti, nr. 66, camera 1A, et. 1, Jud. Prahova	J29/1153/19 97	RO 9816194	0344/401995 / 401997; e- mail office@karom kpk.ro	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax≤20bar, Tmax≤250°C, Qmax≤30t/h	BV/CR4/A,B, C/4,5/1364/ 3/08.12.2017
430	Brasov	KAROM SERVICII PROFESIONAL E IN INDUSTRIE SRL	PLOIESTI, Bd. Bucuresti, nr. 66, camera 1A, et. 1, Jud. Prahova	J29/1153/19 97	RO 9816194	0344/401995 / 401997	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax≤20bar, Tmax≤250°C, Qmax≤30t/h	BV/CR4/A,B, C/4,5/1364/ 2/10.07.2017
431	Brasov	KAROM SERVICII PROFESIONAL E IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr. 66, camera 1A, et. 1, Jud. Prahova	J29/1153/19 97	RO 9816194	0344/401995 / 401997	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax≤20bar, Tmax≤250°C, Qmax≤30t/h	BV/CR4/A,B, C/4,5/1364/ 1/27.10.2016
432	Brasov	KAROM SERVICII PROFESIONAL E IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr. 66, camera 1A, et. 1, Jud. Prahova	J29/1153/19 97	RO 9816194	0344/401995 / 401997	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax≤20bar, Tmax≤250°C, Qmax≤30t/h	BV/CR4/A,B, C/4,5/1364/ 0/28.01.2015
433	Brasov	KRAFTANLAG EN ROMANIA SRL	PLOIESTI, str. Libertății, nr.6A, Jud. Prahova	J29/2805/20 07	RO 21536614	0344/401995 / 401997; e- mail info@ka- romania.ro	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	pmax≤225 bar, Dmax≤700 Gcal/h, Tmax≤580°C; pmax≤150bar, Qmax≤100	BV/CR4/A,B, C/4,5/1834/ 2/09.03.2022

434	Brasov	KRAFTANLAG EN ROMANIA SRL	PLOIESTI, Bd. Bucuresti, nr.66, et.2, Jud. Prahova	J29/2805/20 07	RO 21536614	0344/401994 / 401997; e- mail info@ka- romania.ro	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	225bar>=p>0. 5bar, Dmax=700t/h , Tmax=580°C; 150>=p>0.5b ar,	BV/CR4/A,B, C/4,5/1834/ 1/01.10.2019
435	Ploiesti	KRAFTANLAG EN ROMANIA SRL	PLOIESTI, Bd. Bucuresti, nr.66, et.2, Jud. Prahova; PETROBRAZI, Com. Brazi,	J29/2805/20 07	RO 21536614	0344/401994 /403900/401 997/403911	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	225bar>=p>0. 5bar, Dmax=700t/h , Tmax=580°C; 150>=p>0.5b ar,	PL/CR4/A,B, C/4,5/0148/ 0/16.07.2010
436	Brasov	KREMSMUELL ER ROMANIA SRL	PLOIESTI, Str. Centura de Vest, nr.23, Jud. Prahova	J29/626/200 7	CUI 18725133	0728291150; 0720112585	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/ h, pmax=150bar , Tmax=560°C; Dmax=100Gc al/h,	BV/CR4/A,C/ 4,5/1480/1/ 06.10.2015
437	Central	KREMSMUELL ER ROMANIA SRL	PLOIESTI, Str. Centura de Vest, nr.23, Jud. Prahova	J29/626/200 7	CUI 18725133	0728291150; 0720112585	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/ h, pmax=150bar , Tmax=560°C; Dmax=100Gc al/h,	DISPR/CR4/A ,C/4,5/1724/ 0/28.06.2011
438	Central	KRONSTADT ENERGII REGENERABIL E SRL	BRASOV, Str. Avram Iancu, nr.48A, sc.B, parter, ap.1, Jud. Brasov	J08/1090/20 10	CUI 27457234	0368/416900 /470881	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=16bar, Tmax=350°C; Dmax=50Gcal /h, Pmax=16bar,	DISPR/CR4/A ,B,C/4,5/250 1/0/09.12.20 11

439	Brasov	KRONSTADT INSTALATII SERVICE SRL	BRASOV, Str. Avram Iancu, nr.48A, sc.B, parter, ap.1, birou 1, Jud. Brasov	J08/1108/20 10	CUI 27476562	0368/416900 /470881; e- mail office@kinsta l.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=16bar, Tmax=350°C; Dmax=50Gcal /h, Pmax=16bar	BV/CR4/A,B, C/4,5/1662/ 0/24.05.2017
440	Brasov	LABOREX SRL	PLOIESTI, Str. Mihai Bravu, nr. 206, bl.25B, ap.3, Jud. Prahova	J29/109/199 4	CUI 5122017	0244/518760 / 518761	-	-	-	-	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	pmax>0.5bar ; T>110°C	BV/CR4/G/4, 5/1086/1/22 .11.2012; BV/CR4/H/4, 5/1087/0/22 .11.2012
441	Ploiesti	LABOREX SRL	PLOIESTI, Str. Mihai Bravu, nr. 206, Jud. Prahova	J29/109/199 4	RO 5122017	0244/518760 /518761	-	-	-	-	Cazane abur, apa fierbinte	-	p>0.5bar; T>110°C	PL/CR4/G/4, 5/0304/0/28 .12.2010
442	Central	LABSERVICE SRL	BUCURESTI,B d. Bucurestii Noi, nr.212A, sector 1	J40/3459/20 02	CUI 14607410	021/6680952 /6680954	Cazane abur	-	Cazane abur	-	-	-	Qmax≤5t/h, pmax≤16bar, Tmax≤150°C	DISPR/CR4/A ,C/4/1306/0 /30.06.2011
443	Central	LAS PROM SRL	TG. MURES, Str. Cuza Voda, nr.25, Jud. Mures	J26/2185/20 04	CUI 17057184	0265/264436 /311884	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax≤40t/h, pmax≤40bar, Tmax≤440°C	DISPR/CR4/A ,B,C/4/0424/ 0/07.04.2011

444	Central	LISSCOM SRL	BRASOV, Str. Neptun, nr.10, sc.C, ap.1, Jud. Brasov	J08/252/1998	CUI 10358473	0268/549274	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=120t/h pmax=16bar, Tmax=300°C	DISPR/CR4/A,B,C/4/2980/0/10.02.2012
445	Bacau	LOIAL IMPEX SRL	SCHEIA, Com. Scheia, Str. Oborului, nr. 75A, Jud. Suceava	J33/27/1993	RO 3176126	0230/526800/526900	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440°C; Dmax=100Gcal/h, pmax=40bar	BC/CR4/A,B,C/4,5/1258/4/06.08.2019
446	Bacau	LOIAL IMPEX SRL	SCHEIA, Com. Scheia, Str. Oborului, nr. 75A, Jud. Suceava	J33/27/1993	RO 3176126	0230/526800/526900	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440°C; Dmax=100Gcal/h, pmax=40bar	BC/CR4/A,B,C/4,5/1258/3/16.04.2018
447	Bacau	LOIAL IMPEX SRL	SUCEAVA, Str. Marasesti, nr.44, bl.T1, parter, Jud. Suceava	J33/27/1993	RO 3176126	0230/526800/.526900; office@loial.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440°C; Dmax=100Gcal/h, pmax=40bar	BC/CR4/A,B,C/4,5/1258/2/26.05.2016
448	Bacau	LOIAL IMPEX SRL	SUCEAVA, Str. Marasesti, nr.44, bl.T1, parter, Jud. Suceava; SCHEIA, Str. Agronomului,	J33/27/1993	RO 3176126	0230/526900; office@loial.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440°C; Dmax=100Gcal/h, pmax=40bar	BC/CR4/A,B,C/4,5/1258/1/02.07.2013

449	Central	LOIAL IMPEX SRL	SUCEAVA, Str. Marasesti, nr.44, bl.T1, Jud. Suceava; SCHEIA, Str. Agronomului,	J33/27/1993	RO 3176126	0230/526800 / 526900	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=440°C; Dmax=100Gcal/h, pmax=40bar	DISPR/CR4/A, B, C/4, 5/335 0/0/29.03.2012
450	Central	LUANA PREST SERV SRL	BRASOV, Str. Castelului, nr.40, ap.2, camera 2, Jud. Brasov	J08/2840/2008	RO 24662030	0268/477637	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	pmax>0.5bar, T>110°C	DISPR/CR4/H/4,5/3456/0/12.04.2012; DISPR/CR4/G/4,5/3457/0/12.04.2012
451	Central	LUANA PREST SERV SRL	BRASOV, Str. Castelului, nr.70, ap.2, Jud. Brasov	J08/2840/2008	RO 24662030	0268/415715	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	pmax>0.5bar, T>110°C	DISPR/CR4/G, H/4,5/3456, 3457/1/23.05.2012
452	Bucuresti	MACCHI ROMANIA SRL	DR. TR. SEVERIN, Str. Portile de Fier, nr.2C9, Jud. Mehedinti	J25/191/2004	RO 16325432	0252/310046 ; 0352/884860 0252/329764	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	Qmax=550t/h, Pmax=140bar, Tmax=540°C; Dmax=149; Gcal/h, Pmax=25bar	B/CR4/A, B, C/4, 5/2127/3/19.02.2016
453	Bucuresti	MACCHI ROMANIA SRL	DR. TR. SEVERIN, Str. Portile de Fier, nr.2C9, Jud. Mehedinti	J25/191/2004	RO 16325432	0727435056; 0252310046; 0252/329764	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	Qmax=550t/h, Pmax=140bar, Tmax=540°C; Dmax=150Gcal/h,	B/CR4/A, B, C/4, 5/2127/2/28.04.2014

454	Bucuresti	MAINTENANCE & MONTAGE MMP SRL	BUCURESTI, str. Nerva Traian, nr.3, birou 14, etaj 3, sector 3	J40/10905/2018	CUI 38435932	0215559102, email: info@mmpromania.ro	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	Cazane de abur; cazane apa fierbinte	-	-	-	pmax=250bar , Tmax=600°C, Qmax=525t/h; pmax=65bar, Dmax=100Gc	B/CR4/A,B,C /4,5/3860/0 /10.06.2021
455	Oradea	MARYLAND COMEXIM SRL	Lugasu de Sus, nr. 116, Jud. Bihor	J05/981/1994	RO 5343921	0744986434; e-mail: cosminbalaj@yahoo.com	-	-	-	-	-	Cazane de abur; cazane apa fierbinte	pmax>0.5bar , T>110°C	OR/CR4/H/4, 5/1506/0/05 .01.2017
456	Bucuresti	MED NICON SRL	BUCURESTI, Str. Jiblea, nr. 34, sector 5	J40 /2675/2000	RO 12820896	22781007; e-mail: mednicon@yahoo.com	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax= 0.25t/h, pmax= 5bar, tmax= 150°C	B/CR4/A,B,C /4/2350/1/1 0.06.2022
457	Bucuresti	MED NICON SRL	BUCURESTI, Str. Jiblea, nr.34, sector 5	J40/5675/2000	RO 12820896	021/7765412	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.25t/h, pmax=5bar, Tmax=150°C	B/CR4/A,B,C /4/2350/0/2 8.11.2014
458	Sibiu	SC MEDIA RINGER SRL	SIBIU, Aleea Biruinței, nr 6, ap 5, jud Sibiu; SIBIU, str. Prof. Dr. Daniel Barcianu, nr 8, ap 2, Jud	J32/372/1998	RO 10668237	0269443401, email: mediaringer@yahoo.com	Cazane de abur; cazane apa fierbinte	-	Cazane de abur; cazane apa fierbinte	-	-	-	pmax>0,5, Qmax=28t/h; pmax≤40bar, Tmax=300°C ; T>110°C; Qmax<25Gc	SB/CR4/A,C/ 4,5/2063/0/ 03.06.2020

459	Bucuresti	MEDICAL GAZPLUS SRL	BUCURESTI, Str. Putul lui Zamfir, nr. 48, parter + subsol, sector 1	J40/395/201 4	CUI 32666172	0736337746, 0372004641; e-mail office@medic algp.ro	Cazane abur	-	Cazane abur	-	-	-	Qmax=0.1t/h , pmax=8bar, Tmax=134°C	B/CR4/A,C/4 /3451/1/22. 01.2020
460	Bucuresti	MEDICAL GAZPLUS SRL	BUCURESTI, Str. Putul lui Zamfir, nr. 48, parter + subsol, sector 1	J40/395/201 4	CUI 32666172	0736337746, 0372004641; e-mail office@medic algp.ro	Cazane abur	-	Cazane abur	-	-	-	Qmax=0.1t/h , pmax=8bar, Tmax=134°C	B/CR4/A,C/4 /3451/0/09. 07.2019
461	Bucuresti	MEDICAL TECHNOLOGI ES INTERNATION AL SRL	BUCURESTI, b-dul Tudor Vladimirescu, nr 84, bl 131, et 2, ap 9, sector 5	J40/1725/20 05	CUI 17177202	0213301130/ 0213301930, email office@mt- intl.ro	Cazane de abur	-	-	-	-	-	Qmax=95kg/ h, pmax=3 bar, tmax=144°C	B/CR4/A/4/3 738/1/08.02. 2021
462	Bucuresti	MEDICAL TECHNOLOGI ES INTERNATION AL SRL	BUCURESTI, b-dul Tudor Vladimirescu, nr 84, bl 131, et 2, ap 9, sector 5	J40/1725/20 05	CUI 17177202	0733999681/ 0213301930, email office@mt- intl.ro	Cazane de abur	-	-	-	-	-	Qmax=95kg/ h, pmax=3 bar, tmax=144°C	B/CR4/A/4/3 738/0/25.09. 2020
463	Bucuresti	MEDICARE TECHNICS SA	BUCURESTI, str Valea Merilor, nr 30, sector 1	J40/2238/20 00	RO 12766347	0212226774/ 0212226714, email office@medic are.ro	Cazane de abur	-	Cazane de abur	-	-	-	Qmax=10t/h, pmax=20bar, Tmax=250°C	B/CR4/A,C/4 /1847/3/27. 01.2021

464	Bucuresti	MEDICARE TECHNICS SA	BUCURESTI, str Valea Merilor, nr 30, sector 1	J40/2238/20 00	RO 12766347	0212226774/ 0212226714, email office@medic are.ro	Cazane de abur	-	Cazane de abur	-	-	-	Qmax=10t/h, pmax=20bar, Tmax=250°C	B/CR4/A,C/4 /1847/2/16. 06.2020
465	Bucuresti	MEDICARE TECHNICS SA	BUCURESTI, Str. Valea Merilor, nr.30, sector 1; TIMISOARA, Str. Iuliu Maniu, nr.3,	J40/2238/20 00	CUI 12766347	021/2286774 / 2286714; 0740556675	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=20bar, Tmax=250°C	B/CR4/A,C/4 /1847/1/17. 09.2014
466	Bucuresti	MEDICARE TECHNICS SA	BUCURESTI, Str. Valea Merilor, nr.30, sector 1	J40/2238/20 00	CUI 12766347	021/2286774 / 2286714	Cazane abur	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=20bar, Tmax=250°C	B/CR4/A,C/4 /1847/0/18. 10.2013
467	Oradea	MEDITECH SRL	BAIA MARE, Str. Mărgeanului, nr.8C, Jud. Maramures	J24/403/200 2	RO 14779840	0723635095; e-mail office@medit ech.ro	Cazane abur	-	-	-	-	-	Qmax=2t/h, pmax=16bar, Tmax=200°C	OR/CR4/N/2 0,53/1623/1 /31.03.2022
468	Oradea	MEDITECH SRL	BAIA MARE, Str. Transilvaniei, bl. 2A, ap. 12, Jud. Maramures	J24/403/200 2	RO 14779840	0723635095; e-mail office@medit ech.ro	Cazane abur	-	-	-	-	-	Q<20t/h, p≤16bar, T≤200°C	OR/CR4/A/4 /1622/0/13. 08.2018

469	Sibiu	MEGA PASCAL SRL	SIBIU, Str. Independent ei, nr.3A, Jud. Sibiu	J32/110/199 3	CUI 3238580	0269/253150	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=30t/h, pmax=50bar, Tmax=440°C; Pmax=10000k W, pmax=16bar,	SB/CR4/E/4, 5/0071/0/24 .08.2010
470	Bacau	MEGAPREX INSTAL SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/1145/20 06	RO 18906598	0234/551544 ; e-mail megaprexinst al@yahoo.co m	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=10t/h, Pmax=10bar, Tmax=180°C; Dmax=5Gcal/ h, Pmax=15bar	BC/CR4/A,B/ 4,5/0126/1/ 19.05.2017
471	Bacau	MEGAPREX INSTAL SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/1145/20 06	RO 18906598	0234/551544	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=10t/h, Pmax=10bar, Tmax=180°C; Dmax=5Gcal/ h, Pmax=15bar	BC/CR4/A,B/ 4,5/0126/0/ 14.12.2010
472	Central	MEGATERM SRL	BUCURESTI, Bd. Ghencea, nr.34, sector 6	J40/22602/1 994	CUI 6520657	021/4132025 /4132017	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=40bar, Tmax=450°C; Dmax=50Gcal /h, pmax=25bar	DISPR/CR4/A ,B,C/4,5/160 4/0/29.07.20 11
473	Central	MENTCHIM SA	RM. VALCEA, Str. Uzinei, nr.1, Jud. Valcea	J38/501/200 5	CUI 17571575	0250/701504 ; 0758710770	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤50t/h, pmax≤40bar, Tmax≤440°C; Dmax≤50Gcal /h, pmax≤40bar	DISPR/CR4/A ,C/4,5/1553/ 0/26.07.2011 - retragere voluntara incepand cu 14.09.2016

474	Bacau	MERIDIAN SRL	BOTOSANI, Str. Maxim Gorki, nr.11, Jud. Botosani	J07/1200/19 94	RO 6868830	0231/517989	Cazane abur	-	Cazane abur	-	-	-	Qmax=15t/h, pmax=40bar, Tmax=250°C	BC/CR4/A,C/ 4/1334/1/17 .08.2016
475	Suceava	MERIDIAN SRL	BOTOSANI, Str. Maxim Gorki, nr.11, Jud. Botosani	J07/1200/19 94	RO 6868830	0231/517989 ; e-mail: office@merid ianbt.ro	Cazane abur	-	Cazane abur	-	-	-	Qmax=15t/h, pmax=40bar, Tmax=250°C	BC/CR4/A,C/ 4/1334/0/12 .11.2013
476	Constanta	METALICA DG SRL	CONSTANTA, Str. Mihai Viteazu, nr.69A, Jud. Constanta	J13/2161/19 92	CUI 1904088	0241/762700	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=150bar , Tmax=450°C; Dmax=50Gcal /h,	CT/CR4/C/4, 5/0038/0/07 .07.2010- suspendare voluntara incepand cu 22.05.2019
477	Central	METALICA SA	BUCURESTI, Str. Petre Ispirescu, nr.75, sector 5	J40/12396/1 994	CUI 5950044	021/4205150 /4204090	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/ h, pmax=240bar , Tmax=650°C; Dmax=100Gc al/h,	DISPR/CR4/A ,B,C/4,5/136 8/0/14.07.20 11
478	Central	METALOTERM SRL	SAVINESTI, Str. Dornelor, vila 43, ap.3, Jud. Neamt; PIATRA NEAMT, Str.	J27/330/200 0	RO 13363849	0233/216050	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350°C; Dmax=5Gcal/ h, pmax=16bar	DISPR/CR4/A ,C/4,5/3382/ 0/30.03.2012

479	Central	MODULAT SRL	PASCANI, Str. Cuza Voda, nr.7, bl.D3, sc.B, ap.6, Jud. Iasi	J22/412/2000	RO 13090234	0232/766143	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/G/4,5/0096/0/17.09.2010
480	Central	MODULAT SRL	PASCANI, Str. Cuza Voda, nr.7, bl.D3, sc.B, ap.6, Jud. Iasi; PASCANI, Str. Vatra,	J22/412/2000	RO 13090234	0232/766143; 0744638939	-	-	-	-	-	Cazane abur; cazane apa fierbinte	pmax>0.5bar, T>110°C	DISPR/CR4/H/4,5/3200/0/05.03.2012
481	Iasi	MOLDOCONST RUCT SA	IASI, Str. I.C. Bratianu, nr.20-22, Jud. Iasi	J22/420/1991	RO 1956117	0232/250201/210093	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=5t/h, pmax=16bar, Tmax=200°C; Dmax=5Gcal/h, pmax=16bar,	IS/CR4/A,B,C/4,5/0040/0/07.06.2010
482	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233210660, fax 0233210589, email: moldocor@moldocor.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540°C; Dmax=100Gcal/h,	BC/CR4/A,B,C/4,5/1481/9/24.06.2021
483	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/210589; e-mail moldocor@moldocor.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h, pmax=160bar, Tmax=540°C; Dmax=100Gcal/h,	BC/CR4/A,B,C/4,5/1481/8/28.10.2020

484	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/210589; e-mai;l moldocor@moldocor.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h , pmax=160bar , Tmax=540°C; Dmax=100Gcal/h,	BC/CR4/A,B, C/4,5/1481/7/12.08.2020
485	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/210589; e-mai;l moldocor@moldocor.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte				Qmax=420t/h , pmax=160bar , Tmax=540°C; Dmax=100Gcal/h,	BC/CR4/A,B, C/4,5/1481/6/19.06.2020
486	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/210589; e-mai;l moldocor@moldocor.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h , pmax=160bar , Tmax=540°C; Dmax=100Gcal/h,	BC/CR4/A,B, C/4,5/1481/5/12.03.2019
487	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h , pmax=160bar , Tmax=540°C; Dmax=100Gcal/h,	BC/CR4/A,B, C/4,5/1481/4/07.02.2017
488	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660/210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h , pmax=160bar , Tmax=540°C; Dmax=100Gcal/h,	BC/CR4/A,B, C/4,5/1481/3/14.09.2016

489	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660 /210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h , pmax=160bar , Tmax=540°C; Dmax=100Gc al/h,	BC/CR4/A,B, C/4,5/1481/ 2/18.01.2016
490	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660 /210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h , pmax=160bar , Tmax=540°C; Dmax=100Gc al/h,	BC/CR4/A,B, C/4,5/1481/ 1/12.09.2014
491	Central	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660 /210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h , pmax=160bar , Tmax=540°C; Dmax=100Gc al/h,	DISPR/CR4/A ,B,C/4,5/356 9/0/15.05.20 12
492	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	RO 2046250	0233/210660 /210589	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h , pmax=160bar , Tmax=540°C; Dmax=100Gc al/h,	BC/CR4/A,B, C/4,5/0019/ 0/14.05.2010
493	Bacau	MOLDOVULCA N	GALATI, Str. Fagului, nr.6, Jud. Galati	J17/577/199 5	RO 7254219	0236/465349 ; 0744606603; moldovulcan @gmail.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=420t/h , pmax=155bar , Tmax=540°C; Dmax=100Gc al/h,	BC/CR4/A,B, C/4,5/1224/ 2/29.12.2015

494	Cluj	MONDOCOM SRL	CLUJ NAPOCA, Str. Artelor, nr.33, Jud. Cluj	J12/3343/19 92	RO 2892518	0264/550012 /414548	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=16bar, Tmax=350°C; Dmax=5Gcal/ h, pmax=16bar	CJ/CR4/A,C/ 4,5/0032/0/ 01.07.2010
495	Craiova	MONTAJ SRL	CRAIOVA, Str. Drumul Apelor, nr.92, Jud. Dolj	J16/2070/19 94	RO 5984209	0251/470400	Cazane abur	-	-	-	-	-	pmax≤16bar, 0.6t/h≤Q≤5t/ h, Tmax≤200°C	CR/CR4/A/4/ 0057/0/13.0 7.2010
496	Brasov	MONTICOR INDUSTRIES SA	PLOIESTI, Str. Rudului, nr. 7, Jud. Prahova	J29/3188/20 02	6660278	0244.523.758 /0244.512.84 9	-	Cazane de abur; cazane de apa fierbinte	Cazane de abur; cazane de apa fierbinte	-	-	-	Qmax = 120t/h, pmax = 150bar, Tmax = +550°C; Dmax = 50Gcal/h,	BV/CR4/B,C/ 4,5/1445/6/ 09.11.2022
497	Brasov	MONTICOR INDUSTRIES SA	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/3188/20 02	CUI 6660278	0244/523758 /512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=150bar , Tmax=550°C; Dmax=50Gcal /h,	BV/CR4/B,C/ 4,5/1445/5/ 03.03.2020
498	Brasov	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/3188/19 94	CUI 6660278	0244/523758 /512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤120t/h , pmax≤150bar , Tmax≤550°C; Dmax≤50Gcal /h,	BV/CR4/B,C/ 4,5/1445/4/ 13.06.2017

499	Brasov	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/3188/1994	CUI 6660278	0244/523758/512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤120t/h , pmax≤150bar , Tmax≤550°C; Dmax≤50Gcal/h,	BV/CR4/B,C/4,5/1445/3/23.07.2015
500	Brasov	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/3188/1994	CUI 6660278	0244/523758/512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤120t/h , pmax≤150bar , Tmax≤550°C; Dmax≤50Gcal/h,	BV/CR4/B,C/4,5/1322/2/29.10.2014
501	Brasov	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/3188/1994	CUI 6660278	0244/523758/512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤120t/h , pmax≤150bar , Tmax≤550°C; Dmax≤50Gcal/h,	BV/CR4/B,C/4,5/1231/1/21.02.2014
502	Central	MONTICOR INDUSTRIES SRL	PLOIESTI, Str. Rudului, nr.7, Jud. Prahova	J29/3188/1994	CUI 6660278	0244/523758/512849	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤120t/h , pmax≤150bar , Tmax≤550°C; Dmax≤50Gcal/h,	DISPR/CR4/B,C/4,5/2950/0/30.01.2012
503	Bucuresti	NCH ROMANIA PRODUSE DE INTRETINERE SRL	BUCURESTI, Bd. Dimitrie Pompei, nr.5-7, parter, Hermes Business Campus,	J40/3563/1994	CUI 7913743	021/5295100/5295155	-	-	-	-	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	pmax>0.5bar , Tmax>110°C	B/CR4/G/4,5/2206/1/22.08.2016; B/CR4/H/4,5/2205/1/22.08.2016

504	Central	NCH ROMANIA PRODUSE DE INTRETINERE SRL	BUCURESTI, Str. Oltetului, nr.15, sector 2	J40/3563/19 94	CUI 7913743	021/5295101 /5295111	-	-	-	-	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	pmax>0.5bar , Tmax>110°C	DISPR/CR4/G /4,5/2206/0 /19.10.2011; DISPR/CR4/H /4,5/2205/0 /19.10.2011
505	Bucuresti	NEOCHIM SRL	AFUMATI, Str. Decebal, nr.2A, Jud. Ilfov	J23/1948/20 04	CUI 17046401	0723723127; 0723502027; 021/3527895	-	-	-	-	-	Cazane abur, apa fierbinte	-	B/CR4/H/4,5 /0632/0/11. 02.2011- suspendare incepand cu 19.02.2014
506	Bucuresti	NEOCHIM SRL	BUCURESTI, Str. Gorgan Spataru, nr.68, sector 2	J40/15403/2 011	CUI 17046401	0723723127; 021/3527895	-	-	-	-	-	Cazane abur, apa fierbinte	-	B/CR4/H/4,5 /0632/1/17. 03.2014
507	Bacau	NEW PREST SERVICE MCC SRL	IASI, Sos. Nicolina, nr.50, bl.971A, sc.C, et.6, ap.22, Jud. Iasi	J22/1376/20 12	CUI 30554156	0332/448402	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=3t/h, pmax=10bar; Tmax=200°C	BC/CR4/A,B, C/4/1234/1/ 06.10.2016
508	Bacau	NEW PREST SERVICE MCC SRL	IASI, Sos. Nicolina, nr.50, bl.971A, sc.C, et.6, ap.22, Jud. Iasi	J22/1376/20 12	CUI 30554156	0332/448402	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=0.3t/h , pmax=6bar; Tmax=185°C	BC/CR4/A,B, C/4/1234/0/ 22.05.2013

509	Bucuresti	NICONSLUTING TECHNICS SRL	Sat ROSU, Com. Chiajna, Intrarea Gura Leului, nr.5, Jud. Ilfov	J23/8/2014	RO 18448164	0740571088; 0318/149735	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=10t/h, pmax=20bar; Tmax=250°C	B/CR4/A,B,C /4/2073/0/2 5.03.2014
510	Bucuresti	NIMB CONSMETAL SRL	CERNAVODA, Str. Valea Cismelei, nr. 5, Jud. Constanta	J13/1328/1999	CUI 9275005	0241/238488 /238890	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar; Dmax=100Gcal/h, pmax=30bar	B/CR4/A,B,C /4,5/1604/3 /06.02.2015
511	Central	NIMB CONSMETAL SRL	CERNAVODA, Platforma SNN CNE INVEST Cernavoda, Jud. Constanta	J13/1328/1999	CUI 9275005	0241/238488 /238890	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤10t/h, pmax≤16bar; Dmax≤5Gcal/h, pmax≤16bar	DISPR/CR4/A ,B,C/4,5/097 8/1/28.11.2011
512	Central	NIMB CONSMETAL SRL	CERNAVODA, Str. Valea Cismelei, nr.5, Jud. Constanta	J13/1328/1999	CUI 9275005	0241/238488 /238890	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar; Dmax=5Gcal/h, pmax=16bar	DISPR/CR4/B ,C/4,5/1604/2/16.05.2013
513	Central	NIPTER CONSTRUCT SRL	BUCOV, Str. Eroilor, nr.1, Jud. Prahova	J29/293/2001	CUI 13823122	0244/275012	Cazane abur	-	-	-	-	-	Qmax≤10t/h, pmax≤25bar, Tmax≤250°C	DISPR/CR4/A /4/1954/0/0 4.08.2011

514	Central	NUCLEAR NDT RESEARCH & SERVICES SRL	BUCURESTI, Sos. Berceni, nr.104, Cladire laborator central, sector 4	J40/1782/20 00	CUI 12723915	021/3012575 /3012652	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/ h, pmax≤300bar , Tmax≤600°C; Dmax=50Gcal /h,	DISPR/CR4/E /4,5/0987/1 /28.12.2016
515	Central	NUCLEAR NDT RESEARCH & SERVICES SRL	BUCURESTI, Sos. Berceni, nr.104, sector 4	J40/1782/20 00	CUI 12723915	021/3012575 /3012652	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/ h, pmax≤196bar , Tmax≤570°C; Dmax=50Gcal /h,	DISPR/CR4/E /4,5/0987/0 /06.06.2011
516	Central	NUCLEARELE CTRICA	BUCURESTI, Str. Polona, nr.65, sector 1; CERNAVODA, Str. Medgidiei, nr.2, Jud.	J40/7403/19 98; J13/3442/20 07	RO 10874881; CUI 22554619	021/2038200 /3169804; 0241/239340 / 239266	-	-	Cazane abur	-	-	-	pmax=17bar, Tmax=260°C, Qmax=30t/h	DI/CR4/C/4/ 0001/0/17.0 3.2010
517	Central	NUCLEARMON TAJ GALATI SA	GALATI, Str. Fagului, nr.9, Jud. Galati	J17/84/1997	CUI 8922480	0236/410923 /477930	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/ h, pmax=155bar , Tmax=540°C; Dmax=100Gc al/h,	DISPR/CR4/A ,B,C/4,5/108 8/0/16.05.20 11
518	Bucuresti	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1	J40/8302/19 97	CUI 1590082	021/2125001 / 3155166	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250°C; Dmax=30Gcal /h, pmax=16bar	B/CR4/A,B,C /4,5/0313/0 /19.08.2010

519	Bucuresti	OMV PETROM SA	BUCURESTI, sector1, Str. Coralilor, nr.22	J40/8302/19 97	CUI 1590082	021/4060040 / 4060420	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=20bar, Tmax=250°C; Dmax=30Gcal /h, pmax=16bar	B/CR4/B,C/1 9/0316/1/12 .02.2013
520	Craiova	OMV PETROM SA	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; ISALNITA, Str. M. Eminescu,	J40/8302/19 97	RO 1590082	021/2030505 ; 0372868544; 0251/407183 /407370	-	-	Cazane abur, apa fierbinte	-	-	-	Qmax=120t/h , pmax=150bar , tmax=400°C; Dmax=50Gcal /h, pmax=25bar	CR/CR4/E/4, 5/0124/0/15 .11.2010
521	Ploiesti	OPTIMATIC SOLUTIONS SRL	PLOIESTI, Str. Bobilna, nr.62B, Jud. Prahova	J29/1844/20 05	RO 17907250	0735778399; 0244/585811	-	-	-	Cazane abur, apa fierbinte	-	-	pmax=50bar, Qmax=100t/h , Tmax=450°C; pmax=20bar, Dmax=50Gcal /h	PL/CR4/E/4, 5/0115/0/26 .07.2010
522	Central	OPTIMATIC SOLUTIONS SRL	PLOIESTI, Str. Bobilna, nr.62B, Jud. Prahova; PLOIESTI, Sos. Vestului, nr.12, Jud.	J29/1844/20 05	RO 17907250	0735778399; 0244/585811	-	-	-	Cazane abur, apa fierbinte	-	-	pmax=50bar, Qmax=100t/h , Tmax=450°C; pmax=20bar, Dmax=50Gcal /h	DISPR/CR4/E /4,5/3794/1 /04.04.2013
523	Sibiu	ORDEA PRODCOM SRL	TG. MURES, Str. Libertatii, nr.122A, Jud. Mures	J26/826/199 7	RO 9991233	0265/269078 / 261678	-	-	Cazane abur	-	-	-	Qmax=10t/h, pmax=20bar, Tmax=350°C	SB/CR4/C/4/ 1376/0/22.0 9.2014

524	Bucuresti	PARTENER CONSTRUCT GENERAL SRL	NAVODARI, Str. Muzicii, nr.53, et.M, camera 1, Jud. Constanta	J13/1837/20 13	RO 32129578	0752105626; 0743568217; 0341/488805	-	-	Cazane abur	-	-	-	Qmax=105t/h , pmax=40bar, Tmax=440°C	B/CR4/C/4/1 941/1/29.10. 2018
525	Bucuresti	PARTENER CONSTRUCT GENERAL SRL	NAVODARI, Str. Muzicii, nr.53, et.M, camera 1, Jud. Constanta	J13/1837/20 13	RO 32129578	0752105626; 0341/488805	-	-	Cazane abur	-	-	-	Qmax=105t/h , pmax=40bar, Tmax=440°C	B/CR4/C/4/1 941/0/12.11. 2013
526	Bucuresti	PAS 97 IMPEX SRL	BUCURESTI, Str. Ion Minulescu, nr.60, Unitatea II- Corp Tab. Minerala, sector 3	J40/4778/19 97	RO 9537700	031/4379247 / 4379248	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=100t/h , pmax=40bar, Tmax=400°C	B/CR4/A/4,5 /0154/0/21. 09.2012
527	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/19 93	CUI 4000500	0244/513214 / 595763; e- mail: sc_paulus_srl @yahoo.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q≤120t/h, P≤40bar, T≤440°C; D≤50Gcal/h, P≤40bar	BV/CR4/A,B, C/4,5/1016/ 3/09.07.2018
528	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/19 93	CUI 4000500	0244/513214 ; e-mail: sc_paulus_srl @yahoo.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q≤120t/h, P≤40bar, T≤440°C; D≤50Gcal/h, P≤40bar	BV/CR4/A,B, C/4,5/1016/ 2/10.06.2016

529	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/1993	CUI 4000500	0244/513214	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , Pmax=40bar, Tmax=440°C; Dmax=50Gcal/h, Pmax=40bar	BV/CR4/A,B,C/4,5/1016/1/10.07.2012
530	Central	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/1993	CUI 4000500	0244/513214	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤120t/h , pmax≤40bar, Tmax≤440°C; Dmax≤50Gcal/h, pmax≤40bar	DISPR/CR4/A,B,C/4,5/1960/0/30.08.2011
531	Ploiesti	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/1993	RO 40005000	0244/513214	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Dmax=50Gcal/h, pmax=40bar, Tmax=440°C; Dmax=50Gcal/h, pmax=40bar	PL/CR4/A,B,C/4,5/0230/0/12.11.2010
532	Central	PEET ELECTROCEN TRALE PAROSEN SA	VULCAN, Str. Paroseni, nr.20, Jud. Hunedoara	J20/710/2011	RO 28835451	0254/570790/570481	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=540t/h , pmax=140bar , Tmax=545°C; Dmax=103.2Gcal/h,	DISPR/CR4/C/4,5/3363/0/29.03.2012
533	Central	PETROCHIM PROIECT SRL	PITESTI, Str. Exercitiu, bl.D17, sc.B, ap.4, Jud. Arges; PITESTI, Bd. Petrochimisti Ior, Km 5,	J03/232/1991	RO 131480	0248/615210	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=50t/h, pmax=50bar, Tmax=450°C; Dmax=50Gcal/h, pmax=16bar	DISPR/CR4/E/4,5/3717/1/16.08.2012

534	Pitesti	PETROCHIM PROIECT SRL	PITESTI, Str.Exercitiu, bl.B17, sc.B,ap.4, Arges	J03/232/1991	RO 131480	0248/615210	-	-	-	Cazane de abur, apa fierbinte	-	-	Q≤50t/h, pmax≤50bar, T≤450°C; D≤50Gcal/h, pmax≤16bar, T≤180°C	PT/CR4/E/4, 5/0062/0/23.06.2010
535	Central	PETROCONST SA	CONSTANTA, Bd. I.C. Bratianu, nr.45, Jud. Constanta	J13/3113/1994	CUI 6162290	0241/614356/618694	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤30t/h, pmax≤120bar, Tmax≤350°C; Dmax≤50Gcal/h,	DISPR/CR4/A, B, C/4, 5/1772/0/18.08.2011
536	Central	PETROGAZ SRL	BRASOV, Str. Fanului, nr.73, Jud. Brasov 57G	J08/218/1994	RO 5225276	0268/330915	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, Dmax=50Gcal/h, pmax=100bar, Tmax=440°C	DISPR/CR4/E/4, 5/3959/1/30.08.2016
537	Brasov	PETROGAZ SA	BRASOV, Str. Hortensiei, nr.73, Jud. Brasov	J08/218/1994	RO 5225276	0268/330915; 0722760773	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h, Dmax=50Gcal/h, pmax=100bar, Tmax=440°C	BV/CR4/E/4, 5/0024/0/19.07.2010
538	Bucuresti	PIFATI SA	BUCURESTI, Str. Iovita, nr. 11, et. 2, camere 4-9, sector 5	J40/1100/1991	CUI 401517	021/4104600/4100638; e-mail office@pifati.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=450°C; pmax=40bar, Dmax=50t/h	B/CR4/A, B, C/4, 5/0137/1/19.05.2016 retragere voluntară a autorizației începând cu data de

539	Bucuresti	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/1100/19 91	CUI 401517	021/4106645 /4100638	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=40bar, Tmax=450°C; pmax=40bar, Dmax=50t/h	B/CR4/A,B,C /4,5/0137/0 /09.07.2010
540	Central	PIFATI SA	BUCURESTI, Str. Iovita, nr. 11, et. 2, camere 4-9, sector 5	J40/1100/19 91	CUI 401517	021/4104600 /4100638; e- mail office@pifati .ro	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h , pmax=100bar , Tmax=540°C; pmax=30bar, Dmax=50Gcal	DISPR/CR4/E /4,5/2020/1 /23.06.2016 retragere voluntară a autorizației începând cu data de
541	Central	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/1100/19 91	CUI 401517	021/4104600 /4100638	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h , pmax=100bar , Tmax=540°C; pmax=30bar, Dmax=50Gcal	DISPR/CR4/E /4,5/2020/0 /28.09.2011
542	Bucuresti	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/1100/19 91	CUI 401517	021/4106645 / 4100638	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=40bar, Tmax=450°C; Dmax=50Gcal /h, pmax=40bar,	B/CR4/A,B,C /4,5/0137/0 /09.07.2010
543	Bucuresti	PIFATI SA	BUCURESTI, Str. Iovita, nr. 11, et. 2, camere 4-9, sector 5	J40/1100/19 91	CUI 401517	021/4104600 / 4100638; e- mail office@pifati .ro	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	B/CR4/G/4,5 /0085/1/20. 05.2016; B/CR4/H/4,5 /0086/1/19. 05.2016 retragere

544	Bucuresti	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/1100/19 91	CUI 401517	021/4106645 / 4100638	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Qmax=120t/h , pmax=40bar, Tmax=450°C; Dmax=50t/h, pmax=40bar,	B/CR4/G/4,5 /0085/0/18. 06.2010; B/CR4/H/4,5 /0086/0/18. 06.2010
545	Bucuresti	PIFATI SERVICE SRL	BUCURESTI, str Iovița, nr 11, etaj 2, cam 8, sector 5	J40/8677/20 19	RO 41341080	0214104600/ 0214100638, email service@pifat i.ro	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmax>0,5bar , T>110°C	B/CR4/G/4,5 /3659/0/30. 03.2020
546	Central	PIPESUPPORT CONSULT SRL	BUCURESTI, Str. Barbu Vacarescu, nr.101, parter, camera A, sector 2	J40/1170/20 06	CUI 518322009	0722665452; 0723310805; 021/3211354	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/ h, pmax=192bar , Tmax=570°C; Dmax=50Gcal /h,	DISPR/CR4/E /4,5/0381/0 /08.04.2011
547	Central	PIPESUPPORT CONSULT SRL	BUCURESTI, Str. Barbu Vacarescu, nr.101, parter, camera A, sector 2; BUCURESTI,	J40/1170/20 06	CUI 518322009	021/3211354	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/ h, pmax=400bar , Tmax=650°C; Dmax=100Gc al/h,	DISPR/CR4/E /4,5/0381/0 /08.04.2011
548	Central	PLUS TEST SRL	SAT PETRESTI, Com. Vanatori, str. Cuza Voda,nr.152, Jud. Vrancea	J39/335/201 4	CUI 33335452	0763261641; 0337/407780 , verificaritehn ice@yahoo.co m	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h , pmax=40bar, Tmax=440°C; Dmax=5Gcal/ h, pmax=25bar	DISPR/CR4/E /4,5/3914/1 /20.06.2022

549	Central	PLUS TEST SRL	FOCSANI, Al. Echitatii, nr. 17, bl. I 14, parter, ap. 1, Jud. Vrancea	J39/335/2014	CUI 33335452	0763261641; 0337/407780	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h, pmax=40bar, Tmax=440°C; Dmax=5Gcal/h, pmax=25bar	DISPR/CR4/E/4,5/3914/0/24.06.2015
550	Bacau	PLUSSERVICE SRL	FOCSANI, Str. Bucegi, nr.13, bl.13, ap.12, Jud. Vrancea; FOCSANI, Str. 1 Decembrie	J39/678/2003	RO 15818661	0337407780, 0763261641; e-mail: verificari tehnice@yahoo.com	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=28t/h, pmax=40bar, Tmax=250°C; Dmax=25Gcal/h, pmax=16bar,	BC/CR4/A,C/4,5/1304/1/19.07.2018
551	Bacau	PLUSSERVICE SRL	FOCSANI, Str. Bucegi, nr.13, bl.12, ap.12, Jud. Vrancea; FOCSANI, Str. 1 Decembrie	J39/678/2003	RO 15818661	0744635244; e-mail: verificari tehnice@yahoo.com	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Qmax=28t/h, pmax=40bar, Tmax=250°C; Dmax=25Gcal/h, pmax=16bar,	BC/CR4/A,C/4,5/1304/0/23.09.2013
552	Brasov	PMT HAAG SRL	BRASOV, str. Brânduselor, nr.68-70, biroul 10, etaj 2, ap. C1-U5, Jud. Brasov; ARVA	J8/1414/2012	RO 30645084	0769230468, 0769230469, e-mail: office@pmt-haag.ro	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax≤50t/h, pmax≤55bar, Tmax≤455°C	BV/CR4/A,B,C/4/1972/0/10.03.2022
553	Bucuresti	POLYSTART IMPEX SRL	CRAIOVA, Str. Ion Miorescu, nr.4, Jud. Dolj	J16/4018/1994	RO 6847927	0251/406466; 0372/001510	Cazane de abur; cazane apa fierbinte	-	-	-	-	-	Qmax=55t/h, Pmax=16bar, Tmax=200°C; Dmax=66Gcal/h, Pmax=16bar	B/CR4/A/4,5/2141/0/14.05.2014-suspendare voluntara incepand cu 03.08.2016

554	Oradea	POSZET SRL	SATU MARE, Str. Bujorului, nr.52, Jud. Satu Mare	J30/707/200 5	RO 17670277	0259/453345 /463661	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	-	Qmax=10t/h, Pmax=16bar, Tmax=400°C; Dmax=5Gcal/ h, pmax=16bar, Qmax≤540t/h	OR/CR4/A,B/ 4/0100/0/14 .02.2011
555	Central	PREMIUM SA	BRAZI, Str. Trandafirilor, nr.69, Jud. Prahova	J29/1318/19 97	CUI 9921050	0244/526606 /526885; 0372753966; 0244/526883	-	-	-	Cazane abur; cazane apa fierbinte	-	-	pmax≤196bar Tmax≤570°C; Dmax≤50Gcal /h,	DISPR/CR4/E /4,5/1264/0 /22.06.2011
556	Central	PREMIUM SA	BRAZI, Str. Trandafirilor, nr.69, Jud. Prahova	J29/1318/19 97	CUI 9921050	0244/526606 /526885; 0372753966; 0244/526883	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax≤540t/h pmax≤196bar Tmax≤570°C; Dmax≤50Gcal /h,	DISPR/CR4/E /4,5/1264/1 /09.05.2014
557	Bucuresti	PRIMASERV SRL	CRAIOVA, Calea Bucuresti, bl.A2, sc.2, ap.2, Jud. Dolj	J16/1148/20 05	RO 17629570	0729046183; 0351/421841 / 801815	-	-	Cazane abur	-	-	-	Pmax≤40bar, Tmax≤210°C, Qmax≤100t/h	B/CR4/C/4/1 187/1/30.09. 2015
558	Bucuresti	PRIMASERV SRL	CRAIOVA, Calea Bucuresti, bl.A2, sc.2, ap.2, Jud. Dolj	J16/1148/20 05	RO 17629570	0729046183; 0351/421841 / 801815	-	-	Cazane abur	-	-	-	Pmax≤40bar, Tmax≤210°C, Qmax≤100t/h	B/CR4/A,B,C /4/1187/0/2 2.11.2012

559	Central	PRIMEX SRL	CLUJ NAPOCA, Str. Campul Painii, nr.30A, Jud. Cluj	J12/4270/19 91	CUI 233154	0264/415272 /403135	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=50t/h, pmax=100bar , Tmax=530°C; Dmax=50Gcal /h,	DISPR/CR4/E /4,5/1160/0 /21.06.2011
560	Central	PRISMA SERV COMPANY SRL	IASI, Str. Petru Poni, nr.13, bl. 573A, Tr.1, parter, ap.2, Jud. Iasi	J22/601/200 1	CUI 13991843	0232/217905 ; 0332/409775	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax≤10t/h, pmax=16bar; Tmax=300°C	DISPR/CR4/A ,B,C/4/0665/ 0/22.04.2011
561	Central	PRO TC GRUP SRL	BASCOV, Str. Serelor, nr.48A, Jud. Arges	J03/1424/20 04	CUI 16698504	0248/206081 /206082	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤30t/h, pmax≤16bar, Tmax≤400°C; Dmax≤50Gcal /h, pmax≤16bar	DISPR/CR4/A ,C/4,5/2369/ 1/15.11.2011
562	Pitesti	PRO TC GRUP SRL	BASCOV, Str. Serelor, nr.48A, Jud. Arges	J03/1424/20 04	RO 16698504	0248/206081 / int 118sau 122, 0248/211060 /206082; 0722287365	Cazane de abur, apa fierbinte	-	Cazane de abur, apa fierbinte	-	-	-	Q<30t/h, pmax≤16bar, T≤400°C; D≤50Gcal/h, pmax≤16bar, T≤150°C	PT/CR4/A,C/ 4,5/0155/0/ 21.12.2010
563	Pitesti	PROINSAT SA	RM. VALCEA, Str. Industiilor, nr.2, Jud. Valcea	J38/1558/19 92	RO2989104	0250/733390 / 730231	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=250°C; Dmax=10Gcal /h, pmax=25bar	PT/CR4/A,B, C/4,5/0029/ 0/27.04.2010

564	Pitesti	PROINSTAL PIPE SRL	STEFANESTI, Sos. Bucuresti- Pitesti, nr.72A, Jud. Arges	J03/47/1999	RO 11433360	0248/212501 /223403	Cazane de abur, apa fierbinte	-	-	-	-	-	Q _≤ 10t/h, p _{max} ≤16bar, T _≤ 450°C; D _≤ 5Gcal/h, p _{max} ≤16bar, T _≤ 150°C	PT/CR4/A/4, 5/0006/0/09 .04.2010
565	Central	PROTEHNIC SRL	SLOBOZIA, Str. Matei Basarab, bl.MB5A, Jud. Ialomita; BUCURESTI, Str. Grigore	J21/563/199 5	CUI 8010891	0243/234479 ; 021/2424908	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Q _{max} ≤500t/h , p _{max} ≤200bar , T _{max} ≤570°C; D _{max} ≤15Gcal /h,	DISPR/CR4/A /4,5/0903/0 /23.05.2011
566	Bucuresti	PROTEHNIC SRL	SLOBOZIA, Str. Matei Basarab, bl.MB5A, Jud. Ialomita	J21/563/199 5	RO 8010891	021/2424908 ; 0243/234479	-	-	-	Cazane de abur	-	-	Q _{max} =5t/h, P _{max} =50bar, T _{max} =560°C	B/CR4/E/4/0 420/0/26.10. 2010
567	Bacau	QUALTREAT INDUSTRIAL SRL	GALATI, str. Tecuci, nr. 191, Bl. N5, Ap. 98, jud. Galati	J17/1648/20 22	46764847	0373- 784848/0756 -634308; e- mail: office@qualtr eat.ro	-	-	-	-	-	Cazane de abur; Cazane de apa fierbinte	P _{max} > 0,5bar; T _{max} > 110°C	BC/CR4/H/4, 5/2104/0/22 .09.2022
568	Central	RAAN - Sucursala ROMAG TERMO	DR TN. SEVERIN, Str. Nicolae Iorga, nr.1, Jud. Mehedinti; HALANGA, Com. Izvoru	J25/282/199 8	CUI 10882752	0252/323848 /323685; 0252/323666	-	-	Cazane abur	-	-	-	Q _{max} =420t/h , p _{max} =140bar , T _{max} =550°C	DISPR/CR4/C /4/3348/0/1 2.03.2012

569	Central	RAEMGAL SERVICE SRL	GALATI, Str. Energiei , nr.5, bl.10A, sc.2, et 2, ap. 27, Jud. Galati	J17/348/200 2	CUI 14616672	0236/460514	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=450t/h , pmax≤250bar , Tmax≤540°C	DISPR/CR4/B ,C/4/2977/0 /07.02.2012
570	București	RAFI INTERNATION AL GENERAL COMMERCE SRL	București, str Foișorului, nr 9, bl F6C, sc 1, apart 3, sector 3	J40/1696/19 97	CUI 9245101	0213227121/ 0213227123, email info@rafi.ro	Cazane de abur (generatoare de abur pentru sterilizare)	Cazane de abur (generatoare de abur pentru sterilizare)	Cazane de abur (generatoare de abur pentru sterilizare)	-	-	-	Qmax=120kg/ h, p max=7,5 bar, T max = 160°C	B/CR4/A,B,C /4/3608/0/1 1.02.2020
571	București	RAFI INTERNATION AL GENERAL COMMERCE SRL	București, str Foișorului, nr 9, bl F6C, sc 1, apart 3, sector 3	J40/1696/19 97	CUI 9245101	0213227121/ 0213227123, email info@rafi.ro	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	B/CR4/G/4/3 609/0/11.02. 2020
572	București	RAFI MEDICAL SRL	București, str Foișorului, nr 9, bl F6C, sc 1, apart 3, sector 3	J40/1696/19 97	CUI 9245101	0213227121/ 0213227123, email info@rafi.ro	Cazane de abur (generatoare de abur pentru sterilizare)	Cazane de abur (generatoare de abur pentru sterilizare)	Cazane de abur (generatoare de abur pentru sterilizare)	-	-	-	-	B/CR4/A,B,C /4/3608/1/1 7.12.2020
573	București	RAFI MEDICAL SRL	București, str Foișorului, nr 9, bl F6C, sc 1, apart 3, sector 3	J40/1696/19 97	CUI 9245101	0213227121/ 0213227123, email info@rafi.ro	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	B/CR4/G/4/3 609/1/17.12. 2020

574	Central	RAFO SA	ONESTI, Str. Industriilor, nr.3, Jud. Bacau	J04/538/1991	CUI 958772	0234/303303/315640	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤80t/h, pmax≤50bar, Tmax≤450°C; Dmax≤25Gcal/h	DISPR/CR4/C/4,5/0661/0/03.05.2011
575	Bacau	RAFO SA	ONESTI, Str. Industriilor, nr.3, Jud. Bacau	J04/538/1991	CUI 958772	0234/303303/315640	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤80t/h, pmax≤50bar, Tmax≤540°C; Dmax≤25Gcal/h, pmax=20bar	BC/CR4/C/4,5/1213/1/24.04.2013-suspendare voluntara incepand cu 25.11.2016
576	Bacau	RCA MOLDOTERM SRL	IASI, Aleea Tudor Neculai, nr.99, bl. 989A, sc.B, et.4, ap.18, Jud. Iasi	J22/1741/2004	CUI 16698164	0332/808738/808739	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; Dmax=20Gcal/h, pmax=16bar	BC/CR4/A,B,C/4,5/1666/1/17.05.2016
577	Central	RCA MOLDOTERM SRL	IASI, Aleea Tudor Neculai, nr.99, bl. 989A, sc.B, et.4, ap.18, Jud. Iasi	J22/1741/2004	CUI 16698164	0332/808738/808739	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=350°C; Dmax=20Gcal/h, pmax=16bar	DISPR/CR4/A,B,C/4,5/1781/0/16.08.2011
578	Brasov	REMER FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0722612696, 0744204754, 315, 0244/546031; e-mail: office@remero.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤1025t/h, pmax≤250bar, Tmax≤600°C; Dmax≤100Gcal/h,	BV/CR4/A,B,C/4,5/1328/2/06.09.2019

579	Brasov	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0244/546229 / 546031; e-mail: remero@yahoo.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤1025t/h, pmax≤250bar, Tmax≤600°C; Dmax≤100Gcal/h,	BV/CR4/A,B,C/4,5/1328/1/21.10.2014
580	Central	REMERO FIL SA	BRAZI, Sat Brazii de Sus, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0755316623; 0244/546031	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤1025t/h, pmax≤25bar, Tmax≤600°C; Dmax≤100Gcal/h, pmax≤30bar	DISPR/CR4/A,B,C/4,5/2875/0/23.01.2012
581	Central	REMONT SRL	CONSTANTA, Al. Garofitei, nr.11A, Jud. Constanta	J13/5695/1992	CUI 2753846	0241/558900 /692260	Cazane abur	-	Cazane abur	-	-	-	Qmax≤150t/h, pmax≤40bar, Tmax≤450°C	DISPR/CR4/A,C/4/0044/1/18.05.2011
582	Constanta	REMONT SRL	CONSTANTA, Al. Garofitei, colt cu Str. Bucuresti, nr.11A, Jud. Constanta	J13/5695/1992	CUI 2753846	0241/692260 /558900	Cazane abur	-	Cazane abur	-	-	-	Qmax=25t/h, pmax=16bar, Tmax=200°C	CT/CR4/C/4/0044/0/14.07.2010
583	Bucuresti	REPARATII CENTRALE SRL	Rosu, Com. Chiajna, Str. Rezervelor, nr. 19, parter, ap. 2, Jud. Ilfov	J23/3108/2013	CUI 29079003	021/6421282 ; e-mail office @reparatiiceentrale.ro	Cazane abur	-	-	-	-	-	Qmax=10t/h, pmax=40bar, tmax=250°C	B/CR4/A/4/3387/0/08.03.2019

584	Brasov	REPCAZCOND SRL	BUZAU, Str. Obor, bl.12, sc.A, Jud. Buzau	J10/426/2013	CUI 31665810	0238/720242 / 406760	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=150t/h , pmax≤40bar, Tmax=535°C	BV/CR4/A,B,C/4/1319/0/30.10.2014
585	Central	REVERS SRL	BRASOV, Str. Carpatilor, nr.97, Jud. Brasov	J08/2581/1992	CUI 3051580	0268/332311	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax≤15t/h, pmax≤16bar, Tmax≤250°C; Dmax≤10Gcal/h, pmax≤16bar	DISPR/CR4/A/4,5/2469/0/28.11.2011
586	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta	J13/2053/2001	CUI 14320668	0241/586406 /586448	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤120t/h , pmax≤40bar; Dmax≤50Gcal/h, pmax≤40bar	B/CR4/A,B,C/4,5/1324/4/21.01.2019-Suspendare voluntara incepand cu 24.07.2019
587	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta	J13/2053/2001	CUI 14320668	0241/586406 /586448	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤120t/h , pmax≤40bar; Dmax≤50Gcal/h, pmax≤40bar	B/CR4/A,B,C/4,5/1324/3/20.07.2018-Suspendare voluntara incepand cu 24.07.2019
588	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta	J13/2053/2001	CUI 14320668	0241/586406 /586448	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤120t/h , pmax≤40bar; Dmax≤50Gcal/h, pmax≤40bar	B/CR4/A,B,C/4,5/1324/2/03.02.2015-Suspendare voluntara incepand cu 24.07.2019

589	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta	J13/2053/2001	CUI 14320668	0241/586406/586448	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤120t/h, pmax≤40bar; Dmax≤50Gcal/h, pmax≤40bar	B/CR4/A,B,C/4,5/1324/1/20.03.2013-Suspendare voluntara incepand cu 24.07.2019
590	Central	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta	J13/2053/2001	CUI 14320668	0241/586406/586448	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤120t/h, pmax≤40bar; Dmax≤50Gcal/h, pmax≤40bar	DISPR/CR4/A,B,C/4,5/0717/0/02.05.2011-Suspendare voluntara incepand cu 24.07.2019
591	Central	RINA SIMTEX-ORGANISMUL DE CERTIFICARE SRL	BUCURESTI, Str. Dr. Leonte Anastasievici, nr. 4D, corp A, sector 5	J40/9653/1999	CUI 12351790	021/6190651/6190353	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=440°C; Dmax=100Gcal/h,	DISPR/CR4/E/4,5/3955/1/12.02.2018
592	Central	RINA SIMTEX-ORGANISMUL DE CERTIFICARE SRL	BUCURESTI, Str. Dr. Leonte Anastasievici, nr. 4D, corp A, sector 5	J40/9653/1999	CUI 12351790	021/6190651/6190353	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=440°C; Dmax=100Gcal/h,	DISPR/CR4/E/4,5/3955/0/15.07.2016
593	Brasov	RO STEAM IT SRL	BRASOV, Str. Neagoe Basarab. Nr. 37, Jud. Brasov	J08/1863/2017	RO 37880680	0368/414123; e-mail rosteamit@gmail.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤100t/h, pmax≤40bar, Tmax=250°C; Dmax≤50Gcal/h, pmax≤40bar	BV/CR4/A,B,C/4,5/1696/0/12.09.2017

594	Central	ROBERT BOSCH SRL	BUCURESTI, Str. Horia Macelariu, nr.30-34, et.1-2 si 4, sector 1	J40/7601/1994	CUI 5541546	0214057500/2331313	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=540°C; Qmax=25Gcal/h, pmax=40bar,	DISPR/CR4/A/4,5/2901/0/27.01.2012-suspendare voluntara incepand cu 05.12.2019
595	Bucuresti	ROHRER OILFIELD SERVICES SRL	CONSTANTA, B-dul Regina Elisabeta, nr 2B, Zona Poarta 1, etaj 4, Jud Constanța	J13/3280/2019	RO 41202155	034145621/0341456379,e mail office.ros@rohrer-grp.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤120t/h, pmax≤40bar, ; Dmax≤50Gcal/h, pmax≤40bar	B/CR4/A,B,C/4,5/3467/1/12.03.2020
596	Bucuresti	ROHRER OILFIELD SERVICES SRL	BUCURESTI, Str. Tablitei, nr. 1, parter, camera 1, sector 1; CONSTANTA, Bd. Aurel	J40/7171/2019	CUI 41202155	021/4110053 / 4100946	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤120t/h, pmax≤40bar, ; Dmax≤50Gcal/h, pmax≤40bar	B/CR4/A,B,C/4,5/3467/0/24.07.2019
597	Bucuresti	ROMANOR SRL	CALARASI, Str. Gheorghe Lazar, nr. 8, Jud. Calarasi	J51/577/1992	1917665	0242.322.602 /0242.331.492	Cazane de abur; Cazane de apa fierbinte	Cazane de abur; Cazane de apa fierbinte	Cazane de abur; Cazane de apa fierbinte	-	-	-	Qmax = 50t/h, Pmax = 100bar, Tmax = 350°C; Dmax = 50Gcal/h, Pmax = 25bar, Tmax	B/CR4/A,B,C/4,5/0580/2/23.09.2022
598	Bucuresti	ROMANOR SRL	CALARASI, Str. Gh. Lazar, nr.8, Jud. Calarasi	J51/577/1992	CUI 1917665	0242/322602 / 331492	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=100bar, Tmax=350°C; Dmax=50Gcal/h,	B/CR4/A,B,C/4,5/0580/1/26.09.2012

599	Central	ROMCET GRUP SA	BUCURESTI, Str. Orion, nr.3, sector 5	J40/8419/1995	CUI 7815400	021/4204287	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax≤300t/h , pmax≤40bar, Tmax=570°C	DISPR/CR4/A ,B,C/4/1032/ 0/01.06.2011
600	Central	ROMIB SA	TUNARI, Cal. Bucurestilor, nr.74, Jud. Ilfov	J23/1077/2003	CUI 6927694	021/2675028 ; 0721266682	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=400°C; Dmax=50Gcal/h, pmax=25bar	DISPR/CR4/A ,B,C/4,5/160 5/0/01.08.2011
601	Bucuresti	ROMIB SA	TUNARI, Cal. Bucurestilor, nr.74, Jud. Ilfov	J23/1077/2003	CUI 6927694	021/2675028 / 2675237	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=400°C; Dmax=50Gcal/h, pmax=25bar	B/CR4/A,B,C /4,5/1810/1 /24.09.2013
602	Central	ROMINDUSTRIAL COM SRL	DR. TN. SEVERIN, Str. Constructorilor, nr.44bis, Jud. Mehedinti	J25/1718/1993	CUI 4997057	0252/326453 ; 0722355560	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax≤120t/h , pmax≤40bar, Tmax≤450°C; Dmax≤100Gcal, pmax≤25bar.	DISPR/CR4/B ,C/4,5/2080/ 0/28.09.2011
603	Central	ROMINDUSTRIAL COM SRL	DR. TN. SEVERIN, Str. Constructorilor, nr.44bis, Jud. Mehedinti	J25/1718/1993	CUI 4997057	0252/326453	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax≤120t/h , pmax≤40bar, 105°C≤Tmax≤450°C; Dmax=100Gcal, pmax=25bar.	DISPR/CR4/B ,C/4,5/1297/ 1/20.02.2013

604	Central	ROMINSERV SRL	BUCURESTI, Piata Presei Libere, nr. 3-5, cladirea City Gate Northern Tower, et. 3, sector 1	J40/8331/2001	RO 14208851	0212.723.660 ; 0213.140.897 ; e-mail: office@rominserv.com	-	-	-	Cazane de abur; Cazane de apa fierbinte	-	-	Qmax = 100t/h, pmax = 150bar, Tmax = +570°C; Dmax = 25Gcal/h,	DISPR/CR4/E /4,5/0914/7 /19.09.2022
605	Bucuresti	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere,nr. 3-5, cladire City Gate Northern Tower, et. 3, sector 1	J40/8331/2001	RO 14208851	021/2723660 ; 021/3140897 ; e-mail office@rominserv.com	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h , pmax=150bar , Tmax=570°C; Dmax=25Gcal /h,	DISPR/CR4/E /4,5/0914/6 /10.01.2022
606	Bucuresti	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere,nr. 3-5, cladire City Gate Northern Tower, et. 3, sector 1	J40/8331/2001	RO 14208851	021/2723660 ; 021/3140897 ; e-mail office@rominserv.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h , pmax=125bar , Tmax=570°C; Dmax=25Gcal /h,	B/CR4/A,B,C /4,5/1177/5 /29.06.2021
607	Bucuresti	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere,nr. 3-5, cladire City Gate Northern Tower, et. 3, sector 1;	J40/8331/2001	RO 14208851	021/2723660 ; 021/3140897 ; e-mail office@rominserv.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h , pmax=125bar , Tmax=570°C; Dmax=25Gcal /h,	B/CR4/A,B,C /4,5/1177/4 /29.03.2018
608	Bucuresti	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, bl. Turnul de Nord, sector 1	J40/8331/2001	CUI 14208851	021/2723660 /3140897	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h , pmax=125bar , Tmax=570°C; Dmax=25Gcal /h,	B/CR4/A,B,C /4,5/1177/3 /03.11.2016

609	Bucuresti	ROMINSERV SRL	BUCURESTI, Piata Presei, nr.3-5, City Northern Tower, et.3, sector 1; PETROMIDIA NAVODARI.	J40/8331/2001	CUI 14208851	0241/506094 / 506932	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h , pmax=125bar , Tmax=570°C; Dmax=25Gcal/h,	B/CR4/A,B,C /4,5/1177/2 /26.09.2012
610	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/8331/2001	CUI 14208851	744686811	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=40t/h, pmax=20bar, Tmax=350°C	DISPR/CR4/A,B,C/4/0227/0/21.03.2011 - Retragere voluntara incepand cu 05.08.2021
611	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/8331/2001	RO 14208851	021/2723660 /3140897	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h , pmax=150bar , Tmax=570°C; Dmax=25Gcal/h,	DISPR/CR4/E /4,5/0914/4 /08.07.2019
612	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/8331/2001	RO 14208851	021/2723660 /3140897	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h , pmax=150bar , Tmax=570°C; Dmax=25Gcal/h,	DISPR/CR4/E /4,5/0914/3 /13.12.2017
613	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/8331/2001	RO 14208851	021/2723660 /3140897	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h , pmax=150bar , Tmax=570°C; Dmax=25Gcal/h,	DISPR/CR4/E /4,5/0914/2 /29.05.2012

614	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/8331/2001	RO 14208851	021/2723660 /3140897	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h , pmax=150bar , Tmax=570°C; Dmax=25Gcal/h,	DISPR/CR4/E /4,5/0914/1 /02.04.2012
615	Central	ROMINSERV SRL	BUCURESTI, Piata Presei Libere, nr.3-5, Cladirea City Gate Northern Tower, et.3, sector 1	J40/8331/2001	CUI 14208851	021/2723660 /3140897	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=100t/h , pmax=150bar , Tmax=570°C; Dmax=25Gcal/h,	DISPR/CR4/E /4,5/0914/0 /30.05.2011
616	Constanta	ROMINSERV SRL- PETROMIDIA NAVODARI	BUCURESTI, sector 1, Cal. Victoriei, nr.155, tronson 7, bl.D1, et.5; NAVODARI,	J40/8331/2001	CUI 14208851	0241/506094 / 506932	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h , pmax=125bar , Tmax=570°C; Dmax=25Gcal/h,	CT/CR4/A,B, C/4,5/0025/0/01.07.2010
617	Constanta	ROMINSERV SRL- PETROMIDIA NAVODARI	BUCURESTI, sector 1, Piata Presei Libere, nr.3-5, City Northern Tower, et.3; PETROMIDIA	J40/8331/2001	CUI 14208851	021/2723660 ; 0241/506094 / 506932	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=100t/h , pmax=125bar , Tmax=570°C; Dmax=25Gcal/h,	CT/CR4/A,B, C/4,5/0068/1/12.10.2010
618	Ploiesti	ROMPETROL QUALITY CONTROL SRL	NAVODARI, DJ 226, Km 23,, Camera 116, Jud. Constanta; VEGA PLOIESTI, Str, Valeni,	J13/6775/2004	RO 16542407	0241/506700 /506916; 0244/406192	-	-	-	-	-	Cazane abur	p>0.5bar	PL/CR4/H/4, 5/0259/0/06 .12.2010

619	Bucuresti	ROMONT INSTALLATIO N AND MAINTENANC E SERVICES SRL	MEDGIDIA, Str. Decebal, nr. 27, Birou nr. 4, Jud. Constanta	J13/931/201 7	CUI 36725107	0766231114	Cazane de abur	-	Cazane de abur	-	-	-	Qmax≤400t/h , pmax≤40bar, Tmax≤400°C	B/CR4/A,C/4 /3394/0/27. 03.2019
620	Bucuresti	ROMTERM SA	BUCURESTI, Str. Iovita, Nr. 11, Sector 5	J40/2111/19 91	402172	021/4100036 ; 021/4105815 ; e-mail: office@romte rm.ro	Cazane de abur; Cazane de apa fierbinte	Cazane de abur; Cazane de apa fierbinte	Cazane de abur; Cazane de apa fierbinte	-	-	-	pmax = 195 bar, Qmax = 525 t/h, Tmax = +570°C; pmax = 25 bar, Dmax =100 Gcal/h	B/CR4/A,B,C /4,5/4015/1 /13.05.2022
621	Central	ROMTERM SA	BUCURESTI, Str. Iovita, nr.11, sector 5	J40/2111/19 91	CUI 402172	021/4100036	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h , pmax=195bar , Tmax=570°C; Dmax=100Gc al/h,	DISPR/CR4/A ,B,C/4,5/290 5/0/06.02.20 12
622	Bucuresti	ROMVEC INDUSTRIE SRL	BUCURESTI, Str. Iovita, nr.7-9, sector 5	J40/9857/19 98	CUI 11110319	021/4107615 / 4106677	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=525t/h , pmax=196bar , Tmax=540°C; Dmax=100Gc al/h,	B/CR4/A,B,C /4,5/0039/0 /25.05.2010
623	Bucuresti	ROMVENT ENGINEERING SRL	BUCURESTI, Sos. Barlogeni, nr. 46, Imobil C1, et. 2, sector 1	J40/11224/2 003	RO 15671292	0729330564; 0729330573; 031/4379531 ; e-mail romvent@gm ail.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50Gcal /h, pmax=40bar, Tmax=400°C; Dmax=100t/h , pmax=40bar	B/CR4/A,B,C /4,5/2638/1 /12.12.2016

624	Bucuresti	ROMVENT INSTAL SRL	BUCURESTI, Sos. Nicolae Titulescu, nr. 61-71, bl. 11A, et. 3, ap. 9, sector 1; BUCURESTI,	J40/11224/2 003	RO 15671292	0729330564; 0729330573; 031/4379943	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=150°C; Dmax=100t/h , pmax=40bar,	B/CR4/A,B,C /4,5/2638/0 /13.10.2015
625	Central	RORA CONSING SRL	RASNOV, Str. Garii, nr.6, Jud. Brasov	J08/1245/19 91	CUI 1121035	0268/231552 ; 0266230858	-	-	-	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	pmax>0.5bar ; Tmax>110°C	DISPR/CR4/H /4,5/2324/0 /09.01.2012; DISPR/CR4/G /4,5/2775/0 /10.01.2012
626	Central	ROS SYSTEMA SRL	TG. MURES , Str. Madach Imre, nr.8, Jud. Mures	J26/1948/20 07	CUI 22685444	0265/567017 ; 0365/430565	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h , pmax=250bar , Tmax=570°C; Dmax=100Gcal/h,	DISPR/CR4/E /4,5/3841/0 /06.12.2013
627	Central	SANCOTERM SRL	GALATI, Str. Domneasca, nr.18, bl.E, ap.13, Jud. Galati; GALATI, Str. Basarabiei, nr.210, Jud.	J17/381/199 7	CUI 9392900	0236/494930	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax≤40bar, Tmax≤540°C, Qmax≤120t/h	DISPR/CR4/A ,B,C/4/1047/ 0/08.06.2011
628	Bucuresti	SELECT CHIM SERVICE SRL	BUCURESTI, Prelungirea Ghencea, nr.93N, parter, sector 6	J40/3824/19 94	RO 5329293	0722369476; 021/3176009 ; e-mail: office@electr ochim.ro	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	pmax=75bar, Tmax=450°C, Qmax=30t/h; Dmax=50Gcal /h, pmax=16bar	B/CR4/A,B,C /4,5/0428/3 /18.12.2017

629	Bucuresti	SELECT CHIM SERVICE SRL	BUCURESTI, Prelungirea Ghencea, nr.93N, parter, sector 6	J40/3824/19 94	RO 5329293	0722369476; 021/3176009 ; e-mail: office@electr ochim.ro	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	pmax=40bar, Tmax=450°C, Qmax=30t/h	B/CR4/A,B,C /4,5/0428/2 /12.09.2017
630	Bucuresti	SELECT CHIM SERVICE SRL	BUCURESTI, Prelungirea Ghencea, nr.93N, parter, sector 6	J40/3824/19 94	RO 5329293	0722369476; 021/3176009 ; e-mail: office@electr ochim.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax=40bar, Tmax=450°C, Qmax=30t/h	B/CR4/A,B,C /4/0428/1/1 5.11.2013
631	Oradea	SEPE INSTALCOM SRL	ORASTIE, Str. Unirii, nr.130, Jud. Hunedoara	J20/434/199 8	RO 10655490	0254/243335 / 243334	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h , Pmax=25bar, Tmax=250°C; Dmax=50Gcal /h, Pmax=25bar	OR/CR4/A,B, C/4,5/1380/ 1/23.06.2015
632	Sibiu	SEPE INSTALCOM SRL	ORASTIE, Str. Unirii, nr.130, Jud. Hunedoara	J20/434/199 8	RO 10655490	0254/243335 / 243334	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=120t/h , Pmax=25bar, Tmax=250°C; Dmax=50Gcal /h, Pmax=25bar	Suspendare autorizatie începând cu data de 27.07.2022 - SB/CR4/A,B, C/4,5/0074/ 0/30.03.2010
633	Central	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761/199 4	CUI 5420374	0244/544707 /519648	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h , pmax=50bar, Tmax=450°C; Dmax=50Gcal /h, pmax=22bar	DISPR/CR4/E /4,5/1795/0 /26.06.2011

634	Central	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761/1994	CUI 5420374	0244/544707/519648	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=120t/h , pmax=120bar , Tmax=450°C; Dmax=50Gcal/h,	DISPR/CR4/E/4,5/1795/1/02.11.2011
635	Brasov	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761/1994	RO 5420374	0723276995, 0372/000403	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=40t/h, Psmx=40bar , Tmax=450°C; Dmax=50Gcal/h,	BV/CR4/A,B,C/4,5/1686/1/02.08.2017
636	Ploiesti	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761/1994	RO 5420374	0244/544707/519648	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=40t/h, Psmx=40bar , Tmax=450°C; Dmax=50Gcal/h,	PL/CR4/A,B,C/4,5/0197/0/08.10.2010
637	Craiova	SFERA SRL	CRAIOVA, Calea Severinului, nr.18D, Jud. Dolj	J16/161/2001	RO 13765161	0251/461060/480165	-	-	-	Cazane abur, apa fierbinte	-	-	Qmax=1035t/h, pmax=200bar , tmax=540°C; Dmax=100Gcal/h, pmax=20bar	CR/CR4/E/4,5/0086/0/01.09.2010
638	Ploiesti	SGS ROMANIA SA	BUCURESTI, Cal. Serban Voda, nr.38, sector 4; Sat BRAZI, Com. Brazi, Str. Trandafirilor, nr.65, Jud.	J40/29074/1992	RO 3451552	021/3354683/3354620	-	-	-	-	-	Cazane de abur, apa fierbinte	P>0.5bar; T>110°C	PL/CR4/H/4,5/0143/0/24.08.2010

639	Bucuresti	SICOM IC SRL	BUCURESTI, Bd. Basarabia, nr.177, sector 3	J40/3960/19 91	CUI 342852	021/2550073 / 2550074	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	0.6t/h<Qmax ≤10t/h, p≤16bar, Tmax≤270°C; 0.6t/h<Dmax ≤50Gcal/h, p≤20bar, Qmax≤1035t /h, pmax≤250ba r, Tmax≤760°C ; Dmax≤100G cal/h	B/CR4/A,B,C /4,5/0127/0 /06.07.2010
640	Bucuresti	SISTEMPLAST SA	RM. VALCEA, Str. Uzinei, nr.1, Jud. Valcea	J38/11/1999	CUI 11438007	0250/701501 / 701504	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤50t/h, pmax≤60bar, Tmax≤440°C; Dmax≤50Gcal /h, pmax≤25bar	B/CR4/A,B,C /4,5/2109/1 /20.05.2021
641	Bucuresti	SISTEMPLAST SA	RM. VALCEA, Str. Uzinei, nr.1, Jud. Valcea	J38/11/1999	CUI 11438007	0250/701501 / 701504	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=40bar, tmax=350°C; Dmax=10Gcal /h, pmax=24bar	B/CR4/A,B,C /4,5/2109/0 /27.03.2014
642	Bucuresti	SMART POWER R&D SRL	BUCURESTI, Str. Ghirlandei, nr. 32, bl. 78, sc. 1, ap. 4, parter, sector 6	J40/10854/2 013	RO 32193171	0371429320, 0371609882; e-mail office@smart -power.ro	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax≤450°C; Dmax=50Gcal /h, pmax=40bar,	B/CR4/A,C/4 /5/3415/0/0 3.05.2019
643	Brasov	SMR GLOBAL SRL	ALBESTI PALEOLOGU, nr. 528, Jud. Prahova	J29/1580/20 10	RO 27819393	0748121650; 0374952363; 0344/780139 / 114095; e- mail: smrglobal201 0@yahoo.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax≤450°C; Dmax=50Gcal /h, pmax=40bar,	BV/CR4/A,B, C/4,5/1097/ 0/20.12.2012

644	Bucuresti	SNAMPROGET TI ROMANIA SRL	BUCURESTI, Bd. Dimitrie Pompeiu, nr.6A, Tronson II, et.3, birou 31, sector 2	J40/6633/20 03	CUI 15442280	021/2322400 / 2322434	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=300t/h , pmax=200bar , Tmax=550°C; Dmax=100Gcal/h,	B/CR4/E/4,5 /0376/0/04. 10.2010
645	Sibiu	SNGN ROMGAZ - Sucursala de Productie Energie Electrica Iernut	IERNUT, Str. Energeticii, nr.1, Jud. Mures	J26/194/201 3	RO 14056826	0265/471333 / 471388	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=640t/h , pmax=140bar , Tmax=550°C; Dmax=20Gcal/h,	SB/CR4/A,B, C/4,5/2086/ 1/30.07.2020
646	Sibiu	SNGN ROMGAZ - Sucursala de Productie Energie Electrica Iernut	IERNUT, Str. Energeticii, nr.1, Jud. Mures	J26/194/201 3	RO 14056826	0265/471333 / 471388	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=640t/h , pmax=140bar , Tmax=550°C; Dmax=20Gcal/h,	SB/CR4/A,B, C/4,5/1297/ 0/30.04.2014
647	Bucuresti	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/182/199 9	CUI 11943106	0253/371678 ; 0723389063	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/h, pmax=200bar , Tmax=540°C	B/CR4/A,B,C /4/2774/2/1 2.04.2016
648	Central	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/182/199 9	CUI 11943106	0253/371678 ; 0723389063	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/h, pmax=200bar , Tmax=540°C	DISPR/CR4/A ,B,C/4/0964/ 1/02.04.2012

649	Central	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/182/199 9	CUI 11943106	0253/371678 ;0251/59345 5; 0723389063	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/h, pmax=200bar , Tmax=540°C;	DISPR/CR4/A ,B,C/4/0964/ 0/31.05.2012
650	Central	SOCEND IND SA	ROVINARI, Str. Tineretului, bl. G1, sc.1, ap.1, Jud. Gorj	J18/182/199 9	CUI 11943106	0253/371678 ; 0723389063	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=1035t/h, pmax=200bar , Tmax=540°C	DISPR/CR4/A ,B,C/4/0964/ 1/02.04.2012
651	Bucuresti	SOCIETATEA ELECTROCEN TRALE CONSTANTA SA	CONSTANTA, bd Aurel Vlaicu, nr 123, Jud Constanta	J13/23/2015	CUI 33636420	0241585300/ 0241693916	-	-	Cazane de abur, cazane apa fierbinte	-	-	-	Qmax≤420t/h , pmax≤140bar , Tmax≤550°C; Dmax≤100Gcal/h,	B/CR4/C/4,5 /2472/1/25. 11.2020
652	București	SOCIETATEA NAȚIONALĂ NUCLEARELE CTRICA SA	BUCUREȘTI, str Polonă, nr 65, sector 1; CERNAVODĂ, str. Medgidiei, nr.2, iud	J40/7403/19 98	CUI 10874881	0212038200/ 0213169400; 0241239340, 0241239346, 0241239266	-	-	Cazane de abur	-	-	-	Qmax≤30t/h, pmax≤17bar, Tmax≤260°C	B/CR4/C/4/3 566/2/17.12. 2020
653	București	SOCIETATEA NAȚIONALĂ NUCLEARELE CTRICA SA	BUCUREȘTI, str Polonă, nr 65, Sector 1	J40/7403/19 98	CUI 10874881	0212038200, fax 0213169400	-	-	Cazane de abur	-	-	-	Qmax≤30t/h pmax≤17 bar	B/CR4/C/4/3 566/1/15.11. 2019

654	Central	SOLO PROD SRL	BUZAU, Str. Orizontului, nr.206, Jud. Buzau	J10/2260/1994	CUI 6446054	0238/720038 ; 0338/111540	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=120t/h, pmax=40bar, Tmax=440°C; Dmax=50Gcal/h, Pmax=40bar	DISPR/CR4/A,B/4,5/2540/0/20.12.2011
655	Central	STASS SERV SRL	IASI, Str. Vasile Lupu, nr.99, bl.D, sc.A, parter, ap.3, Jud. Iasi	J22/285/2001	CUI 13797155	0232/270699 ; 0332/882838	Cazane abur	-	Cazane abur	-	-	-	Qmax=50t/h, pmax=16bar, Tmax=200°C	DISPR/CR4/A,C/4/0567/0/06.04.2011
656	Bucuresti	STEAM GEN SOLUTIONS SRL	BUCURESTI, Bd Burebista, nr 1, bl D15, sc 1, ap 31, sector 3	J40/10456/2000	RO 13529500	0213265621/ 0213265620, email office@esc-inc.ro	-	-	Cazane de abur	-	-	-	Qmax=10t/h, pmax=100bar, Tmax=400°C	B/CR4/C/4/2489/1/04.11.2020
657	Brasov	STEEL TRUST CONSTRUCTII CIVILE SI INDUSTRIALE SRL	PLOIESTI, Str. Vega, nr. 11C, Jud. Prahova	J29/1201/2014	RO 33553023	0722285498; 0244/433100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=400bar, Tmax=440°C; Dmax=50Gcal/h,	BV/CR4/A,B,C/4,5/1505/2/11.07.2017
658	Brasov	STEEL TRUST CONSTRUCTII CIVILE SI INDUSTRIALE SRL	PLOIESTI, Str. Vega, nr. 11C, Jud. Prahova	J29/1201/2014	RO 33553023	0722285498; 0244/433100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=400bar, Tmax=440°C; Dmax=50Gcal/h,	BV/CR4/A,B,C/4,5/1505/1/24.11.2016

659	Brasov	STEEL TRUST CONSTRUCTII CIVILE SI INDUSTRIALE SRL	PLOIESTI, Str. Vega, nr. 11C, Jud. Prahova	J29/1201/20 14	RO 33553023	0722285498; 0244/433100	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/ h, pmax=400bar , Tmax=440°C	BV/CR4/A,B, C/4,5/1505/ 0/18.11.2015
660	Bucuresti	STERISYSTEM S SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/18053/2 005	CUI 18077589	0213227121/ 0213227123, info@rafi.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax=7.5bar , Tmax=160°C, Qmax=120Kg /h	B/CR4/A,B,C /4/0694/5/1 3.12.2019
661	Bucuresti	STERISYSTEM S SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/18053/2 005	CUI 18077589	0213227121/ 0213227123, email info@rafi.ro	-	-	-	-	Cazane de abur	-	-	B/CR4/G/4/0 693/4/13.12. 2019
662	Bucuresti	STERISYSTEM S SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/18053/2 005	CUI 18077589	021/3227121 / 3227123; e- mail info@rafi.ro	Cazane abur	Cazane abur	Cazane abur	-	Cazane abur	-	pmax=7.5bar , Tmax=160°C, Qmax=120Kg /h	B/CR4/G/4/0 693/3/31.01. 2018; B/CR4/A,B,C /4/0694/4/3 1.01.2018
663	Bucuresti	STERISYSTEM S SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/18053/2 005	CUI 18077589	021/3227121 / 3227123; e- mail info@rafi.ro	Cazane abur	Cazane abur	Cazane abur	-	Cazane abur	-	pmax=7.5bar , Tmax=160°C, Qmax=120Kg /h	B/CR4/G/4/0 693/2/28.05. 2015; B/CR4/A,B,C /4/0694/3/2 8.05.2015

664	Bucuresti	STERISYSTEM S SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/18053/2005	CUI 18077589	021/3205659 / 3227123	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax=7.5bar , Tmax=160°C, Qmax=120Kg/h	B/CR4/A,B,C /4/0694/2/1 3.03.2014
665	Bucuresti	STERISYSTEM S SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/18053/2005	CUI 18077589	021/3260395 /3260397	Cazane abur	Cazane abur	Cazane abur	-	Cazane abur	-	pmax=3bar, Tmax=150°C, Qmax=59Kg/h	B/CR4/G/4/0693/1/17.05.2013; B/CR4/A,B,C /4/0694/1/1 7.05.2013
666	Central	STERISYSTEM S SRL	BUCURESTI, Bd. Unirii, nr.59, bl.F2, sc.2, et.6, ap.52, sector 3	J40/18053/2005	CUI 18077589	021/3260395 /3260397	Cazane abur	Cazane abur	Cazane abur	-	Cazane abur	-	pmax=3bar, Tmax=150°C, Qmax=59Kg/h	DISPR/CR4/G /4/0693/0/1 8.05.2011; DISPR/CR4/A ,B,C/4/0694/0/18.05.2011
667	Bacau	STRONG MONTAJ SA	PIATRA NEAMT, Str. Mihai Viteazu, nr.19, bl.C1, demisol, camera 2, Jud. Neamt	J27/2014/1994	CUI 6537071	0233/219486 / 230910	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, Pmax=40bar, Tmax=280°C; Dmax=100Gcal/h, Pmax=20bar	BC/CR4/A,B,C/4,5/1100/0/12.11.2012 - suspendare voluntara incepind cu 13.10.2015
668	Brasov	SUDOTERM SRL	PLOIESTI, Str. Rudului, nr. 262, Jud. Prahova	J29/425/2015	RO 28241840	0344/102953	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	pmax=200bar , Qmax=500t/h , tmax=550°C	BV/CR4/B,C/4,5/1562/0/23.03.2016

669	Bucuresti	SUEZ WTS FRANCE - SUCURSALA BUCURESTI	BUCURESTI, B-dul Tudor Vladimirescu, nr.22, Cladirea Greengate Office, cam. 546, et.5	J40/14895/2017	CUI 38141988	029155360/0372074516, email: anca-mihaela.bigic@suez.com	-	-	-	-	-	Cazane de abur, cazane de apa fierbinte	p>0,5 bar, T>110°C	B/CR4/H/4,5/3393/1/04.05.2021
670	Galati	SUPER A PLUS K SRL	GALATI, Str. George Cosbuc, nr.432, Jud. Galati	J17/1798/1994	RO 5933965	0236/461751	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	pmax=155bar , Qmax=420t/h , tmax=540°C	GL/CR4/A,B,C/4/0005/0/12.04.2010
671	Bacau	SUPER A PLUS K SRL	GALATI, Str. George Cosbuc, nr.432, Jud. Galati	J17/1798/1994	RO 5933965	0236/461751	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	pmax=155bar , Qmax=420t/h , tmax=540°C	BC/CR4/A,B,C/4/1238/1/14.06.2013
672	Bucuresti	SUPERMONT SA	NAVODARI, Platforma Parc Rece Midia, DJ226, Km20, Jud. Constanta	J13/5489/2004	CUI 16172290	0241/486053	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤1035t/h, pmax≤215bar , Tmax≤600°C; Dmax≤100Gcal/h,	B/CR4/A,B,C/4,5/3026/1/17.03.2017
673	Central	SUPERMONT SA	NAVODARI, Platforma Parc Rece Midia, DJ226, Km20, Jud. Constanta	J13/5489/2004	CUI 16172290	0241/486053	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤1035t/h, pmax=215bar , Tmax=600°C; Dmax≤100Gcal/h,	DISPR/CR4/A,B,C/4,5/1521/0/12.07.2011

674	Bucuresti	TCZ TOTAL SERVICE SRL	BUCURESTI, Str. Vidului, nr. 11A, camera 2, sector 5	J40/16126/2005	CUI 17980065	021/7764524	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	pmax=20bar, Qmax=30t/h, tmax=250°C	B/CR4/A,B,C /4/1706/0/2 5.07.2015
675	Brasov	TECHNO MONTAJ SRL	BRASOV, Str. Timis Tria, Nr. 6, Jud. Brasov	J08/217/2003	RO 15190540	0268/334118 ; 0268/334128 ; e-mail: technomontaj@yahoo.com	Cazane de abur; cazane de apa fierbinte	Cazane de abur; cazane de apa fierbinte	Cazane de abur; cazane de apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=580°C; Dmax=100Gcal/h,	BV/CR4/A,B,C/4,5/1119/4/17.08.2022
676	Brasov	TECHNO MONTAJ SRL	BRASOV, Str. Timis Tria, nr.6, Jud. Brasov	J08/217/2003	RO 15190540	0268/334118 / 334128; e-mail: technomontaj@yahoo.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=580°C; Dmax=100Gcal/h,	BV/CR4/A,B,C/4,5/1119/3/19.02.2018
677	Brasov	TECHNO MONTAJ SRL	BRASOV, Str. Timis Tria, nr.6, Jud. Brasov	J08/217/2003	RO 15190540	0268/334118	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=580°C; Dmax=100Gcal/h,	BV/CR4/A,B,C/4,5/1119/2/04.03.2013
678	Central	TECHNO MONTAJ SRL	BRASOV, Str. Timis Tria,, nr.6, Jud. Brasov	J08/217/2003	RO 15190540	0268/334118 /334128; 0740065151	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=200bar, Tmax=580°C; Dmax=100Gcal/h,	DISPR/CR4/A,B,C/4,5/323 2/1/09.03.2012

679	Bucuresti	TECNOSERVIC E BUCURESTI SA	BUCURESTI, Str. Tudor Vianu, nr.42, parter, camera 1, ap.1, sector 1	J40/1937/19 96	RO 8237968	0314070030/ 0213185019, email: tsb@tsb.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/ h, pmax=200bar , Tmax=570°C; Dmax=100Gc al/h,	B/CR4/A,B,C /4,5/1737/1 /04.06.2020
680	Bucuresti	TECNOSERVIC E BUCURESTI SRL	BUCURESTI, Str. Tudor Vianu, nr.42, parter, camera 1, ap.1, sector 1; BUZAU,	J40/1937/19 96	CUI 8237968	031/4070030 / 3185019; 0238/717441	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1100t/ h, pmax=200bar , Tmax=570°C; Dmax=100Gc al/h,	B/CR4/A,B,C /4,5/1737/0 /30.07.2013
681	Bucuresti	TEHNO PROMPT SRL	COM. CHIAJNA, Str. 1 Mai, nr.12, Jud. Ilfov	J23/1751/20 02	CUI 4430515	021/3055700	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=10t/h pmax=16bar, Tmax=200°C,	B/CR4/A,B,C /4/0107/0/2 3.06.2010
682	Central	TEHNOEXPER T MANAGEMEN T INDUSTRIAL SA	BUCURESTI, Str. Gheorghe Sincai, nr.11, bl.4, sc.3, ap.68, sector 4	J40/8718/20 12	CUI 30484794	0372715633; 0372879090	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=540t/h , pmax=225bar , Tmax=570°C; Dmax=100Gc al/h	DISPR/CR4/E /4,5/3761/0 /12.12.2012
683	Central	TEHNOPLUS MEDICAL SRL	BUCURESTI, Str. Odobesti, nr.1, sector 3	J40/13952/1 993	CUI 4261939	021/3485272 /3485343	Cazane abur	Cazane abur	-	-	-	-	pmax≤16bar, Qmax≤2t/h, Tmax≤200°C	DISPR/CR4/A ,B/4/1034/0 /10.06.2011

684	Central	TEHNOPLUS MEDICAL SRL	BUCURESTI, Str. Odobesti, nr.1, sector 3	J40/13952/1993	CUI 4261939	021/3485272 /3485343	-	-	-	-	Cazane abur, cazane apa fierbinte, cazane apa calda, cazane abur ioasa	-	-	DISPR/CR4/G /4,5/1037/0 /14.06.2011
685	Bucuresti	TEHNOPLUS MEDICAL SERVICE SRL	BUCURESTI, Str. Odobesti, nr.1, corp 3, sector 3	J40/13421/2017	CUI 38022073	021/3485272 /3485343; e-mail liliana.stefan@tmpservice.ro	Cazane abur	-	-	-	Cazane abur; cazane apa fierbinte	-	Qmax=2t/h, pmax=16bar, Tmax=200°C	B/CR4/A/4/3 255/0/15.05.2018; B/CR4/H/4,5 /3256/0/15.05.2018
686	Brasov	TEHNOSUD ENGINEERING SRL	PLOIESTI, Str. Rudului, nr. 262, Jud. Prahova	J29/1376/2002	RO 15056352	0344/102953	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	-	Qmax=500t/h, pmax=200bar, Tmax=550°C; Dmax=500Gcal/h,	BV/CR4/A,B, C/4,5/1618/0/19.10.2016
687	Central	TEHNOTERM IMPEX SRL	REGHIN, Str. Pandurilor, nr.12, Jud. Mures	J26/3350/1992	CUI 3388129	0265/512564 /513898	Cazane abur	-	-	-	-	-	Qmax≤10t/h, pmax≤16bar, Tmax≤250°C	DISPR/CR4/A /4/2940/0/3 0.01.2012
688	Bacau	TEHNOTERM SRL	IASI, Bd. Chimiei, nr.14, Jud. Iasi	J22/3107/1994	RO 6788022	0232/258810 / 259596	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=25bar, Tmax=400°C	BC/CR4/A,B, C/4/1795/1/ 27.09.2017

689	Bacau	TEHNOTERM SRL	IASI, Sos. Pacurari, nr.26, Jud. Iasi	J22/3107/1994	RO 6788022	0232/259596	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=200°C	BC/CR4/A,B,C/4/1387/1/11.03.2014
690	Iasi	TEHNOTERM SRL	IASI, Bd. Chimiei, Jud. Iasi	J22/3107/1994	RO 6788022	0232/259596	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=200°C	IS/CR4/A,B,C/4/0105/0/23.09.2010
691	Sibiu	TEHPRO SRL	CLUJ NAPOCA, Str. Horea, nr. 3, camera 110, et. 1, Jud. Cluj	J12/2574/2004	RO 16583113	0264/456440 ; e-mail dan.lazar@tehpro.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=25t/h, 0.5bar≤pmax≤25bar, Tmax=450°C; Dmax=10Gcal/h,	SB/CR4/A,B,C/4,5/1730/0/11.07.2017
692	Oradea	TELETECH SRL	ZALAU, Str. Gh. Doja, nr.28, bl. D28, ap.24, Jud. Salaj	J31/165/2003	CUI 15324536	744247946	-	-	-	-	-	Cazane abur; cazane apa fierbinte	P>0.5bar; T>110°C	OR/CR4/H/4,5/1418/0/2011.2015
693	Brasov	TEODAN INSTAL SRL	PLOIESTI, Str. Ștefan cel Mare, nr.27, construcția C1, parter, camera 1, Jud. Prahova	J29/2587/2007	CUI 22547417	0244/546228 ; e-mail office@teodan.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=40t/h, pmax=40bar, Tmax=450°C; Dmax=50Gcal/h, pmax=40bar,	BV/CR4/A,B,C/4,5/1348/2/17.11.2021

694	Brasov	TEODAN INSTAL SRL	PLOIESTI, Str. Maramures, nr.14-16, Jud. Prahova	J29/2587/20 07	CUI 22547417	0244/546228 ; e-mail Teodan_insta l@yahoo.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤40t/h, pmax≤40bar, Tmax≤450°C; Dmax≤50Gcal /h, pmax≤40bar, Qmax≤40t/h,	BV/CR4/A,B, C/4,5/1348/ 1/11.12.2014
695	Central	TEODAN INSTAL SRL	PLOIESTI, Str. Republicii, nr.108, bl.13B2, ap.6, Jud. Prahova	J29/2587/20 07	CUI 22547417	0244/546228	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤40t/h, pmax≤40bar, Tmax≤450°C; Dmax≤50Gcal /h, pmax≤40bar,	DISPR/CR4/A ,B,C/4,5/157 9/0/20.07.20 11
696	Bacau	TERMA SRL	BACAU, Str. Oituz, nr.78, Jud. Bacau	J04/219/199 7	CUI 9234919	0234/511711 /580010; e- mail office@terma bacau.ro	Cazane abur	-	-	-	-	-	Qmax=<25t/h , pmax=40bar, Tmax≤250°C	BC/CR4/A/4/ 1759/1/03.0 5.2017
697	Central	TERMA SRL	BACAU, Str. Oituz, nr.78, Jud. Bacau	J04/219/199 7	CUI 9234919	0234/511711 /580010	Cazane abur	-	-	-	-	-	Qmax=25t/h, pmax=40bar, Tmax=250°C	DISPR/CR4/A /4/3004/0/1 0.02.2012
698	Bacau	TERMAEXIM SA	GALATI, Str. Dr. Petru Groza, nr.23, Jud. Galati	J17/121/199 1	RO 1631352	0236/470870 / 470669	Cazane apa fierbinte	Cazane apa fierbinte	Cazane apa fierbinte	-	-	-	Qmax=120t/h , Gcal, pmax=22bar, Tmax=150°C	BC/CR4/A,B, C/5/1653/0/ 08.04.2016

699	Bacau	TERMAEXIM SA	GALATI, Str. Dr. Petru Groza, nr.23, Jud. Galati	J17/121/1991	RO 1631352	0236/470870 / 470669	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/h , pmax=155bar , Tmax=540°C	BC/CR4/A,B, C/4/1287/1/ 09.09.2013
700	Bacau	TERMAEXIM SA	GALATI, Str. Dr. Petru Groza, nr.23, Jud. Galati	J17/121/1991	RO 1631352	0722252282, 0236470870, 0236470669, email: office@termaexim.ro	Cazane abur	Cazane abur	Cazane abur	-	-	-	pmax=155bar , Qmax=420t/h , Tmax=540°C	BC/CR4/A,B, C/4/1287/2/ 06.07.2021
701	Central	TERMAR PROD COM SRL	CONSTANTA, Str. Varful cu Dor, nr.10, Jud. Constanta	J13/5105/2004	CUI 16065111	0241/631350 /631340	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=140bar , Tmax=540°C; Dmax=50Gcal/h,	DISPR/CR4/A ,B,C/4,5/100 0/0/17.06.2011
702	Bucuresti	TERMAR PROD COM SRL	CONSTANTA, Str. Varful cu Dor, nr.10, Jud. Constanta	J13/5105/2004	CUI 16065111	0241/631350 /631340	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=140bar , Tmax=540°C; Dmax=50Gcal/h,	DISPR/CR4/A ,B,C/4,5/209 7/1/10.03.2014
703	Central	TERMICA SA	SUCEAVA, Str. Energeticianu lui, nr.1, Jud. Suceava	J33/310/2002	CUI 14682110	0230/257066 /257663	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤420t/h , pmax≤137bar , Tmax≤540°C; Dmax≤116Mw , pmax≤26bar	DISPR/CR4/C /4,5/0855/0 /11.05.2011

704	Sibiu	TERMICA STEEL SRL	SANCRAIU DE MURES, str. Nucului, nr. 115, Jud. Mures	J26/586/201 2	RO 30338080	722171113	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=450°C; Qmax=100Gc al/h, pmax=40bar	SB/CR4/A,B, C/4,5/2155/ 0/09.03.2021
705	Central	TERMO CONFORT SRL	BRASOV, Bd. Victoriei, nr.10, bl.43, Jud. Brasov	J08/184/199 8	CUI 10253388	0268/416380	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤430t/h , pmax≤140bar , Tmax≤450°C; Dmax≤125Gc al/h,	DISPR/CR4/A ,B,C/4,5/179 1/0/22.08.20 11
706	Sibiu	TERMO CONSTRUCT SRL	HUNEDOARA, Str. Serei, nr.17A, Jud. Hunedoara	J20/1369/19 93	RO 4372015	0254/740577 /716823	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=25t/h, Pmax=40bar, Tmax=300°C; Dmax=5Gcal/ h, Pmax=16bar,	SB/CR4/A,B, C/4,5/0127/ 0/17.12.2010
707	Oradea	TERMO CONSTRUCT SRL	HUNEDOARA, Str. Serei, nr.17A, Jud. Hunedoara	J20/1369/19 93	RO 4372015	372715328	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax=25t/h, Pmax=40bar, Tmax=300°C; Dmax=5Gcal/ h, Pmax=16bar,	OR/CR4/A,B, C/4,5/1193/ 1/06.08.2013
708	Oradea	TERMO ENERGETICA BANATUL SRL	TIMISOARA, Str. Dorobantilor, nr.63B, Jud. Timis	J35/141/199 3	RO 2805376	0256/219224	Cazane de abur	-	Cazane de abur	-	-	-	Q=10t/h, pmax=16bar, Tmax=300°C	OR/CR4/A,C/ 4/1053/1/05 .10.2012

709	Oradea	TERMO ENERGETICA BANATUL SRL	TIMISOARA, Str. Dorobantilor, nr.63B, Jud. Timis	J35/141/199 3	RO 2805376	0256/219224	Cazane de abur	-	Cazane de abur	-	-	-	Q=10t/h, pmax=16bar, Tmax=300°C	OR/CR4/A,C/ 4/1053/2/18 .10.2013
710	Bacau	TERMO INVEST SRL	BACAU, Str. Nordului, nr.38, Jud. Bacau	J04/438/199 7	RO 9458924	0234/519519	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤10t/h, Pmax≤16bar, Tmax≤440°C; Dmax≤10Gcal /h, Pmax≤16bar,	BC/CR4/A,B, C/4,5/0088/ 0/15.09.2010
711	Oradea	TERMO MONTAJ SRL	SATU MARE, Str. Careiului, nr.162, Jud. Satu Mare	J30/2085/19 94	RO 6902657	0261/839735 ; e-mail office@termo montaj.ro	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Dmax≤30t/h, Pmax≤150bar , Tmax≤440°C	OR/CR4/A,B, C/4/1614/1/ 03.07.2018
712	Oradea	TERMO MONTAJ SRL	SATU MARE, Str. Careiului, nr.162, Jud. Satu Mare	J30/2085/19 94	RO 6902657	0261/839736 /839735	Cazane de abur	Cazane de abur	Cazane de abur	-	-	-	Qmax≤30t/h, Pmax≤16bar, Tmax≤350°C	OR/CR4/A,B, C/4/0021/0/ 24.06.2010
713	Central	TERMO SISTEMS CONTROL SRL	BUCURESTI, Str. Ionita Cegan, nr. 4, b;l. P12, sc. 1, et. 1, ap. 6, sector 5	J40/977/200 1	CUI 13671180	021/3148123 / 4440174	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=210t/h , pmax=180bar , Tmax=450°C; Dmax=100Gc al/h,	DISPR/CR4/A /4,5/3089/0 /17.02.2012

714	Central	TERMO VULCAN SRL	TG. MURES, Str. Depozitelor, nr.13A, Jud. Mures	J26/2335/19 92	CUI 1213457	0265/227363	Cazane abur	-	Cazane abur	-	-	-	Qmax≤50t/h, pmax≤40bar, Tmax≤440°C	DISPR/CR4/A ,C/4/2937/0 /12.01.2012
715	Central	TERMODAV SRL	BRAGADIRU, Str. Iederei, nr.63D, Jud. Ilfov	J23/3243/20 08	CUI 24619986	0740044941; 031/8081274	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350°C; Dmax=10Gcal /h, pmax=16bar	DISPR/CR4/A ,B,C/4,5/161 5/0/01.08.20 11
716	Bucuresti	TERMODAV SRL	BRAGADIRU, Str. Iederei, nr.63D, Jud. Ilfov	J23/3243/20 08	CUI 24619986	031/8081274	-	-	-	-	Cazane abur, apa fierbinte	-	Qmax=220t/h , pmax=150bar , Tmax=470°C; Dmax500Gcal /h,	B/CR4/E/4,5 /0462/0/04. 11.2010
717	Central	TERMOELECT RICA SA- Sucursala ELECTROCEN TRALE BRAILA	Com. CHISCANI, Str. Principală, nr.317, Jud. Braila	J09/306/200 0	CUI 13564265	0239/611550 /664572	-	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤1035t/ h, pmax≤155bar , Tmax≤540°C; Dmax≤100Gcal,	DISPR/CR4/B ,C/4,5/2029/ 0/30.09.2011
718	Oradea	TERMOFICARE ORADEA SA	ORADEA, Str. Jean Calvin, nr. 5, Jud. Bihor	J05/1095/20 13	CUI 31952982	0359/409511	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/h , pmax=160bar , Tmax=570°C	OR/CR4/A,B, C/4/1534/0/ 27.04.2017

719	Central	TERMOPIF EXIM SRL	BUCURESTI, Str. Marcu Armasu, nr.11, bl.24, sc.B, ap.77, sector 2	J40/9348/20 01	CUI 14279496	021/2550294	Cazane abur	-	-	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=250°C	DISPR/CR4/A /4/2867/0/2 7.01.2012
720	Central	TERMOPIF EXIM SRL	BUCURESTI, Str. Marcu Armasu, nr.11, bl.24, sc.B, ap.77, sector 2	J40/9348/20 01	CUI 14279496	021/2550294	-	-	-	-	Cazane abur; cazane apa fierbinte	-	-	DISPR/CR4/G /4,5/2868/0 /27.01.2012
721	Central	TERMOPIF EXIM SRL	BUCURESTI, Str. Marcu Armasu, nr.11, bl.24, sc.B, ap.77, sector 2	J40/9348/20 1	CUI 14279496	021/2550294	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=250°C; Dmax=30Gcal /h, pmax=15bar	DISPR/CR4/A ,B,C/4,5/286 7/1/15.03.20 12
722	Central	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, ap.6, Jud. Cluj	J12/3927/19 94	CUI 6589364	0264/431587	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmin>0.5bar, Tmin>110°C	DISPR/CR4/G /4,5/07941/ 0/10.05.2011
723	Cluj	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, bl.M8, ap.6, Jud. Cluj	J12/3927/19 94	RO 6589364	0264/431587 /596750	-	-	-	-	-	Cazane abur, apa fierbinte	-	CJ/CR4/H/4, 5/0077/0/08 .09.2010

724	Cluj	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, bl.M8, ap.6, Jud. Cluj; CLUJ NAPOCA,	J12/3927/19 94	RO 6589364	0264/431587 /596750	-	-	-	Cazane abur, apa fierbinte	-	-	Qmax=25t/h, pmax=16bar, Tmax=350°; Dmax=10Gcal /h, pmax=16bar,	CJ/CR4/E/4, 5/0083/0/10 .09.2010
725	Cluj	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, bl.M8, ap.6, Jud. Cluj	J12/3927/19 94	CUI 6589364	0264/431587 /596750	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	Cazane abur, apa fierbinte	-	-	-	-	CJ/CR4/A,B, C/4,5/0190/ 0/31.12.2010
726	Central	TERMOREP SRL	RAMNICU VALCEA, Str. Nistor Dumitrescu, nr.14/17, Jud. Valcea	J38/576/199 1	RO 1469332	0250/737308 /737302	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤420t/h , pmax≤165bar , Tmax≤565°C; Dmax≤100Gc al/h,	DISPR/CR4/A ,B,C/4,5/121 2/0/22.06.20 11
727	Central	TERMOREP SRL	RM. VALCEA, Str. Nistor Dumitrescu, nr. 14/17, Jud. Valcea	J38/576/199 1	CUI 1469332	0250/737308 /737302; 0744549436	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmin>0.5bar, Tmin>110°C	DISPR/CR4/G /4,5/1559/0 /19.07.2011
728	Central	TERMOREP SRL	RM. VALCEA, Str. Nistor Dumitrescu, nr.14/17, Jud. Valcea	J38/576/199 1	CUI 1469332	0250/737308 /737302	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h , pmax=165bar , Tmax=570°C; Dmax=100Gc al/h,	DISPR/CR4/E /4,5/2126/1 1.10.2011

729	Cluj	TERMOSISTEM PROD SRL	CLUJ NAPOCA, Str. Piata Abator, Bl.C3, ap.19, Jud. Cluj	J12/3214/20 05	RO 17934344	0264/484810	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=350°C; Dmax=5Gcal/ h, pmax=16bar	CJ/CR4/A,B, C/4,5/0024/ 0/11.06.2010
730	Sibiu	SC TERMOSISTEM PROD SERV SRL	CLUJ- NAPOCA, P- ta Abator , nr 3, Jud Cluj	J12/3214/20 05	RO 17934344	0722667174, email termosistemp rodserv@yaho o.com	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	pmax=16 bar, Qmax=10t/h, Tmax=350°C, Dmax=5Gcal/ h, pmax=16 bar	SB/CR4/A,B, C/4,5/2053/ 1/02.04.2020
731	Pitesti	TERMOSYS- TEM ALFA SRL	RAMNICU VALCEA, str. George Enescu, nr. 2, jud. Valcea	J38/35/2015	33993130	0723.159.178 , e-mail: termosystem. alfa@gmail.c om	Cazane de abur; Cazane de apa fierbinte	-	-	-	-	-	Qmax ≤ 22 t/h, pmax ≤ 25 bar, tmax ≤ 450 °C; Dmax ≤ 50 Gcal/h, pmax ≤ 25bar	PT/CR4/A/4, 5/84/0/21.1 0.2022
732	București	TERMOSYS- TEM SERVICES T.S.S. SRL	RÂMNICU VÂLCEA, str. George Enescu, nr.2, Jud Vâlcea	J38/157/200 5	CUI 15117298	0250725760, 0723159178, email termosystems ervices@gmal .com	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax≤50t/h, Pmax≤40bar, Tmax≤250°C; Dmax=25Gcal /h, Pmax=40bar	B/CR4/A/4,5 /3783/0/19. 01.2021
733	Brasov	TERMOSUD CONSULT SRL	BUZAU, Cart. Episcopiei, bl.C11, ap.13, Jud. Buzau	J10/237/199 9	RO 11874952	0238/717802	Cazane de abur	-	-	-	-	-	Q≤10t/h, p≤40bar, T≤450°C	BV/CR4/A/4/ 1104/0/24.0 1.2013

734	Central	TEST NDT LABORATOR SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, demisol, Jud. Cluj	J12/255/201 3	RO 31156809	0746106196; 0264/596750	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/ h, Pmax=250bar , Tmax=600°C; Dmax=150Gcal/h,	DISPR/CR4/E /4,5/3939/0 /23.05.2016
735	Bacau	TEST PRIMA SRL	SUCEAVA, Str. Petru Rares, nr.56, Jud. Suceava	J33/156/199 2	CUI 744639	0230/523406 / 522773	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, Pmax=40bar, Tmax=350°C; Dmax=50Gcal /h, Pmax=40bar,	BC/CR4/A,C/ 4,5/1113/0/ 14.12.2012
736	Bacau	TEST PRIMA SRL	SUCEAVA, Str. Petru Rares, nr.56, Jud. Suceava	J33/156/199 2	CUI 744639	0230/523406 / 522773	Cazane abur; cazane apa fierbinte	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, Pmax=40bar, Tmax=350°C; Dmax=50Gcal /h, Pmax=40bar	BC/CR4/A,C/ 4,5/1113/1/ 04.07.2013
737	Sibiu	TEXCO ENERGIE SRL	SIBIU, Str. Catina Ioan, nr.4, Jud. Sibiu	J32/471/201 3	RO 31693632	0727369779, 0729369777; e-mail c.selzer@tex co.ro	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=20t/h, Pmax=20bar, Tmax=350°C; Dmax=10Gcal /h, Pmax=20bar,	SB/CR4/A,B, C/4,5/1949/ 1/10.06.2019
738	Sibiu	TEXCO ENERGIE SRL	SIBIU, Str. Catina Ioan, nr.4, Jud. Sibiu	J32/471/201 3	RO 31693632	0269/237325	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=20t/h, Pmax=20bar, Tmax=350°C; Dmax=10Gcal /h, Pmax=20bar,	SB/CR4/A,B, C/4,5/1224/ 0/10.09.2013

739	Bacau	THERMOENERGY Group SA	BACAU, str Chimiei, nr 6, Jud Bacău	J4/882/2014	CUI 33620670	0234585050/ 0234519650, email secretariat@thermoenergy.ro	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤100t/h, pmax≤60bar, Tmax≤550°C; Dmax≤100Gcal/h, pmax≤26 bar	BC/CR4/C/4, 5/1958/1/26 .08.2020
740	Bacau	THERMOENERGY Group SA	BACAU, str Chimiei, nr 6, Jud Bacău	J4/882/2014	CUI 33620670	0234585050/ 0234519650, email secretariat@thermoenergy.ro	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax≤100t/h, pmax≤60bar, Tmax≤465°C; Qmax≤100Gcal/h, pmax≤26 bar	BC/CR4/C/4, 5/1958/0/16 .03.2020
741	Bacau	THERMOENERGY Group SA	BACAU, str Chimiei, nr 6, Jud Bacău	J4/882/2014	CUI 33620670	0234585050/ 0234519650, email secretariat@thermoenergy.ro	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmax>0,5 bar; T>110°C	BC/CR4/G/4, 5/1959/0/16 .03.2020
742	București	TIAB SA	BUCURESTI, str Pictor Arthur Verona, nr 17, sector 1	J40/1847/19 91	RO 1555115	0213021230/ 0213021231; email office@tiab.ro	Cazane abur; cazane apa fierbinte	-	-	-	-	-	Qmax=10t/h, pmax=16bar, Tmax=400°C; Pmax=16bar, Qmax=10t/h	B/CR4/A/4,5 /3640/0/20. 01.2020
743	Bucuresti	TMUCB SA	BUCURESTI, Str. Lujerului, nr. 26, sector 5	J40/1171/19 91	CUI 2786487	021/3171060 /3129542	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=215bar Tmax=600°C; Pmax=25bar, Qmax=100Gcal/h	B/CR4/A,B,C /4,5/2786/1 /06.04.2016

744	Central	TMUCB SA	BUCURESTI, Str. T. Arghezi, nr.8-10, et.5, sector 2	J40/1171/19 91	CUI 2786487	021/3165669 /3129542	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=1035t/h, pmax=215bar, Tmax=600°C; Pmax=25bar, Qmax=100Gc	DISPR/CR4/A ,B,C/4,5/149 6/0/19.07.20 11
745	Brasov	TOTALMONTA J SRL	TATARANI, Str. Nuferilor, Nr. 178, Jud. Prahova	J29/187/199 4	RO 5165670	0244/276783 ; 0722/276783 ; e-mail: office@total montaj.ro	Cazane de abur; Cazane de apa fierbinte	Cazane de abur; Cazane de apa fierbinte	-	-	-	-	Qmax=120t/h , pmax=80bar, Tmax=440°C; Dmax=50Gcal /h, pmax=80bar	BV/CR4/A,B/ 4,5/2003/0/ 20.09.2022
746	Brasov	TOTAL MONTAJ SRL	Sat TATARANI, Com. Barcanesti, str. Nuferilor, nr. 178, Jud. Prahova	J29/187/199 4	RO 5165670	0244/276783 , 0244276783, email: office@total montaj.ro	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=80bar, Tmax=440°C; Dmax=50Gcal /h, pmax=80bar	BV/CR4/C/4, 5/1782/2/05 .05.2022
747	Brasov	TOTAL MONTAJ SRL	Sat TATARANI, Com. Barcanesti, nr. 237A, Jud. Prahova	J29/187/199 4	RO 5165670	0244/276783	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=80bar, Tmax=440°C; Dmax=50Gcal /h, pmax=80bar	BV/CR4/C/4, 5/1782/1/15 .11.2018
748	Central	TOTAL MONTAJ SRL	Sat TATARANI, Com. Barcanesti, nr. 237A, Jud. Prahova	J29/187/199 4	RO 5165670	0372704946; 0244/276783	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=80bar, Tmax=440°C; Dmax=50Gcal /h, pmax=80bar	DISPR/CR4/C /4,5/3693/0 /30.05.2012

749	Cluj	TRUSTUL DE INSTALATII MONTAJ SI CONSTRUCTII SA	CLUJ NAPOCA, Str. Buftea, nr.1, jud. Cluj	J12/5159/19 92	RO 2897361	0264/431198 / 431202	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Q≤10t/h, pmax≤20bar, Tmax=350°C; D≤5Gcal/h, pmax≤20bar	CJ/CR4/A,B, C/4,5/0042/ 0/01.08.2010
750	Sibiu	TRUSTUL DE INSTALATII MONTAJ SI CONSTRUCTII SA	CLUJ NAPOCA, Str. Buftea,, nr.1, Jud. Cluj	J12/5159/19 92	RO 2897361	0264/431198 / 431202	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	Qmax≤10t/h, pmax≤20bar, Tmax≤350°C; Dmax≤5Gcal/ h, Pmax≤20bar	SB/CR4/A,B, C/4,5/1106/ 1/09.11.2012
751	Bucuresti	TUBAL EXPERT SRL	BUCURESTI, Str. Dunavat, nr.9, bl.57, sc.5, ap.74, sector 5	J40/10787/2 010	CUI 27681303	031/8010757	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=600t/h , pmax=180bar , Tmax=570°C; Dmax=50Gcal /h,	B/CR4/E/8/0 612/0/23.02. 2010
752	Bucuresti	TURBOENERG Y POWER CHISINAU SRL- Sucursala Targoviste	TARGOVISTE, Str. Cooperativei, nr. 6, Jud. Dambovita	J15/224/201 5	RO 3429180	0755561119	Cazane apa fierbinte	Cazane apa fierbinte	Cazane apa fierbinte	-	-	-	Dmax=100Gc al/h, pmax=140bar	B/CR4/A,B,C /5/3212/0/0 1.03.2018
753	Pitesti	TURBOENERG Y POWER CHISINAU SUCURSALA TARGOVISTE SRL	TARGOVISTE, Str. Cooperativei, nr. 6, Birou Comercial nr.1, in incinta imobil C10,	J15/224/201 5	34294180	0755.561.119 , e-mail: office@turbo energypower. com	Cazane de abur; Cazane de apa fierbinte	Cazane de abur; Cazane de apa fierbinte	Cazane de abur; Cazane de apa fierbinte	-	-	-	Qmax ≤ 1035t/h, pmax ≤ 300bar, Tmax ≤ 600°C, Dmax ≤ 150Gcal/h, pmax ≤ 30bar	PT/CR4/A,B, C/4,5/52/3/ 09.11.2022

754	Pitesti	TURBOENERGY POWER CHISINAU SRL- Sucursala Targoviste	TARGOVISTE, Str. Cooperativei, nr. 6, Birou Comercial nr.1, in incinta imobil C10,	J15/224/2015	RO 3429180	0755561119, e-mail office@turboenergypower.com	Cazane abur, Cazane de apa fierbinte	Cazane abur, Cazane de apa fierbinte	Cazane abur, Cazane de apa fierbinte	-	-	-	Qmax≤1035t/h, pmax≤300bar, Tmax=600°C, Dmax≤150Gcal/h,	PT/CR4/A,B,C/4,5/52/2/06.06.2022
755	Bucuresti	TURBOENERGY POWER CHISINAU SRL- Sucursala Targoviste	TARGOVISTE, Str. Cooperativei, nr. 6, Jud. Dambovita	J15/224/2015	RO 3429180	0755561119, e-mail valeriu.silvinschi@turboenergypower.com	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/h, pmax=200bar, Tmax=540°C	B/CR4/A,B,C/4/2777/1/24.05.2019
756	Bucuresti	TURBOENERGY POWER CHISINAU SRL- Sucursala Targoviste	TARGOVISTE, Str. Cooperativei, nr. 6, Jud. Dambovita	J15/224/2015	RO 3429180	0755561119	Cazane abur	Cazane abur	Cazane abur	-	-	-	Qmax=420t/h, pmax=200bar, Tmax=540°C	B/CR4/A,B,C/4/2777/0/29.04.2016
757	Central	TUV AUSTRIA ROMANIA SRL	BUCURESTI, Cal. Plevnei, nr.139B, corp A, sector 6	J40/22370/2007	CUI 19231430	0213153294/3153296	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=196bar, Tmax=570°C; Dmax=100Gcal/h,	DISPR/CR4/E/4,5/2921/2/13.02.2019
758	Central	TUV AUSTRIA ROMANIA SRL	BUCURESTI, Cal. Plevnei, nr.139, et.1, corp C, sector 6	J40/22370/2007	CUI 19231430	0213153294/3153296	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=196bar, Tmax=570°C; Dmax=100Gcal/h,	DISPR/CR4/E/4,5/2921/1/25.03.2013

759	Central	TUV AUSTRIA ROMANIA SRL	BUCURESTI, Cal. Plevnei, nr.139, et.1, corp C, sector 6	J40/22370/2007	CUI 19231430	0213153294/3153296	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=196bar , Tmax=570°C; Dmax=100Gcal/h,	DISPR/CR4/E/4,5/2921/0/01.02.2012
760	Central	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr. 155, bl.D1, tronson 5, et.3, sector 1	J40/8231/2002	CUI 14842360	021/3306600/3300815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar , Tmax=550°C; Dmax=100Gcal/h,	DISPR/CR4/E/4,5/3315/5/26.02.2019
761	Central	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr. 155, bl.D1, tronson 5, et.3, sector 1	J40/8231/2002	CUI 14842360	021/3134419/3300815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar , Tmax=550°C; Dmax=100Gcal/h,	DISPR/CR4/E/4,5/3315/4/17.02.2016
762	Central	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr. 155, bl.D1, tronson 5, et.3, sector 1	J40/8231/2002	CUI 14842360	021/3134419/3300815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar , Tmax=550°C; Dmax=100Gcal/h,	DISPR/CR4/E/4,5/3315/3/16.10.2014
763	Central	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr. 155, Spatiile D2 si C2, bl.D1, et.2, sector 1	J40/8231/2002	CUI 14842360	021/3306600/3300815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar , Tmax=550°C; Dmax=100Gcal/h,	DISPR/CR4/E/4,5/3315/2/23.03.2012

764	Bucuresti	TUV SUD ROMANIA SRL	BUCURESTI, Cal. Victoriei, nr.155, bl.D1, Tronson 5, et.2, spatiile D2 si C2,	J40/8231/2002	CUI 14842360	021/3306600/3300815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1050t/h, pmax=220bar, Tmax=550°C; Dmax=100Gcal/h,	B/CR4/E/4,5/0355/1/05.10.2010
765	Bucuresti	TUV SUD ROMANIA SRL	BUCURESTI, Bd. Gh. Sincai, nr.9A, bl.3A, et.3, ap.7 si 9, sector 4	J40/8231/2002	CUI 14842360	021/3306600/3300815	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax>=120t/h, pmax=200bar, Tmax=540°C; Dmax=100Gcal/h,	B/CR4/E/4,5/0001/0/19.03.2010
766	Ploiesti	UNIVERSAL MONTAJ DARZEU SRL	BLEJOI, Sat Blejoi, nr.929, Jud. Prahova	J29/587/1991	RO 1348209	0244/435516/435519	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	Cazane de abur, apa fierbinte	-	-	-	100bar>=p>0.5bar, Qmax=120t/h, Tmax=500°C; 25bar>=p>0.5bar,	PL/CR4/A,B,C/4,5/0032/0/07.05.2010
767	Central	UNIVERSITATEA POLITEHNICA BUCURESTI-Centrul de Cercetari si Expertizari ECO	BUCURESTI, Splaiul Independent ei, nr.313, corp J, sala JF 002, sector 6	-	CUI 4183199	021/4029592/3169564	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=400bar, Tmax=650°C; Dmax=150Gcal/h,	DISPR/CR4/E/4,5/1460/0/21.07.2011
768	Central	UNIVERSITATEA POLITEHNICA BUCURESTI-Centrul de Cercetari si Expertizari ECO	BUCURESTI, Splaiul Independent ei, nr.313, corp J, sala JF 002, sector 6	-	CUI 4183199	021/3169564	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=1035t/h, pmax=196bar, Tmax=540°C; Dmax=50Gcal/h,	DISPR/CR4/E/4,5/1460/0/21.07.2011

769	Central	URS CERTIFICARI SRL (fost ROS SYSTEMA SRL)	TG. MURES , Str. Madach Imre, nr.8, Jud. Mures	J26/1948/20 07	CUI 22685444	0265/267017	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h , pmax=250bar , Tmax=570°C; Dmax=100Gc al/h,	DISPR/CR4/E /4,5/3841/2 /16.07.2019
770	Central	URS CERTIFICARI SRL (fost ROS SYSTEMA SRL)	TG. MURES , Str. Madach Imre, nr.8, Jud. Mures	J26/1948/20 07	CUI 22685444	0265/267017 ; 0365/430565	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax=420t/h , pmax=250bar , Tmax=570°C; Dmax=100Gc al/h,	DISPR/CR4/E /4,5/3841/1 /02.08.2017
771	Central	UZINA ELECTRICA ZALAU SA	ZALAU, Str. Valea Mitii, nr.2, Jud. Salaj	J31/13/2002	CUI 14397920	0260/662101	-	-	Cazane abur	-	-	-	Qmax=120t/h , pmax≤40bar, Tmax≤250°C	DISPR/CR4/C /4/0056/0/2 4.02.2011
772	Central	UZINA TERMOELECT RICA GIURGIU SA	GIURGIU, Sos. Sloboziei, nr.194, Jud. Giurgiu	J52/308/200 1	CUI 14351222	0769/060322 ; 0246/216665	-	-	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=120t/h , pmax=40bar, Tmax=280°C; Dmax=10Gcal /h, pmax=40bar,	DISPR/CR4/C /4,5/3581/0 /08.05.2012
773	Central	UZINSIDER ENGINEERING SA	GALATI, Sos. Smardan, nr.2, Jud. Galati	J17/69/1991	RO 1632285	0236/449016 / 448348 /448238/ 448580	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=550t/h , pmax=180bar , Tmax=570°C; Dmax=460Gc al/h,	DISPR/CR4/E /4,5/3898/2 /24.07.2017

774	Central	UZINSIDER ENGINEERING SA	GALATI, Sos. Smardan, nr.2, Jud. Galati	J17/69/1991	RO 1632285	0236/449016 / 448348 /448238/ 448580	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=550t/h , pmax=180bar , Tmax=570°C; Dmax=460Gc al/h,	DISPR/CR4/E /4,5/3898/1 /05.02.2015
775	Galati	UZINSIDER ENGINEERING SA	GALATI, Sos. Smardan, nr.2, Jud. Galati	J17/69/1991	RO 1632285	0236/449016 / 448348 /448238/ 448580	-	-	-	Cazane de abur, apa fierbinte	-	-	Qmax=550t/h , pmax=180bar , Tmax=570°C; Dmax=460Gc al/h,	GL/CR4/E/4, 5/0034/0/25 .06.2010
776	Bucuresti	VALEST TERMIC TRUST SRL	BUCURESTI, Cal. 13 Septembrie, nr. 106, bl. 50, et. 3, ap. 9, sector 5	J40/7682/20 11	CUI 28671251	021/4566466	Cazane de abur, apa fierbinte	-	-	-	-	-	Qmax=50t/h, pmax=40bar, Tmax=250°C; Dmax=50Gcal /h, pmax=40bar	B/CR4/A/4,5 /2630/0/08. 10.2015
777	Craiova	VEIT AMROTEX SRL	CRAIOVA, Str. Romul, nr.2, bl.T3B, ap.3, Jud. Dolj	J16/1137/19 98	RO 11190717	0251/412155	Cazane abur	-	Cazane abur	-	-	-	Qmax=20t/h, pmax=16bar, Tmax=220°C	CR/CR4/A,C/ 4/0017/0/10 .05.2010
778	Oradea	VEXANO SRL	SATU MARE, str. Aleea Neajlov, bl.78, ap.70, jud. Satu Mare	J30/414/200 1	RO 14232911	0720065889/ 0361408170, e-mail: vexano@yaho o.com	Cazane de abur, apa fierbinte	-	-	-	-	-	Qmax=20t/h, pmax=25bar, Tmax=225°C; Dmax=20Gcal /h, pmax=180bar	OR/CR4/A/4, 5/1841/0/31 .03.2022

779	Brasov	VISSMANN SRL	GHIMBAV, DN1-Km 174+941, nr.2, Jud. Brasov	J08/1197/1998	CUI 11075840	0268/407800 / 407840; e-mail: info-ro@viessmann.com	Cazane abur, apa fierbinte	-	-	-	-	-	Q _≤ 30t/h, p _≤ 30bar, T _≤ 350°C; D _≤ 25Gcal/h, p _≤ 30bar	BV/CR4/A/4, 5/1151/2/11.10.2016
780	Brasov	VISSMANN SRL	GHIMBAV, DN1-Km 174+941, nr.2, Jud. Brasov	J08/1197/1998	CUI 11075840	0268/407800 / 407840; e-mail: info-ro@viessmann.com	Cazane abur, apa fierbinte	-	-	-	-	-	Q _≤ 30t/h, p _≤ 30bar, T _≤ 350°C; D _≤ 25Gcal/h. p _≤ 30bar	BV/CR4/A/4, 5/1151/1/27.06.2013
781	Central	VIROMET SA	VICTORIA, Alea Uzinei, nr.8, Jud. Brasov	J08/340/1991	CUI 1126350	0268/241120 /241800	-	-	Cazane abur	-	-	-	Q _{max} ≤120t/h, p _{max} ≤100bar, T _{max} ≤450°C	DISPR/CR4/C /4/1626/0/19.07.2011
782	Central	VLAD ALEX TERMO SRL	BUCURESTI, Bd. Ion Mihalache, nr.96, bl.44B, sc.A, et.6, ap.12, sector 1	J40/27924/1993	CUI 5039893	021/6665306	-	-	-	-	Cazane abur; cazane apa fierbinte	-	Q _{max} ≤5t/h, p _{max} ≤16bar, T _{max} ≤150°C	DISPR/CR4/G /4,5/1268/0 /05.07.2011
783	Central	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239/1991	CUI 1454846	0237/640800 /641720	-	Cazane abur	Cazane abur	-	-	-	Q _{max} =25t/h, p _{max} =16bar, T _{max} =250°C	DISPR/CR4/B ,C/4/2020/0 /29.09.2011

784	Bacau	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239/199 1	RO 1454846	0337/640800 / 641720, email: office@vrancart.ro	-	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=16bar, Tmax=250°C	BC/CR4/B,C/4/1130/3/29.06.2021
785	Bacau	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239/199 1	RO 1454846	0337/640800 / 641720	-	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=16bar, Tmax=250°C	BC/CR4/B,C/4/1130/2/16.06.2014
786	Bacau	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239/199 1	RO 1454846	0337/640800 / 641720	-	Cazane abur	Cazane abur	-	-	-	Qmax=25t/h, pmax=16bar, Tmax=250°C	BC/CR4/B,C/4/1130/1/17.01.2013
787	Central	VTU ECHIPAMENT E SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, et. 1, cam.12, Jud. Cluj	J12/256/201 3	RO 31156795	0746106196, 0264431587	-	-	-	Cazane abur; cazane apa fierbinte	-	-	Qmax≤1035t/h, pmax≤192bar, Tmax=540°C; Dmax=105Gcal/h,	DISPR/CR4/E/4,5/4024/0/01.02.2021
788	Sibiu	VTU ECHIPAMENT E SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, et. 1, Jud. Cluj	J12/256/201 3	RO 31156795	0264/431587 / 596750; e-mail vtuechipamente@yahoo.com	-	-	-	-	Cazane abur; cazane apa fierbinte	-	pmax>0.5bar, T>110°C	SB/CR4/G/4,5/1551/0/09.02.2016

789	Sibiu	VTU ECHIPAMENT E SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, et. 1, Jud. Cluj	J12/256/201 3	RO 31156795	0264/431587 / 596750; e- mail vtuechipame nte@yahoo.c om	-	-	-	-	-	Cazane abur; cazane apa fierbinte	pmax>0.5bar , T>110°C	SB/CR4/H/4, 5/1545/0/28 .01.2016
790	Bacau	WATER CHEM CONSULTING SRL	BACAU, Calea Barladului, nr. 175 C1, Jud. Bacau	J4/682/2016	CUI 36093167	0748673305	-	-	-	-	-	Cazane abur; cazane apa fierbinte	-	BC/CR4/H/4, 5/1688/1/30 .07.2017
791	Bacau	WATER CHEM CONSULTING SRL	MAGURA, Com. Magura, Jud. Bacau	J4/682/2016	CUI 36093167	0748673305	-	-	-	-	-	Cazane abur; cazane apa fierbinte	-	BC/CR4/H/4, 5/1688/0/14 .07.2016
792	Central	ZAUNER ROMANIA SRL	SATU MARE, Str. Aurel Vlaicu, nr.72, Jud. Satu Mare	J30/459/200 3	CUI 15498230	0361/420550 /429538	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=400°C; Dmax=20Gcal /h, pmax=16bar	DISPR/CR4/A ,B,C/4,5/278 0/0/17.01.20 12
793	Oradea	ZAUNER ROMANIA SRL	SATU MARE, Str. Aurel Vlaicu, nr.72, Jud. Satu Mare	J30/459/200 3	CUI 15498230	0361/420550 /429538	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=30t/h, pmax=40bar, Tmax=400°C; Dmax=20Gcal /h, pmax=16bar	OR/CR4/A,B, C/4,5/1140/ 1/07.05.2013

794	Oradea	ZAUNER ROMANIA SRL	SATU MARE, Str. Aurel Vlaicu, nr.72, Jud. Satu Mare	J30/459/200 3	CUI 15498230	0361/420550 /429538	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h , pmax=100bar , Tmax=600°C; Dmax=100Gc al/h,	OR/CR4/A,B, C/4,5/1140/ 2/23.07.2014
795	Oradea	ZAUNER ROMANIA SRL	SATU MARE, Str. Aurel Vlaicu, nr.72, Jud. Satu Mare	J30/459/200 3	CUI 15498230	0361/420550 /429538	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	Cazane abur; cazane apa fierbinte	-	-	-	Qmax=100t/h , pmax=100bar , Tmax=600°C; Dmax=100Gc al/h,	OR/CR4/A,B, C/4,5/1140/ 3/23.03.2022