

Persoane juridice autorizate conform PT CR4-2009 pentru efectuarea de lucrari la Dispozitive de siguranta - reglementate de PT C7-2010

Nr. Crt.	IT ISCIR	Societatea Comerciala	Adresa	J	CUI	Tel/fax	Domeniu autorizat	Parametrii	Autorizatii
1	Bacau	A5 INVEST SRL	ONESTI< Str. Industriilor, nr. 3, Jud. Bacau	J04/1096/2012	RO 17701390	0234/302350 / 302340e-mail mecanic@chimcomplex.ro	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm , pmax=40bar	BC/CR4/K,L/14/1687/1/1 1.11.2019
2	Bacau	A5 INVEST SRL	ONESTI< Str. Industriilor, nr. 3, Jud. Bacau	J04/1096/2012	RO 17701390	0234/302340	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm , pmax=40bar	BC/CR4/K,L/14/1687/0/2 9.06.2016

3	Central	AB INSTAL SRL	CRAIOVA, Str. Caracal, nr.30, Jud. Dolj	J16/458/200 0	CUI 13319762	0251/543105 /521266; 0744572075	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm , pmax=16bar	DISPR/CR4/K, L/14/3254/0 /14.03.2012
4	Bucuresti	AB INSTAL SRL	CRAIOVA, Str. Caracal, nr.30, Jud. Dolj	J16/458/200 0	CUI 13319762	0251/543105 /521266; 0744572075	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm , pmax=450bar	B/CR4/K,L/1 4/1932/1/23. 12.2013
5	Bucuresti	ABC CONTROL SRL	BUCURESTI, Str. Drumul Binelui, nr. 12, parter, sc. 2, ap. 18, sector 4; BUCURESTI, Str. Popa	J40/8786/20 15	CUI 29686854	0729113637, 031/4260522; e-mail office@abcco ntrol.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar , Dnmax=300m m	B/CR4/K,L/1 4/2740/2/02. 10.2020
6	Bucuresti	ABC CONTROL SRL	BUCURESTI, Str. Drumul Binelui, nr. 12, parter, sc. 2, ap. 18, sector 4; BUCURESTI, Str. Popa	J40/8786/20 15	CUI 29686854	0729113637, 031/4260522; e-mail abcccontrol@y ahoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm , pmax=50bar	B/CR4/K,L/1 4/2740/1/07. 03.2019

7	Bucuresti	ABC CONTROL SRL	BUCURESTI, Str. Drumul Binelui, nr. 12, parter, sc. 2, ap. 18, sector 4	J40/8786/20 15	CUI 29686854	0729113637, 031/8149718; e-mail abcccontrol@y ahoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm , pmax=50bar	B/CR4/K,L/1 4/2740/0/16. 03.2016
8	Bucuresti	ABC SYSTEMS SRL	DR. TN. SEVERIN, Calea Timisoarei, nr.175B. Jud. Mehedinti	J25/1584/19 94	RO 6667578	0252/329362 / 329363	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=50bar	B/CR4/K,L/1 4/1672/0/02. 07.2013
9	Sibiu	ABCONY SERV SRL	CLUJ NAPOCA, Str. Oasului, nr. 86-90, bl. K1/1, Jud. Cluj	J12/156/201 4	RO 32687612	0364/882140, 0742072978; e-mail paul@abcony. ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm , pmax=60bar	SB/CR4/K/14 /1940/0/17.0 5.2019
10	Bacau	AEROSTAR SA	BACAU, Str. Condorilor, nr.9, Jud. Bacau	J04/1137/19 91	CUI 950531	0234/572023 / 572259	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=410bar , Dn=150mm	BC/CR4/K,L/ 14/1058/0/0 3.10.2012- retragere voluntara incepand cu 10.08.2016

11	Brasov	AHIL F & M SRL	BUZAU, Str. Veteranilor, nr. 5, Jud. Buzau	J10/321/1993	CUI 3868348	0238/722274, 0721484474; e-mail ahilfm@yahoo.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=700bar , Dn=400mm	BV/CR4/K,L/14/1795/0/29.01.2019
12	Oradea	AIB SMART SERVICES SRL	TIMISOARA, Str. Dr. Carol Davila, nr. 44, camera 4, Jud. Timis	J35/2854/2016	CUI 36649700	0740585844	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=20bar, Dnmax=150mm	OR/CR4/K,L/14/1722/0/21.11.2019
13	Bucuresti	AIR SERVICE DELTA SRL	STEFANESTI, Sat Valea Mare Podgoria, Str. Macilor, nr. 10, Jud. Arges	J03/440/1998	CUI 10868600	0248/213163, 0722601653; e-mail office@miefri.ro	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=100bar	B/CR4/K,L/14/3107/1/29.06.2017
14	Central	AIR SERVICE DELTA SRL	PITESTI, Str. Eremia Grigorescu, bl. R1bis, sc.B, ap.5, Jud. Arges	J03/440/1998	CUI 10868600	0248/213163	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=100bar	DISPR/CR4/K,L/14/2346/0/02.11.2011

15	Oradea	ALE-ANDRE LOGISTIC SRL	BAIA MARE, str. B-dul Republicii, bl.24, ap.19, Jud. Maramureş; BAIA MARE, str.	J24/20/2014	CUI 32653229	0741032924 /radupetruti@yahoo.com	Verificare(la deschidere-inchidere) dispozitive de siguranta	p≤40bar; Dn≤80mm	OR/CR4/K,L/14/1801/0/2 2.03.2021
16	Sibiu	ALFATRONIC SRL	CLUJ NAPOCA, Str. Rasinari, nr. 1/19, Jud. Cluj; CLUJ NAPOCA, Str. Caragiale, nr. 2-8/21,	J12/2664/2007	RO 21914302	0723670380; 0264/403399; e-mail tudorbalacescu@yahoo.com	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax=100mm, pmax=15bar	SB/CR4/K/14/1475/0/01.0 7.2015
17	Bucuresti	ALPHA EXPERT TERM SRL	BUCURESTI, Al. Zarandului, nr. 2, bl. 468, ap. 12, sector 2; BUCURESTI, Str.	J40/20552/2008	RO 24845282	0769250735, 021/4600735 / 4600730	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax=80mm , pmax=200bar	B/CR4/K,L/14/3345/0/06. 11.2018
18	Bacau	AMURCO SRL	BACAU, Str. Chimiei, nr.1, Jud. Bacau	J04/770/2005	RO 17488233	0234/575440 / 575413	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=200bar , Dnmax=500mm	BC/CR4/K,L/14/0080/0/2 3.09.2010- retragere incepand cu 30.08.2016

19	Bacau	ANTIBIOTICE SA	IASI, Str. Valea Lupului, nr.1, Jud. Iasi	J22/285/1991	CUI 1973096	0232/220040 / 211020; interventie 0232/209000 /int. 5336	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200m m, pmax=160bar	BC/CR4/K,L/14/1875/1/01.11.2018
20	Central	ANTIBIOTICE SA	IASI, Str. Valea Lupului, nr.1, Jud. Iasi	J22/285/1991	CUI 1973096	0232/209000 /209633	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200m m, pmax=160bar	DISPR/CR4/K, L/14/0837/0/23.05.2011
21	Bacau	AQUASERV SRL	BARLAD, Str. 1 Decembrie, nr. 22, Jud. Vaslui	J37/464/1991	RO 832242	0235/411306; e-mail office@aquaservbarlad.ro	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm , pmax=10bar	BC/CR4/K,L/14/1589/0/26.08.2015
22	Central	ARDENT SRL	BRASOV, Str. Paraului, nr.15, bl.S25, sc.A, ap.9, Jud. Brasov	J08/1035/1991	CUI 1110281	0722275726; 0268/541682	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤200m m, pmax≤50bar	DISPR/CR4/K, L/14/1796/0/26.08.2011

23	Sibiu	ARHICAD INSTAL SRL	CLUJ NAPOCA, Str. Barc 1, nr. 55, ap. 6, Jud. Cluj	J12/1421/20 13	CUI 31595995	0264/437106; 0744270309	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤150m m, pmax≤60bar	SB/CR4/K,L/ 14/1569/0/2 5.01.2016
24	Central	ARMAX GAZ SA	MEDIAS, Str. Aurel Vlaicu, nr.35A, Jud. Sibiu	J32/127/199 1	CUI 803727	0269/845864 /845956	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤100m m, pmax≤60bar	DISPR/CR4/K, L/14/1713/0 /10.08.2011
25	Bucuresti	ARTEGO SA	TG. JIU, Str. Ciocarlau, nr.38, Jud. Gorj	J18/1120/19 91	CUI 2157428	0253/226444 /226445; 0253/226140 /226045	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax≤100bar	B/CR4/K,L/1 4/2861/1/25. 08.2016
26	Central	ARTEGO SA	TG. JIU, Str. Ciocarlau, nr.38, Jud. Gorj	J18/1120/19 91	CUI 2157428	0253/226443 /226114	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax≤100bar	DISPR/CR4/K, L/14/2696/0 /21.12.2011

27	Pitesti	AUTOMOBILE DACIA SA	MIOVENI, Str. Uzinei, nr.1, Jud. Arges	J03/81/1991	RO 160796	0248/342507 /342001	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=150m m, pmax≤40bar	PT/CR4/K,L/ 14/0148/0/2 1.12.2010
28	Sibiu	AZOMURES SA	TG. MURES, Str. Gheorghe Doja, nr.300, Jud. Mures	J26/1/1991	RO 1200490	0265/253700 /252627	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, p=250bar	SB/CR4/K,L/ 14/0168/0/2 8.02.2011
29	Sibiu	AZOMURES SA	TG. MURES, Str. Gheorghe Doja, nr.300, Jud. Mures	J26/1/1991	RO 1200490	0265/253700 /252627	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN≤250mm, p≤250bar	SB/CR4/K,L/ 14/1001/1/0 5.06.2012
30	Bucuresti	A&G ROTERM SERVICE SRL	CONSTANTA, Str. Atelierelor, nr. 31, camera 1, Jud. Constanta	J13/332/200 6	RO 18361300	0741258008; 0241/520976; e-mail rotermervice @yahoo.com	Verificare(la deschidere- inchidere)	DNmax=150m m, Pmaxp=20bar	B/CR4/K/14/ 2666/0/28.10 .2015

31	Central	B B VERIF SRL	MIERCUREA CIUC, Str. Ion Caianu, nr.76, Jud. Harghita	J19/1128/20 05	CUI 18207298	0744130704; 0266/310642	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm , pmax=50bar	DISPR/CR4/K, L/14/2922/0 /01.02.2012
32	Tg. Mures	BEN COM MIXT SRL	GHEORGHENI, Str. Gabor Aron, nr. 5, Jud. Harghita	J19/747/199 2	RO 530309	0266/364801 / 364094	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=150mm, Pn=25bar	MS/CR4/K,L/ 14/0009/0/1 2.05.2010
33	Brasov	BEN COM MIXT CONSTRUCT SRL	GHEORGHENI, Str. Gabor Aron, nr. 5, Jud. Harghita	J19/310/201 0	RO 27480709	0266/364801 / 364094	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN≤150mm, Pn≤25bar	BV/CR4/K,L/ 14/1758/0/1 9.06.2018
34	Central	BEST FOR YOU SRL	SUCEAVA, Str. Amurgului, nr.10, bl.106, sc.C, ap.8, Jud. Suceava	J33/19/2006	CUI 18267400	0330/881561; 0741031318	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm , pmax=64bar	DISPR/CR4/K, L/14/2975/0 /06.02.2012

35	Brasov	BETATEC SYSTEMS SRL	BUCURESTI, Calea Mosilor, nr. 255, bl. 55, sc. 1, et. 2, ap. 9, sector 2; BRAZII DE SUS, Com.	J40/2687/20 16	CUI 35703771	0728967762; 021/2111839; e-mail info@betatec .net	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400m m, pmax=200bar	BV/CR4/K,L/ 14/1627/0/2 3.12.2016
36	Oradea	BLESSING CONAR SRL	NEGRESTI OAS, Bd. Unirii, nr.64, Jud. Satu Mare	J30/313/200 9	CUI 25414849	0261/854677	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax≤35bar Dn≤100mm	OR/CR4/K,L/ 14/1070/0/2 9.10.2012
37	Bucuresti	BONATTI Spa PARMA- Sucursala Bucuresti	BUCURESTI, Str.Aleksandr Sergheevici Puşkin, nr 10, camera C15, et 3, sector 1; POIENI, Str.	J40/9115/20 14	RO 33446663	0737977799, email filippo.scurti @bonatti.it	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, pmax=140bar	B/CR4/K,L/1 4/2564/2/27. 05.2020
38	Bucuresti	BONATTI Spa PARMA- Sucursala Bucuresti	BUCURESTI, str Aleksandr Sergheevici Puşkin, nr 10, camera C15, et 3, sector 1; MORENI, str	J40/9115/20 14	RO 33446663	0737977799, email filippo.scurti @bonatti.it	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, pmax=200bar	B/CR4/K,L/1 4/2528/2/01. 07.2021

39	Bucuresti	BONATTI Spa PARMA- Sucursala Bucuresti	BUCURESTI, str Aleksandr Sergheevici Puşkin, nr 10, camera C15, et 3, sector 1; MORENI, str	J40/9115/20 14	RO 33446663	0737977799, email filippo.scurti @bonatti.it	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, pmax=200bar	B/CR4/K,L/1 4/2528/1/27. 05.2020
40	Bucuresti	BONATTI Spa PARMA- Sucursala Bucuresti	BUCURESTI, sector 5, Str. Gheorghieni, nr. 68, et. 1, ap. 4; Assett 5, POIENI, Str. General Gheorghe	J40/9115/20 14	CUI 33446663	021/4024100	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, pmax=140bar	B/CR4/K,L/1 4/2564/1/12. 10.2015
41	Bucuresti	BONATTI Spa PARMA- Sucursala Bucuresti	BUCURESTI, sector 5, Str. Gheorghieni, nr. 68, et. 1, ap. 4; Assett 5, POIENI, Str. General Gheorghe	J40/9115/20 14	CUI 33446663	021/4024100	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, pmax=140bar	B/CR4/K,L/1 4/2564/0/02. 07.2015
42	Bucuresti	BONATTI Spa PARMA- Sucursala Bucuresti	BUCURESTI, sector 5, Str. Gheorghieni, nr. 68, et. 1, ap. 4; Assett 6, MORENI, Str. Alexandru	J40/9115/20 14	CUI 33446663	021/4024100	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=250mm, PN=200bar	B/CR4/K,L/1 4/2528/0/18. 05.2015

43	Brasov	BOPP & REUTHER ZIKESCH MAINTENANC E GROUP SRL	BUCURESTI, Cal. Mosilor, nr.255, bl.55, sc.1, et.2, ap.9, sector 2; PETROBRAZI, BRAZI, Jud.	J40/2776/20 06	RO 18403561	0344/422882 2/ 4228823	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=400mm, pmax=200bar	BV/CR4/K,L/ 14/1517/1/2 3.12.2015- suspendare voluntara incepand cu 14.03.2016
44	Ploiesti	BOPP & REUTHER ZIKESCH MAINTENANC E GROUP SRL	BUCURESTI, Cal. Mosilor, nr.255, bl.55, sc.1, et.2, ap.9, sector 2; PETROBRAZI, BRAZI, Jud.	J40/2776/20 06	RO 18403561	021/2111838 / 2111839	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=400mm, PN=200bar	PL/CR4/K,L/ 14/0071/0/2 7.05.2010
45	Pitesti	BOPP & REUTHER ZIKESCH MAINTENANC E SRL	BUCURESTI, Cal. Mosilor, nr.255, bl.55, sc.1, et.2, ap.9, sector 2; PITESTI, Str. Petrochimistil	J40/2776/20 06	RO 18403561	021/2111838 / 2111839; 0248/615491	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax≤200bar , DN≤200mm	PT/CR4/K,L/ 14/0047/0/0 8.06.2010
46	Bucuresti	BRALLCON PROIECT SRL	TG. JIU, Componenta Romanesti, nr. 66, Jud. Gorj	J18/205/201 0	RO 26831097	0724246240	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm , pmax=200bar	B/CR4/K,L/1 4/2653/0/20. 11.2015

47	Central	BRICHET GROLUP SRL	CAREI, Str. Duzilor, nr.96A, Jud. Satu Mare	J30/305/200 5	CUI 17322230	0723195305; 0361/862846	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm , pmax=20bar	DISPR/CR4/K, L/14/3195/0 /06.03.2012
48	Bacau	BURNER SERVICE SRL	IASI, Aleea Tudor Neculai, nr. 99, bl. 989A, sc. B, et. 4, ap. 18, camera 1, Jud. Iasi	J22/317/201 4	CUI 32851307	0332/433505; 0744707150	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=1500 mm, pmax=40bar	BC/CR4/K,L/ 14/1531/0/2 3.02.2015
49	Bucuresti	BUTANGAS ROMANIA SA	BUCURESTI, Int. Murmurului, nr. 2-4, sector 1	J40/2603/19 96	CUI 8297854	021/4087300 /4087329;e- mail office@butan gas.ro	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dmax≤65mm, pmax≤25bar	B/CR4/K/14/ 0286/3/18.06 .2020
50	Bucuresti	BUTANGAS ROMANIA SA	BUCURESTI, Int. Murmurului, nr. 2-4, sector 1	J40/2603/19 96	CUI 8297854	021/4087300 /4087329;e- mail office@butan gas.ro	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dmax≤65mm, pmax≤25bar	B/CR4/K/14/ 0286/2/09.07 .2018

51	Bucuresti	BUTANGAS ROMANIA SA	BUCURESTI, Int. Murmurului, nr. 2-4, sector 1	J40/2603/1996	CUI 8297854	021/4087300/4087329	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dmax≤65mm, pmax≤25bar	B/CR4/K/14/0286/1/23.12.2014
52	Central	BUTANGAS ROMANIA SA	BUCURESTI, Str. Corailor, nr.18, sector 6	J40/2603/1996	CUI 8297854	021/4087333/4087330	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dmax≤65mm, pmax≤25bar	DISPR/CR4/K/14/0286/0/28.03.2011
53	Iasi	C&A CONSULTING SRL	VASLUI, Str. 1 Decembrie, nr.1, Jud. Vaslui	J37/398/1996	RO 8967466	0235/312725	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=25bar, Dn max=200mm	IS/CR4/K,L/14/0153/0/21.12.2010
54	Brasov	CALDOTHERM SRL	BRAȘOV, str Zizinului, nr 102, bloc 101, scara C, ap 16, Jud Brașov	J8/2545/2017	CUI 38188697	0745523286	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dmax=50mm, pmax=40bar	BV/CR4/K,L/14/1734/1/17.02.2020

55	Ploiesti	CALIBRA STIL 2005 SRL	BUZAU, Str. Caraiman, nr.21A, jud. Buzau	J10/473/200 5	RO 17453480	0238/718366	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=100m m, PNmax=20bar	PL/CR4/K,L/ 14/0091/0/2 8.06.2010
56	Bacau	CALORGAL SA	GALATI, Str. Crizantemelo r, nr. 6, corpul A, Jud. Galati	J17/1354/20 12	RO 30925017	0236/473100 / 465550	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200m m, pmax≤400bar	BC/CR4/K,L/ 14/1717/2/1 6.12.2021
57	Bacau	CALORGAL SA	GALATI, Str. Crizantemelo r, nr. 6, corpul A, Jud. Galati	J17/1354/20 12	RO 30925017	0236/473100 / 465550	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤200m m, pmax≤400bar	BC/CR4/K,L/ 14/1717/1/0 3.04.2018
58	Bacau	CALORGAL SA	GALATI, Str. Crizantemelo r, nr. 6, corpul A, Jud. Galati	J17/1354/20 12	RO 30925017	0236/473100 / 465550	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤200m m, pmax≤50bar	BC/CR4/K,L/ 14/1717/0/1 7.11.2016

59	Central	CARBOETALON SRL	CLUJ NAPOCA, Str. Ravasului, nr.1, ap.17, Jud. Cluj	J12/611/199 9	CUI 11759236	0264/437034	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax=60bar	DISPR/CR4/K, L/14/1668/0 /26.07.2011
60	Bucuresti	CARION SRL	BUCURESTI, Str. Busteni, nr.40, sector 2	J40/7678/20 02	RO 14821677	021/6551092 /2422704; e- mail carionsrl@ms n.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150m m, pmax=80bar	B/CR4/K,L/1 4/1147/4/26. 05.2021
61	Bucuresti	CARION SRL	BUCURESTI, Str. Busteni, nr.40, sector 2	J40/7678/20 02	RO 14821677	021/6551092 /2422704; e- mail carionsrl@ms n.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150m m, pmax=40bar	B/CR4/K,L/1 4/1147/3/13. 08.2020
62	Bucuresti	CARION SRL	BUCURESTI, Str. Busteni, nr.40, sector 2	J40/7678/20 02	RO 14821677	021/6551092 /2422704; e- mail carionsrl@ms n.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150m m, pmax=40bar	B/CR4/K,L/1 4/1147/2/03. 09.2018

63	Bucuresti	CARION SRL	BUCURESTI, Str. Busteni, nr.40, sector 2	J40/7678/20 02	RO 14821677	0722402944; 021/2422704; e-mail carionsrl@ms n.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150m m, pmax=40bar	B/CR4/K,L/1 4/1147/1/04. 02.2016
64	Bucuresti	CARION SRL	BUCURESTI, Str. Busteni, nr.40, sector 2	J40/7678/20 02	RO 14821677	021/2422704	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar	B/CR4/K,L/1 4/1147/0/09. 10.2012
65	Bacau	CAROMET SA	CARANSEBES, Drumul DN 68, Km 3.2, Jud. Caras Severin	J11/6/1991	RO 1066631	0234/302240 / 302340	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200m m; pmax=40bar	BC/CR4/K,L/ 14/0028/0/2 5.05.2010
66	Sibiu	CBS EASTERN EUROPE SRL	SELIMBAR, Str. Tiglarilor, nr. 101, Jud. Sibiu	J32/1103/20 08	RO 16962540	0369/408917 / 408918	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dnmax=80mm , pmax=70bar	SB/CR4/K/14 /1831/3/22.0 6.2018

67	Sibiu	CBS EASTERN EUROPE SRL	SELIMBAR, Str. Sibiului, nr.2, et.4, camere 401/402/403, Jud. Sibiu	J32/1103/2008	RO 16962540	0369/408917 / 408918	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax=80mm , pmax=70bar	SB/CR4/K/14 /1489/2/23.07.2015
68	Sibiu	CAVERION BUILDING SERVICES SRL	SELIMBAR, Str. Sibiului, nr.2, et.4, camera 403, Jud. Sibiu	J32/1103/2008	RO 16962540	0369/408917 / 408918	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax=80mm , pmax=70bar	SB/CR4/K/14 /1274/1/12.02.2014
69	Bucuresti	CENTRAL INSTAL IMPEX SRL	BUCURESTI, Str. Liviu Rebreanu, nr. 23, bl.M10, sc. 2, et. 1, ap. 28, sector 3; BUCURESTI,	J40/1002/2003	RO 15159137	021/6441323; e-mail central_instal@yahoo.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	-	B/CR4/K,L/14/2520/0/20.04.2015
70	Central	CENTRALA ELECTRICA DE TERMOFICARE ARAD SA	ARAD, Str. 6 Vanatori, Jud. Arad	J02/336/2002	CUI 14593668	0257307455/ 213160	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax≤150mm, pmax≤16bar, fluid incercare apa; Dnmax≤50mm	DISPR/CR4/K /14/2509/0/ 24.11.2011

71	Bacau	CERVES SRL	BRAILA, Str. Tineretului, nr. 4, constructia C2, Jud. Braila	J09/525/2010	CUI 26471760	0239/683324; e-mail cerves_33@yahoo.com	Verificarea(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=120bar	BC/CR4/K,L/14/1570/1/2 1.07.2015
72	Central	CERVES SRL	BRAILA, Str. Poet Grigore Alexandrescu, nr.120, modul 1, et.2, Jud. Braila	J09/525/2010	CUI 26471760	0239/683324	Verificarea(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=120bar	DISPR/CR4/K, L/14/2702/0 /05.01.2012
73	Bucuresti	CET GOVORA SA	RM. VALCEA, Str. Industriilor, nr.1, Jud. Valcea	J38/683/1997	CUI 10102377	0250/733601 /733603	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax≤300mm, pmax≤160bar	B/CR4/K,L/14/3522/1/10. 10.2019
74	Central	CET GOVORA SA	RM. VALCEA, Str. Industriilor, nr.1, Jud. Valcea	J38/683/1997	CUI 10102377	0250/733601 /733603; 0726818592	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax≤300mm, pmax≤160bar	DISPR/CR4/K, L/14/2254/0 /26.10.2011

75	Central	CET SA	BRASOV, Str. Timis Triaj, nr.6, Jud. Brasov	J08/799/2002	CUI 14716787	0268/333192 / 331129	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax≤150mm , pmax≤64bar	DISPR/CR4/K, L/14/0044/0 /25.02.2011
76	Central	CHEMGAS HOLDING CORPORATIO N SRL	SLOBOZIA, Sos. Calarasi, Km4, Pavilion Administrativ , Camera Protocol si	J21/21/2009	CUI 24978785	0243/365108	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm , pmax=360bar	DISPR/CR4/K, L/14/0904/0 /18.05.2011
77	Bacau	CIBOCAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8, Jud. Botosani	J07/1038/1994	CUI 6566670	0231/531536 / 539028	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax≤16bar, Dn≤50mm	BC/CR4/K,L/14/1006/0/0 6.07.2012- retragere voluntara (radiere) incepand cu 26.08.2019
78	Suceava	CIBOGAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8-10, Jud. Botosani	J07/1038/1994	RO 6566670	0231/531536 / 539028	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=50mm PN=16bar	SV/CR4/K,L/14/0048/0/1 3.12.2010

79	Bacau	CIBOCAZ SRL	BOTOSANI, Str. Ion Creanga, nr.8, Jud. Botosani	J07/1038/19 94	CUI 6566670	0231/531536 / 539028	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax≤16bar, Dn≤50mm	BC/CR4/K,L/ 14/1006/1/1 0.03.2014
80	Oradea	CITADIN ZALAU SRL	ZALAU, Str. Fabricii, nr. 28, Jud. Salaj	J31/241/210	RO 27243753	0260/612837 / 611543; e- mail citadinzalau@ gmail.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	p≤35bar, Dn≤100mm	OR/CR4/K,L/ 14/1576/1/0 7.02.2019
81	Oradea	CITADIN ZALAU SRL	ZALAU, Str. Fabricii, nr. 28, Jud. Salaj	J31/241/210	RO 27243753	0260/612837 / 611543; e- mail citadinzalau@ gmail.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	p≤35bar, Dn≤100mm	OR/CR4/K,L/ 14/1576/0/1 5.11.2017
82	Oradea	CLIMA SERV CONSTRUCT SRL	Sat VALARI, Com. Toplita, nr.17, Jud. Hunedoara	J20/177/200 6	CUI 18352425	0354/402871 /405054	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar Dnmax=150m m	OR/CR4/K,L/ 14/1041/0/2 2.08.2012

83	Oradea	CLIMAROL PREST SRL	ORADEA, Str. Grigore Ureche, nr.15, ap.48, Jud. Bihor	J05/3172/19 93	RO 4738249	0259/418270; 0788315422	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=30bar Dnmax=100m m	OR/CR4/K/14 /0014/0/28.0 5.2010
84	Bucuresti	CLIMATERM 2000 SRL	BUCURESTI, Str. Semicercului, nr.12, subsol, sector 1	J40/2868/19 98	CUI 10547316	021/2221297 /2233602; e- mail office@cliter m2000.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300m m, pmax=100bar	B/CR4/K,L/1 4/2938/1/24. 11.2016
85	Central	CLIMATERM 2000 SRL	BUCURESTI, Str. Lugoj, nr.25, sector 1	J40/2868/19 98	CUI 10547316	021/2233602 /2221397	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300m m, pmax=100bar	DISPR/CR4/K, L/14/2627/0 /21.12.2011
86	Brasov	CLIMATIC INSTAL SOLUTIONS SRL	PLOIESTI, Str. Mihai Bravu, nr. 239, bl. C4, ap. 16, Jud. Prahova	J29/1829/20 16	RO 3660155	0727897303, 0744931574; e-mail office@climat ic-instal.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax=40bar	BV/CR4/K,L/ 14/1769/1/2 5.10.2019

87	Brasov	CLIMATIC INSTAL SOLUTIONS SRL	PLOIESTI, Str. Mihai Bravu, nr. 239, bl. C4, ap. 16, Jud. Prahova	J29/1829/20 16	RO 3660155	0727897303; e-mail ic- adi@yahoo.co m	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax=40bar	BV/CR4/K,L/ 14/1769/0/2 8.08.2018
88	Brasov	CLIMATICOTH ERM SRL	BRASOV, Str. Zizin, nr. 102, bl. 101, sc. C, et. 3, ap. 16, Jud. Brasov	J08/2545/20 17	CUI 38188697	0745523286, climaticother m@yahoo.co m	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm , pmax=40bar	BV/CR4/K,L/ 14/1734/0/0 9.01.2018
89	Craiova	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCEN TRALE ROVINARI	ROVINARI, Str. Energeticianu lui, nr. 25, Jud. Gorj	J18/337/201 2	30310461	0253.372.556 /0253.371.59 0	Verificare(la deschidere- inchidere) reparare si reglare la: Supape de siguranta	Dn ≤ 150mm, Pn ≤ 160bar	CR/CR4/K,L/ 14/066/3/02. 11.2022
89	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCEN TRALE ROVINARI	ROVINARI, Str. Energeticianu lui, nr.25, Jud. Gorj	J18/337/201 2	CUI 30310461	0253/372556 / fax 0253 371590	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dn≤150mm, Pn≤160bar	B/CR4/K,L/1 4/1226/2/20. 01.2020

90	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCEN TRALE ROVINARI	ROVINARI, Str. Energeticianu lui, nr.25, Jud. Gorj	J18/337/201 2	CUI 30310461	0253/372556 / 371590	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dn≤150mm, Pn≤160bar	B/CR4/K,L/1 4/1226/1/05. 07.2018
91	Bucuresti	COMPLEXUL ENERGETIC OLTENIA SA- Sucursala ELECTROCEN TRALE ROVINARI	ROVINARI, Str. Energeticianu lui, nr.25, Jud. Gorj	J18/337/201 2	CUI 30310461	0253/372556 / 371590	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dn≤150mm, Pn≤160bar	B/CR4/K,L/1 4/1226/0/14. 12.2012
92	Oradea	COMPLEXUL ENERGETIC HUNEDOARA SA- Sucursala ELECTROCEN TRALE DEVA	PETROSANI, Str. Timisoara, nr.2, Jud. Hunedoara; MINTIA, Str. Santierului, nr.1, Jud.	J20/994/201 2	CUI 30855230	0254/570790 / 236407/ 570481/ 236404; 0254/236403 / 236550	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250m m, pmax=250bar	OR/CR4/K,L/ 14/1279/0/1 0.04.2014
93	Central	COMTERM PROTECT INSTAL SRL	CIULNITA, Sat Ciulnita, Str. Stanjenei, nr.7, Jud. Ialomita	J21/72/2012	CUI 29900507	0766668811	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm , pmax=50bar	DISPR/CR4/K /14/3471/0/ 17.04.2012

94	Bacau	CORECT PLUS SRL	IASI, Str. Eternitate, Nr. 96, Bl. X1, Sc. B, Etaj 2, Ap. 16, Jud. Iasi	J22/244/2014	32789485	0757/467456	Verificare(la deschidere-inchidere), Reparare si Reglare la Dispozitive de siguranta	DNmax=300mm, pmax=250bar	BC/CR4/K,L/14/2076/0/07.03.2022
95	Brasov	CNCIR SA	BUCURESTI, Str. Promoroaca, nr.9-11, sector 1; PLOIESTI, Str. Radu Stanian,	J40/11976/2010	CUI 27787860	021/3167921 / 4119870; 0244/545240 / 545350	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=66bar	BV/CR4/K,L/14/1192/0/24.10.2013
96	Bucuresti	CNCIR SA	BUCUREȘTI, str. Ocna Sibiului, nr.46-48, Sector 1;PITESTI, Str. Cozia, nr.1, Jud.	J40/11976/2010	RO 27787860	0213167921/0214119870, 0248250882/0248220194 email cncir@cncir.eu, pitesti@cncir.	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=80mm, pmax=66bar	B/CR4/K,L/14/1852/2/22.12.2020
97	Bucuresti	CNCIR SA	BUCURESTI, Str. Fluviului, nr. 16, sector 1; PITESTI, Str. Cozia, nr.1, Jud. Arges	J40/11976/2010	CUI 27787860	021/3167921 / 4119870; 0248/250882 / 220194; pitesti@cncir.eu	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=66bar	B/CR4/K,L/14/1852/1/31.08.2018

98	Bucuresti	CNCIR SA	BUCURESTI, Str. Promoroaca, nr.9-11, sector 1; PITESTI, Str. Cozia, nr.1, Jud. Arges	J40/11976/2 010	CUI 27787860	021/3167921 / 4119870; 0248/250882 / 220194	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=66bar	B/CR4/K,L/1 4/1852/0/23. 10.2013
99	Bucuresti	CNCIR SA	BUCUREȘTI, str. Ocna Sibiului, nr.46-48, Sector 1; CONSTANTA, Str. Razboieni,	J40/11976/2 010	RO 27787860	021/3167921 / 4119870; 0241/611754 / 673323, cncir@cncir.e u	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=80m m, pmax=46bar	B/CR4/K,L/1 4/1851/1/22. 12.2020
100	Bucuresti	CNCIR SA	BUCURESTI, Str. Promoroaca, nr.9-11, sector 1; CONSTANTA, Str. Razboieni,	J40/11976/2 010	CUI 27787860	021/3167921 / 4119870; 0241/611754 / 673323	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=46bar	B/CR4/K,L/1 4/1851/0/23. 10.2013
101	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/199 1	RO 1324099	0244/333160 / 374719; e- mail: confind@conf ind.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm , pmax=100bar	BV/CR4/K,L/ 14/1398/4/0 7.04.2022

102	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/199 1	RO 1324099	0244/333160 / 374719; e- mail: confind@conf ind.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm , pmax=100bar	BV/CR4/K,L/ 14/1398/3/2 7.06.2017
103	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/199 1	RO 1324099	0244/333160 / 374719; e- mail: confind@conf ind.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm , pmax=100bar	BV/CR4/K,L/ 14/1398/2/2 3.03.2015
104	Central	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/199 1	RO 1324099	0244/333160 / 374719	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm , pmax=100bar	DISPR/CR4/K, L/14/3453/0 /19.04.2012
105	Brasov	CONFIND SRL	CAMPINA, Str. Progresului, nr.2, Jud. Prahova	J29/607/199 1	RO 1324099	0244/333160 / 374719; e- mail: confind@conf ind.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm , pmax=100bar	BV/CR4/K,L/ 14/1274/1/2 3.06.2014

106	Central	CONFORT THERM SRL	ALEXANDRU CEL BUN, Sat Bistrita, Jud. Neamt; PIATRA NEAMT, Str. Florilor, nr.25, Jud.	J27/228/199 9	CUI 12078925	0233/234332; 0233/234721	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤50mm , pmax≤6bar	DISPR/CR4/K, L/14/1251/0 /23.06.2011
107	Brasov	CONSTEHN OAL SRL	PLOIESTI, b- dul Republicii, nr.307, A- 307 B, Jud. Prahova	J29/222/199 9	RO 11578922	0723679364, e-mail: office@const ehno.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200 bar, Dnmax=250 mm	BV/CR4/K,L/ 14/1982/0/1 7.03.2022
108	Sibiu	CONSTRUCT INSTAL SRL	TURDA, Str. Lutus, nr.2, Jud. Cluj	J12/941/200 3	CUI 15352609	0264/320694; e-mail constructinst al@yahoo.co m	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=80mm , pmax=70bar	SB/CR4/K,L/ 14/1897/2/2 0.11.2018
109	Sibiu	CONSTRUCT INSTAL SRL	TURDA, Str. Lutus, nr.2, Jud. Cluj	J12/941/200 3	CUI 15352609	0264/320694; e-mail constructinst al@yahoo.co m	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=80mm , pmax=70bar	SB/CR4/K,L/ 14/1414/1/1 3.11.2014

110	Central	CONSTRUCT INSTAL SRL	TURDA, Str. Lutus, nr.2, Jud. Cluj	J12/941/200 3	CUI 15352609	0264/320694	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=80mm , pmax=70bar	DISPR/CR4/K, L/14/2065/0 /28.09.2011
111	Brasov	CONSULT MERIDIAN SRL	MEREI, Sat LIPIA, nr. 824, Jud. Buzau	J10/885/200 5	CUI 17807634	0786166700; 0238/711249	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250m m, pmax=175bar	BV/CR4/K,L/ 14/1747/0/0 7.03.2018
112	Central	CONSULT MERIDIAN SRL	MEREI, Sat LIPIA, Jud. Buzau	J10/885/200 5	CUI 17807634	0238/711249	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250m m, pmax=175bar	DISPR/CR4/K, L/14/2224/0 /20.10.2011
113	Brasov	CONSULT MERIDIAN SRL	MEREI, Sat LIPIA, Jud. Buzau	J10/885/200 5	CUI 17807634	0726718894; 0238/711249	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250m m, pmax=175bar	BV/CR4/K,L/ 14/1148/1/2 0.06.2013

114	Central	CORSEM IMPEX SRL	GURA HUMORULUI, Str. Orizont, nr.6A, Jud. Suceava	J33/1947/19 93	CUI 4973970	0230/514145	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=25bar	DISPR/CR4/K, L/14/3109/0 /28.02.2012
115	Pitesti	CRIMAR PAMICO SRL	NEGRASI, Sat Birlogu, Jud. Arges	J03/499/199 5	RO 7396558	0248/615434	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax≤160bar , DN≤350mm	PT/CR4/K,L/ 14/0075/0/1 6.07.2010
116	Central	CRIMBO GAS 2000 SRL	PANTELIMON, Bd. Biruintei, nr.4, bl.A1, parter, Jud. Ilfov	J23/1074/20 01	CUI 12404878	021/3520239	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200m m, pmax=40bar	DISPR/CR4/K /14/1923/0/ 16.09.2011
117	Bacau	CRIOMECSA	GALATI, Str. Drumul de Centura, Nr.63, Jud. Galati	J17/1339/19 94	RO 5668427	0236/312437; 0236/463059; e-mail: office@criom ecsa.ro	Verificare(la deschidere- inchidere) Reparare si Reglare la: Supape de siguranta	DNmax=450m m, pmax=500bar	BC/CR4/K,L/ 14/1121/4/0 8.08.2022

117	Bacau	CRIOMEC SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/19 94	RO 5668427	0236/312437 / 463059; e- mail office@criom ecsa.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=500bar , Dnmax=450m m	BC/CR4/K,L/ 14/1121/3/2 5.01.2022
118	Bacau	CRIOMEC SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/19 94	RO 5668427	0236/312437 / 463059; e- mail office@criom ecsa.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=400bar , Dnmax=450m m	BC/CR4/K,L/ 14/1121/2/2 9.04.2015
119	Bacau	CRIOMEC SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/19 94	RO 5668427	0236/312437 / 463059	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=400bar , Dnmax=450m m	BC/CR4/K,L/ 14/1121/1/0 9.01.2013
120	Galati	CRIOMEC SA	GALATI, Drumul de Centura, nr.63, Jud. Galati	J17/1339/19 94	RO 5668427	0236/312437 /463059	Verificarea(la deschidere- inchidere) dispozitive de siguranta	DNmax4500m m, Pmax=400bar	GL/CR4/K,L/ 14/0099/0/0 8.11.2010

121	Central	CRYOGENICA SRL	BUCURESTI, Str. Ispravnicului, nr.41, sector 2	J40/10813/1991	CUI 1572477	021/2110859 / 2102972	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm , pmax=200bar	DISPR/CR4/K, L/14/0817/0 /02.06.2011
122	Central	CSC SRL	CONSTANTA, Str. I. C. Bratianu, nr.28, Jud. Constanta	J13/4540/1994	CUI 6741062	0241/506730	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250m m, pmax=220bar	DISPR/CR4/K, L/14/1617/0 /28.07.2011
	Bacau	DACOLYN EXPERT SRL	BRAILA, Str. Calea Calarasilor, nr. 46, Bl. C, Ap. 66, jud. Braila	J09/619/2021	44641465	0729/064884; e-mail: danielacovaci@yahoo.com	Verificare(la deschidere-inchidere), Reparare si Reglare la Supape de siguranta	DNmax≤100m m, pmax≤50bar	BC/CR4/K,L/14/2085/0/3 0.05.2022
123	Bacau	DALKIA TERMO IASI SA	IASI, Sos. Nationala, nr.43, et.1, camera 19, Jud. Iasi; Iasi, Cal. Chisinaului, nr.25, Jud.	J22/1399/2012	RO 30570461	0232/232360 / 233918	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=400bar , Dnmax=400m m	BC/CR4/K,L/14/1122/0/1 0.01.2013

124	Iasi	DAS SRL	IASI, Str. Aurel Vlaicu, nr.87, Jud. Iasi	J22/589/1991	RO 1986070	0232/262800, email: office@das.ro	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=16bar, Dnmax=80mm	IS/CR4/K,L/14/0014/1/30.05.2022
125	Iasi	DAS SRL	IASI, Str. Aurel Vlaicu, nr.87, Jud. Iasi	J22/589/1991	RO 1986070	0232/262800	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=16bar, Dn max=800mm	IS/CR4/K,L/14/0102/0/13.09.2010
126	Oradea	DIA TERMO INSTAL VEST SRL	RESITA, Bd. Republicii, nr. 8, sc. 6, et. 10, ap. 41, Jud. Caras Severin	J11/20/2010	CUI 26432126	0355/429209	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar, Dn max=150mm	OR/CR4/K,L/14/1396/0/03.09.2015
127	București	DIETSCON O&M SRL	VOLUNTARI, bd Pipera, nr 1B, Cubic Center Office Building, spatiul SB5.04,	J23/3958/2019	CUI 41433419	0728990906, 0723300819, email: ionut_enescu@dietsmann.com/anton_ar_kosi@dietsmann.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, Dnmax=150mm	B/CR4/K,L/14/3798/0/08.02.2021

128	Bacau	DIETSCON O&M SRL	VOLUNTARI, bd Pipera, nr 1B, Cubic Center Office Building, spatiul SB5.04,	J23/3958/20 19	CUI 41433419	732410569	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar , Dnmax=150m m	BC/CR4/K,L/ 14/2003/0/1 3.01.2021
129	Brasov	DINAFIT SRL	Sat BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Corp C1-C8, Jud. Prahova	J29/2639/20 06	CUI 19285057	0244/524369 / 571671; e- mail: office.dinafit @christof- group.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar , Dnmax=200m m	BV/CR4/K,L/ 14/1372/4/1 9.02.2015- suspendare voluntara 6 luni incepand cu 01.04.2015
130	Brasov	DINAFIT SRL	Sat BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Corp C1-C8, Jud. Prahova	J29/2639/20 06	CUI 19285057	0244/524369 / 571671; e- mail: office.dinafit @christof- group.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar , Dnmax=200m m	BV/CR4/K,L/ 14/1251/3/0 5.05.2014
131	Central	DINAFIT SRL	BRAZI, Incinta PETROM SA, Suc. Brazi, Jud. Prahova	J29/2639/20 06	CUI 19285057	0244/504682 /524369/571 671	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=450m m, pmax=225bar	DISPR/CR4/K, L/14/1733/0 /29.07.2011

132	Brasov	DINAFIT SRL	Sat BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Corp C1-C8, Jud. Prahova	J29/2639/2006	CUI 19285057	0244/594369 / 571671	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar , Dnmax=200mm	BV/CR4/K,L/14/1101/1/10.01.2013
133	Ploiesti	DINAFIT SRL	Com. BRAZI, Sat BRAZII de JOS, incinta PETROM SA, Suc. Petrobrazii, caroul 15, Jud. Prahova	J29/2639/2006	RO 19285057	0244/594369 /571671	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=200bar , DNmax≤200mm	PL/CR4/K,L/14/0286/0/22.12.2010
134	Brasov	DINAFIT SRL	Sat BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Corp C1-C8, Jud. Prahova;	J29/2639/2006	CUI 19285057	0724288700; 0344/401027; 0244/571671; e-mail: office.dinafit@cristof-group.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=225bar , Dnmax=450mm	BV/CR4/K,L/14/1184/2/21.10.2013
135	Bucuresti	DOLCHIMEX SRL	CARACAL, Aleea 1 Decembrie 1918, nr.17, Jud. Olt	J28/192/2001	RO 14015531	0249/517866; 07280072928; 0249/517666	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=80mm , Pmax≤40bar	B/CR4/K,L/14/1249/0/18.01.2013

136	Central	DONAU CHEM SRL	TN. MAGURELE, Str. Portului, nr.1, Jud. Teleorman	J34/568/200 4	CUI 16958124	0247/416438 /413379	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm , pmax=250bar	DISPR/CR4/K, L/14/0867/0 /18.05.2011
137	Bucuresti	DONAU TERMO SRL	CALARASI, Str. Plevna, nr.267, Jud. Calarasi	J51/90/2010	CUI 26594209	0242/316945 / 334190; e- mail donautermo@ dtc.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm , pmax=40bar	B/CR4/K,L/1 4/2136/3/18. 03.2022
138	Bucuresti	DONAU TERMO SRL	CALARASI, Str. Pompieri, nr.41, camera 3, et.1, Jud. Calarasi	J51/90/2010	CUI 26594209	0242/316945 / 334190; e- mail donautermo@ dtc.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm , pmax=40bar	B/CR4/K,L/1 4/2136/1/01. 02.2017
139	Bucuresti	DONAU TERMO SRL	CALARASI, Str. Pompieri, nr.41, camera 3, et.1, Jud. Calarasi	J51/90/2010	CUI 26594209	0242/316945 / 334190	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm , pmax=40bar	B/CR4/K,L/1 4/2136/0/09. 05.2014

140	Bucuresti	DSP OFFSHORE SRL	CONSTANTA, Incinta Port, Dana 34, Centrul de Tranzit, camera 112, et. 1, Jud. Constanta	J13/2303/20 16	RO 36554023	0241/555255 / 555257; e- mail office@gspoff shore.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=400mm , pmax=400bar	B/CR4/K,L/1 4/3545/0/21. 11.2019
141	Bucuresti	ECO CLIMA INDUSTRIAL SRL	BUCURESTI, Str. Torentului, nr.2, biroul nr.39, sector 2	J40/22694/1 994	CUI 6558864	021/2502902 / 2504258; e- mail office@ecocli maindustrial. ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150m m, Pmax=140bar	B/CR4/K,L/1 4/0327/4/06. 05.2019
142	Bucuresti	ECO CLIMA INDUSTRIAL SRL	BUCURESTI, Str. Torentului, nr.2, biroul nr.39, sector 2	J40/22694/1 994	RO 6558864	021/2502902 / 2504258; e- mail ecoclima@ec oclima.frigot ehnica.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150m m, Pmax=140bar	B/CR4/K,L/1 4/0327/3/05. 10.2017
143	Bucuresti	ECO CLIMA INDUSTRIAL SRL	BUCURESTI, Str. Torentului, nr.2, biroul nr.39, sector 2	J40/22694/1 994	RO 6558864	021/2502902 / 2504258	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150m m, Pmax=120bar	B/CR4/K,L/1 4/0327/1/22. 11.2012

144	Bucuresti	ECO CLIMA INDUSTRIAL SRL	BUCURESTI, Str. Torentului, nr.2-4, sector 2	J40/22694/1994	CUI 6558864	021/2502902 / 2504258	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	B/CR4/K,L/14/0327/0/21.09.2010
145	Bucuresti	ELCOS SERVICE SRL	BUCURESTI, Bd. Timisoara, nr. 27, bl. E, ap. 2, sector 6	J40/1209/1998	RO 10185240	0730123444, 021/4131349; e-mail office@elcos.ro	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=40bar	B/CR4/K,L/14/3144/0/27.10.2017
146	Sibiu	ELECTROCEN TRALE BUCURESTI SA - Sucursala Electrocentrale Mures	IERNUT, Str. Energeticii, nr. 1, Jud. Mures	J26/513/2000	CUI 1228938	0265/471333 /471388	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN≤250mm, p≤150bar	SB/CR4/K,L/14/1030/0/23.07.2012
147	Bucuresti	ELECTROCEN TRALE BUCURESTI SA	BUCURESTI, Splaiul Independentei, nr.227, sector 6	J40/1696/2003	RO 15189596	021/2751108 /2751181	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm, pmax=250bar	B/CR4/K,L/14/1734/1/21.10.2014

148	Bucuresti	ELECTROCEN TRALE BUCURESTI SA	BUCURESTI, Splaiul Independente i, nr.227, sector 6	J40/1696/20 03	RO 15189596	021/2751108 /2751181	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm , pmax=250bar	B/CR4/K,L/1 4/1734/0/03. 07.2013
149	Central	ELECTROCEN TRALE BUCURESTI- SUCURSALA ELECTROCEN TRALE BUCURESTI	BUCURESTI, Splaiul Independente i, nr.227, sector 6	J40/9343/20 00	CUI 13439840	021/2751108 /2751181	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm , pmax=200bar	DISPR/CR4/K, L/14/2998/0 /07.02.2012
150	Bucuresti	ELECTROCEN TRALE CONSTANTA SRL	CONSTANTA, Bd. Aurel Vlaicu, nr.123, Jud. Constanta	J13/23/2015 3	CUI 33636420	0241/585300	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dmax=300mm , pmax=200bar	B/CR4/K/14/ 2484/0/17.03 .2015
151	Central	ELECTROCEN TRALE BUCURESTI- SUCURSALA ELECTROCEN TRALE CONSTANTA	CONSTANTA, Bd. Aurel Vlaicu, nr.123, Jud. Constanta	J13/1035/20 03	CUI 15264655	0241/585300 /693916	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dmax=150mm , pmax=250bar	DISPR/CR4/K /14/3050/0/ 08.02.2012

152	Sibiu	ELECTROCEN TRALE DEVA SA	MINTIA, Str. Santierului, nr.1, Jud. Hunedoara	J20/876/200 1	CUI 14348448	0254/236550	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN≤250mm, p≤250bar	SB/CR4/K,L/ 14/0091/0/1 3.10.2010
153	Brasov	ELECTROFAR M SRLK	Brasov, Str. Razboieni, nr.18, Jud. Brasov; BRASOV, Calea Feldioarei, nr.24A, Jud.	J8/699/1998	RO 10660799	0268/440028 / 440029	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax≤25bar, Dnmax≤50mm	BV/CR4/K,L/ 14/1049/0/1 0.09.2012
154	Bucuresti	ELECTROPUT ERE SA	CRAIOVA, Calea Bucuresti, nr.80, Jud. Dolj	J16/12/1991	CUI 6312800	0251437700/ 437698/ 437730	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm , pmax=100bar	B/CR4/K,L/1 4/1818/0/09. 09.2013
155	Bucuresti	ELECTROPUT ERE AIT SRL	CRAIOVA, Str. Tehnicii, nr.1, Constructia 11C-C1, Jud. Dolj	J16/64/2013	CUI 31098937	0251/437441 / 438740	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=45mm, pmax=450bar	B/CR4/K,L/1 4/1363/1/28. 08.2014

156	Bucuresti	ELECTROPUT ERE AIT SRL	CRAIOVA, Calea Bucuresti, nr.80, Hala Pavilion STM C299, et.3, Jud. Dolj	J16/64/2013	CUI 31098937	0251/437441 / 438740	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=45mm, pmax=450bar	B/CR4/K,L/1 4/1363/0/09. 05.2013
157	Central	ELECTROPUT ERE SA Divizia Aparataj Electric	CRAIOVA, Cal. Bucuresti, nr.80, Jud. Dolj	J16/12/1991	CUI 6312800	0724342848; 0251/438100	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=45mm, pmax=450bar	DISPR/CR4/K, L/14/1193/0 /17.06.2011
158	Central	ELECTROTER M PRODSERV SRL	TURDA, Str. Traian, nr.41A, Jud. Cluj	J12/673/199 4	CUI 5337857	0722230147; 0368/414123	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250m m, pmax=60bar	DISPR/CR4/K, L/14/2624/0 /20.12.2011
159	Bacau	ENERGOFOR SRL	HEMEIUS, Com. Hemeius, Str. Garii, nr. 100, cladire G2, camere 201- 202, et. 2,	J04/140/200 0	CUI 12826406	0234/562410; e-mail office@energ ofor.ro	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dnmax=100m m, pmax=260bar	BC/CR4/K/14 /1643/2/11.0 2.2016

160	Central	ENERGOFOR SRL	BACAU, Str. Arcadie Septilici, nr.7B, Jud. Bacau	J04/140/2000	CUI 12826406	0234/545683 /562410	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax=100m m, pmax=260bar	DISPR/CR4/K /14/3627/0/ 23.05.2012
161	Bacau	ENERGOFOR SRL	BACAU, Str. I. L. Caragiale, nr.1, sc.D, ap.6, Jud. Bacau	J04/140/2000	RO 12826406	0234/545683 / 562410	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax=100m m, pmax=260bar	BC/CR4/K/14 /0009/0/28.0 4.2010
162	Bucuresti	ENERGOMONT AJ GRUP SRL	BASCOV, Str. Serelor, nr. 14, Jud. Arges	J03/1966/1994	RO 10698807	0248/290170 / 290285	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax≤280bar , DN≤350mm	B/CR4/K,L/1 4/2916/1/06. 10.2016
163	Pitesti	ENERGOMONT AJ GRUP SRL	PITESTI, str.Gh.Lazar, nr.19, Jud.Arges	J03/1966/1994	RO 10698807	0248/290170	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax≤280bar , DN≤350mm	PT/CR4/K,L/ 14/0055/0/1 8.06.2010

164	Central	ENERGY BIO CHEMICALS SA	ONESTI, Str. Industriilor, nr.1, Pavilion Administrativ C399, Jud. Bacau	J04/838/200 8	CUI 23767569	0234/302600 /315510	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax≤250mm , pmax≤64bar	DISPR/CR4/K, L/14/0511/0 /07.03.2011
165	Bacau	ENET SA	FOCSANI, Bd. Bucuresti, nr.4, Jud. Vrancea	J39/93/1996	CUI 8123890	0237/212400 /214110; e- mail office@enets a.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250m m, pmax≤64bar	BC/CR4/K,L/ 14/1803/2/2 7.10.2017
166	Central	ENET SA	FOCSANI, Bd. Bucuresti,nr. 4, Jud. Vrancea	J39/93/1996	RO 8123890	0237/212400 /214110	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm , pmax=64bar	DISPR/CR4/K, L/14/2042/1 /26.04.2012
167	Central	ENET SA	FOCSANI, Bd. Bucuresti, nr.4, Jud. Vrancea	J39/93/1996	CUI 8123890	0237/214110	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250m m, pmax≤64bar	DISPR/CR4/K, L/14/2042/0 /22.09.2011

168	Iasi	EST ROM SA	VALEA LUPULUI, Str. Diminetii, nr.1, Jud. Iasi	J22/2259/1993	RO 4488770	0232/226380/253398	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, Dn max=200mm	IS/CR4/K,L/14/0118/0/08.10.2010
169	Central	ETNIS SRL	IASI, Cal. Chisinaului, nr.98-100, Jud. Iasi	J22/1131/1991	CUI 1956141	0232/236341	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=160bar, Dmax=100mm	DISPR/CR4/K,L/14/0273/0/30.03.2010
170	Bucuresti	EU RO INSTALATII SA	BUCURESTI, Intr. Hotarului, nr.1, sector 6	J40/3473/1995	CUI 7306342	021/3172768 / 4300515	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤100mm, pmax≤40bar	B/CR4/K,L/14/0291/0/06.09.2010
171	Bacau	EURO GALFORM PROFESIONAL SRL	GALAȚI, str. Ing. Anghel Saligny, nr.48, Jud. Galați	J17/1161/2015	CUI 35043004	0236450863, 0756466188, email: eurogalform@gmail.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤250mm, pmax≤250bar	BC/CR4/K,L/14/1829/2/02.11.2020

172	Bacau	EURO GALFORM PROFESIONAL SRL	GALATI, Str. Brandusei, nr. 13, bl. E5, sc. 2, et. 1, ap. 28, Jud. Galati; GALATI, Str. Alunisului,	J17/1161/20 15	CUI 35043004	0236/450863; 0756466188; e-mail eurogalform@ gmail.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤250m m, pmax≤250bar	BC/CR4/K,L/ 14/1829/1/2 8.07.2020
173	Bacau	EURO GALFORM PROFESIONAL SRL	GALATI, Str. Brandusei, nr. 13, bl. E5, sc. 2, et. 1, ap. 28, Jud. Galati; GALATI, Str. Alunisului,	J17/1161/20 15	CUI 35043004	0236/450863; e-mail eurogalform@ gmail.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤250m m, pmax≤250bar	BC/CR4/K,L/ 14/1829/0/0 2.04.2018
174	Sibiu	EURO SYSTEM SRL	MEDIAS, Sos. Sibiului, nr.48, bl.9, Jud. Sibiu	J32/456/200 6	RO 18529021	0269/843545	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax≤100m m; pmax≤40bar	SB/CR4/K,L/ 14/1036/0/1 4.08.2012
175	Oradea	EURO TREND SERVICE SRL	SATU MARE, str. Careiului, nr. 224, Jud Satu Mare	J30/384/200 4	RO16294379	0743120099, email: euro_trend_s ervice@yahoo .com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax≤20bar, Dnmax≤75mm	OR/CR4/K/14 /1787/1/03.1 1.2020

176	Oradea	EURO TREND SERVICE SRL	PAULESTI, Str. Principala, nr.29, Jud. Satu Mare	J30/384/2004	RO 16294379	0261/757506	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax≤20bar, Dnmax≤75mm	OR/CR4/K/14/0015/0/28.05.2010
177	Brasov	EUROHEATING INSTAL SRL	PLOIESTI, str Toporasi, nr 17, Jud Prahova	J29/2341/2008	CUI 24345031	0721256545, email izabela.sandulescu@euroheating.ro	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax≤25bar, DNmax≤100mm	BV/CR4/K,L/14/1736/2/13.04.2020
178	Brasov	EUROHEATING INSTAL SRL	PLOIESTI, Str. Romana, nr. 88, Corp C3, Jud. Prahova	J29/2341/2008	J29/2341/2008	0728918281; e-mail dragosion@euroheating.ro	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax≤25bar, DNmax≤100mm	BV/CR4/K,L/14/1736/1/21.05.2019
179	Brasov	EUROHEATING INSTAL SRL	PLOIESTI, Str. Romana, nr. 88, Corp C3, Jud. Prahova	J29/2341/2008	J29/2341/2008	0728918281	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax≤25bar, DNmax≤100mm	BV/CR4/K,L/14/1736/0/31.01.2018

180	Oradea	EUROINSTAL TECHNIC SRL	TIMISOARA, Bd. 16 Decembrie 1989, nr. 40, ap. 5, Jud. Timis	J35/2425/20 14	CUI 33734720	0356/179713	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax≤40bar, Dnmax≤150m m	OR/CR4/K,L/ 14/1680/0/0 8.05.2019
181	Oradea	EXPERT PETROLEUM SRL	BUCURESTI, Sos. Bucuresti- Ploiesti, nr. 73-81, cladirea C3, et. 3, sector 1;	J26/1656/20 08	CUI 17634428	0374200640, 0317/801093; 0356/414883	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, Dnmax=150m m	OR/CR4/K,L/ 14/1174/2/2 0.10.2016
182	Oradea	EXPERT PETROLEUM SRL	TG. MURES, Str. Tamas Erno, nr.1, Jud. Mures; TIMISOARA, Str. Corolian Brediceanu, nr. 10C,	J26/1656/20 08	CUI 17634428	0374200640, 0317/801093	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, Dnmax=150m m	OR/CR4/K,L/ 14/1174/1/2 3.05.2016
183	Oradea	EXPERT PETROLEUM SRL	TG. MURES, Str. Tamas Erno, nr.1, Jud. Mures	J26/1656/20 08	CUI 17634428	0730769794	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, Dnmax=150m m	OR/CR4/K,L/ 14/1174/0/1 8.06.2013

184	Sibiu	EXPERT TECHNOLOGY SRL	SIBIU, str. Arad, nr.1A, Jud. Sibiu	J32/65/2016	RO 35432320	0722512099/ 0369450617, email: expert.techn ology@gmail. com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax≤40bar; DNmax≤100m m	SB/CR4/K,L/ 14/2119/0/0 9.11.2020
185	Central	FAST TECHNICAL ASSISTANCE SRL	BACAU, Str. Vadu Bistritei, nr.2A, Jud. Bacau	J04/696/199 7	CUI 9626416	0234/513803 /511430	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax≤150mm , pmax≤45bar	DISPR/CR4/K, L/14/0354/0 /06.04.2011
186	Central	FAST TECHNICAL ASSISTANCE SRL	BACAU, 9 Mai, nr.35, poz. 10, bl.35, sc.E, parter, Jud. Bacau	J04/696/199 7	CUI 9626416	0234/513803 /511430	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤150m m, pmax≤45bar	DISPR/CR4/K, L/14/0354/0 /08.05.2012
187	Brasov	FAURAR SRL	TARGOVISTE, Str. Constantin Brancoveanu, bl. B3, ap. 12, Jud. Dambovita; SINAIA, Str.	J15/114/199 4	RO 5114685	0245/221002	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dn=300mm, pmax=140bar	BV/CR4/K,L/ 14/1412/0/1 6.04.2015

188	Pitesti	FILIALA PENTRU REPARATII SI SERVICII HIDROSERV CURTEA DE ARGES SA	CURTEA DE ARGES, Str. Barajului, nr.1, Jud. Arges	J03/742/200 2	RO 14932616	0248/721701 / 721716; www.hidroser varges.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN≤90mm, pmax≤100bar	PT/CR4/K,L/ 14/0143/0/1 5.12.2010
189	Pitesti	FILIALA PENTRU REPARATII SI SERVICII HIDROSERV RAMNICU VALCEA SA	RM. VALCEA, Calea Bucuresti, nr.269, Jud. Valcea	J38/477/200 2	CUI 14949669	0250/746984 / 732147	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax≤100m m, pmax≤64bar	PT/CR4/K,L/ 14/1641/1/1 2.06.2013
190	Brasov	FISE ELECTRICA SERV SRL	BUCURESTI, Str. Stefan cel Mare, nr. 1A, sector 1; PLOIESTI, Str. Mihai Bravu, nr. 19, Jud.	J40/4454/20 0	RO 17329505	021/3065002 / 3065004; 0372440441; 0244/334652	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=16bar, Dn=20mm	BV/CR4/K,L/ 14/1588/1/2 2.06.2016
191	Ploiesti	FISE ELECTRICA SERV SA BUCURESTI SISE- ELECTRICA MUNTENIA NORD AISE	PLOIESTI, Str. Andrei Muresanu, nr.58, Jud. Prahova; PLOIESTI, Str. Mihai Bravu,	J29/904/200 5	RO 17492080	0244/405650 / 405564; 0244/405637	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=16bar, Dnmax=20mm	PL/CR4/K,L/ 14/0119/0/2 7.07.2010

192	Oradea	FLANGA GPL ROMANIA SRL	SALONTA, Str. Ghestului, Jud. Bihor	J05/522/1998	RO 10433729	0259/411780 /412967	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=20bar	OR/CR4/K/14/0010/0/18.05.2010
193	Bucuresti	FLI INSTAL SERVICE SRL	BUCURESTI, Str. Elev Stefanescu Stefan, nr.2, sector 2	J40/3308/2013	CUI 31557969	021/2011114 / 2011115	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=20bar, Dnmax=65mm	B/CR4/K,L/14/1337/0/25.03.2013
194	Oradea	FLORIVAS SRL	CÎMPANI, nr.239, Jud Bihor; ORADEA, str. Czarán Gyula, nr.1A, Jud Bihor	J05/1044/2002	CUI 14964006	0745663576/0259406860	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	p≤40bar;Dn≤100mm	OR/CR4/K,L/14/1758/0/18.06.2020
195	București	FMV EINKAUF SRL	București , str Bihor , nr 19, cam nr 2 , ap 1 , sector 1	J40/10447/2015	RO 34927070	0729808691, email office@fmvin stal .ro	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar, Dnmax=150mm	B/CR4/K,L/14/3542/0/08.11.2019

196	Central	FORCE SAT IMPEX SRL	BRANESTI, Sat Branesti, Str. Violetelor, nr.22, Constructia C1, camera 1, Jud. Ilfov	J23/307/201 0	CUI 26458355	0374007809	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300m m, pmax≤300bar	DISPR/CR4/K, L/14/1983/0 /19.09.2011
197	Bucuresti	FORCE SAT IMPEX SRL	BRANESTI, Sat Branesti, Str. Violetelor, nr.22, Constructia C1, camera 1, Jud. Ilfov	J23/307/201 0	CUI 26458355	0374007809	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300m m, pmax=300bar	B/CR4/K,L/1 4/1861/0/03. 10.2013
198	Iasi	FORPRES SRL	IASI, Str. Strapungerii Silvestru, nr.52, Jud. Iasi	J22/1258/20 02	RO 15012143	0232/246135	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar, Dnmax=200m m	IS/CR4/K,L/1 4/0080/0/04. 08.2010
199	Brasov	FULGER SISTEM SRL	FAGARAS, Str. Negoiu, nr. 71, bl. B, sc. A, ap. 12, Jud. Brasov	J08/109/201 1	CUI 27967659	0766351431; e-mail fulger.sistem @yahoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar, Dnmax=50mm	BV/CR4/K,L/ 14/1593/0/0 7.07.2016

200	Bucuresti	FUTURE LINE INSTAL SRL	BUCURESTI, Sos. MIHAI Bravu, nr. 75- 83, bl.C17, sc.B, ap.79, sector 2; BUCURESTI, Str. Biharia,	J40/23350/1 992	RO 18830	021/2011114 / 2011115, 0726233330, email fli@fli.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=20bar, Dnmax=65mm	B/CR4/K,L/1 4/1757/1/07. 01.2021
201	Bucuresti	FUTURE LINE INSTAL SRL	BUCURESTI, Sos. MIHAI Bravu, nr. 75- 83, bl.C17, sc.B, ap.79, sector 2; BUCURESTI, Str. Biharia,	J40/23350/1 992	RO 18830	021/2011114 / 2011115	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=20bar, Dnmax=65mm	B/CR4/K,L/1 4/1757/0/19. 08.2013
202	Sibiu	G&M INTERNATION AL INSTALATII SRL	TARGU MURES, str. Gheorghe Doja, nr.76A, Jud. Mures	J26/1072/19 92	RO 1203216	0265210955/ 0265211339	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=10bar, Dnmax=100m m	SB/CR4/K/14 /2171/0/24.0 3.2021
203	Central	GA PRO CO CHEMICALS SA	SAVINESTI, Sytr. Uzinei, nr.2, Jud. Neamt	J27/1478/20 05	CUI 17728697	0233/280544 /281494/281 260	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250m m, pmax=250bar	DISPR/CR4/K, L/14/1577/0 /18.07.2011

204	Bucuresti	GAS CONTROL SRL	SEGARCEA, Str. Bujorului, nr.5, Jud. Dolj	J16/1266/20 09	CUI 26065968	0743123828	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax=64bar	B/CR4/K,L/1 4/2967/1/06. 02.2017
205	Central	GAS CONTROL SRL	SEGARCEA, Str. Bujorului, nr.5, Jud. Dolj	J16/1266/20 09	CUI 26065968	0743123828; 0351/454475	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax=64bar	DISPR/CR4/K, L/14/2354/0 /03.11.2011
206	Brasov	GASPECO L&D SA	OTOPENI, Str. Aurel Vlaicu, nr.31A, Jud. Ilfov; Sat NEGOIESTI, Com. Brazi, Jud. Prahova	J23/232/201 1	CUI 8037897	021/2035100 / 2035105; e- mail: clientigpl@ga speco.ro; 0244/401055 / 401080	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pnmax=25bar , Dnmax=32mm	BV/CR4/K,L/ 14/1109/2/3 1.01.2013
207	Brasov	GASPECO L&D SA	BUCURESTI, Cal. Floreasca, nr.28-30, sector 1; Sat NEGOIESTI, Com. Brazi, Jud. Prahova	J40/8731/20 13	CUI 8037897	021/2035100 / 2035105; 0244/401083; 0318/280345	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pnmax=25bar , Dnmax=32mm	BV/CR4/K,L/ 14/1175/3/2 1.08.2013

208	Brasov	GAVAL CONSULTING EXPERT SRL	PLOIESTI, Str. Mircea Cel Batrin, nr.119, cladirea C46, camera 8, parter, Jud. Prahova	J29/1638/20 10	CUI 27856804	0721710420; e-mail: gaval.expert @yahoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=25bar, DNmax=150m m	BV/CR4/K,L/ 14/1304/1/0 7.05.2019
209	Brasov	GAVAL CONSULTING EXPERT SRL	PLOIESTI, Str. Mircea Cel Batrin, nr.119, cladirea C46, camera 8, parter, Jud. Prahova	J29/1638/20 10	CUI 27856804	0721710420	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	p≤25bar, D≤150mm	BV/CR4/K,L/ 14/1304/0/2 5.08.2014
210	Sibiu	GAZ CONTOR NORD SRL	MEDIAS, Str. Sondorilor, nr.5, Jud. Sibiu	J32/171/201 0	RO 26642993	0269/831974	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	8≤DN≤80mm, P≤40bar	SB/CR4/K,L/ 14/0048/0/0 9.07.2010- sudspendare voluntara incepand cu 06.03.2015
211	Bucuresti	GAZTEH CORPORATIO N SA	Moreni, str Mihai Eminescu, nr 45, Jud Dâmbovița	J15/385/200 2	CUI 13986170	0245665508, 0245665699, 0245665721, email office@gazte h.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN≤150mm, pmax=140 bar	B/CR4/K,L/1 4/3688/0/06. 07.2020

212	Brasov	GRUP FEROVIAR ROMAN SRL	BUCURESTI, Cal. Victoriei, nr. 114, sector 1; BRAZI, Linie De Reparatii Vagoane	J40/8958/20 01	CUI 14256514	021/3183090 / 3183091; e- mail office@gfr.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=150m m, Pmax=25bar	BV/CR4/K,L/ 14/1706/0/2 0.10.2017
213	Central	GRUP TERMLOC SA	BACAU, Str. George Bacovia, nr.41-43, Jud. Bacau	J04/9570/20 02	CUI 14828446	0234/576442 /576438	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=60mm , pmax=25bar	DISPR/CR4/K, L/14/1702/0 /05.08.2011
214	Constanta	GSP OFFSHORE SRL	CONSTANTA, Incinta Port, Dana 34, Centrul de Tranzit, camera 112, et. 1, Jud. Constanta	J13/2303/20 16	RO 36554023	0241.555.255 , 0241.555.257	Verificare(la deschidere- inchidere) reparare si reglare la: Dispozitive de siguranta	pmax ≤ 400bar, Dnmax ≤ 400mm	CT/CR4/K,L/ 14/0067/3/1 8.11.2022
214	Bucuresti	GSP OFFSHORE SRL	CONSTANTA, Incinta Port, Dana 34, Centrul de Tranzit, camera 112, et. 1, Jud. Constanta	J13/2303/20 16	RO 36554023	0241555255/ 0241552573, email office@gspoff shore.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax≤400bar , DNmax≤400m m	B/CR4/K,L/1 4/3545/2/21. 01.2021

215	Bucuresti	GSP OFFSHORE SRL	CONSTANTA, Incinta Port, Dana 34, Centrul de Tranzit, camera 112, et. 1, Jud. Constanta	J13/2303/20 16	RO 36554023	0241555255/ 0241555257, email office@gspoff shore.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=400bar , Dnmax=400m m	B/CR4/K,L/1 4/3545/1/24. 03.2020
216	Bucuresti	HEAT MAINTENANC E SRL	BUCURESTI, Str. Scortan lon, nr. 36, sector 2	J40/5605/20 15	CUI 34485601	0733683763; 0724196733	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax=25bar	B/CR4/K,L/1 4/2602/0/09. 09.2015
217	Pitesti	HIDROSERV RAMNICU VALCEA SA	RAMNICU VALCEA, Calea Bucuresti, nr.269, Jud. Valcea	J38/477/200 2	RO 14969669	0250/746984 /746987/ 732147	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, DN=100mm	PT/CR4/K,L/ 14/0007/0/1 0.04.2010
218	Central	HIDROSERV SLATINA SA	SLATINA, Str. T. Vladimirescu, nr.153B, Jud. Olt	J28/379/200 2	CUI 14949758	0249/418608 /423667	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax=70bar	DISPR/CR4/K, L/14/1965/0 /19.09.2011

219	Oradea	HITECH AUTOMATIZA RI SRL	ORADEA, Bd. Decebal, nr.5, bl.P187, ap.47, Jud. Bihor	J05/2680/20 06	RO 19671457	0730118691	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dn≤100mm, pmax≤40bar	OR/CR4/K,L/ 14/1148/13.0 5.2013
220	Brasov	HORVATH SERVICE SRL	SF. GHEORGHE, Str. Ciucului, nr. 130, Jud. Covasna	J14/88/1994	RO 5228299	0267/316208; 0372895823, email: horvathservic e@yahoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=12bar, DNmax=50 mm	BV/CR4/K,L/ 14/1528/1/0 2.02.2021
221	Brasov	HORVATH SERVICE SRL	SF. GHEORGHE, Str. Ciucului, nr. 130, Jud. Covasna	J14/88/1994	RO 5228299	0267/316208; 0372895823	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm , pmax=12bar	BV/CR4/K,L/ 14/1528/0/2 9.01.2016
222	Bacau	HORVICA SRL	NEGRESTI, Str. Mihail Kogalniceanu , bl. C4, sc. A, et. 2, ap. 4, Jud. Vaslui	J37/831/200 8	CUI 24700672	0743706254	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax=20bar	BC/CR4/K,L/ 14/1173/1/1 6.07.2018

223	Bacau	HORVICA SRL	NEGRESTI, Str. Mihail Kogalniceanu , bl. C4, sc. A, et. 2, ap. 4, Jud. Vaslui	J37/831/200 8	CUI 24700672	0743706254	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax=20bar	BC/CR4/K,L/ 14/1173/0/1 2.06.2017
224	Bucuresti	HUNGARORIN G SRL	BUCURESTI, Bd. Camil Ressu, nr.57A, bl. Y2B, sc.4, et.8, ap.165, sector 3	J40/6818/20 12	CUI 30311599	0742609762; 021/2407191	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150m m, pmax=40bar	B/CR4/K/14/ 1744/0/25.03 .2013
225	Bucuresti	IAMSAT MUNTENIA SA	BUCURESTI, Splaiul Unirii, nr.235-237, sector 3	J40/16340/1 993	RO 4195703	031/2287100 / 2287111; e- mail secretariat@i msatmun.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm , pmax=16bar	B/CR4/K,L/1 4/3184/0/18. 12.2017
226	Pitesti	IAMTAS ELECTRIC SRL	RAMNICU VALCEA, str. Calea lui Traian, nr.213, corp U1, Parter, sc. A/b, Jud. Valcea	J38/831/202 0	CUI 43229831	0749397881, 0741038966, email: iamtaselectri c@gmail.com , servicevl@yah oo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm , pmax=25bar	PT/CR4/K,L/ 14/45/0/10.0 5.2022

227	Central	IASITEX SA	IASI, Str. Primaverii, nr.2, Jud. Iasi	J22/255/1991	CUI 1957058	0232/436760/246063	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax=20bar	DISPR/CR4/K, L/14/1567/0/18.07.2011-suspendare voluntara incepand cu 04.07.2014
228	Central	IDMS CENTRAL SRL	BRASOV, Str. General Leonard Mociulschi, nr.18-20, bl.21, sc.B, ap.11, Jud. Brasov	J08/1447/2009	CUI 26117960	0368/809167	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150m m, pmax=350bar	DISPR/CR4/K, L/14/2692/1/29.12.2011
229	Central	IDMS CENTRAL SRL	BRASOV, Str. General Leonard Mociulschi, nr.18-20, bl.21, sc.B, ap.11, Jud. Brasov	J08/1447/2009	CUI 26117960	0368/809167; 0744671652; e-mail: idmscentral@yahoo.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150m m, pmax=350bar	DISPR/CR4/K, L/14/1142/2/11.06.2013
230	Brasov	IDMS CENTRAL SRL	BRASOV, Str. G-ral Leonard Mociulschi, nr.18-20, bl.21, sc. B, ap. 11, Jud. Brasov	J08/1447/2009	RO 26117960	0368/809167	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	-	BV/CR4/K,L/14/0075/0/02.12.2010

231	Bucuresti	IMSP PROIECT SRL	CONSTANTA, Str. Frigului, nr.4, bl.FG4, ap.11, Jud. Constanta	J13/2445/20 08	CUI 24178510	0241/535543	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤150m m pmax≤50bar	B/CR4/K/14/ 1015/0/29.06 .2012
232	Central	INCON SRL	BUCURESTI, Str. Alba, nr.14A, sector 4	J40/5704/19 91	CUI 3006245	021/3355646 /3373540	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150m m, pmax=32bar	DISPR/CR4/K, L/14/2447/0 /04.10.2011
233	Bacau	INDRA PROJECT SRL	CATAMARESTI DEAL, Com. Mihai Eminescu, nr. 42, Jud. Botosani	J7/125/2011 、	CUI 28251525	0747850794	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax=20bar	BC/CR4/K,L/ 14/1547/0/2 2.04.2015
234	Oradea	INSPECT MC SRL	BAIA MARE, Bd. Unirii, bl.7, sc.A, ap.1, Jud. Maramures	J24/1989/20 08	CUI 24688935	Tel/fax 0723592204	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50.8 mm, pmax=25bar	OR/CR4/K,L/ 14/1119/1/0 8.02.2016

235	Oradea	INSPECT MC SRL	BAIA MARE, Bd. Unirii, bl.7, sc.A, ap.1, Jud. Maramures	J24/1989/2008	CUI 24688935	Tel/fax 0723592204	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax≤25bar Dn=50.8mm	OR/CR4/K,L/14/1119/0/29.03.2013
236	Bacau	INSTALATORU L SRL	SUCEAVA, Str. Grigore Ureche, nr.19, et.2, cam. 1-9, Jud. Suceava	J33/1875/1992	RO 3177709	0230/551719	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm , pmax=25bar	BC/CR4/K,L/14/1865/1/27.09.2018
237	Central	INSTALATORU L SRL	SUCEAVA, Str. Grigore Ureche, nr.19, et.2, cam. 1-9, Jud. Suceava	J33/1875/1992	RO 3177709	0230/551719	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm , pmax=25bar	DISPR/CR4/K,L/14/0684/0/04.05.2011
238	Central	INSTANT INTERNATIONAL SRL	SIMERIA, Str. Avram Iancu, bl.7, parter, Jud. Hunedoara; SIMERIA, Str. 1 Decembrie,	J20/1183/1994	CUI 6325370	0254/263216/263215	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax≤200mm , pmax≤250bar , fluid incercare apa; pmax≤60bar, Dnmax≤150m	DISPR/CR4/K,L/14/0796/0/12.05.2011

239	Central	INSTAROM SRL	TG. MURES, Str. Pandurilor, nr.56/6, Jud. Mures	J26/630/2002	CUI 14811584	0365/407193	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm , pmax=150bar	DISPR/CR4/K, L/14/3140/0 /21.02.2012
240	Central	INSTPRO SRL	DRAGASANI, Str. Traian, nr.30, Jud. Valcea	J38/55/1999	CUI 11444947	0250/811150	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm , pmax=60bar	DISPR/CR4/K, L/14/0891/0 /13.04.2011
241	Bacau	INTER SERV SRL	BACAU, Str. Chimiei, nr.1bis, Jud. Bacau	J04/63/2002	RO 14426880	0234/575406 / 575415	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=160bar	BC/CR4/K/14 /0079/0/30.08.2010- retragere incepand cu 19.07.2019
242	Bucuresti	INVEST CONSTRUCT SRL	GIURGIU, Str. Ancorei, nr.2-2A, camera 1, Jud. Giurgiu; GIURGIU, Sos. Sloboziei,	J52/849/2019	CUI 24570424	0723407604; e-mail caldararucristina@yahoo.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=125mm, pmax=64bar	B/CR4/K,L/14/2813/0/02.06.2016

243	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str.Cuptoarelor, nr. 4, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; 0244/547707; e-mail office@ipm- partners.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax≤400bar , Dnmax≤273m m	BV/CR4/K,L/ 14/1388/4/1 5.11.2018
244	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedinteanu, nr. 7, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; 0244/547707	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax≤400bar , Dnmax≤273m m	BV/CR4/K,L/ 14/1388/3/0 6.06.2016
245	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Mihai Mehedinteanu, nr. 7, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; e-mail: office@ipm- partners.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax≤400bar , Dnmax≤273m m	BV/CR4/K,L/ 14/1388/2/2 0.02.2015
246	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Jud. Prahova	J29/556/2010	RO 26850340	0344/140752; 0244/547707	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax≤400bar , Dnmax≤273m m	BV/CR4/K,L/ 14/1037/0/1 0.08.2012

247	Brasov	IPM PARTNERS ROMANIA SRL	PLOIESTI, Str. Trei Ierarhi, nr.2, Constructia C1, et.1, Jud. Prahova	J29/556/201 0	RO 26850340	0344/140752; e-mail: office@ipm- partners.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=400bar , Dnmax=273m m	BV/CR4/K,L/ 14/1194/1/0 6.11.2013
248	Sibiu	I PROEB SA	BISTRITA, Str. Drumul Cetatii, nr.19, Jud. Bistrita Nasaud	J06/55/1991	RO 566930	0263/238164 / 234701	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax≤25bar, Dnmax≤100m m	SB/CR4/K/14 /1145/0/15.0 2.2013
249	Sibiu	I PROEB SA	BISTRITA, Str. Drumul Cetatii, nr.19, Jud. Bistrita Nasaud	J06/55/1991	RO 566930	0263/238164 / 234701	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax≤25bar, Dnmax≤100m m	SB/CR4/K/14 /1205/1/01.0 7.2013
250	Bucuresti	I REM CONSTRUCTII GENERALE SRL	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, parter, Spatiu Comercial 6, sector 6	J40/11965/2 006	CUI 18876802	0213/132904 / 122303, 0733774568; e-mail valy.zaharia@ iremconstruct ii.ro	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax=250bar , Dmax≤300mm	B/CR4/K,L/1 4/3175/0/12. 12.2017

251	Bucuresti	IREM GENERAL CONTRACTOR SRL	BUCURESTI, Str. Gh. Polizu, nr. 58-60, et. 13, sector 1	J40/16633/2 016	CUI 36853491	0371314720, 0213122303, 0733774568; e-mail office@irem generalcontrac tor.ro	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax=250bar , Dmax≤300mm	B/CR4/K,L/1 4/3316/1/24. 06.2019
252	Bucuresti	IREM GENERAL CONTRACTOR SRL	BUCURESTI, Str. Biharia, nr. 26, birou 50, sector 1	J40/16633/2 016	CUI 36853491	0371314720, 0213122303, 0733774568; e-mail office@irem generalcontrac tor.ro	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax=250bar , Dmax≤300mm	B/CR4/K,L/1 4/3316/0/05. 09.2018
253	Bucuresti	IREM SPA SIRACUSA- Sucursala Bucuresti; Punct Moinesti	BUCURESTI, Str. Gh. Polizu, nr. 58-60, et. 13, sector 1; MOINESTI, Str. Capitan Zaganescu,	J40/11709/2 014	CUI 33677137	021/3132904 / 3122303;0732 300967	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax=150bar , Dnmax=150m m	BC/CR4/K,L/ 14/1511/2/0 9.10.2019
254	Bacau	IREM SPA SIRACUSA- Sucursala Bucuresti; Punct Moinesti	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, camera 1, et.5, sector 6; MOINESTI,	J40/11709/2 014	CUI 33677137	021/3132904 / 3122303; e- mail roberto.sapor i@iremservicii .ro; 0732660591; e-mail	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax=150bar , Dnmax=150m m	BC/CR4/K,L/ 14/1511/1/1 6.03.2016

255	Bacau	IREM SPA SIRACUSA- Sucursala Bucuresti; Punct Moinesti	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, camera 1, et. 7, sector 6; MOINESTI,	J40/11709/2 014	RO 33677137	021/3132904 / 3122303; e- mail roberto.sapor i@iremserVICII .ro; 0732660591; e-mail	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax=49bar, Dnmax=150m m	BC/CR4/K,L/ 14/1511/0/0 4.12.2014
256	Bucuresti	IREM SPA SIRACUSA- Sucursala Bucuresti; Punct Bustuchini	BUCURESTI, Str. Gh. Polizu, nr. 58-60, et. 13, sector 1; BUSTUCHINI, Sectia MTN, Jud. Gorj	J40/11709/2 014	CUI 33677137	0371314720, 0733774568, 021/3122303; e-mail irembranch. romania@ire mspa.it	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax=250bar , Dnmax=250m m	B/CR4/K,L/1 4/2570/1/25. 06.2019
257	Bucuresti	IREM SPA SIRACUSA- Sucursala Bucuresti; Punct Bustuchini	BUCURESTI, Str. Dr. Ernest Djuvara, nr. 3-5, camera 1, et.5, sector 6; BUSTUCHINI,	J40/11709/2 014	CUI 33677137	021/3132904 / 3122303	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax=250bar , Dnmax=250m m	B/CR4/K,L/1 4/2570/0/12. 06.2015
258	Bucuresti	IREM SPA SIRACUSA- Sucursala Bucuresti, Atelier Central TG. JIU	TG. JIU, Bd. Ecaterina Teodoroiu, nr. 46, Jud. Gorj	J40/11709/2 014	CUI 33677137	0732333411; 0253/223793	Verificare(la deschidere- inchidere) dispozitive de siguranta	pmax=140bar , Dnmax=300m m	B/CR4/K,L/1 4/2388/0/15. 12.2014

259	Oradea	IVPROD ST SM PI SRL	TIMISOARA, Bd. 16. Decembrie 1989, nr. 7, et. 1, ap. 7, Jud. Timis	J35/860/200 7	CUI 21245305	0356/269748; 0745232593	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=150m m, pmax≤40bar	OR/CR4/K,L/ 14/1469/1/1 4.06.2016- suspendare voluntara incepand cu 03.01.2019
260	Central	IVPROD ST SM PI SRL	TIMISOARA, Str. Stefan cel Mare, nr.47, Jud. Timis	J35/860/200 7	CUI 21245305	0256/224150	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN≤150mm, pmax≤40bar, fluid incercare apa; DN≤50mm, pmax≤32bar, fluid	DISPR/CR4/K, L/14/0213/0 /16.03.2011
261	Brasov	J CHRISTOF E&P SERVICES SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, Nr. 49A, Jud. Prahova; TÂRGU JIU,	J29/1314/20 09	21013747	0344/401027 / 315; 0244/401026; e-mail: office.jce@ch ristof.com; 0732/333411; e-mail:	Verificare(la deschidere- inchidere), Reparare si Reglare: Dispozitive de siguranta	pmax=250bar , DNmax=300m m	BV/CR4/K,L/ 14/1916/1/1 1.07.2022
261	Brasov	J CHRISTOF E & P SERVICES SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr.49A, Jud. Prahova; TÂRGU JIU, B-dul	J29/1314/20 09	CUI 21013747	0344/401027; 315, 0344/401026; 0732333411, e-mail office.jce@ch ristof.com, d.ivan@christ	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=250bar , Dnmax=300m m	BV/CR4/K,L/ 14/1916/0/0 8.02.2021

262	Brasov	J CHRISTOF E&P SERVICES SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1314/20 09	RO 21013747	0344/401027 /401026; e- mail jcr@christof- group.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=250m m, pmax=200bar	B/CR4/K,L/1 4/1650/2/29. 01.2019
263	Bucuresti	J CHRISTOF E&P SERVICES SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova; POIANA	J29/1314/20 09	RO 21013747	0344/401027 /401026; 0732300940	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=250m m, pmax=200bar	B/CR4/K,L/1 4/3102/0/29. 08.2017
264	Brasov	J CHRISTOF E&P SERVICES SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1314/20 09	RO 21013747	0344/401027 /401026; e- mail office.jcr@ch ristof.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=250m m, pmax=200bar	BV/CR4/K,L/ 14/1650/1/0 8.05.2017
265	Brasov	J CHRISTOF E&P SERVICES SRL	Sat BRAZII DE SUS, Com. BRAZI, Str. Trandafirilor, nr.49A, Jud. Prahova	J29/1314/20 09	RO 21013747	0344/401027 /401026; e- mail office.jcr@ch ristof.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=200m m, pmax=200bar	BV/CR4/K,L/ 14/1650/0/2 0.03.2017

266	Bucuresti	JCR CHRISTOF CONSULTING SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr. 49A, Jud. Prahova; POIANA	J29/1097/20 08	RO 22866980	0344/401027 / 401026	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar , Dn=250mm	B/CR4/K,L/1 4/1812/0/06. 06.2016
267	Brasov	JCR CHRISTOF CONSULTING SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr. 49A, Jud. Prahova; VIDELE, Str.	J29/1097/20 08	RO 22866980	0344/401027 / 401026	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=200bar , Dn=200mm	BV/CR4/K,L/ 14/1378/1/1 9.02.2015- suspendare voluntara incepand cu 28.07.2017
268	Brasov	JCR CHRISTOF CONSULTING SRL	BRAZII DE SUS, Com. Brazi, Str. Trandafirilor, nr. 49A, Jud. Prahova	J29/1097/20 08	RO 22866980	0344/401027 / 401026	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=100bar , Dn=200mm	BV/CR4/K,L/ 14/1116/0/1 9.02.2013
269	Bacau	KADATA PREST SRL	HORIA, Str. Campului, nr. 67, Jud. Neamt	J27/2229/19 94	RO 6683727	0233/740744	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=30bar, Dn=65mm	BC/CR4/K,L/ 14/1491/0/2 6.09.2014

270	Ploiesti	KARBOREX SA	PLOIESTI, Str. Caraiman, nr.7, Jud. Prahova	J29/76/1991	RO 1348152	0244/512212 / 517577	Reglarea si repararea supapelor de siguranta	Pmax=100bar , Dnmax=200m m	PL/CR4/L/14 /0196/0/07.1 0.2010
271	Bucuresti	KAROM SERVICII PROFESIONAL E IN INDUSTRIE SRL	VOLUNTARI, bd Pipera, nr 1B, Cubic Center Office Building, spatiul SB5.04,	J23/598/202 0	CUI 9816194	0344401997/ 0344401995, email cristian_chirit oi@dietsmann .com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=100bar , Dnmax=100m m	B/CR4/K,L/1 4/3663/3/15. 05.2020
272	Oradea	KAROM SERVICII PROFESIONAL E IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr.66, Jud. Prahova; SUPLACU DE BARCAU, Str. Crinului,	J29/1153/19 97	RO 9816194	0732300819	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax≤64bar, Dn≤100mm	OR/CR4/K,L/ 14/1339/1/0 6.04.2015
273	Oradea	KAROM SERVICII PROFESIONAL E IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr.66, Jud. Prahova; SUPLACU DE BARCAU, Str. Crinului,	J29/1153/19 97	RO 9816194	0732300819	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax≤64bar, Dn≤100mm	OR/CR4/K,L/ 14/1339/0/0 5.12.2014

274	Brasov	KAROM SERVICII PROFESIONAL E IN INDUSTRIE SRL	PLOIESTI, Str. Bucuresti, nr.66, Jud. Prahova	J29/1153/19 97	RO 9816194	0344/401995 / 401997; e- mail office@karom kpk.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=100bar , Dnmax=100m m	BV/CR4/K,L/ 14/1338/2/1 5.09.2017
275	Brasov	KAROM SPI SRL	PLOIESTI, Str. Bucuresti, nr.66, Jud. Prahova	J29/1153/19 97	RO 9816194	0344401995/ 401997	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=100bar , Dn=100mm	BV/CR4/K,L/ 14/1338/1/1 1.01.2017
276	Brasov	KAROM SPI SRL	PLOIESTI, Str. Bucuresti, nr.66, Jud. Prahova	J29/1153/19 97	RO 9816194	0344/401995 / 401997	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=100bar , Dn=100mm	BV/CR4/K,L/ 14/1338/0/1 9.11.2014
277	Sibiu	KETO SRL	SIBIU, str. Fagului, nr.11, Jud. Sibiu	J32/111/201 1	RO 28033652	0764680771, 0369780771, email: office@keto.c om.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax≤60bar, Dnmax≤130m m	SB/CR4/K/14 /2170/0/24.0 3.2021

278	Brasov	KREMSMULLER ROMANIA SRL	PLOIESTI, Str. Centura de Vest, nr. 23, Jud. Prahova	J29/626/2007	RO 18725133	0728291150; 0720112585	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=300bar , Dnmax=400mm	BV/CR4/K,L/14/1512/0/2 1.12.2015
279	Central	LAS PROM SRL	TG. MURES, Str. Cuza Voda, nr.25, Jud. Mures	J26/2185/2004	CUI 17057184	0265/264436 /311884	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300mm, pmax=150bar	DISPR/CR4/K,L/14/2553/0 /14.12.2011
280	Bacau	LE LONGBRIDGE SRL	GALATI, Str. 1 Decembrie 1918, nr. 12, bl. S9D, ap. 8, Jud. Galati	J17/50/2018	CUI 38696873	0756429883, E-mail lelongbridge@gmail.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤250mm, pmax≤400bar	BC/CR4/K,L/14/1930/0/1 1.11.2019
281	Central	LICTECH SRL	IASI, Str. Mihai Voda, nr.7, bl.P1, sc.TR2, et.4, ap.20, Jud. Iasi	J22/2469/2006	CUI 19079995	0232/235060	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=160bar , Dmax=100mm	DISPR/CR4/K,L/14/0209/0 /22.03.2010

282	Oradea	LINDE GAZ ROMANIA SRL	TIMISOARA, Str. Avram Imbroane, nr. 9, Jud. Timis	J35/1149/19 96	CUI 8721959	0256/300700 /225608	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=100bar , Dmax=50mm	OR/CR4/K,L/ 14/1515/1/1 0.01.2020
283	Oradea	LINDE GAZ ROMANIA SRL	TIMISOARA, Str. Avram Imbroane, nr. 9, Jud. Timis	J35/1149/19 96	CUI 8721959	0256/300700 /225608	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=100bar , Dmax=50mm	OR/CR4/K,L/ 14/1515/0/2 7.02.2017
284	Central	LISSCOM SRL	BRASOV, Str. Neptun, nr.10, sc.C, ap.1, Jud. Brasov	J08/252/199 8	RO 10358473	0268/549274	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm , pmax=200bar	DISPR/CR4/K, L/14/3515/0 /02.05.2012
285	Bacau	LOCATIVSERV SRL	PIATRA NEAMT, Str. Cuiejdi, nr. 1B, cladire Mall Forum Center, et. 3, Jud. Neamt	J27/1550/20 08	RO 24607639	0233/220430 / 220431, locativserv.pi atra.neamt@ gmail.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm , pmax=10bar	BC/CR4/K,L/ 14/1515/2/0 5.11.2020

286	Bacau	LOCATIVSERV SRL	PIATRA NEAMT, Str. Cuiejdi, nr. 1B, et. 3, Jud. Neamt	J27/1550/2008	RO 24607639	0233/220430 / 220431	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm , pmax=10bar	BC/CR4/K,L/14/1515/1/2 4.02.2020
287	Bacau	LOCATIVSERV SRL	PIATRA NEAMT, Str. Cuiejdi, nr. 1B, et. 3, Jud. Neamt	J27/1550/2008	RO 24607639	0233/220430 / 220431	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm , pmax=10bar	BC/CR4/K,L/14/1515/0/1 1.12.2014
288	Central	LOCATO SA	PIATRA NEAMT, Str. Lt. Draganescu, nr.20, et.2, Jud. Neamt	J27/8/2001	RO 13649035	0233/222832 /222834	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=10bar	DISPR/CR4/K, L/14/0823/0 /17.05.2011-insolventa-retragere incepand cu 06.01.2015
289	Bacau	LOCATO SA	PIATRA NEAMT, Str. Privighetorii, nr.12, bl.B9, demisol, Jud. Neamt	J27/82001	CUI 13649035	0233/222832	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax≤10bar, Dnmax≤50mm	BC/CR4/K,L/14/1167/1/1 9.02.2013-insolventa-retragere incepand cu 06.01.2015

290	Central	LONIC SERV SRL	PUCIOASA, Str. Fantanilor, bl.B, et.2, ap.8, Jud. Dambovita	J15/510/2004	CUI 16514660	0722524688; 0245/232310	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200m m, pmax=100bar	DISPR/CR4/K, L/14/3613/0 /21.05.2012
291	Bucuresti	LONIC SERV SRL	PUCIOASA, Str. Fantanilor, bl.B, et.2, ap.8, Jud. Dambovita	J15/510/2004	CUI 16514660	0722524688; 0245/232310	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200m m, pmax=100bar	B/CR4/K,L/14/1762/1/20.08.2013
292	Bucuresti	LPV PROIECT CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr.3, sector 4	J40/16179/1991	CUI 393996	021/3306200 / 3316620	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200m m, pmax=50bar	B/CR4/K,L/14/0134/4/12.09.2017
293	Bucuresti	LPV PROIECT CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr.3, sector 4	J40/16179/1991	CUI 393996	021/3306200 / 3316620	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200m m, pmax=50bar	B/CR4/K,L/14/0134/3/18.03.2016

294	Bucuresti	LPV PROIECT CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr.3, sector 4	J40/16179/1991	CUI 393996	021/3306200 / 3316620	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200m m, pmax=50bar	B/CR4/K,L/14/0134/2/05.02.2015
295	Bucuresti	LPV PROIECT CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr.3, sector 4	J40/16179/1991	CUI 393996	021/3306200 / 3316620	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200m m, pmax=50bar	B/CR4/K,L/14/0134/1/01.09.2014
296	Bucuresti	LPV PROIECT CONSULT SRL	BUCURESTI, Str.Dimbovniceului nr.30, sector 4	J40/16179/1991	CUI 393996	021/3316620, 021/3301852	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=2 1/2", pmax=15bar	B/CR4/K,L/14/0134/0/26.06.2010
297	Bucuresti	LPV FACILITY & PROPERTY MANAGEMENT SRL	BUCURESTI, Str. Aurel Persu, nr. 119D, parter, camera 3, sector 4	J40/20112/2008	RO 24812099	0724288126; 021/3316620	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200m m, pmax=50bar	B/CR4/K,L/14/2663/0/19.11.2015

298	Bucuresti	LPV SERVICE CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr. 3, sector 4	J40/20112/2 008	RO 24812099	021/3306200 /3316620; e- mail comenzi@lpv. ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200m m, pmax=50bar	B/CR4/K,L/1 4/2663/5/09. 03.2020
299	Bucuresti	LPV SERVICE CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr. 3, sector 4	J40/20112/2 008	RO 24812099	021/3306200 /3316620; e- mail comenzi@lpv. ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200m m, pmax=50bar	B/CR4/K,L/1 4/2663/4/25. 04.2019
300	Bucuresti	LPV SERVICE CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr. 3, sector 4	J40/20112/2 008	RO 24812099	021/3306200 /3316620	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200m m, pmax=50bar	B/CR4/K,L/1 4/2663/3/07. 06.2018
301	Bucuresti	LPV SERVICE CONSULT SRL	BUCURESTI, Str. Colonel Gheorghe Costescu, nr. 3, sector 4	J40/20112/2 008	RO 24812099	021/3306200 /3316620	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200m m, pmax=50bar	B/CR4/K,L/1 4/2663/2/13. 09.2017

302	Bucuresti	LPV SERVICE CONSULT SRL	BUCURESTI, Str. Aurel Persu, nr. 119D, parter, camera 3, sector 4	J40/20112/2008	RO 24812099	021/3306200/3316620	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=50bar	B/CR4/K,L/14/2663/1/01.08.2016
303	Central	LUANA PREST SERV SRL	BRASOV, Str. Matei Basarab, nr.30A, Jud. Brasov	J08/2840/2008	CUI 24662030	0268/415715	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=350bar	DISPR/CR4/K, L/14/2688/0/05.01.2012
304	Central	LUANA PREST SERV SRL	BRASOV, Str. Castelului, nr.70, ap.2, cam. 2, Jud. Brasov	J08/2840/2008	RO 24662030	0268/415715	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=350bar	DISPR/CR4/K, L/14/2688/1/21.05.2012
305	Central	LUCMAN SRL	SIBIU, Str. W.I. Gheothe, nr.16A, Jud. Sibiu; SIBIU, Str. Gorjului, nr.16A, Jud. Sibiu	J32/996/2002	CUI 15091554	0269/225791	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=60bar	DISPR/CR4/K, L/14/0429/0/18.04.2011

306	Sibiu	MACARALE SRL	SIBIU, Str. Hategului, nr.6, ap.1, Jud. Sibiu	J32/1096/2005	CUI 17825851	0752285000/0269225051	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤120m m, pmax≤60bar	SB/CR4/K,L/14/2183/1/28.04.2021
307	Central	MACARALE SRL	SIBIU, Str. Hategului, nr.1, ap.6, Jud. Sibiu	J32/1096/2005	CUI 17825851	0269/225051	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤120m m, pmax≤60bar	DISPR/CR4/K,L/14/1702/0/05.08.2011
308	Brasov	MADASOR CONSULTING SRL	BRASOV, Bd. Victoriei, nr.6, bl.42, sc. C, ap. 3, Jud. Brasov	J8/63/2014	CUI 32676265	0368/819523	Verificare(la deschidere-inchidere) dispozitive de siguranta	D≤50mm, p≤30bar	BV/CR4/K/14/1429/0/17.06.2015
309	Bacau	MADE SOLAR SRL	TOPILE, com. Valea Seaca, nr.5, Reg.Agr.poz. 5, Vol V, tip I, Jud. Iasi	J22/207/2011	RO 28001600	0722501329, e-mail: made.solar@yahoo.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax=25bar	BC/CR4/K,L/14/2075/0/14.02.2022

	Bucuresti	MAGRAM TEHNOSERV SRL	BUCURESTI, Str. Plesesti, 3, Bloc Z12, Scara 3, Etaj 2, Ap. 37, Sector 3	J40/3542/20 22	45700624	0735.510.786 ; e-mail: mariangrama 2001@gmail.r o	Verificare (la deschidere- inchidere) la dispozitive de siguranta	pmax = 30 bar, DNmax = 100 mm	B/CR4/K/14/ 4036/0/24.05 .2022
310	Bucuresti	MAIRA MONTAJ SRL	BUCURESTI, Str. Stirbei Voda, nr.166, bl.20C, sc.A, et.1, ap.3, sector 1; BUCURESTI,	J40/3784/19 97	RO 6661834	0722259865; 021/4137690	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=500bar	B/CR4/K,L/1 4/1787/0/13. 08.2013
311	Bucuresti	MAIRA MONTAJ SRL	BUCURESTI, Str. Stirbei Voda, nr.166, bl.20C, sc.A, et.1, ap.3, sector 1; BUCURESTI,	J40/3784/19 97	RO 6661834	021/4137690 / 4139159	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=500mm , pmax=500bar	B/CR4/K,L/1 4/1787/1/21. 02.2014
312	Central	MARAL SRL	POPESTI LEORDENI, Str. Leordeni, nr.161S, Jud. Ilfov	J23/1343/20 10	CUI 13404361	021/4673006	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=65mm, pmax=48bar	DISPR/CR4/K, L/14/1269/0 /05.07.2011

313	Bucuresti	MARAL SRL	POPESTI LEORDENI, Str. Leordeni, nr.161S, Jud. Ilfov	J23/1343/20 10	CUI 13404361	021/4673006 / 4673008	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=65mm , pmax=48bar	B/CR4/K,L/1 4/1269/1/22. 11.2012
314	Bacau	MECANIC GRUP SRL	ONESTI, Str. Avantului, nr.21A, Jud. Bacau	J04/961/199 8	CUI 11111020	0234/312815 / 302041	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=350mm , pmax=150bar	BC/CR4/K,L/ 14/1503/1/0 7.11.2014
315	Central	MECANIC GRUP SRL	ONESTI, Bd. Republicii, nr.1, bl.1, sc.D, et.3, ap.49, Jud. Bacau	J04/961/199 8	CUI 11111020	0374091815; 0234/312815	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=350mm , pmax=150bar	DISPR/CR4/K, L/14/0553/0 /18.04.2011
316	Sibiu	MEDIA RINGER SRL	SIBIU, Aleea Biruintei, nr.6, ap.5, Jud. Sibiu; SIBIU, Cal. Dumbravii, nr.105, Jud. Sibiu	J32/372/199 8	RO 10668237	0269/443401	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax≤150mm , Pmax≤60bar	SB/CR4/K,L/ 14/1574/0/2 3.03.2016

317	Sibiu	MEDIA RINGER SRL	SIBIU, Aleea Biruintei, nr.6, ap.5, Jud. Sibiu; SIBIU, Cal. Dumbravii, nr.105, Jud. Sibiu	J32/372/1998	RO 10668237	0269/443401	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax≤150mm , Pmax≤60bar	SB/CR4/K,L/14/1334/0/30.06.2014
318	Central	MEGA NET SRL	CONSTANTA, Sos. Mangaliei, nr.61, bl.SM3, sc.B, et.9, ap.82, Jud. Constanta;	J13/1190/2000	CUI 13111698	0241/588868	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Supape de siguranta cu arc 15mm≤Dnmax ≤150mm, pmax≤16bar; Supape de	DISPR/CR4/K/14/2460/0/24.11.2011
319	Central	MEGA PASCAL SRL	SIBIU, Str. Independentei, nr.3A, Jud. Sibiu	J32/110/1993	RO 3238580	0269/253150	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤100mm, pmax≤100bar	DISPR/CR4/K,L/14/1588/0/26.07.2011
320	Central	MEGATERM SRL	BUCURESTI, Bd. Ghencea, nr.34, sector 6	J40/22602/1994	CUI 6520657	021/4132025/4132017	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm , pmax=64bar	DISPR/CR4/K,L/14/0859/0/18.05.2011

321	Bucuresti	MEGATERM SERVICII SRL	BUCURESTI, Prelungirea Ghencea, nr.95K, camera 1, sector 6	J40/6828/20 14	RO 33255515	0744326773; 021/4132017	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=64bar, DN max=125mm	B/CR4/K/14/ 2382/0/10.12 .2014
322	Pitesti	MENTCHIM SA	RAMNICU VALCEA,Str. Uzinei, nr.1, Jud. Valcea	J38/501/200 5	RO 17571575	0250/701501 /701504	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax≤160bar , DN≤100mm	PT/CR4/K,L/ 14/0043/0/0 8.06.2010- retragere voluntara incepand cu 14.09.2016
323	Suceava	MERIDIAN SRL	BOTOSANI, Str. Maxim Gorki, nr.11, Jud. Botosani	J07/1200/19 94	RO 6868830	0231/517989	Verificari tehnice la inchidere -deschidere , repararea si reglarea supapelor de sigurana cu	DN=100mm PN=16bar	SV/CR4/K,L/ 14/0002/0/2 6.04.2010
324	Bucuresti	MES MARIN SRL	CONSTANTA, Str. Cismelei, nr. 15, bl. 1B, sc. A, et. 5, ap. 22, Jud. Constanta	J13/1922/19 99	RO 12317275	0723527752, e-mail mes.marin@g mail.com	Verificari tehnice la inchidere -deschidere , repararea si reglarea supapelor de sigurana	DNmax=100m m Pmax=40bar	B/CR4/K,L/1 4/3429/0/07. 06.2019

325	București	MESSER ROMANIA GAZ SRL	BUCURESTI, str. Drumul între Tarlale, nr. 102-112, sector 3	J40/4298/1998	RO 10547308	021.327.36.24 / 021.327.36.26, e-mail: patricia.bataila@messer.ro	Verificare(la deschidere-inchidere) reparare si reglare la dispozitive de siguranta	pmax=50bar, Dnmax=50mm	B/CR4/K,L/14/1379/4/07.04.2022
325	București	MESSER ROMANIA GAZ SRL	BUCURESTI, Str. Delea Veche, nr.24, Cladire de birouri A, et. 2,3, sector 2	J40/4298/1998	CUI 10547308	0213273624, fax 0213273626, email patricia.bataila@messer.ro	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax≤50mm, pmax≤50bar	B/CR4/K,L/14/1379/3/03.12.2019
326	Oradea	MESSER ROMANIA GAZ SRL	BUCURESTI, Str. Delea Veche, nr.24, cladirea de birouri A, et. 2-3, sector 2; MINTIA,	J40/4298/1998	CUI 10547308	021/3273624 /3273626; 0254/236451 / 236453	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=25mm, Pmax=420bar	OR/CR4/K,L/14/1334/0/19.11.2014
327	Central	MESSER ROMANIA GAZ SRL	BUCURESTI, Str. Delea Veche, nr.24, sector 3	J40/4298/1998	CUI 10547308	021/3273624 /3273625/3273626	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax≤50mm, pmax≤50bar	DISPR/CR4/K,L/14/0291/0/25.03.2011

328	Central	MESSER ROMANIA GAZ SRL	BUCURESTI, Cal. Calarasi, nr.177, bl.45, et.3, ap.7,8,9, sector 3	J40/4298/19 98	CUI 10547308	021/3273624 /3273626	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=50bar	DISPR/CR4/K, L/14/1115/1 /24.06.2011
329	Bucuresti	MESSER ROMANIA GAZ SRL	BUCURESTI, Str. Delea Veche, nr.24, Cladire de birouri A, et. 2,3, sector 2	J40/4298/19 98	CUI 10547308	0254/236451 /236453	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=50bar	B/CR4/K,L/1 4/1379/2/04. 01.2018
330	Bucuresti	MESSER ROMANIA GAZ SRL	BUCURESTI, Str. Delea Veche, nr.24, Cladire de birouri A, et. 2,3, sector 2	J40/4298/19 98	CUI 10547308	021/3273624 /3273626	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=50bar	B/CR4/K,L/1 4/1379/1/21. 05.2013
331	Bucuresti	METROINSTAL SRL	CALAFAT, Sat Basarabi, Cal. Craiovei, nr. 165, Jud. Dolj	J16/230/201 1	RO 28042332	0740055200	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm , pmax=200bar	B/CR4/K,L/1 4/2580/0/06. 08.2015

332	Bacau	METRON SERV SRL	FOCSANI, str. Agriculturii, nr.15, Jud. Vrancea	J39/956/199 4	CUI 6433151	0237623544, 0761254386, email: metroster@g mail.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm , pmax=100bar	BC/CR4/K,L/ 14/2009/0/0 8.02.2021
333	Central	MEVA SA	DR. TN. SEVERIN, Str. Dunarii, nr.3, Jud. Mehedinti	J25/135/199 1	CUI 1605779	0252/308439 /315139	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax=10bar	DISPR/CR4/K, L/14/2412/0 /15.11.2011
334	Central	MEXGAZ SERVICE SRL	SLATIOARA, Str. Rasritului, nr.5, Jud. Olt	J28/592/200 9	CUI 26136244	0249/416717; 0729019996; 0729019997; 0349/816233; 0249416717	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=18bar	DISPR/CR4/K, L/14/3252/0 /15.03.2012
335	Oradea	MICORA VALVES SRL	ORADEA, Str. Molidului, nr. 22, Jud. Bihor	J05/2628/20 18	RO 40102670	0731371092	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm , pmax=40bar	OR/CR4/K,L/ 14/1659/0/2 1.01.2019

336	Oradea	MILEVI RSVTI SRL	ANINA, Str. Morii, nr. 11, Jud. Caras Severin	J11/70/2014	CUI 32775811	0770515736, 0743603882; 0355/ 410699	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm , pmax=40bar	OR/CR4/K,L/14/1558/0/25.08.2017
337	Bucuresti	MIR ADI SERVICE SRL	TULCEA, Str. Obor, nr.2, bl.B1, sc.A, ap.14, Jud. Tulcea; TULCEA, Str. Urzicii, nr.48A, Jud.	J36/79/2007	CUI 21062162	0745644904	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax=250m m, pmax=40bar	B/CR4/K/14/2101/2/07.11.2014
338	Bucuresti	MIR ADI SERVICE SRL	TULCEA, Str. Obor, nr.2, bl.B1, sc.A, ap.14, Jud. Tulcea; TULCEA, Str. Isacpei, nr.4, Km 3, Jud.	J36/79/2007	CUI 21062162	0745644904	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax≤250m m, pmax≤40bar	B/CR4/K/14/2101/1/15.04.2014
339	Central	MIR ADI SERVICE SRL	TULCEA, Str. Obor, nr.2, bl.B1, sc.A, ap.14, Jud. Tulcea	J36/79/2007	CUI 21062162	0745644904	Verificarea(la deschidere-inchidere) dispozitive de siguranta	Dnmax=250m m, pmax=40bar	DISPR/CR4/K/14/1619/0/03.08.2011

340	Bacau	MODERN CALOR SA	BOTOSANI, Str. Pacea, nr. 43, Jud. Botosani	J07/05/2010	RO 26892574	0231/537100 / 516446	Verificarea(la deschidere- inchidere) dispozitive de siguranta	Dnmax=150m m, pmax=25bar	BC/CR4/K/14 /1537/0/30.0 3.2015
341	Bacau	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660 /210589	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250m m, pmax=160bar	BC/CR4/K,L/ 14/1485/1/1 2.09.2014
342	Central	MOLDOCOR SA	PIATRA NEAMT, Bd. Decebal, nr.73, Jud. Neamt	J27/2/1990	CUI 2046250	0233/210660 /210589	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250m m, pmax=160bar	DISPR/CR4/K, L/14/3572/0 /16.05.2012
343	Central	MT ALWAYS PREMIUM SRL	ARAD, Str. Mircea Stanescu, nr.2, ap.12, Jud. Arad	J02/1075/20 08	CUI 24051818	0257/212102	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤150m m, pmax≤64bar, fluid incercare apa; Dnmax≤50mm	DISPR/CR4/K, L/14/2349/0 /10.11.2011

344	Sibiu	MULTIPRACTI C SRL	TG. MURES, Str. Transilvania, nr.11/7, Jud. Mures	J26/540/200 6	CUI 18546820	0265/260333	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400m m, pmax=350bar	SB/CR4/K,L/ 14/1423/2/1 7.12.2014
345	Central	MULTIPRACTI C SRL	TG. MURES, Str. Transilvania, nr.11/7, Jud. Mures	J26/540/200 6	CUI 18546820	0265/260333	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300m m, pmax=250bar	DISPR/CR4/K, L/14/1820/0 /31.08.2011
346	Central	MULTIPRACTI C SRL	TG. MURES, Str. Transilvania, nr.11/7, Jud. Mures	J26/540/200 6	CUI 18546820	0265/260333	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400m m, pmax=350bar	DISPR/CR4/K, L/14/1177/1 /24.05.2013
347	Bacau	MURANIS SERV INSTAL SRL	BRAILA, Str. Ghiocailor, nr. 14, bl. A57, sc. 2, et. 1, ap. 25, Jud. Braila	J09/636/201 0	RO 27794531	0729070715; e-mail muranisserv@ yahoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤150m m, pmax≤40bar	BC/CR4/K,L/ 14/1599/0/2 9.09.2015

348	Sibiu	NEMESIS WORKS SRL	BISTRITA< Str. Caraiman, nr. 19, Jud. Bistrita Nasaud	J06/177/201 3	RO 31394010	0743584925, 0722437164; e-mail office@nmsw orks.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=125m m, pmax=60bar	SB/CR4/K,L/ 14/1878/0/2 9.10.2018
349	Central	NIPOSERV SRL	BRAILA, Cartier Hipodrom, Str. Pietatii, nr.20, bl.C1, sc.2, et.2, ap.24, Jud. Braila	J09/1031/20 05	CUI 18103602	0239/670201	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250m m, pmax=150bar	DISPR/CR4/K, L/14/2249/0 /25.10.2011
350	Central	NITROPOROS SRL	FAGARAS, Sos. Combinatului , nr.14, Jud. Brasov	J08/574/200 8	CUI 23415082	0268/206501 /216111	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm , pmax=200bar	DISPR/CR4/K, L/14/3086/0 /20.02.2012
351	Sibiu	NM & C SRL	CLUJ NAPOCA, Str. Muresului, nr.46, ap. 5, Jud. Cluj	J12/269/200 5	RO 17170697	0364/806878	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax≤100m m; pmax≤25bar	SB/CR4/K/14 /1058/0/18.0 9.2012

352	Central	NUCLEAR ELECTRICA SA- FCN PITESTI	BUCURESTI, Str. Polona, nr.65, sector 1; MIOVENI, Str. Cimpului, nr.1, Jud. Arges	J40/7403/1998	CUI 10874881	0248/207700/262499	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤200mm, pmax≤40bar	DISPR/CR4/K, L/14/1860/0/19.08.2011
353	Central	NUCLEARELECTRICA	BUCURESTI, Str. Polona, nr.65, sector 1; CERNAVODA, Str. Medgidiei, nr.2, Jud. Constanta	J40/7403/1998; J13/3442/2007	RO 10874881; CUI 22554619	021/2038200/3169804; 0241/239340/239266	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=420bar, Dmax=600mm	DISPR/CR4/K, L/14/0006/0/17.03.2010
354	Oradea	OK TEHNIC CONSULT SRL	ARAD, Str. 9 Mai, nr. 3, et. 1, Jud. Arad	J02/199/2007	RO 20872640	0371/117117, 0372251251; e-mail rsvtioktc@gmail.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax≤50mm, pmax≤20bar, fluid apa sau gaz	OR/CR4/K,L/14/1612/1/20.06.2018
355	Central	OK TEHNIC CONSULT SRL	ARAD, Bd. General Vasile Milea, nr.1, sc.3, et.2, ap.11, Jud. Arad	J02/199/2007	RO 20872640	0257/227084	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax≤50mm, pmax≤20bar	DISPR/CR4/K, L/14/3353/0/20.03.2012

356	Central	OLDT EXPERT SRL	GALATI, Str. Avram Iancu, nr.20, camera1, Jud. Galati	J17/1133/20 10	CUI 27782898	0236/450863	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm , pmax=60bar	DISPR/CR4/K, L/14/2989/0 /13.02.2012
357	Central	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1	J40/8302/19 97	CUI 1590082	732130747	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm , pmax=64bar	DISPR/CR4/K, L/14/0438/0 /19.04.2011
358	Central	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr.239, sector 1; EPS ASSET 5 MOESIA NORD	J40/8302/19 97	CUI 1590082	021/4060104; 0372868544	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150m m, pmax=49bar	DISPR/CR4/K, L/14/1837/1 /06.09.2011
359	Bucuresti	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1; CALACEA, Jud. Timis	J40/8302/19 97	CUI 1590082	021/2125001 / 3155166; 0256/379617	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300m m, pmax=64bar	B/CR4/K,L/1 4/0319/0/02. 08.2010

360	Bucuresti	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1; PECICA, Jud. Arad	J40/8302/19 97	CUI 1590082	021/2125001 / 3155166; 0372/428455	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300m m, pmax=64bar	B/CR4/K,L/1 4/0320/0/03. 08.2010
361	Bucuresti	OMV PETROM SA	BUCURESTI, Cal Dorobantilor, nr. 239, sector 1; SUPLACU DE BARCAU, Str. Crinului,	J40/8302/19 97	CUI 1590082	021/2125001 / 3155166	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dnmax=100m m, pmax=64bar	B/CR4/K/14/ 0321/0/09.09 .2010
362	Bucuresti	OMV PETROM SA	BUCURESTI, sector1, Str. Coralilor, nr.22	J40/8302/19 97	CUI 1590082	021/4060040 / 4060420	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dmax=100mm , pmax=64bar	B/CR4/K/14/ 0321/1/12.02 .2013
363	Ploiesti	OMV PETROM SA	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; BOLDESTI SCAIENI, Cal. Unirii,	J40/8302/19 97	RO 1590082	021/2125001 /3155166	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=100bar , Dnmax=100m m	PL/CR4/K,L/ 14/0198/1/0 6.12.2010

364	Pitesti	OMV PETROM SA	BUCURESTI, Calea Dorobantilor, nr.239, sector 1; POIANA LACULUI	J40/8302/1997	RO 1590082	0372160737; 0372868544; 0732410654	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN≤200mm, pmax≤140bar	PT/CR4/K,L/14/0089/0/16.09.2010
365	Ploiesti	OMV PETROM SA- ASSET IX Moldova Sud	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; MOLDOVA SIUD, Service Center	J40/8302/1997	RO 1590082	021/2647467	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=150m m, Pmax=80bar	PL/CR4/K,L/14/0159/0/06.09.2010
366	Ploiesti	OMV PETROM SA BOLDESTI SCAIENI	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; BOLDESTI SCAIENI, Cal. Unirii,	J40/8302/1997	RO 1590082	021/2125001; 021/3155166	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=100m m, Pmax=64bar	PL/CR4/K,L/14/0198/0/08.09.2010
367	Bucuresti	OMV PETROM SA E&P, MTN&LOG ASSET 2 OLTENIA - PL BUSTUCHINI	CRAIOVA, Str. Ion Maiorescu, nr.4, Jud. Dolj	J40/8302/1997	RO 1590082	0249/414040	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250m m, Pmax≤250bar	B/CR4/K,L/14/1161/0/09.10.2012

368	Bucuresti	OMV PETROM SA- EP - ASSET 5 - MOESIA NORD DEPARTAMEN T MENTENANTA	BUCURESTI, sector1, Str. Coralilor, nr.22; POENI, Str. Gh. Radulescu, nr.83, Jud.	J40/8302/19 97	CUI 1590082	021/4060040 / 4060420	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm , pmax=49bar	B/CR4/K/14/ 0469/1/12.02 .2013
369	Central	OMV PETROM SA- EP MENTENANTA & LOGISTICA ASSET 10 GAP TG. JIU	BUCURESTI, Str. Coralilor, nr.22, sector 1; TG. JIU, Str. Ecaterina Teodoroiu,	J40/8302/19 97	CUI 1590082	0732333411; 0253/223793	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300m m, pmax=140bar	DISPR/CR4/K, L/14/1437/0 /26.07.2011
370	Central	OMV PETROM SA- EPS	BUCURESTI, Cal. Dorobantilor, nr.239,, sector 1; Departament Mentenanata Asset 6	J40/8302/19 97	CUI 1590082	03721600737; 0372868544	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm , pmax=64bar	DISPR/CR4/K, L/14/0519/0 /08.04.2011
371	Bucuresti	OMV PETROM SA	BUCURESTI, Str. Coralilor, nr.22, sector 1; Asset 6 UA MTN & LOG, MORENI, Str. A. I. Cuza,	J40/8302/19 97	CUI 1590082	021/4060040 / 4060420	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm , pmax=140bar	B/CR4/K,L/1 4/0519/1/25. 02.2014

372	Central	OMV PETROM SA- EPS DEPARTAMEN TUL MENTENANTA ASSET VIII MOLDOVA NORD	BUCURESTI, Cal. Dorobantilor, nr.239, sector 1; MOINESTI, Str, Schelei, , nr.	J40/8302/19 97	CUI 1590082	0732410517; 0372428353, 0372484552	Verificare(la deschidere- inchidere) dispozitive de siguranta	Dmax≤150mm , pmax≤49bar	DISPR/CR4/K, L/14/0210/0 /24.03.2010
373	Central	OMV PETROM SA- EPS MENTENANTA & LOGISTICA ASSET 2 OLTENIA	BUCURESTI, Str. Coralilor, nr.22, sector 1; STATIE COMPRESOAR E, BULBUCENI,	J40/8302/19 97	CUI 1590082	03721600737; 0372868544	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm , pmax=400bar	DISPR/CR4/K, L/14/1195/0 /20.06.2011
374	Bucuresti	OMV PETROM SA UNITATEA DE AFACERI MENTENANTA SI LOGISTICA GAP TARGU JIU	TG. JIU, Bd. Ecaterina Teodoroiu, nr.60, Jud. Gorj	J40/8302/19 97	RO 1590082	0253/223793; 0732333411	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=300m m, Pmax≤140bar	B/CR4/K,L/1 4/1163/1/24. 10.2012
375	Central	OPTIM SIG INSTAL SRL	DEVA, Str. Al. Patriei, nr.2, bl.D1, et.3, ap.39, Jud. Hunedoara	J20/5/2000	CUI 12550113	0254/220020	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax≤80mm, pmax≤30bar	DISPR/CR4/K, L/14/0278/0 /31.03.2011

376	Sibiu	ORDEA PRODCOM SRL	TG. MURES, Str. Mioritei, nr. 15, Jud. Mures	J26/826/199 7	9991233	e-mail: office@ordea. ro	Verificare(la deschidere- inchidere) reparare si reglare la: Dispozitive de siguranta	Dnmax = 150mm, pmax = 50bar	SB/CR4/K,L/ 14/2386/1/2 0.10.2022
376	Central	ORDEA PRODCOM SRL	TG. MURES, Str. Mioritei, nr.15, Jud. Mures	J26/826/199 7	CUI 9991233	0265/269256 /261678	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm , pmax=50bar	DISPR/CR4/K, L/14/0754/0 /04.05.2011
377	Central	OVITIN CND AG SRL	PITESTI, Str. Depozitelor, nr.27, Corp C1, camera BP1, Jud. Arges	J03/711/201 1	CUI 28472224	0744124082; 0248/217965	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm , pmax=280bar	DISPR/CR4/K, L/14/2006/0 /20.09.2011
378	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/19 93	CUI 4000500	0244/513214; e-mail: sc_paulus_srl @yahoo.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=25bar, Dnmax=100m m	BV/CR4/K,L/ 14/1020/2/1 0.06.2016

379	Brasov	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, et.1, Jud. Prahova	J29/1233/19 93	CUI 4000500	0244/513214	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=25bar, Dnmax=100m m	BV/CR4/K,L/ 14/1020/1/1 0.07.2012
380	Ploiesti	PAULUS SRL	PLOIESTI, Str. Depoului, nr.6, Jud. Prahova	J29/1233/19 93	RO 4000500	0244/513214 / 595763	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=100m m, Pmax=25bar	PL/CR4/K,L/ 14/0123/0/0 2.08.2010
381	Central	PENAIVIPROD SRL	VASLUI, Str. Bucuresti, bl.400, sc.B, ap.6, Jud. Vaslui	J37/352/201 1	CUI 29128378	0335/401565; 0235/319076	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm , pmax=60bar	BC/CR4/K,L/ 14/1813/1/0 4.12.2017
382	Central	PENAIVIPROD SRL	VASLUI, Str. Bucuresti, bl.400, sc.B, ap.6, Jud. Vaslui	J37/352/201 1	CUI 29128378	0335/401565; 0235/319076	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm , pmax=60bar	DISPR/CR4/K, L/14/3096/0 /21.02.2012

383	Central	PETINSTAL SRL	MARGHITA, Calea Republicii, nr.82A, ap.4, Jud. Bihor	J05/1661/2007	RO 22004062	0728881382; 0359/448197	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm , pmax=20bar	DISPR/CR4/K/14/3498/0/01.03.2012
384	Brasov	PETROGAZ SA	BRASOV, Str. Fanului, nr. 57G, Jud. Brasov	J08/218/1994	CUI 5225276	0268/330915	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm , pmax=350bar	BV/CR4/K,L/14/1596/1/08.08.2016
385	Central	PETROGAZ SA	BRASOV, Str. Hortensiei, nr.73, Jud. Brasov	J08/218/1994	CUI 5225276	0268/330915	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm , pmax=350bar	DISPR/CR4/K,L/14/0690/0/10.05.2011
386	Brasov	PETROGAZ INSPECT SRL	BRASOV, Str. Fanului, nr.57D, Jud. Brasov	J08/489/2009	RO 25294734	0368/459043, 0733689869; e-mail ionita.rsvti.petrogaz@gmail.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm , pmax=60bar	BV/CR4/K,L/14/1575/1/15.02.2022

387	Brasov	PETROGAZ INSPECT SRL	BRASOV, Str. Fanului, nr.57D, Jud. Brasov	J08/489/200 9	RO 25294734	0368/459043; e-mail ionita.rsvti.p etrogaz@gmai l.com	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax=60bar	BV/CR4/K,L/ 14/1575/0/1 6.05.2016
388	Central	PETROM LPG SA	OTOPENI, Str. Aurel Vlaicu, nr.31A, et.2, Jud. Ilfov; Com. BRAZI, Sat NEGOIESTI,	J23/232/201 1	CUI 8037897	021/2035100 /2035105	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax≤32mm, pmax=25bar	DISPR/CR4/K, L/14/0026/1 /16.03.2011
389	Ploiesti	PETROM LPG SA	BUCURESTI, Bd. Ion Ionescu de la Brad, nr.2B, parter, et.4, sector 1; BRAZI, Sat	J40/272/199 6	RO 8037897	021/2035100 / 2035105; 0244/401055 / 401080	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=25bar, Dnmax=32mm	PL/CR4/K,L/ 14/0026/0/0 5.05.2010
390	Oradea	PETROSANTA NDER ROMANIA SRL	ARAD, Str. Academia Teologica, nr.14, Jud. Arad	J02/825/201 0	RO 26889099	0372572423; 0257/252315	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm , pmax=64bar	OR/CR4/K,L/ 14/1218/3/1 9.04.2019

391	Oradea	PETROSANTA NDER ROMANIA SRL	ARAD, Str. Academia Teologica, nr.14, Jud. Arad	J02/825/201 0	RO 26889099	0372572423; 0257/252315	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm , pmax=64bar	OR/CR4/K,L/ 14/1218/2/2 2.08.2017
392	Oradea	PETROSANTA NDER ROMANIA SRL	ARAD, Str. Academia Teologica, nr.14, Jud. Arad	J02/825/201 0	RO 26889099	0372572425; 0257/252315	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm , pmax=64bar	OR/CR4/K,L/ 14/1218/1/1 6.10.2013
393	Central	PETROSANTA NDER ROMANIA SRL	ARAD, Str. Academia Teologica, nr.14, Jud. Arad	J02/825/201 0	RO 26889099	0372572425; 0257/252315	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm , pmax=64bar	DISPR/CR4/K, L/14/1177/0 /20.06.2011
394	Bucuresti	PIFATI SA	BUCURESTI, Str. Iovita, nr. 11, et. 2, camere 4-9, sector 5	J40/1100/19 91	CUI 401517	021/4104600 / 4100638; e- mail office@pifati. ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax=64bar	B/CR4/K,L/1 4/0138/1/20. 05.2016 retragere voluntară începând cu data de 05.03.2020

395	Bucuresti	PIFATI SA	BUCURESTI, Str. Ion Urdareanu, nr.32, sector 5	J40/1100/19 91	CUI 401517	021/4106645 / 4100638	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax=64bar	B/CR4/K,L/1 4/0138/0/09. 07.2010
396	Oradea	PITYU TERMOSERVIC E S.R.L.	PETROSANI, Str. Aviatorilor, bl. 54A, sc. 3, parter, ap. 30, Jud. Hunedoara	J20/123/200 7	CUI 20744536	0254/541510	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150m m, pmax=40bar	OR/CR4/K,L/ 14/1149/1/1 4.09.2015
397	Oradea	PITYU TERMOSERVIC E S.R.L.	PETROSANI, Str. 1 Decembrie 1918, bl.101, sc.1, et.3, ap.22, Jud. Hunedoara	J20/123/200 7	CUI 20744536	0254/541510	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150m m, pmax=40bar	OR/CR4/K,L/ 14/1149/0/2 3.05.2013
398	Bacau	PLUS EXPERT SSO SRL	LISAURA, Com. Ipotesti, Str. Gheorghe Mihuta, nr. 15A, Jud. Suceava;	J33/661/201 1	CUI 28829484	0330803911, 0330803910	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax=25bar	BC/CR4/K,L/ 14/1752/2/0 7.12.2021

399	Bacau	PLUS EXPERT SSO SRL	LISAURA, Com. Ipotesti, Str. Gheorghe Mihuta, nr. 15A, Jud. Suceava; SUCEAVA, str	J33/661/201 1	CUI 134991191	0330803911, 0330803910	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax=25bar	BC/CR4/K,L/ 14/1752/1/1 3.04.2020
400	Bacau	PLUS EXPERT SSO SRL	LISAURA, Com. Ipotesti, Str. Gheorghe Mihuta, nr. 15A, Jud. Suceava; LISAURA, Str.	J33/661/201 1	RO 28829484	0743171782; e-mail plus_expert@ yahoo.com; 0330/803911 /803910	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax=25bar	BC/CR4/K,L/ 14/1752/0/1 2.04.2017
401	Bacau	PLUS TEST SRL	FOCSANI, Al. Echitatii, nr. 17, bl. I 11, parter, ap. 1, Jud. Vrancea	J39/335/201 4	RO 33335452	0763261641; e-mail verificaritehn ice@yahoo.co m	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤250m m, pma<x=25bar	BC/CR4/K,L/ 14/1769/0/1 2.06.2017
402	Bacau	PLUSSERVICE SRL	FOCSANI, Str. Bucegi, nr.13, bl.13, ap.12, Jud. Vrancea; FOCSANI, Str. 1 Decembrie	J39/678/200 3	RO 15818661	0744635244; e-mail: verificaritehn ice@yahoo.co m	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Verificari tehnice , reglare : pmax=100bar , Dnmax=250m m; Reparare :	BC/CR4/K,L/ 14/1049/2/2 3.09.2013

403	Bacau	PLUSSERVICE SRL	FOCSANI, Str. Bucegi, nr.13, bl.13, ap.12, Jud. Vrancea	J39/678/2003	RO 15818661	0744635244	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=50bar, Dnmax=250mm	BC/CR4/K,L/14/1049/1/20.09.2012
404	Galati	PLUSSERVICE SRL	FOCSANI, Str. Bucegi, nr.13, Jud. Vrancea	J39/678/2003	RO 15818661	0237/225019	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DNmax=250mm, pmax=50bar	GL/CR4/K,L/14/0125/0/17.12.2010
405	Central	POLTISAN SRL	BRASOV, Str. Anghel Saligny, nr.3, Jud. Brasov	J08/1145/2004	CUI 16446841	0268/416440	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax≤150mm, pmax≤40bar	DISPR/CR4/K,L/14/0648/0/08.04.2011
	BUCURESTI	POLYSERVICE EXPERT SRL	BRAGADIRU, str. Prelungirea Ghencea, nr. 37K, parter, ap. 1, jud. Ilfov	J23/2853/2010	RO 27652944	0744.878.902 / 0314.355.702 ; e-mail: marius@expert.ro	Verificare(la deschidere-inchidere) reparare si reglare la: Dispozitive de siguranta	pmax = 32bar, Dnmax = 80mm	B/CR4/K,L/14/4072/0/03.10.2022

406	Oradea	PRECADIS SRL	TIMISOARA, Str. Simion Barnutiu, nr. 61, Jud. Timis	J35/185/199 4	CUI 5187253	0256/206567, 0744616873	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm , pmax=40bar	OR/CR4/K,L/ 14/1702/0/2 8.06.2019
407	Oradea	PRECOTTI SRL	TIMISOARA, str. Memorandulu i, nr.1, etaj P, SAD nr.2, Jud Timiş	J35/511/200 5	CUI 17250621	0356459350, 0722209279/ 0356459350	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=40bar, DNmax=150m m	OR/CR4/K,L/ 14/1766/0/0 7.08.2020
408	Cluj	PRESTAREA SCM	SIMLEU SILVANIEI, Str. Gradinilor, nr.2, Jud. Salaj	C31/38/2005	RO 687541	0260/678934	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=100mm, Pmax=25bar	CJ/CR4/K/14 /0069/0/26.0 8.2010
409	Bucuresti	01 PROCONSTRU CTO TOP SERVICES GROUP SRL	BUCURESTI, Str. Drumeagului, nr. 10, sector 3	J40/8614/20 15	CUI 34774030	031/4241586; e-mail office@proco nstructo.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=200m m, pmax=200bar	B/CR4/K,L/1 4/3240/0/27. 04.2018

410	Cluj	PROGAZ INSTAL SRL	BISTRITA, Str. N. Titulescu, nr.21, ap.4, Jud. Bistrita Nasaud	J06/263/200 0	RO 13374422	0263/233713	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=150mm, Pmax=60bar	CJ/CR4/K,L/ 14/0121/0/1 8.11.2010
411	Central	PROIMSAT SA	RM. VALCEA, Str. Industriilor, nr.2, Jud. Valcea	J38/1558/19 92	CUI 2989104	0250/733390; 0250/730231; 0350/401697	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=50m m, pmax=16bar	DISPR/CR4/K, L/14/2166/0 /12.10.2011- retragere voluntara incepand cu 03.08.2017
412	Central	RAAN - Suc. ROMAG PROD	DR. TN. SEVERIN, Cal. Tg. Jiului, Km 7, Jud. Mehedinti	J25/282/199 8	CUI 10882725	0252/311250 /317908	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm , pmax=250bar	DISPR/CR4/K, L/14/1094/0 /09.06.2011
413	Bucuresti	RAAN - Suc. ROMAG PROD	DR. TN. SEVERIN, Str. Nicolae Iorga, nr.1, Jud. Mehedinti; Com. Izvoru Barzii, Sat	J25/282/199 8; J25/300/199 8	CUI 10882752; CUI 12611350	0252/323666 / 323066; 0252/311250 / 317908	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm , pmax=64bar	B/CR4/K,L/1 4/1975/1/20. 01.2014

414	Ploiesti	RAFINARIA STEAUA ROMANA SA	CIMPINA, Cal. Doftanei, nr.15, Jud. Prahova	J29/148/199 1	RO 1322632	0244/336151 /337341	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=100bar , Dnmax=200m m	PL/CR4/K,L/ 14/0233/0/1 8.11.2010
415	Bacau	RAFO SA	ONESTI, Str. Industiilor, nr.3, Jud. Bacau	J04/538/199 1	CUI 958772	0234/303303 / 315640	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=200bar , Dnmax=250m m	BC/CR4/K,L/ 14/0077/1/2 5.04.2013
416	Brasov	RAIL LOGISTIC SRL	BRAZI, Sat Negoiesti, Str. Piatra Craiului, nr. 13, Jud. Prahova	J40/11417/2 014	CUI 18647191	0373550080; 0373550073; e-mail office@rail- logistic.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=40bar, Dnmax=219m m	BV/CR4/K,L/ 14/1628/1/1 6.10.2017
417	Brasov	RAIL LOGISTIC SRL	BUCURESTI, Sos. Mihai Bravu, nr. 296, sc. B, et. 8, ap. 68, sector 3; BRAZI, Sat Negoiesti,	J40/11417/2 014	CUI 18647191	0373550080; 0373550073; e-mail office@rail- logistic.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=40bar, Dnmax=219m m	BV/CR4/K,L/ 14/1628/0/2 2.12.2016

418	Bacau	RCA MOLDOTERM SRL	IASI, Aleea Tudor Neculai, nr.99, bl. 989A, sc.B, et.4, ap.18, Jud. Iasi	J22/1741/20 04	CUI 16698164	0332/808738 /808739	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=150m m, pmax=40bar	BC/CR4/K,L/ 14/1669/1/1 8.05.2016
419	Central	RCA MOLDOTERM SRL	IASI, Aleea Tudor Neculai, nr.99, Jud. Iasi	J22/1741/20 04	CUI 16698164	0332/808739	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=150m m, pmax=40bar	DISPR/CR4/K, L/14/0681/0 /05.05.2011
420	Central	REAL INSTAL SRL	JILAVA, Sos. Giurguiului, nr.169, camera 2, Jud. Ilfov	J23/2900/20 07	CUI 22664298	0746255688; 0318/167308	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm , pmax=50bar	DISPR/CR4/K, L/14/0801/0 /18.05.2011
421	Sibiu	TERMOFICARE NAPOCA SA (fost REGIA AUTONOMA DE TERMOFICARE)	CLUJ NAPOCA, Str. 21 Decembrie 1989, nr.79, Jud. Cluj	J12/338/199 1	CUI 201330	0264/503703 /503722; e- mail rat@ratcj.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm , pmax=16bar	SB/CR4/K,L/ 14/1989/3/2 7.08.2019

422	Sibiu	REGIA AUTONOMA DE TERMOFICARE	CLUJ NAPOCA, Str. 21 Decembrie 1989, nr.79, Jud. Cluj	J12/338/199 1	CUI 201330	0264/503703 /503722, 0734220835; e-mail rat@ratcj.ro, ioan.duca@ra tcj.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm , pmax=16bar	SB/CR4/K,L/ 14/1775/2/1 4.12.2017
423	Sibiu	REGIA AUTONOMA DE TERMOFICARE	CLUJ NAPOCA, Str. 21 Decembrie 1989, nr.79, Jud. Cluj; CLUJ NAPOCA, Str.	J12/338/199 1	CUI 201330	0264/503703 /503722; e- mail rat@ratcj.ro	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm , pmax=16bar	SB/CR4/K,L/ 14/1482/1/2 3.07.2015
424	Central	REGIA AUTONOMA DE TERMOFICARE	CLUJ NAPOCA, Str. 21 Decembrie 1989, nr.79, Jud. Cluj; CLUJ NAPOCA, Str.	J12/338/199 1	CUI 201330	0264/503703 /503722	Verificare(la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm , pmax=16bar	DISPR/CR4/K, L/14/0740/0 /20.04.2011
425	Bucuresti	REGIO IMPEX SRL	BUCURESTI, Str. Gradistea Florestilor, nr.14, sector 2	J40/8215/19 91	CUI 1594483	021/2246634; 021/2029285, email office@regioi mpex.ro	Verificare (la deschidere- inchidere) la dispozitive de siguranta	DNmax=300m m, pmax=200bar	B/CR4/K/14/ 0425/2/21.10 .2020

426	Bucuresti	REGIO IMPEX SRL	BUCURESTI, Str. Gradistea Florestilor, nr.14, sector 2	J40/8215/1991	CUI 1594483	021/2246634; 021/2029285	Verificare (la deschidere-inchidere) la dispozitive de siguranta	DNmax=32mm, pmax=40bar	B/CR4/K/14/0425/1/16.06.2014
427	Brasov	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0722612696, 0744204754, 315, 0244/546031; e-mail: office@remero.ro	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax≤350mm, pmax≤200bar	BV/CR4/K,L/14/1327/2/06.09.2019
428	Brasov	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0244/546229; 0244/546031; e-mail: remero@yahoo.com	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax≤350mm, pmax≤200bar	BV/CR4/K,L/14/1327/1/21.10.2014
429	Central	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0244/546224; interior 310; 315; 0244/546031	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax≤350mm, pmax≤200bar	DISPR/CR4/K,L/14/2008/0/24.04.2012

430	Central	REMERO FIL SA	BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0244/546221/546031	Verificare(la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200mm, pmax=200bar	DISPR/CR4/K, L/14/2008/1/12.12.2011
431	Central	REMERO FIL SA	Com. BRAZI, Sat Brazii de Sus, Str. Trandafirilor, nr.91, Jud. Prahova	J29/322/2000	CUI 12911480	0244/546221/546031	Verificare (la deschidere-inchidere) dispozitive de siguranta	Dnmax=200mm, pmax=200bar	DISPR/CR4/K/14/2008/0/23.09.2011
432	București	REMONT SRL	CONSTANȚA, alea Garofiței, nr. 11A, Jud. Constanța	J13/5695/1992	CUI 2753846	0241558900, 0241692260	Verificare (la deschidere-inchidere) dispozitive de siguranta	pmax≤20bar, Dnmax≤80mm	B/CR4/K/14/3792/0/19.01.2021
433	Brasov	REVAG SRL	PLOIESTI, Str. Industriei, nr.4, Jud. Prahova	J29/687/2001	CUI 14071494	0244/572777	Verificari tehnice la inchidere -deschidere , reglarea si repararea supapelor de siguranta	pmax=100bar , Dn=200mm	BV/CR4/K,L/14/1115/0/28.02.2013

434	Bucuresti	REVICOM OIL SRL	BUCURESTI, B-du! Timișoara, nr. 27, bloc H, scara 1, etaj 6, ap. 20, sector 6	J40/25661/1994	6645189	021.250.64.40/021.250.88.70; e-mail: office@revicomoil.ro	Verificare (la deschidere-inchidere) reparare si reglare la: Dispozitive de siguranta	pmax= 100 bar, Dnmax= 100 mm	B/CR4/K,L/14/2288/3/25.03.2022
434	Bucuresti	REVICOM OIL SRL	BUCURESTI, Str. Vistiernicul Stavrinis, nr.21, sector 6	J40/25661/1994	RO 6645189	021/2503074 / 2508870; e-mail office@revicomoil.ro	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=150bar , Dn=40mm	B/CR4/K,L/14/2288/2/27.05.2019
435	Bucuresti	REVICOM OIL SRL	BUCURESTI, Str. Vistiernicul Stavrinis, nr.21, sector 6	J40/25661/1994	RO 6645189	021/2503074 / 2508870; e-mail office@revicomoil.ro	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=150bar , Dn=40mm	B/CR4/K,L/14/2288/1/04.11.2016
436	Bucuresti	REVICOM OIL SRL	BUCURESTI, Str. Vistiernicul Stavrinis, nr.21, sector 6; BUCURESTI, Str.	J40/25661/1994	RO 6645189	021/2503074 / 2508870	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=150bar , Dn=40mm	B/CR4/K,L/14/2288/0/16.09.2014

437	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta; CONSTANTA, Bd. Aurel Vlaicu, nr.4-	J13/2053/20 01	RO 14320668	0241/586406 /586448	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax≤250mm , pmax≤250bar	B/CR4/K,L/1 4/1770/4/21. 01.2019- Suspendare voluntara incepand cu 24.07.2019
438	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta; CONSTANTA, Bd. Aurel Vlaicu,	J13/2053/20 01	RO 14320668	0241/586406 /586448	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax≤250mm , pmax≤250bar	B/CR4/K,L/1 4/1770/3/20. 07.2018- Suspendare voluntara incepand cu 24.07.2019
439	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta; CONSTANTA, Bd. Aurel Vlaicu,	J13/2053/20 01	RO 14320668	0241/586406 /586448	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm , pmax=200bar	B/CR4/K,L/1 4/1770/2/04. 02.2015- Suspendare voluntara incepand cu 24.07.2019
440	Bucuresti	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta; CONSTANTA, Bd. Aurel Vlaicu,	J13/2053/20 01	RO 14320668	0241/586406 /586448	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm , pmax=200bar	B/CR4/K,L/1 4/1770/1/27. 08.2013- Suspendare voluntara incepand cu 24.07.2019

441	Central	RIG SERVICE SA	CONSTANTA, Str. Marc Aureliu, nr.18, Jud. Constanta; CONSTANTA, Bd. Aurel Vlaicu,	J13/2053/2001	RO 14320668	0241/586406 /586448; 0722681690	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax≤150mm , pmax≤150bar	DISPR/CR4/K, L/14/2989/0 /13.02.2012-Suspendare voluntara incepand cu 24.07.2019
442	Iasi	RIGAB SRL	IASI, Bd. T. Vladimirescu, nr.105, sc.A, ap.4, Jud. Iasi	J22/758/2004	RO 16333338	0332/800709 /800708	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=420bar , Dn max=600mm	IS/CR4/K,L/14/0151/0/08. 12.2010
443	Bacau	RIGAB SERVICE SRL	IASI, str. Hlincea, nr.38 (tronson 4), parter, bl.1002, sc.D, ap.2, Jud. Iasi	J22/1054/2012	CUI 30361449	0745784513, email: scrigab@yahoo.com	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=600bar , DNmax=600mm	BC/CR4/K,L/14/1456/1/2 9.03.2021
444	Bacau	RIGAB SERVICE SRL	IASI, B-dul Tudor Vladimirescu , nr. 105, sc. A, parter, ap. 4, Jud. Iasi	J22/1054/2012	CUI 30361449	0332/800709, 800708	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=600bar , Dn max=600mm	BC/CR4/K,L/14/1456/0/1 3.06.2014

445	Brasov	RO STEAM IT SRL	BRASOV, Str. Neagoe Basarab. Nr. 37, Jud. Brasov	J08/1863/2017	RO 37880680	0368/414123; e-mail rosteamit@gmail.com	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=250bar , Dn max=250mm	BV/CR4/K,L/14/1694/0/13.09.2017
446	Oradea	ROAMBRA COMPANY SRL	TIMISOARA, Str. Simion Barnutiu, bl.81, et.1, ap.2, Jud. Timis	J35/1120/1999	CUI 12493930	0356/179990	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=250bar , Dn max3600mm	OR/CR4/K,L/14/1225/0/01.11.2013
447	Central	ROBERT BOSCH SRL	BUCURESTI, Str. Horia Macelariu, subsol+parter +1,2, nr. 30-34, et.4, sector 1	J40/7601/1994	CUI 5541546	021/4057500/2331313	Verificare (la deschidere-inchidere) dispozitive de siguranta	Dmax≤150mm , pmax≤16bar	DISPR/CR4/K/14/0711/0/06.05.2011-suspendare voluntara incepand cu 05.12.2019
448	Ploiesti	ROC ROMANIAN OIL COMPANY SRL	PLOIESTI, Str. Carpati, bl.33H, ap.21, Jud. Prahova	J29/2721/1993	RO 4891861	0244/591811	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=40bar, Dnmax=150mm	PL/CR4/K,L/14/0223/0/02.11.2010

449	Bucuresti	ROHRER OILFIELD SERVICES SRL	CONSTANTA, B-dul Regina Elisabeta, nr 2B, Zona Poarta 1, etaj 4, Jud Constanța	J13/3280/20 19	RO 41202155	0341456211/ 0341456376, email: office.ros@ro hrer-grp.com	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax≤250mm , pmax≤250bar	CT/CR4/K,L/ 14/0031/2/1 8.03.2022
450	Bucuresti	ROHRER OILFIELD SERVICES SRL	CONSTANTA, B-dul Regina Elisabeta, nr 2B, Zona Poarta 1, etaj 4, Jud Constanța	J13/3280/20 19	RO 41202155	034145621/0 341456376, email office.ros@ro hrer-grp.com	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax≤250mm , pmax≤250bar	B/CR4/K,L/1 4/3458/1/12. 03.2020
451	Bucuresti	ROHRER OILFIELD SERVICES SRL	BUCURESTI, Str. Tablitei, nr. 1, parter, camera 1, sector 1; CONSTANTA, Bd. Aurel Vlaicu, nr. 4-	J40/7171/20 19	CUI 41202155	021/4110053 / 4100946	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax≤250mm , pmax≤250bar	B/CR4/K,L/1 4/3458/0/19. 07.2019
452	Bucuresti	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere,nr. 3- 5, cladire City Gate Northern Tower, et. 3, sector 1	J40/8331/20 01	RO 14208851	021/2723660; 021/3140897; e-mail office@romin serv.com	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=3500ba r, Dmax=400mm	B/CR4/K,L/1 4/3251/2/29. 06.2021

453	Bucuresti	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere,nr. 3-5, cladire City Gate Northern Tower, et. 3, sector 1;	J40/8331/2001	RO 14208851	021/2723660; 021/3140897; e-mail office@rominserv.com	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=3500bar, Dmax=400mm	B/CR4/K,L/14/1325/1/30.03.2018
454	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1	J40/8331/2001	CUI 14208851	0744686811	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=64bar, Dmax=150mm	DISPR/CR4/K,L/14/0223/0/22.03.2010
455	Central	ROMINSERV SRL	BUCURESTI, P-ta Presei Libere, nr.3-5, cladire City Gate Northern Tower, et.3, sector 1;	J40/8331/2001	RO 14208851	021/2723660/3140897	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax≤400mm , pmax≤3500bar	DISPR/CR4/K,L/14/3482/0/19.04.2012
456	Sibiu	ROS LEVY SRL	CLUJ-NAPOCA, str. Aleea Borsa, nr.3, ap.39, jud. Cluj; COM. FELEACU, sat Gheorghieni,	J12/282/2009	CUI 25084120	0722456649, email: ioan.nyerges@gmail.com	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=63mm , pmax=15bar	SB/CR4/K,L/14/2100/0/09.09.2020

457	Bacau	ROTHERM GRUP SRL	IASI, Bd. C.A. Rosetti, nr. 1, bl. 304, sc. II, parter, Jud. Iasi	J22/825/2000	CUI 13499191	0232/276655/276666	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax=30bar	BC/CR4/K,L/14/1597/2/04.02.2020
458	Bacau	ROTHERM GRUP SRL	IASI, Bd. C.A. Rosetti, nr. 1, bl. 304, sc. II, parter, Jud. Iasi	J22/825/2000	CUI 13499191	0232/276655/276666	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax=30bar	BC/CR4/K,L/14/1597/1/14.12.2016
459	Bacau	ROTHERM GRUP SRL	IASI, Bd. C.A. Rosetti, nr. 1, bl. 304, sc. II, parter, Jud. Iasi	J22/825/2000	CUI 13499191	0232/276655	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤100m m, pmax≤30bar	BC/CR4/K,L/14/1597/0/22.09.2015
460	Bucuresti	ROVEM INSPECT RSVTI SRL	PITESTI, Str. Marasesti, nr. 7, bl. 6, sc. A, ap. 13, Jud. Arges	J3/683/2012	CUI 30219682	0740807872, e-mail marian_vilculescu@yahoo.com	Verificare la inchidere -deschidere a supapelor de siguranta	P≤30bar, DN≤100mm	B/CR4/K/14/3533/0/27.08.2019

461	Brasov	RSVTI BOB SRL	BRASOV, Str. De Mijloc, nr. 84, Birou 2, Jud. Brasov	J08/122/2010	CUI 26467043	0733011080, e-mail rsvti.brasov@yahoo.com	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤100mm, pmax≤60bar	OR/CR4/K,L/1837/0/02.10.2019
462	Bucuresti	RSVTI CONCEPT SRL	BUCURESTI, Str. Baiculesti, nr. 25, bl. E 13, sc. A, et. 1, sector 1	J40/8448/2009	CUI 25835180	0766575321, e-mail rsvticconcept2010@gmail.com	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax≤40bar	B/CR4/K,L/14/3495/0/20.08.2019
463	Central	RSVTI CONCEPT SRL	BUCURESTI, Str. Ioan Caragea Voda, nr.14, camere 1,2, sector 1	J40/8448/2009	CUI 25835180	031/1078370	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax≤40bar	DISPR/CR4/K,L/14/0177/0/14.03.2011
464	Central	RUS MIRS SRL	TIMISOARA, Str. Ana Ipatescu, nr.6, sc.C, ap.1, Jud. Timis	J35/403/2008	RO 23222006	0356/426045	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=64bar	DISPR/CR4/K,L/14/1012/0/01.06.2011

	Brasov	R&V INSTAL BRASOV SRL	SACELE, B- dul George Moroianu, Nr. 316, Jud. Brasov	J8/1934/201 2	RO 31000086	0729/449294; e-mail: rvinstal@gmail. l.com	Verificare (la deschidere- inchidere), Reparare si Reglare: Dispozitive de siguranta	D≤150mm, p≤30bar	BV/CR4/K,L/ 14/1988/0/0 3.06.2022
465	Ploiesti	SAFETYPRO VALVE SRL	TARGOVISTE, Str. Capitan Constantinesc u Ion, nr.3A, Jud. Dambovita	J15/424/200 9	RO 25670839	0245/206114 / 206115	Verificare la inchidere -deschidere a supapelor de siguranta	P≤700bar, DN≤500mm	PL/CR4/K/14 /0003/0/13.0 4.2010
466	Bucuresti	SAFETYPRO VALVE SRL	TARGOVISTE, Str. Capitan Constantinesc u Ion, nr.3A, Jud. Dambovita	J15/424/200 9	RO 25670839	0245/206114 / 206115	Verificare la inchidere -deschidere a supapelor de siguranta	P≤700bar, DN≤500mm	B/CR4/K,L/1 4/1723/1/30. 07.2013
467	Central	SAGIO IMPEX SRL	PIATRA NEAMT, Aleea Margaretelor, nr.17, sc.A, et.2, ap.10, Jud. Neamt	J27/578/199 5	RO 7539356	0233/211142; 0744697050	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=65mm, pmax=10bar	DISPR/CR4/K, L/14/3322/0 /21.03.2012

468	Sibiu	SAGUNTO IMPEX SRL	CLUJ NAPOCA, Str. Streiuului, nr. 1, bl. A14, ap. 24, Jud. Cluj; CLUJ NAPOCA, Str. Nirajului, nr.	J12/230/200 2	RO 14434979	0744706585; 0264/412409; e-mail saguntocluj@ yahoo.com	Verificare la inchidere -deschidere a supapelor de siguranta	Pmax=15bar, DNmax=100m m	SB/CR4/K/14 /1476/0/02.0 7.2015
469	Oradea	SAMGEC SRL	SATU MARE, Str. Lucian Blaga, nr. 85A, Jud. Satu Mare	J30/1757/19 94	CUI 6593861	0746237923; 0261/760080	Verificare (la deschidere- inchidere) dispozitive de siguranta	Dmax≤250mm , pmax≤25bar	OR/CR4/K/14 /1528/1/04.0 4.2017
470	Central	SAMGEC SRL	SATU MARE, Str. Petru Maior, nr.32, Jud. Satu Mare; SATU MARE, Str. Lucian Blaga, nr.85A, Jud.	J30/1757/19 94	CUI 6593861	746237923; 0261/760080	Verificare (la deschidere- inchidere) dispozitive de siguranta	Dmax≤250mm , pmax≤25bar	DISPR/CR4/K /14/0485/0/ 07.04.2011
471	Oradea	SC LINDE GAZ ROMÂNIA SRL	TIMIȘOARA, str Avram Imbroane, nr 9, Jud Timiș	J35/1149/19 96	CUI 8721959	0256300700, fax 0256225608	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax≤50mm, pmax≤100bar	OR/CR4/K,L/ 14/1515/1/1 0.01.2020

472	Brasov	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761/199 4	RO 5420374	0723276995, 0372/000403	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax≤25bar, Dn≤200mm	BV/CR4/K,L/ 14/1684/1/0 2.08.2017
473	Ploiesti	SERBAN INDUSTRIAL CONSTRUCT SRL	PLOIESTI, Str. Valeni, nr.97, Jud. Prahova	J29/761/199 4	RO 5420374	0244/544707 /519648	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax≤25bar, Dn≤200mm	PL/CR4/K,L/ 14/0260/0/0 6.12.2010
474	Central	SERCOP AND SRL	CAMPULUNG , Str. Fratii Golesti, nr.72, Jud. Arges	J03/2132/19 94	RO 6749864	0248/510628	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax≤200mm , pmax≤100bar	DISPR/CR4/K, L/14/0994/0 /16.06.2011
475	Central	SERVICII ELECTROMECH ANICE SRL	CRAIOVA, Cal. Bucuresti, nr.166, Jud. Dolj	J16/1427/20 05	CUI 17762109	0251/437033; 0745378660	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm , pmax=100bar	DISPR/CR4/K, L/14/1527/0 /08.07.2011

476	Bucuresti	SERVICII ELECTROMECHANICE SRL	GHERCESTI, Str. Aviatorilor, nr.10, Jud. Dolj	J16/1427/20 05	RO 17762109	0745378660; 0251/437033	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, Pmax≤100bar	B/CR4/K,L/14/1253/1/14.01.2013
477	Central	SERVINSTAL SRL	TG. MURES, Str. 22 Decembrie 1989. nr. 51/7, Jud. Mures	J26/1177/20 03	CUI 15742741	0265/259259	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150mm, pmax=25bar	DISPR/CR4/K,L/14/2439/0/21.11.2011
478	Bucuresti	SERVINSTAL ENGINEERING SRL	VOLUNTARI, Str. George Bacovia, nr. 21A, Jud. Ilfov	J23/683/201 2	RO 27792271	0723361758; e-mail office@serveng.ro	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=65bar	B/CR4/K,L/14/2001/0/07.10.2016
	Bucuresti	SIAD ROMANIA SRL	BUCURESTI, Str. Drumul Osiei, Nr. 75- 79, Sector 6	J40/1056/19 96	RO 8184529	0213103658	Verificare la Deschidere- Inchidere, Reparare si Reglare a dispozitivelor de siguranta (supape de	Dnmax=50mm, Pnmax=70bar	B/CR4/K,L/14/4002/0/06.05.2022

479	Central	SIMPRESS SRL	SIBIU, Str. Lemnelor, nr.3, Jud. Sibiu	J32/1830/1991	CUI 789630	0269/206748	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=60mm, pmax=25bar	DISPR/CR4/K, L/14/2056/0/28.09.2011
480	Bacau	SIONTECH 2006 SRL	COM. PANGARATI, Sat Pangaracior, nr.458, Jud. Neamt	J27/1223/2006	CUI 19121739	0745343098; e-mail office@siontech.ro	Verificare (la deschidere-inchidere) dispozitive de siguranta	Dmax≤100mm, pmax≤65bar	BC/CR4/K/14/1696/1/09.09.2016
481	Central	SIONTECH 2006 SRL	COM. PANGARATI, Sat Pangaracior, nr.458, Jud. Neamt	J27/1223/2006	CUI 19121739	0233/256492	Verificare (la deschidere-inchidere) dispozitive de siguranta	Dmax≤60mm, pmax≤60bar	DISPR/CR4/K/14/0446/0/14.04.2011
482	Central	SIR CONSTRUCT SRL	AIUD, Str. Faget, nr.5A, Jud. Alba	J01/85/2000	CUI 12837243	0757677015; 0258/860891	Verificare (la deschidere-inchidere) dispozitive de siguranta	Dmax=100mm, pmax=20bar	DISPR/CR4/K/14/1414/0/11.07.2011

483	Timisoara	SISTEMGAS SRL	TIMISOARA, Str. Sulina, nr. 10, Jud. Timis	J35/3109/1994	CUI 6470320	0256.496.393 ; 0256.496.393	Verificare (la deschidere-inchidere) reparare si reglare a dispozitivelor de siguranta	pmax = 25bar, DNmax = 65mm	TM/GR4/K,L/14/075/2/01.08.2022
483	Oradea	SISTEMGAS SRL	TIMISOARA, Str. Sulina, nr.10, Jud. Timis	J35/3109/1994	CUI 6470320	0256/496393	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=65mm , pmax=25bar	OR/CR4/K,L/14/1154/1/28.05.2013
484	Bucuresti	SISTEMPLAST SA	RM. VALCEA, Str. Uzinei, nr.1, Jud. Valcea	J38/11/1999	CUI 11438007	0250/701501 / 701504	Verificare (la deschidere-inchidere) dispozitive de siguranta	Dnmax=450m m, pmax=400bar	B/CR4/K/14/1946/0/10.12.2013
485	Sibiu	SNGN ROMGAZ - Sucursala de Productie Energie Electrica Iernut	IERNUT, Str. Energeticii, nr.1, Jud. Mures	J26/194/2013	RO 14056826	0265/471333 / 471388	Verificare(la deschidere-inchidere) dispozitive de siguranta	Dnmax=250m m, pmax=150bar	SB/CR4/K,L/14/1296/0/17.04.2014

486	Bucuresti	SSH HIDROSERV SA	BUCURESTI, Str. Constantin Nacu, nr.3, et. 3-5, sector 2	J40/9762/20 13	RO 32097794	0372479400, 0372479498; e-mail office@hidros erv.ro	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax=100bar	B/CR4/K,L/1 4/1928/3/15. 04.2022
487	Bucuresti	SSH HIDROSERV SA	BUCURESTI, Str. Constantin Nacu, nr.3, et. 3-5, sector 2	J40/9762/20 13	RO 32097794	0372479400, 0372479498; e-mail office@hidros erv.ro	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax=100bar	B/CR4/K,L/1 4/1928/2/29. 05.2019
488	Bucuresti	SOCIETATEA DE SERVICII HIDROENERG ETICE HIDROSERV SA	BUCURESTI, Str. Constantin Nacu, nr.3, et. 3-5, sector 2	J40/9762/20 13	RO32097794	021/3110612	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax=100bar	B/CR4/K,L/1 4/1928/1/20. 11.2014
489	Bucuresti	SOCIETATEA ELECTROCEN TRALE CONSTANTA SA	CONSTANTA, bd Aurel Vlaicu, nr 123, Jud Constanta	J13/23/2015	CUI 33636420	0241585300/ 0241693916	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax≤200bar ; DNmax≤300m m	B/CR4/K/14/ 2484/1/25.11 .2020

490	Bucuresti	SOCIETATEA HIDROELECTR ICA SERV SA	BUCURESTI, Str. Constantin Nacu, nr.3, et. 3-5, sector 2	J40/9762/20 13	RO32097794	021/3110612	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax=100bar	B/CR4/K,L/1 4/1928/0/13. 11.2013
491	București	SOCIETATEA NAȚIONALĂ NUCLEARELEC TRICA SA	BUCUREȘTI, str Polonă, nr 65, sector 1; CERNAVODĂ, str. Medgidiei, nr.2, jud	J40/7403/19 98	CUI 10874881	0212038200/ 0213169400; 0241239340, 0241239346, 0241239266	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax≤420bar , DNmax≤600m m	B/CR4/K,L/1 4/3793/1/17. 12.2020
492	București	SOCIETATEA NAȚIONALĂ NUCLEARELEC TRICA SA	BUCUREȘTI, str Polonă, nr 65, sector 1; MIOVENI, Str. Cimpului, nr.1, Jud. Arges	J40/7403/19 98	CUI 10874881	-	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤200m m, pmax≤40bar	B/CR4/K,L/1 4/1860/1/11. 12.2019
493	Bucuresti	SOF INSTAL PROIECT SRL	POPESTI LEORDENI, Str. Astrelor, nr. 12, parter, Jud. Ilfov	J23/27/2015	CUI 33942730	0773791207; 031/4315156	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200m m, pmax=50bar	B/CR4/K,L/1 4/2409/0/19. 01.2015

494	Central	SOLINVEST SRL	GALATI, Str. Alunisului, nr.12, Jud. Galati	J17/1274/19 92	CUI 1630667	0336/802549; 0236/456134	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm , pmax=250bar	DISPR/CR4/K, L/14/0609/0 /22.04.2011
495	Central	SOLO PROD SRL	BUZAU, Str. Orizontului, nr.206, Jud. Buzau	J10/2260/19 94	CUI 6446054	0238/720038; 0338/111540	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax≤200mm , pmax≤40bar	DISPR/CR4/K, L/14/2542/0 /20.12.2011
496	Bucuresti	STANDARD CSL SRL	Comuna CHIRNOGI, Str. Peluzei, nr.7, Jud. Calarasi	J51/736/200 5	RO 18180877	0242/524223; 0727856273	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=60mm, pmax=22bar	B/CR4/K,L/14/2133/0/30. 04.2014
497	Central	STAVAS CONSULTING SRL	SLOBOZIA, Varianta Bucuresti - Constanta, Km 66, Corp C3, Jud. Ialomita	J21/468/200 7	CUI 22210224	0243/221184	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=300mm , pmax=150bar	DISPR/CR4/K, L/14/2856/0 /25.01.2012

498	Bucuresti	TEHNIC SERV SRL	GIURGIU, Sos. Sloboziei, Km 4, Jud. Giurgiu	J52/355/200 3	CUI 15804550	0246/217863 / 217209	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=125mm, pmax=64bar	B/CR4/K,L/1 4/0047/0/03. 06.2010
499	Central	TEHNITES SRL	BOTOSANI, Aleea Curcubeului, nr.15, sc.E, et.1, ap.4, Jud. Botosani; BOTOSANI,	J07/147/200 0	CUI 13197304	0231/584964	Verificare (la deschidere- inchidere) dispozitive de siguranta	Dmax=100mm , pmax=16bar	DISPR/CR4/K, L/14/2888/0 /31.01.2012
500	Central	TEHNITES SRL	BOTOSANI, Aleea Constantin Piliuta, nr.1B, cam.1, Jud. Botosani	J07/147/200 0	CUI 13197304	0231/584964	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm , pmax=16bar	BC/CR4/K,L/ 14/1265/1/1 3.06.2013
501	Bucuresti	TEHNO MOD GRUP SRL	MANGALIA, Str. Muncelului, nr.1, Jud. Constanta	J13/3263/20 07	CUI 22476081	0241/759970	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm , pmax=60bar	B/CR4/K,L/1 4/2095/0/09. 04.2014

502	Central	TEHNOTERM SRL	IASI, Sos. Pacurari. Nr.26, bl.T4, parter, Jud. Iasi	J22/3107/19 94	CUI 6788022	0232/259596	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm , pmax=60bar	DISPR/CR4/K, L/14/0557/0 /20.04.2011
503	Bacau	TEHNOTERM SRL	IASI, Bd. Chimiei, nr. 14, Jud. Iasi	J22/3107/19 94	CUI 6788022	0232/259596	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=200mm , pmax=60bar	BC/CR4/K,L/14/1388/1/1 1.03.2014
504	Brasov	TEODAN INSTAL SRL	PLOIESTI, Str. Ștefan cel Mare, nr.27, constructia C1, parter, camera 1, Jud. Prahova	J29/2587/20 07	CUI 22547417	0244/546228; e-mail office@teoda n.ro	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=300bar , Dnmax=150m m	BV/CR4/K,L/14/1352/2/1 7.11.2021
505	Brasov	TEODAN INSTAL SRL	PLOIESTI, Str. Maramures, nr.14-16, Jud. Prahova	J29/2587/20 07	CUI 22547417	0244/546228; e-mail Teodan_instal@yahoo.com	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=300bar , Dnmax=150m m	BV/CR4/K,L/14/1352/1/1 1.12.2014

506	Ploiesti	TEODAN INSTAL SRL	PLOIESTI, Str. Republicii, nr.108, Bl.13B2, et.2, ap.6, Jud. Prahova	J29/2587/20 07	RO 22547417	0244/514500	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=300bar , Dnmax=150mm	PL/CR4/K,L/ 14/0258/0/0 6.12.2010
507	Brasov	TERCONFINST AL SERVICII SRL	BRASOV, Str. Poienelor, nr. 5, intrarea 1, Birou, Jud. Brasov	J08/1761/20 09	RO 26360224	0730636711; 0721296039; terconfinstals ervicii@yahoo .com	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Pmax=30bar, Dnmax=50mm	BV/CR4/K,L/ 14/1708/0/3 1.10.2017
508	Sibiu	TERM INSTAL GROUP SRL	DEJ, Str. Florilor, nr.8, Jud. Cluj	J12/720/199 9	RO 11833600	0264/212273	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax≤100mm; pmax≤25bar	SB/CR4/K,L/ 14/1032/0/2 7.07.2012
509	Bacau	TERMA SRL	BACAU, Str. Oituz, nr.78, Jud. Bacau	J04/219/199 7	CUI 9234919	0234/511711 /580010; e- mail office@terma bacau.ro	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax≤50mm, pmax≤6bar	BC/CR4/K,L/ 14/1760/1/0 3.05.2017

510	Central	TERMA SRL	BACAU, Str. Oituz, nr.78, Jud. Bacau	J04/219/1997	CUI 9234919	0234/511711/580010	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=50mm, pmax=6bar	DISPR/CR4/K, L/14/0552/0/15.04.2011
511	Bacau	TERMAEXIM SA	GALATI, Str. Petru Groza, nr.23, Jud. Galati	J17/1221/1991	CUI 1631352	0722252282, 0236470870, 0236470669, email: office@termaexim.ro	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax≤40bar, DNmax≤150mm	BC/CR4/K,L/14/2041/1/07.07.2021
512	Central	TERMAEXIM SA	GALATI, Str. Petru Groza, nr.23, Jud. Galati	J17/1221/1991	CUI 1631352	0236/470870/470669	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax≤150mm, pmax≤160bar	DISPR/CR4/K, L/14/0029/0/23.02.2011
513	Central	TERMICA SA	SUCEAVA, Str. Energeticianu lui, nr.1, Jud. Suceava	J33/310/2002	CUI 14682110	0230/257066/257663	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=80mm, pmax=64bar	DISPR/CR4/K, L/14/0854/0/11.05.2011

514	Brasov	TERMO CONFORT SRL	BRASOV, Bd. Victoriei, nr.10, bl.43, Jud. Brasov	J8/184/1998	RO 10253388	0268/416830	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	p≤40bar, D≤250mm	BV/CR4/K,L/ 14/1099/0/1 4.01.2013
515	Sibiu	TERMOCONSUL TING SRL	ALBA IULIA- MICESTI, Str. Carpati, nr.26, Jud. Alba	J01/463/200 4	RO 16358630	0258/832409	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	8mm≤DN≤250 mm, 0bar≤ Pn<250bar	SB/CR4/K,L/ 14/0069/0/1 6.08.2010
516	Central	TERMODAV SRL	BRAGADIRU, Str. Iederei, nr.63D, Jud. Ilfov	J23/3243/20 08	CUI 24619986	0740044941; 031/8081274	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=200m m, pmax=70bar	DISPR/CR4/K, L/14/2102/0 /03.10.2011
517	Oradea	TERMODINAMIC SRL	ARAD, Str. Stan Dragu, nr.1, Jud. Arad	J02/1114/19 94	CUI 6111857	0257/256502 /250310	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250m m, pmax=10bar, fluid aer; Dnmax=250m m, pmax=250bar	OR/CR4/K,L/ 14/1673/1/1 9.04.2019

518	Central	TERMODINAMIC SRL	ARAD, Str. Stan Dragu, nr.1, Jud. Arad	J02/1114/1994	CUI 6111857	0257/256502/250310	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=10bar, fluid aer; Dnmax=250mm, pmax=250bar	DISPR/CR4/K, L/14/2566/0/08.12.2011
519	Craiova	TERMOINSTALATII CONSULT SRL	CRAIOVA, Piata Unirii, bl.N, ap.43, Jud. Dolj	J16/651/2010	RO 27027768	0251/462565	Verificare (la deschidere-inchidere) dispozitive de siguranta	DN=300mm, Pmax=450bar	CR/CR4/K,L/14/0039/0/02.07.2010
520	Central	TERMOINVEST SRL	FETESTI, Str. M. Sadoveanu, nr.3, Jud. Ialomita	J21/31/1994	CUI 5168146	0243/365108	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=60bar	DISPR/CR4/K, L/14/0880/0/18.05.2011
521	Brasov	TERMOKLIMATEAM INOVATION SRL	BUZAU, Str. Veteranilor, nr. 5, Jud. Buzau	J10/702/2022	46221123	0238/722274; 0728/722274; e-mail cana.petrica@yahoo.com	Verificare (la deschidere-inchidere) Reparare si Reglare: Dispozitive de siguranta	Pmax=250bar, DNmax=400mm	BV/CR4/K,L/14/1991/0/14.07.2022

521	Brasov	TERMOKLIMA SRL	BUZAU, Str. Veteranilor, nr. 5, Jud. Buzau	J10/215/2000	CUI 13038090	0238/719786, 0728202050; e-mail cana_petrica@yahoo.com	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=700bar , DN=400mm	BV/CR4/K,L/14/1720/3/0 6.12.2018
522	Brasov	TERMOKLIMA SRL	BUZAU, Str. Agriculturii, nr.25, Jud. Buzau	J10/215/2000	RO 13038090	0238/723499, 0728202050; e-mail termoklimasrl@yahoo.com	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=700bar , DN=400mm	BV/CR4/K,L/14/1720/2/1 7.04.2018
523	Brasov	TERMOKLIMA SRL	BUZAU, Str. Agriculturii, nr.25, Jud. Buzau	J10/215/2000	RO 13038090	0238/723499	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax=250bar , DN=400mm	BV/CR4/K,L/14/1720/1/0 8.11.2017
524	Ploiesti	TERMOKLIMA SRL	BUZAU, Str. Agriculturii, nr.25, Jud. Buzau	J10/215/2000	RO 13038090	0238/722274	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Pmax≤250bar , DN≤400mm	PL/CR4/K,L/14/0264/0/0 6.12.2010

525	Central	TERMOPROD COMEXIM SRL	CLUJ NAPOCA, Str. Muncitorilor, nr.20, ap.6, Jud. Cluj	J12/3927/19 94	CUI 6589364	0264/431587	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm , pmax=250bar	DISPR/CR4/K, L/14/1079/0 /01.06.2011
526	Central	TERMOREP SRL	RM. VALCEA, Str. Nistor Dumitrescu, nr.14/17, Jud. Valcea	J38/576/199 1	CUI 1469332	0250/737308 /737302; 0744549436	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150m m, pmax=100bar	DISPR/CR4/K, L/14/2165/0 /11.10.2011
527	Sibiu	TERMOTEH WORK SRL	VALCELE, Com. Feleacu, nr. 7D, Jud. Cluj; CLUJ NAPOCA, Str. Traian Vuia, nr. 232, corp	J12/774/201 8	CUI 38954930	0746106196	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤250m m, pmax≤63bar	SB/CR4/K,L/ 14/1827/0/2 0.06.2018
528	Craiova	TESTOCLIMA SRL	CRAIOVA, Str. Girlesti, Nr. 118P, Jud. Dolj	J16/220/201 3	RO 31197221	0767584888, 0769111752, 0351/881221	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤100m m, pmax≤30bar	CR/CR4/K,L/ 14/016/1/17. 11.2021

529	Bucuresti	TESTOCLIMA SRL	CRAIOVA, Str. Girlesti, Nr. 118P, Jud. Dolj	J16/220/2013	RO 31197221	0767584888, 0769111752, 0351/881221	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax≤40mm, pmax≤30bar	B/CR4/K,L/14/3420/0/20.05.2019
530	Oradea	THETA SIM SRL	PERICEI, nr. 613B, Jud. Salaj	J31/9/2010	CUI 2640870	0742818700; e-mail thetasim2010@yahoo.com	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dn=150mm, pmax=100bar	OR/CR4/K/14/1559/0/14.09.2017
531	Sibiu	TIMOREX IMPEX SRL	ZALAU, str. Morii, nr.1, Jud. Salaj	J31/24/1996	RO 8500249	0360566942, 0749068386, e-mail: sctimoreximpex@yahoo.com	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=64bar	SB/CR4/K,L/14/2260/0/09.11.2021
532	Central	TIMPROD SRL	SUCEAVA, Al. Dumbravii, nr.12D, Jud. Suceava	J33/764/1995	CUI 7537380	0230/517230	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250mm, pmax=64bar	DISPR/CR4/K,L/14/2115/0/07.10.2011

533	Central	TMK ARTROM SA	SLATINA, Str. Draganesti, nr.30, Jud. Olt	J28/9/1991	CUI 1510210	0372498148, 0721240759, 0249/431144	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=100mm , pmax=64bar	DISPR/CR4/K /14/1170/0/ 21.06.2011
534	Bucuresti	TOP OIL INTER SRL	CONSTANTA, str. Venus, nr.58, Camera nr.2, jud. Constanța; CONSTANTA, Str. Lt.	J13/2533/2010	CUI 27796281	0241620844/ 0241515552	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax≤40bar; DNmax≤250mm	B/CR4/K,L/14/1769/1/25. 11.2020
535	Bucuresti	TOP OIL INTER SRL	CONSTANTA, Str. Lt. Gheorghe Hanes, cladire Club CFR, birou nr.1, Jud. Constanta	J13/2253/2010	RO 27796281	0241/620844 / 51555	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm , pmax=40bar	B/CR4/K,L/14/1769/0/26. 08.2013
536	Ploiesti	TOTAL CERT SRL	BUZAU, Str. Unirii, bl.E7A, et.8, ap.24, camera 1, Jud. Buzau	J10/500/2005	RO 17475438	0238/723330	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN≤170mm, PN≤170bar	PL/CR4/K/14 /0084/0/21.0 6.2010

537	Bacau	TOTALGAZ INDUSTRIE SRL	IASI,Sos. Pacurari, nr. 128, Jud. Iasi	J22/3277/19 94	RO 6658553	0232/216391 / 215983	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=600mm, pmax=450bar	BC/CR4/K,L/ 14/1432/0/1 3.06.2014
538	Brasov	TRISERV INSTAL SRL	AZUGA, Str. Gospodariei, nr.33, Jud. Prahova	J29/1477/20 06	RO 18827885	0244/326328	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax≤40bar, Dnmax≤150m m	BV/CR4/K,L/ 14/1058/0/0 2.10.2012
539	Sibiu	TUBEX SRL- Sucursala DANES	Sat DANES, Str. Garii, nr.1, Jud. Mures	J26/1223/20 03	RO 15778389	0265/761703	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax≤300m m; pmax≤400bar	SB/CR4/K,L/ 14/1034/0/1 6.08.2012
540	Oradea	UCM RESITA SA	BUCURESTI, Piata Montreal, nr.10, cladirea WTC, intrarea F, et.1, birou	J40/13628/2 011	CUI 1056654	0255/217111 / 223082	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	pmax=25bar Dnmax=80mm	OR/CR4/K,L/ 14/1094/2/1 1.10.2018

541	Oradea	UCM RESITA SA	BUCURESTI, Piata Montreal, nr.10, cladirea WTC, intrarea F, et.1, birou	J40/13628/2011	CUI 1056654	Telex 74215; 5/217111/223082	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	pmax=25bar Dnmax=80mm	OR/CR4/K,L/14/1094/1/17.01.2013
542	Timisoara	UCM RESITA SA	BUCURESTI, P-ta Montreal, nr.10, Cladire World Trade Center, intrare F,	J40/13628/2011	CUI 1056654	0255/217211/223082	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	DN=80mm, Pn=25bar	TM/CR4/K,L/14/0074/0/14.09.2010
543	Bucuresti	UM 02550 L	BUCURESTI, Str. Teascului, nr.2, sector 4	-	CIF 4283716	021/3341030/3321389	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=50mm, pmax=50bar	B/CR4/K,L/14/1038/0/18.09.2012
544	Oradea	UZINA ELECTRICA ZALAU SA	ZALAU, Str. Simion Barnutiu, nr.2, Jud. Salaj	J31/13/2002	RO 14397920	0260/662103/662101	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100mm, pmax=35bar	OR/CR4/K,L/14/1385/1/23.12.2015-retragere voluntara incepand cu 18.10.2017

545	Oradea	UZINA ELECTRICA ZALAU SA	ZALAU, Str. Valea Mitei, nr. 2, Jud. Salaj	J31/13/2002	RO 14397920	0260/662103 / 662101; e- mail cet@uezalau. ro	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax=35bar	OR/CR4/K,L/ 14/1385/0/0 9.07.2015
546	Oradea	VALFRAT PREST SRL	RESITA, Calea Timisoarei, bl.29, sc.3, ap.3, Jud. Caras Severin	J11/221/199 7	CUI 9745220	0255/225824, 0740526165/ 0255225824	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150m m, pmax=40bar	OR/CR4/K,L/ 14/1266/1/2 2.04.2020
547	Oradea	VALFRAT PREST SRL	RESITA, Str. Timisoarei, bl.29, sc.3, ap.3, Jud. Caras Severin	J11/221/199 7	CUI 9745220	0255/225824	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150m m, pmax=40bar	OR/CR4/K,L/ 14/1266/0/0 7.03.2014
548	Bacau	VENTILE, ARMATURI, SUPAPE SERVICE SRL	ROMAN, Str. Stefan cel Mare, nr. 279, Jud. Neamt	J27/339/201 5	CUI 34571362	0745050306	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=100m m, pmax=100bar	BC/CR4/K,L/ 14/1560/0/0 1.07.2015

549	Bacau	VEOLIA ENERGIE IASI SA	IASI, Cal. Chisinaului, nr.25, et. 2, camera 1, Jud. Iasi	J22/1399/20 12	RO 30570461	0232/232360 / 233918; e- mail secretariat@v eolia.com	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400m m, pmax=400bar	BC/CR4/K,L/ 14/1122/3/1 4.06.2019
550	Bacau	VEOLIA ENERGIE IASI SA	IASI, Sos. Nationala, nr.43, et.1, camera 19, Jud. Iasi; Iasi, Cal. Chisinaului, nr.25, Jud.	J22/1399/20 12	RO 30570461	0232/232360 / 233918	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400m m, pmax=400bar	BC/CR4/K,L/ 14/1122/2/1 3.06.2017
551	Bacau	VEOLIA ENERGIE IASI SA	IASI, Sos. Nationala, nr.43, et.1, camera 19, Jud. Iasi; Iasi, Cal. Chisinaului, nr.25, Jud.	J22/1399/20 12	RO 30570461	0232/232360 / 233918	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=400m m, pmax=400bar	BC/CR4/K,L/ 14/1122/1/1 1.05.2015
552	Cluj	VER INS TRAD SRL	BAIA MARE, Str. Tamplarilor, nr.15, Jud. Maramures	J24/752/200 6	CUI 18649862	0766247388; 0362/402065	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN=150mm, Pmax=64bar	CJ/CR4/K,L/ 14/0133/0/0 2.12.2010

553	Bacau	VIDMAC EXPERT SRL	BRAILA, Str. Apollo, nr. 23, bl. A7, ap. 14, Jud. Braila	J09/456/201 3	CUI 32001721	0728894202	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DN≤150mm, Pmax≤25bar	BC/CR4/K,L/ 14/1601/0/0 6.10.2015
554	Bucuresti	VIDOMAC CONS-SERV SRL	BUCURESTI, Aleea Petrachesti, nr.24, bl.1, sc.A, et.1, ap.112, sector 6	J40/1271/20 11	CUI 28003325	0744492688	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=150m m, pmax=40bar	B/CR4/K,L/1 4/3206/5/19. 10.2020
555	Bucuresti	VIDOMAC CONS-SERV SRL	BUCURESTI, Aleea Petrachesti, nr.24, bl.1, sc.A, et.1, ap.112, sector 6	J40/1271/20 11	CUI 28003325	0744492688	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=150m m, pmax=40bar	B/CR4/K,L/1 4/3206/4/16. 03.2020
556	Bucuresti	VIDOMAC CONS-SERV SRL	BUCURESTI, Aleea Petrachesti, nr.24, bl.1, sc.A, et.1, ap.112, sector 6	J40/1271/20 11	CUI 28003325	031/8083752	Verificare (la deschidere- inchidere), reparare si reglare dispozitive de siguranta	DNmax=150m m, pmax=40bar	B/CR4/K,L/1 4/3206/3/29. 05.2015

557	Bucuresti	VIDOMAC CONS-SERV SRL	BUCURESTI, Aleea Petrachesti, nr.24, bl.1, sc.A, et.1, ap.112, sector 6	J40/1271/20 11	CUI 28003325	031/8083752	Verificare (la deschidere- inchidere), reparare si reglare dispozitive de siguranta	DNmax=150mm, pmax=40bar	B/CR4/K,L/1 4/3206/2/11. 04.2014
558	Central	VIDOMAC CONS SERV SRL	BUCURESTI, Al. Petrachesti, nr.24, bl.1, sc.A, et.1, ap. 112, camera 1, sector 6	J40/1271/20 11	CUI 28003325	031/8083752	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=125mm , pmax=16bar	DISPR/CR4/K, L/14/3206/1 /08.03.2012
559	Bucuresti	VILO SRL	BUCURESTI, Bd. Camil Ressu, nr.15, bl. 57, sc.4, et.2, ap.141, sector 3; CATELU, Com. Glina,	J40/9378/20 02	RO 14899420	021/6488064 / 3253592	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=75mm, pmax=12bar	B/CR4/K,L/1 4/2317/1/04. 05.2018
560	Bucuresti	VILO SRL	BUCURESTI, Bd. Camil Ressu, nr.15, bl.57, sc.4, et.2, ap. 141, sector 3	J40/9378/20 02	RO 14899420	021/6488064 / 3253592	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=75mm, pmax=12bar	B/CR4/K,L/1 4/2317/0/21. 10.2014

561	Sibiu	VIMED COM SRL	ALBA IULIA, B-dul Incoronării, nr.7, Jud Alba	J01/1619/19 94	RO 6892804	0258817988, email: office@vimed .ro	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax≤100m m, pmax≤15bar	SB/CR4/K,L/ 14/2112/0/0 9.10.2020
562	Bucuresti	VIOSIL INSTAL CONSTRUCT SRL	BUCURESTI, Str. Cozieni, nr.33, constructii C1, C2, C3, sector 5	J40/112961/ 2002	RO 15000467	021/3357795 / 3367010	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dn=80mm, pmax=16bar	B/CR4/K,L/1 4/1183/0/16. 11.2012
563	Bucuresti	VIRGILIUS PROD COM SL	SLOBOZIA, Str. Vanatori, bl.D1, sc.A, ap.3, Jud. Ialomita	J21/878/199 2	CUI 20790871	0243/221129	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=150m m, pmax=50bar	B/CR4/K,L/1 4/1236/0/11. 12.2012
564	Central	VIROMET SA	VICTORIA, Aleea Uzinei, nr.8, Jud. Brasov	J08/340/199 1	CUI 1126350	0268/241120 /241800	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dnmax=250m m, pmax≤100bar	DISPR/CR4/K, L/14/1629/0 /19.07.2011

565	Bucuresti	VISION TEHNIC CONCEPT SRL	STEFANESTI, Sat Valea Mare Podgoria, Str. Liviu Rebreanu, nr. 16B, Jud. Arges	J3/1667/201 8	CUI 39793300	0766557723; e-mail visiontehnicc oncept@yahoo o.com	Verificare (la deschidere- inchidere) dispozitive de siguranta	Dnmax=200m m, pmax≤100bar	B/CR4/K/14/ 3337/0/18.09 .2018
566	Central	VITAL TERMO CONSTRUCT SRL	BUCURESTI, Str. Anastasie Panu, nr.8, bl.A 12, sc.2, et. 3, ap.40, sector 3	J40/5594/19 97	CUI 9617000	021/3237773	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax≤100mm , pmax≤40bar	DISPR/CR4/K /14/0712/0/ 05.05.2011
567	Bacau	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239/199 1	RO 1454846	0237640800, 0237641720, email: office@vranc art.ro	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	DNmax=250m m, pmax=40bar	BC/CR4/K,L/ 14/1430/2/2 9.06.2021
568	Bacau	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239/199 1	RO 1454846	0237/640800 /641720	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm , pmax=40bar	BC/CR4/K,L/ 14/1430/1/1 6.06.2014

569	Central	VRANCART SA	ADJUD, Str. Ecaterina Teodoroiu, nr.17, Jud. Vrancea	J39/239/1991	RO 1454846	0237/640800/641720	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=250mm, pmax=40bar	DISPR/CR4/K, L/14/3067/0/23.02.2012
570	Sibiu	VTP SERVING SRL	CLUJ NAPOCA, Str. Aurel Vlaicu, nr. 52, ap.66, Jud. Cluj; CLUJ NAPOCA, Str. Henri	J12/1540/2005	CUI 17518105	0264/456440/552646, 0723166786; E-mail vtpserving@gmail.com	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=64bar	SB/CR4/K,L/14/1793/1/12.03.2018
571	Central	VTP SERVING SRL	CLUJ NAPOCA, Str. Godeanu, nr.2, ap.17, Jud. Cluj; CLUJ NAPOCA, Str. Henri	J12/1540/2005	CUI 17518105	0264/552646	Verificare (la deschidere-inchidere) reparare si reglare dispozitive de siguranta	Dmax=150mm, pmax=64bar	DISPR/CR4/K, L/14/0807/0/04.05.2011
572	Sibiu	VTU ECHIPAMENTE SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, et. 1, Jud. Cluj; CLUJ NAPOCA, str. Traian Vuia,	J12/256/2013	RO 31156795	vtuechipamente@yahoo.com	Verificare (la deschidere-inchidere) reparare si reglare la: Dispozitive de siguranta	Dnmax ≤ 250mm, pmax ≤ 700bar	SB/CR4/K,L/14/2355/1/24.08.2022

572	Sibiu	VTU ECHIPAMENTE SRL	CLUJ NAPOCA, Str. Vasile Lupu, nr. 7, et. 1, Jud. Cluj	J12/256/201 3	RO 31156795	0264/431587 / 596750	Verificare (la deschidere- inchidere) reparare si reglare dispozitive de siguranta	Dmax≤250mm , pmax≤250bar	SB/CR4/K,L/ 14/1500/0/1 3.08.2015
573	Central	YIT ROMANIA SRL	SIBIU, Com. SELIMBAR, Str. Sibiului, nr.2, camera 403, Jud. Sibiu	J32/1103/20 08	CUI 16962540	0369/408917 /408918	Verificare (la deschidere- inchidere) dispozitive de siguranta	Dnmax=80mm , pmax=70bar	DISPR/CR4/K /14/1667/0/ 10.08.2011